

Sihai Yang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2927481/sihai-yang-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

138
papers

7,784
citations

45
h-index

86
g-index

164
ext. papers

9,502
ext. citations

11.6
avg, IF

5.89
L-index

#	Paper	IF	Citations
138	High capacity ammonia adsorption in a robust metal-organic framework mediated by reversible host-guest interactions.. <i>Chemical Communications</i> , 2022 ,	5.8	1
137	A {Ni ₁₂ }-Wheel-Based Metal-Organic Framework for Coordinative Binding of Sulphur Dioxide and Nitrogen Dioxide. <i>Angewandte Chemie - International Edition</i> , 2021 , e202115585	16.4	1
136	Pore Distortion in a Metal-Organic Framework for Regulated Separation of Propane and Propylene. <i>Journal of the American Chemical Society</i> , 2021 , 143, 19300-19305	16.4	7
135	Simultaneous neutron powder diffraction and microwave characterisation at elevated temperatures. <i>Physical Chemistry Chemical Physics</i> , 2021 , 23, 23602-23609	3.6	
134	The Impact of Structural Defects on Iodine Adsorption in UiO-66. <i>Chemistry</i> , 2021 , 3, 525-531	2.1	3
133	Exceptional Packing Density of Ammonia in a Dual-Functionalized Metal-Organic Framework. <i>Journal of the American Chemical Society</i> , 2021 , 143, 6586-6592	16.4	10
132	The Origin of Catalytic Benzylic C-H Oxidation over a Redox-Active Metal-Organic Framework. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 15243-15247	16.4	4
131	The Origin of Catalytic Benzylic C-H Oxidation over a Redox-Active Metal-Organic Framework. <i>Angewandte Chemie</i> , 2021 , 133, 15371-15375	3.6	
130	Construction of C-C bonds via photoreductive coupling of ketones and aldehydes in the metal-organic-framework MFM-300(Cr). <i>Nature Communications</i> , 2021 , 12, 3583	17.4	8
129	Purification of Propylene and Ethylene by a Robust Metal-Organic Framework Mediated by Host-Guest Interactions. <i>Angewandte Chemie</i> , 2021 , 133, 15669-15675	3.6	6
128	Purification of Propylene and Ethylene by a Robust Metal-Organic Framework Mediated by Host-Guest Interactions. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 15541-15547	16.4	17
127	Enhanced proton conductivity in a flexible metal-organic framework promoted by single-crystal-to-single-crystal transformation. <i>Chemical Communications</i> , 2021 , 57, 65-68	5.8	3
126	PKU-2: An intrinsically microporous aluminoborate with the potential in selective gas separation of CO ₂ /CH ₄ and C ₂ H ₂ /C ₂ H ₄ . <i>Microporous and Mesoporous Materials</i> , 2021 , 312, 110782	5.3	0
125	Investigations of Hydrocarbon Species on Solid Catalysts by Inelastic Neutron Scattering. <i>Topics in Catalysis</i> , 2021 , 64, 593-602	2.3	2
124	Ultra-thin g-CN/MFM-300(Fe) heterojunctions for photocatalytic aerobic oxidation of benzylic carbon centers. <i>Materials Advances</i> , 2021 , 2, 5144-5149	3.3	3
123	Binding and separation of CO ₂ , SO ₂ and C ₂ H ₂ in homo- and hetero-metallic metal-organic framework materials. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 7190-7197	13	4
122	Emerging heterogeneous catalysts for biomass conversion: studies of the reaction mechanism. <i>Chemical Society Reviews</i> , 2021 , 50, 11270-11292	58.5	15

121	Catalytic decomposition of NO ₂ over a copper-decorated metal-organic framework by non-thermal plasma. <i>Cell Reports Physical Science</i> , 2021 , 2, 100349	6.1	3
120	Efficient Separation of Acetylene and Carbon Dioxide in a Decorated Zeolite. <i>Angewandte Chemie</i> , 2021 , 133, 6600-6606	3.6	10
119	High Ammonia Adsorption in MFM-300 Materials: Dynamics and Charge Transfer in Host-Guest Binding. <i>Journal of the American Chemical Society</i> , 2021 , 143, 3153-3161	16.4	24
118	Efficient Separation of Acetylene and Carbon Dioxide in a Decorated Zeolite. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 6526-6532	16.4	19
117	Control of zeolite microenvironment for propene synthesis from methanol. <i>Nature Communications</i> , 2021 , 12, 822	17.4	5
116	Selective Gas Uptake and Rotational Dynamics in a (3,24)-Connected Metal-Organic Framework Material. <i>Journal of the American Chemical Society</i> , 2021 , 143, 3348-3358	16.4	19
115	Atomically Dispersed Copper Sites in a Metal-Organic Framework for Reduction of Nitrogen Dioxide. <i>Journal of the American Chemical Society</i> , 2021 , 143, 10977-10985	16.4	15
114	Observation of binding of carbon dioxide to nitro-decorated metal-organic frameworks. <i>Chemical Science</i> , 2020 , 11, 5339-5346	9.4	11
113	Control of zeolite pore interior for chemoselective alkyne/olefin separations. <i>Science</i> , 2020 , 368, 1002-1006	9.9	73
112	C ₂ H ₄ and C ₂ H ₆ adsorption-induced structural variation of pillared-layer CPL-2 MOF: A combined experimental and Monte Carlo simulation study. <i>Chemical Engineering Science</i> , 2020 , 218, 115566	4.4	7
111	Tripyrrin-armed isosmaragdyrins: synthesis, heterodinuclear coordination, and protonation-triggered helical inversion. <i>Chemical Science</i> , 2020 , 11, 2790-2795	9.4	5
110	Quantitative production of butenes from biomass-derived γ -valerolactone catalysed by hetero-atomic MFI zeolite. <i>Nature Materials</i> , 2020 , 19, 86-93	27	33
109	Quantitative Electro-Reduction of CO to Liquid Fuel over Electro-Synthesized Metal-Organic Frameworks. <i>Journal of the American Chemical Society</i> , 2020 , 142, 17384-17392	16.4	26
108	CO Poisoning of Ru Catalysts in CO ₂ Hydrogenation under Thermal and Plasma Conditions: A Combined Kinetic and Diffuse Reflectance Infrared Fourier Transform Spectroscopy/Mass Spectrometry Study. <i>ACS Catalysis</i> , 2020 , 10, 12828-12840	13.1	15
107	Porous Metal-Organic Polyhedra: Morphology, Porosity, and Guest Binding. <i>Inorganic Chemistry</i> , 2020 , 59, 15646-15658	5.1	6
106	Long-Term Stability of MFM-300(Al) toward Toxic Air Pollutants. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 42949-42954	9.5	12
105	Adsorption of Nitrogen Dioxide in a Redox-Active Vanadium Metal-Organic Framework Material. <i>Journal of the American Chemical Society</i> , 2020 , 142, 15235-15239	16.4	20
104	Electro-reduction of carbon dioxide at low over-potential at a metal-organic framework decorated cathode. <i>Nature Communications</i> , 2020 , 11, 5464	17.4	21

103	Guest-Controlled Incommensurate Modulation in a Meta-Rigid Metal-Organic Framework Material. <i>Journal of the American Chemical Society</i> , 2020 , 142, 19189-19197	16.4	9
102	Refinement of pore size at sub-angstrom precision in robust metal-organic frameworks for separation of xylenes. <i>Nature Communications</i> , 2020 , 11, 4280	17.4	22
101	Iodine Adsorption in a Redox-Active Metal-Organic Framework: Electrical Conductivity Induced by Host-Guest Charge-Transfer. <i>Inorganic Chemistry</i> , 2019 , 58, 14145-14150	5.1	38
100	Modulating proton diffusion and conductivity in metal-organic frameworks by incorporation of accessible free carboxylic acid groups. <i>Chemical Science</i> , 2019 , 10, 1492-1499	9.4	38
99	Host-guest selectivity in a series of isorecticular metal-organic frameworks: observation of acetylene-to-alkyne and carbon dioxide-to-amide interactions. <i>Chemical Science</i> , 2019 , 10, 1098-1106	9.4	30
98	Post-synthetic modulation of the charge distribution in a metal-organic framework for optimal binding of carbon dioxide and sulfur dioxide. <i>Chemical Science</i> , 2019 , 10, 1472-1482	9.4	35
97	Porous metal-organic frameworks as emerging sorbents for clean air. <i>Nature Reviews Chemistry</i> , 2019 , 3, 108-118	34.6	110
96	Breaking the Limit of Lignin Monomer Production via Cleavage of Interunit Carbon-Carbon Linkages. <i>Chem</i> , 2019 , 5, 1521-1536	16.2	84
95	Discovery of Complex Metal Oxide Materials by Rapid Phase Identification and Structure Determination. <i>Journal of the American Chemical Society</i> , 2019 , 141, 4990-4996	16.4	11
94	Reversible MOF-Based Sensors for the Electrical Detection of Iodine Gas. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 27982-27988	9.5	29
93	Cation-induced chirality in a bifunctional metal-organic framework for quantitative enantioselective recognition. <i>Nature Communications</i> , 2019 , 10, 5117	17.4	77
92	Analysis by synchrotron X-ray scattering of the kinetics of formation of an Fe-based metal-organic framework with high CO ₂ adsorption. <i>APL Materials</i> , 2019 , 7, 111104	5.7	3
91	Capture of nitrogen dioxide and conversion to nitric acid in a porous metal-organic framework. <i>Nature Chemistry</i> , 2019 , 11, 1085-1090	17.6	55
90	Integration of mesopores and crystal defects in metal-organic frameworks via templated electrosynthesis. <i>Nature Communications</i> , 2019 , 10, 4466	17.4	45
89	Reversible coordinative binding and separation of sulfur dioxide in a robust metal-organic framework with open copper sites. <i>Nature Materials</i> , 2019 , 18, 1358-1365	27	95
88	Direct observation of supramolecular binding of light hydrocarbons in vanadium(III) and (IV) metal-organic framework materials. <i>Chemical Science</i> , 2018 , 9, 3401-3408	9.4	19
87	Acid-Free Conversion of Cellulose to 5-(Hydroxymethyl)furfural Catalyzed by Hot Seawater. <i>Industrial & Engineering Chemistry Research</i> , 2018 , 57, 3545-3553	3.9	42
86	Locating the binding domains in a highly selective mixed matrix membrane via synchrotron IR microspectroscopy. <i>Chemical Communications</i> , 2018 , 54, 2866-2869	5.8	8

85	Enhancement of CO Uptake and Selectivity in a Metal-Organic Framework by the Incorporation of Thiophene Functionality. <i>Inorganic Chemistry</i> , 2018 , 57, 5074-5082	5.1	26
84	Ammonia Storage by Reversible Host-Guest Site Exchange in a Robust Metal-Organic Framework. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 14778-14781	16.4	55
83	Reversible adsorption of nitrogen dioxide within a robust porous metal-organic framework. <i>Nature Materials</i> , 2018 , 17, 691-696	27	108
82	Innenfunktionalisierung: Ammonia Storage by Reversible Host-Guest Site Exchange in a Robust Metal-Organic Framework (Angew. Chem. 45/2018). <i>Angewandte Chemie</i> , 2018 , 130, 15163-15163	3.6	
81	Comparison of two multifunctional catalysts [M/Nb ₂ O ₅ (M = Pd, Pt)] for one-pot hydrodeoxygenation of lignin. <i>Catalysis Science and Technology</i> , 2018 , 8, 6129-6136	5.5	15
80	Exceptional Adsorption and Binding of Sulfur Dioxide in a Robust Zirconium-Based Metal-Organic Framework. <i>Journal of the American Chemical Society</i> , 2018 , 140, 15564-15567	16.4	98
79	Optimal Binding of Acetylene to a Nitro-Decorated Metal-Organic Framework. <i>Journal of the American Chemical Society</i> , 2018 , 140, 16006-16009	16.4	18
78	Enhancement of Proton Conductivity in Nonporous Metal-Organic Frameworks: The Role of Framework Proton Density and Humidity. <i>Chemistry of Materials</i> , 2018 , 30, 7593-7602	9.6	36
77	High Volumetric Hydrogen Adsorption in a Porous Anthracene-Decorated Metal-Organic Framework. <i>Inorganic Chemistry</i> , 2018 , 57, 12050-12055	5.1	16
76	Ammonia Storage by Reversible Host-Guest Site Exchange in a Robust Metal-Organic Framework. <i>Angewandte Chemie</i> , 2018 , 130, 14994-14997	3.6	9
75	Tailoring porosity and rotational dynamics in a series of octacarboxylate metal-organic frameworks. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, 3056-3061	11.5	57
74	Stepwise observation and quantification and mixed matrix membrane separation of CO within a hydroxy-decorated porous host. <i>Chemical Science</i> , 2017 , 8, 3239-3248	9.4	13
73	Unravelling exceptional acetylene and carbon dioxide adsorption within a tetra-amide functionalized metal-organic framework. <i>Nature Communications</i> , 2017 , 8, 14085	17.4	135
72	Modulating supramolecular binding of carbon dioxide in a redox-active porous metal-organic framework. <i>Nature Communications</i> , 2017 , 8, 14212	17.4	64
71	Binding CO by a Cr Metallacrown. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 5527-5530	16.4	14
70	Binding CO ₂ by a Cr ₈ Metallacrown. <i>Angewandte Chemie</i> , 2017 , 129, 5619-5622	3.6	4
69	Structural and dynamic studies of substrate binding in porous metal-organic frameworks. <i>Chemical Society Reviews</i> , 2017 , 46, 239-274	58.5	166
68	Metal-organic frameworks in seconds via selective microwave heating. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 7333-7338	13	53

67	New synchrotron powder diffraction facility for long-duration experiments. <i>Journal of Applied Crystallography</i> , 2017 , 50, 172-183	3.8	28
66	Confinement of Iodine Molecules into Triple-Helical Chains within Robust Metal-Organic Frameworks. <i>Journal of the American Chemical Society</i> , 2017 , 139, 16289-16296	16.4	132
65	Selective production of arenes via direct lignin upgrading over a niobium-based catalyst. <i>Nature Communications</i> , 2017 , 8, 16104	17.4	236
64	Porous Metal-Organic Polyhedral Frameworks with Optimal Molecular Dynamics and Pore Geometry for Methane Storage. <i>Journal of the American Chemical Society</i> , 2017 , 139, 13349-13360	16.4	69
63	Supramolecular networks stabilise and functionalise black phosphorus. <i>Nature Communications</i> , 2017 , 8, 1385	17.4	57
62	Selective Adsorption of Sulfur Dioxide in a Robust Metal-Organic Framework Material. <i>Advanced Materials</i> , 2016 , 28, 8705-8711	24	161
61	Observation of Binding and Rotation of Methane and Hydrogen within a Functional Metal-Organic Framework. <i>Journal of the American Chemical Society</i> , 2016 , 138, 9119-27	16.4	48
60	Direct hydrodeoxygenation of raw woody biomass into liquid alkanes. <i>Nature Communications</i> , 2016 , 7, 11162	17.4	271
59	Enhancement of CO ₂ Adsorption and Catalytic Properties by Fe-Doping of [Ga ₂ (OH) ₂ (L)] (H ₄ L = Biphenyl-3,3',5,5'-tetracarboxylic Acid), MFM-300(Ga ₂). <i>Inorganic Chemistry</i> , 2016 , 55, 1076-88	5.1	52
58	Rational syntheses of helical π -conjugated oligopyrroles with a bipyrrrole linkage: geometry control of bis-copper(II) coordination. <i>Chemical Communications</i> , 2016 , 52, 5148-51	5.8	14
57	Macrocyclic Transformations from Norrole to Isonorrole and an N-Confused Corrole with a Fused Hexacyclic Ring System Triggered by a Pyrrole Substituent. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 3063-7	16.4	33
56	Multiferroicity Broken by Commensurate Magnetic Ordering in Terbium Orthomanganite. <i>ChemPhysChem</i> , 2016 , 17, 1098-103	3.2	6
55	Macrocyclic Transformations from Norrole to Isonorrole and an N-Confused Corrole with a Fused Hexacyclic Ring System Triggered by a Pyrrole Substituent. <i>Angewandte Chemie</i> , 2016 , 128, 3115-3119	3.6	5
54	Tracking charge in metal organic frameworks promises to improve fuel cell materials. <i>Fuel Cells Bulletin</i> , 2016 , 2016, 12-13	1.6	
53	Selective Hysteretic Sorption of Light Hydrocarbons in a Flexible Metal-Organic Framework Material. <i>Chemistry of Materials</i> , 2016 , 28, 2331-2340	9.6	84
52	Adsorption Properties of MFM-400 and MFM-401 with CO ₂ and Hydrocarbons: Selectivity Derived from Directed Supramolecular Interactions. <i>Inorganic Chemistry</i> , 2016 , 55, 7219-28	5.1	36
51	Proton Conduction in a Phosphonate-Based Metal-Organic Framework Mediated by Intrinsic "Free Diffusion inside a Sphere". <i>Journal of the American Chemical Society</i> , 2016 , 138, 6352-5	16.4	156
50	Amides Do Not Always Work: Observation of Guest Binding in an Amide-Functionalized Porous Metal-Organic Framework. <i>Journal of the American Chemical Society</i> , 2016 , 138, 14828-14831	16.4	38

49	Tetra- and Octapyrroles Synthesized from Confusion and Fusion Approaches. <i>Organic Letters</i> , 2016 , 18, 5046-5049	6.2	10
48	Structural and magnetic properties of tetragonal perovskite BaFe _{1-x} BixO ₃ . <i>RSC Advances</i> , 2015 , 5, 12866-12871	3.7	8
47	Structural aspects of metal-organic framework-based energy materials research at Diamond. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2015 , 373,	3	2
46	Supramolecular binding and separation of hydrocarbons within a functionalized porous metal-organic framework. <i>Nature Chemistry</i> , 2014 , 7, 121-9	17.6	391
45	Studies on metal-organic frameworks of Cu(II) with isophthalate linkers for hydrogen storage. <i>Accounts of Chemical Research</i> , 2014 , 47, 296-307	24.3	239
44	A novel bismuth-based metal-organic framework for high volumetric methane and carbon dioxide adsorption. <i>Chemistry - A European Journal</i> , 2014 , 20, 8024-9	4.8	55
43	Synthesis of metal-organic frameworks by continuous flow. <i>Green Chemistry</i> , 2014 , 16, 3796-3802	10	115
42	A robust binary supramolecular organic framework (SOF) with high CO ₂ adsorption and selectivity. <i>Journal of the American Chemical Society</i> , 2014 , 136, 12828-31	16.4	220
41	Inelastic neutron scattering study of binding of para-hydrogen in an ultra-microporous metal-organic framework. <i>Chemical Physics</i> , 2014 , 428, 111-116	2.3	7
40	Hierarchical ZSM-5 catalyst synthesized by a Triton X-100 assisted hydrothermal method. <i>Chinese Journal of Catalysis</i> , 2014 , 35, 1892-1899	11.3	17
39	Permanent porosity derived from the self-assembly of highly luminescent molecular zinc carbonate nanoclusters. <i>Angewandte Chemie - International Edition</i> , 2013 , 52, 13414-8	16.4	37
38	Irreversible network transformation in a dynamic porous host catalyzed by sulfur dioxide. <i>Journal of the American Chemical Society</i> , 2013 , 135, 4954-7	16.4	103
37	Permanent Porosity Derived From the Self-Assembly of Highly Luminescent Molecular Zinc Carbonate Nanoclusters. <i>Angewandte Chemie</i> , 2013 , 125, 13656-13660	3.6	8
36	SU-75: a disordered Ge ₁₀ germanate with pcu topology. <i>Dalton Transactions</i> , 2012 , 41, 12358-64	4.3	5
35	Near-critical water, a cleaner solvent for the synthesis of a metal-organic framework. <i>Green Chemistry</i> , 2012 , 14, 117-122	10	43
34	Selectivity and direct visualization of carbon dioxide and sulfur dioxide in a decorated porous host. <i>Nature Chemistry</i> , 2012 , 4, 887-94	17.6	396
33	Selective CO ₂ uptake and inverse CO ₂ /C ₂ H ₂ selectivity in a dynamic bifunctional metal-organic framework. <i>Chemical Science</i> , 2012 , 3, 2993	9.4	104
32	A partially interpenetrated metal-organic framework for selective hysteretic sorption of carbon dioxide. <i>Nature Materials</i> , 2012 , 11, 710-6	27	389

31	Two open-framework germanates with nickel complexes incorporated into the framework. <i>Inorganic Chemistry</i> , 2011 , 50, 9921-3	5.1	16
30	Highly porous and robust scandium-based metal-organic frameworks for hydrogen storage. <i>Chemical Communications</i> , 2011 , 47, 8304-6	5.8	130
29	Pore with gate: enhancement of the isosteric heat of adsorption of dihydrogen via postsynthetic cation exchange in metal-organic frameworks. <i>Inorganic Chemistry</i> , 2011 , 50, 9374-84	5.1	83
28	High capacity gas storage by a 4,8-connected metal-organic polyhedral framework. <i>Chemical Communications</i> , 2011 , 47, 4487-9	5.8	203
27	Pore with gate: modulating hydrogen storage in metal-organic framework materials via cation exchange. <i>Faraday Discussions</i> , 2011 , 151, 19-36; discussion 95-115	3.6	46
26	A mesoporous metal-organic framework constructed from a nanosized C3-symmetric linker and [Cu ₂₄ (isophthalate) ₂₄] cuboctahedra. <i>Chemical Communications</i> , 2011 , 47, 9995-7	5.8	122
25	Syntheses, Structures, and Gas Adsorption Properties of Two Novel Cadmium/Sodium Organic Frameworks with 1,3,5-Benzenetricarboxylate Ligands. <i>Crystal Growth and Design</i> , 2011 , 11, 3529-3535	3.5	22
24	Syntheses, Structures, and Structural Transformations of Mixed Na(I) and Zn(II) Metal/Organic Frameworks with 1,3,5-Benzenetricarboxylate Ligands. <i>Crystal Growth and Design</i> , 2011 , 11, 2243-2249	3.5	18
23	Metal-organic polyhedral frameworks: high H ₂ adsorption capacities and neutron powder diffraction studies. <i>Journal of the American Chemical Society</i> , 2010 , 132, 4092-4	16.4	269
22	Structures and H ₂ adsorption properties of porous scandium metal-organic frameworks. <i>Chemistry - A European Journal</i> , 2010 , 16, 13671-9	4.8	71
21	Syntheses, structures and magnetic properties of Mn(II), Co(II) and Ni(II) metal-organic frameworks constructed from 1,3,5-benzenetricarboxylate and formate ligands. <i>Inorganica Chimica Acta</i> , 2010 , 363, 645-652	2.7	40
20	Enhancement of H ₂ adsorption in coordination framework materials by use of ligand curvature. <i>Chemistry - A European Journal</i> , 2009 , 15, 4829-35	4.8	106
19	New double formates Na ₃ M(HCOO) ₆ (M = Ga, In) with diamond-like metal framework: Synthesis, structure and coordination modes. <i>Journal of Molecular Structure</i> , 2009 , 937, 39-43	3.4	1
18	Cation-induced kinetic trapping and enhanced hydrogen adsorption in a modulated anionic metal-organic framework. <i>Nature Chemistry</i> , 2009 , 1, 487-93	17.6	361
17	Exceptionally high H ₂ storage by a metal-organic polyhedral framework. <i>Chemical Communications</i> , 2009 , 1025-7	5.8	289
16	Synthesis and characterization of a fluorotitanophosphate (NH ₄) _{0.16} K _{1.84} [Ti ₂ F ₂ (PO ₄) ₂ (PO ₃ OH)] with a unique lamella framework. <i>Inorganic Chemistry</i> , 2009 , 48, 5449-53	5.1	4
15	Enhancement of H ₂ adsorption in Li ⁺ -exchanged co-ordination framework materials. <i>Chemical Communications</i> , 2008 , 6108-10	5.8	152
14	Four isomorphous phosphates AM ₃ P ₄ O ₁₄ (A = Sr, Ba; M = Co, Mn) with antiferromagnetic-antiferromagnetic-ferromagnetic trimerized chains, showing 1/3 quantum magnetization plateaus only in the manganese(II) system. <i>Inorganic Chemistry</i> , 2008 , 47, 2562-8	5.1	32

13	Oxyfluorotitanophosphate cluster [Ti ₁₀ P ₄ O ₁₆ F ₄₄] ₁₆ -: synthesis and characterization of K ₁₆ [Ti ₁₀ P ₄ O ₁₆ F ₄₄]. <i>Inorganic Chemistry</i> , 2008 , 47, 1414-6	5.1	12
12	Two isotypic diphosphates LiM ₂ H ₃ (P ₂ O ₇) ₂ (M=Ni, Co) containing ferromagnetic zigzag MO ₆ chains. <i>Journal of Solid State Chemistry</i> , 2008 , 181, 1347-1353	3.3	8
11	New series of indium formates: hydrothermal synthesis, structure and coordination modes. <i>Inorganic Chemistry</i> , 2007 , 46, 8403-9	5.1	22
10	Na ₃ [Ti ₂ P ₂ O ₁₀ F]: A New Oxyfluorinated Titanium Phosphate with an Ionic Conductive Property. <i>Chemistry of Materials</i> , 2007 , 19, 942-947	9.6	19
9	MH ₂ P ₂ O ₇ (M = Co, Ni): metamagnetic interaction between the zigzag octahedral chains. <i>Inorganic Chemistry</i> , 2007 , 46, 2342-4	5.1	19
8	Syntheses and structural characterization of a series of one-dimensional fluorotitanophosphates (NH ₄) _x K _(4-x) [Ti ₂ (PO ₄) ₂ F ₉] (x = 0, 0.70, 1.00, 1.25). <i>Inorganic Chemistry</i> , 2007 , 46, 11431-6	5.1	10
7	Synthesis and structure of a 1,6-hexyldiamine heptaborate, [H ₃ N(CH ₂) ₆ NH ₃][B ₇ O ₁₀ (OH) ₃]. <i>Journal of Solid State Chemistry</i> , 2007 , 180, 2225-2232	3.3	31
6	Synthesis, Structure, and Magnetic Properties of Hydroxo-Bridged Vanadium Oxalate V ₂ O ₂ (OH) ₂ (C ₂ O ₄)(H ₂ O) ₂ . <i>European Journal of Inorganic Chemistry</i> , 2006 , 2006, 2850-2854	2.3	9
5	An open-framework three-dimensional indium oxalate: [In(OH)(C ₂ O ₄)(H ₂ O)] ₃ ·3H ₂ O. <i>Journal of Solid State Chemistry</i> , 2005 , 178, 3703-3707	3.3	14
4	A Multicenter Metal-Organic Framework for Quantitative Detection of Multi-Component Organic Mixtures. <i>CCS Chemistry</i> , 1-19	7.2	1
3	Observation of oxygen evolution over a {Ni ₁₂ }-cluster-based metal-organic framework. <i>Science China Chemistry</i> ,	7.9	1
2	How Reproducible are Surface Areas Calculated from the BET Equation?. <i>Advanced Materials</i> , 2201502	2.4	12
1	Efficient Photocatalytic Reduction of CO ₂ Catalyzed by the Metal-Organic Framework MFM-300(Ga). <i>CCS Chemistry</i> , 1-10	7.2	0