

Hu Hou

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2927490/hu-hou-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

60
papers

1,387
citations

21
h-index

36
g-index

63
ext. papers

1,812
ext. citations

5.6
avg, IF

4.9
L-index

#	Paper	IF	Citations
60	Characteristic flavor of Antarctic krill (<i>Euphausia superba</i>) and white shrimp (<i>Penaeus vannamei</i>) induced by thermal treatment.. <i>Food Chemistry</i> , 2022 , 378, 132074	8.5	0
59	Effect of gallic acid and chlorogenic acid on physicochemical, microstructural and thermal degradation properties of ready-to-eat sea cucumber.. <i>Food Chemistry</i> , 2022 , 380, 132186	8.5	2
58	Intervention mechanism of self-degradation of ready-to-eat sea cucumber by adding green tea extract and gallic acid. <i>Food Research International</i> , 2022 , 156, 111282	7	1
57	Contribution of secondary bonds to the storage stability of ready-to-eat sea cucumber.. <i>Food Chemistry</i> , 2022 , 389, 133061	8.5	
56	Rheological properties, thermal stability and conformational changes of collagen from sea cucumber (<i>Apostichopus japonicas</i>).. <i>Food Chemistry</i> , 2022 , 389, 133033	8.5	4
55	Typical structure, biocompatibility, and cell proliferation bioactivity of collagen from Tilapia and Pacific cod. <i>Colloids and Surfaces B: Biointerfaces</i> , 2021 , 210, 112238	6	4
54	A comprehensive review of calcium and ferrous ions chelating peptides: Preparation, structure and transport pathways. <i>Critical Reviews in Food Science and Nutrition</i> , 2021 , 1-13	11.5	0
53	Cleavage sites and non-enzymatic self-degradation mechanism of ready-to-eat sea cucumber during storage.. <i>Food Chemistry</i> , 2021 , 375, 131722	8.5	2
52	Identification of three novel antioxidative peptides from <i>Auxenochlorella pyrenoidosa</i> protein hydrolysates based on a peptidomics strategy.. <i>Food Chemistry</i> , 2021 , 375, 131849	8.5	2
51	The mechanism of molecular cross-linking against nonenzymatic degradation in the body wall of ready-to-eat sea cucumber. <i>Food Chemistry</i> , 2021 , 373, 131359	8.5	6
50	Toxicological evaluation of <i>S. involucrata</i> culture: Acute, 90-day subchronic and genotoxicity studies. <i>Regulatory Toxicology and Pharmacology</i> , 2021 , 124, 104980	3.4	
49	Structural feature and self-assembly properties of type II collagens from the cartilages of skate and sturgeon. <i>Food Chemistry</i> , 2020 , 331, 127340	8.5	16
48	Cross-linking effects of carbodiimide, oxidized chitosan oligosaccharide and glutaraldehyde on acellular dermal matrix of basa fish (<i>Pangasius bocourti</i>). <i>International Journal of Biological Macromolecules</i> , 2020 , 164, 677-686	7.9	3
47	Comprehensive assessment of Nile tilapia skin collagen sponges as hemostatic dressings. <i>Materials Science and Engineering C</i> , 2020 , 109, 110532	8.3	19
46	Effects of Rambutan Peel () Phenolic Extract on RANKL-Induced Differentiation of RAW264.7 Cells into Osteoclasts and Retinoic Acid-Induced Osteoporosis in Rats. <i>Nutrients</i> , 2020 , 12,	6.7	6
45	Antihypertensive Effect in Vivo of QAGLSPVR and Its Transepithelial Transport Through the Caco-2 Cell Monolayer. <i>Marine Drugs</i> , 2019 , 17,	6	5
44	Physicochemical and Biocompatibility Properties of Type I Collagen from the Skin of Nile Tilapia () for Biomedical Applications. <i>Marine Drugs</i> , 2019 , 17,	6	37

43	The Protective Effect of Mycosporine-Like Amino Acids (MAAs) from s in a Mouse Model of UV Irradiation-Induced Photoaging. <i>Marine Drugs</i> , 2019 , 17,	6	6
42	Effect of Peptides from Alaska Pollock on Intestinal Mucosal Immunity Function and Purification of Active Fragments. <i>Nutrients</i> , 2019 , 11,	6.7	4
41	Purification and characterization of a novel calcium-binding decapeptide from Pacific cod (<i>Gadus Macrocephalus</i>) bone: Molecular properties and calcium chelating modes. <i>Journal of Functional Foods</i> , 2019 , 52, 670-679	5.1	21
40	Novel hard capsule prepared by tilapia (<i>Oreochromis niloticus</i>) scale gelatin and konjac glucomannan: Characterization, and in vitro dissolution. <i>Carbohydrate Polymers</i> , 2019 , 206, 254-261	10.3	22
39	Effects of cross-linking on mechanical, biological properties and biodegradation behavior of Nile tilapia skin collagen sponge as a biomedical material. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2018 , 80, 51-58	4.1	21
38	A novel calcium-binding peptide from Antarctic krill protein hydrolysates and identification of binding sites of calcium-peptide complex. <i>Food Chemistry</i> , 2018 , 243, 389-395	8.5	51
37	Physical properties and antioxidant activity of gelatin-sodium alginate edible films with tea polyphenols. <i>International Journal of Biological Macromolecules</i> , 2018 , 118, 1377-1383	7.9	129
36	Effects of oral administration of peptides with low molecular weight from Alaska Pollock (<i>Theragra chalcogramma</i>) on cutaneous wound healing. <i>Journal of Functional Foods</i> , 2018 , 48, 682-691	5.1	19
35	Interactions of quercetin, curcumin, epigallocatechin gallate and folic acid with gelatin. <i>International Journal of Biological Macromolecules</i> , 2018 , 118, 124-131	7.9	21
34	Functional Calcium Binding Peptides from Pacific Cod (<i>Gadus macrocephalus</i>) Bone: Calcium Bioavailability Enhancing Activity and Anti-Osteoporosis Effects in the Ovariectomy-Induced Osteoporosis Rat Model. <i>Nutrients</i> , 2018 , 10,	6.7	17
33	Metal Chelating, Inhibitory DNA Damage, and Anti-Inflammatory Activities of Phenolics from Rambutan (<i>Phenacoccus</i>) Peel and the Quantifications of Geraniin and Corilagin. <i>Molecules</i> , 2018 , 23,	4.8	20
32	Understanding the antimicrobial activity of water soluble Cyclodextrin/alamethicin complex. <i>Colloids and Surfaces B: Biointerfaces</i> , 2018 , 172, 451-458	6	11
31	Characterization of Acid- and Pepsin-Soluble Collagens from the Cuticle of <i>Perinereis nuntia</i> (Savigny). <i>Food Biophysics</i> , 2018 , 13, 274-283	3.2	6
30	Enzymatic Hydrolysis of Alaska Pollock Proteins Based on Kinetics Model and Lysine Biosensor-Neural Network Model. <i>Journal of Aquatic Food Product Technology</i> , 2017 , 26, 267-278	1.6	
29	Characterization of protease and effects of temperature and salinity on the biochemical changes during fermentation of Antarctic krill. <i>Journal of the Science of Food and Agriculture</i> , 2017 , 97, 3546-3554	4.3	5
28	Effects of heat treatment on the gel properties of the body wall of sea cucumber (<i>Cucumaria</i>). <i>Journal of Food Science and Technology</i> , 2017 , 54, 707-717	3.3	12
27	Characterization of acid- and pepsin-soluble collagen extracted from the skin of Nile tilapia (<i>Oreochromis niloticus</i>). <i>International Journal of Biological Macromolecules</i> , 2017 , 99, 8-14	7.9	79
26	Collagen peptides ameliorate intestinal epithelial barrier dysfunction in immunostimulatory Caco-2 cell monolayers via enhancing tight junctions. <i>Food and Function</i> , 2017 , 8, 1144-1151	6.1	36

25	Identification of volatile compounds in Antarctic krill (<i>Euphausia superba</i>) using headspace solid-phase microextraction and GC-MS. <i>International Journal of Food Properties</i> , 2017 , 20, S820-S829	3	6
24	The chelating peptide (GPAGPHGPPG) derived from Alaska pollock skin enhances calcium, zinc and iron transport in Caco-2 cells. <i>International Journal of Food Science and Technology</i> , 2017 , 52, 1283-1290	3.8	30
23	Identification of MMP-1 inhibitory peptides from cod skin gelatin hydrolysates and the inhibition mechanism by MAPK signaling pathway. <i>Journal of Functional Foods</i> , 2017 , 33, 251-260	5.1	27
22	Analyzing the flavor compounds in Chinese traditional fermented shrimp pastes by HS-SPME-GC/MS and electronic nose. <i>Journal of Ocean University of China</i> , 2017 , 16, 311-318	1	18
21	Nile tilapia skin collagen sponge modified with chemical cross-linkers as a biomedical hemostatic material. <i>Colloids and Surfaces B: Biointerfaces</i> , 2017 , 159, 89-96	6	32
20	Effect of calcium-binding peptide from Pacific cod (<i>Gadus macrocephalus</i>) bone on calcium bioavailability in rats. <i>Food Chemistry</i> , 2017 , 221, 373-378	8.5	60
19	Protective effect of gelatin polypeptides from Pacific cod (<i>Gadus macrocephalus</i>) against UV irradiation-induced damages by inhibiting inflammation and improving transforming growth factor- β /Smad signaling pathway. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2016 , 162, 633-640	6.7	44
18	Protective effect of gelatin peptides from pacific cod skin against photoaging by inhibiting the expression of MMPs via MAPK signaling pathway. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2016 , 165, 34-41	6.7	51
17	Identification of volatile compounds in codfish (<i>Gadus</i>) by a combination of two extraction Methods coupled with GC-MS analysis. <i>Journal of Ocean University of China</i> , 2016 , 15, 509-514	1	6
16	Protective Effect of Cod (<i>Gadus macrocephalus</i>) Skin Collagen Peptides on Acetic Acid-Induced Gastric Ulcer in Rats. <i>Journal of Food Science</i> , 2016 , 81, H1807-15	3.4	7
15	Self-Degradation of Sea Cucumber Body Wall Under 4C Storage Condition. <i>Journal of Food Processing and Preservation</i> , 2016 , 40, 715-723	2.1	15
14	Protective effect of gelatin and gelatin hydrolysate from salmon skin on UV irradiation-induced photoaging of mice skin. <i>Journal of Ocean University of China</i> , 2016 , 15, 711-718	1	20
13	Fractionation and identification of Alaska pollock skin collagen-derived mineral chelating peptides. <i>Food Chemistry</i> , 2015 , 173, 536-42	8.5	52
12	Nonenzymatic Softening Mechanism of Collagen Gel of Sea Cucumber (<i>Apostichopus japonicus</i>). <i>Journal of Food Processing and Preservation</i> , 2015 , 39, 2322-2331	2.1	15
11	Solid-Phase Microextraction Method for the Determination of Volatile Compounds in Hydrolysates of Alaska Pollock Frame. <i>International Journal of Food Properties</i> , 2013 , 16, 790-802	3	7
10	Preparation, isolation and identification of iron-chelating peptides derived from Alaska pollock skin. <i>Process Biochemistry</i> , 2013 , 48, 988-993	4.8	76
9	Characterization of Acid-Soluble Collagen From Bone of Pacific Cod (<i>Gadus macrocephalus</i>). <i>Journal of Aquatic Food Product Technology</i> , 2013 , 22, 407-420	1.6	14
8	Moisture absorption and retention properties, and activity in alleviating skin photodamage of collagen polypeptide from marine fish skin. <i>Food Chemistry</i> , 2012 , 135, 1432-9	8.5	67

7	Preparation of immunomodulatory hydrolysates from Alaska pollock frame. <i>Journal of the Science of Food and Agriculture</i> , 2012 , 92, 3029-38	4.3	27
6	Purification and identification of immunomodulating peptides from enzymatic hydrolysates of Alaska pollock frame. <i>Food Chemistry</i> , 2012 , 134, 821-8	8.5	58
5	INHIBITION OF MELANOGENIC ACTIVITY BY GELATIN AND POLYPEPTIDES FROM PACIFIC COD SKIN IN B16 MELANOMA CELLS. <i>Journal of Food Biochemistry</i> , 2011 , 35, 1099-1116	3.3	7
4	Enzymatic hydrolysis of defatted mackerel protein with low bitter taste. <i>Journal of Ocean University of China</i> , 2011 , 10, 85-92	1	15
3	Antioxidant and melanogenesis-inhibitory activities of collagen peptide from jellyfish (<i>Rhopilema esculentum</i>). <i>Journal of the Science of Food and Agriculture</i> , 2009 , 89, 1722-1727	4.3	66
2	Screening of extraction methods for glycoproteins from jellyfish (<i>Rhopilema esculentum</i>) oral-arms by high performance liquid chromatography. <i>Journal of Ocean University of China</i> , 2009 , 8, 83-88	1	1
1	The effect of pacific cod (<i>Gadus macrocephalus</i>) skin gelatin polypeptides on UV radiation-induced skin photoaging in ICR mice. <i>Food Chemistry</i> , 2009 , 115, 945-950	8.5	78