Tales Tiecher

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/292874/tales-tiecher-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

98 1,406 20 32 g-index

105 1,934 3.8 4.86 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
98	Terrain analysis, erosion simulations, and sediment fingerprinting: a case study assessing the erosion sensitivity of agricultural catchments in the border of the volcanic plateau of Southern Brazil. <i>Journal of Soils and Sediments</i> , 2022 , 22, 1023	3.4	O
97	Long-term effects of grazing intensities on soil aggregation and organic matter in a no-tilled integrated soybean-cattle system. <i>Soil Security</i> , 2022 , 6, 100028	6	O
96	Effect of diversified cropping systems on crop yield, legacy, and budget of potassium in a subtropical Oxisol. <i>Field Crops Research</i> , 2022 , 275, 108342	5.5	
95	Near-infrared spectroscopy to estimate the chemical element concentration in soils and sediments in a rural catchment. <i>Catena</i> , 2022 , 213, 106145	5.8	2
94	Combining different pre-processing and multivariate methods for prediction of soil organic matter by near infrared spectroscopy (NIRS) in Southern Brazil. <i>Geoderma Regional</i> , 2022 , 29, e00530	2.7	O
93	Mobilization and transport of pesticides with runoff and suspended sediment during flooding events in an agricultural catchment of Southern Brazil. <i>Environmental Science and Pollution Research</i> , 2021 , 28, 39370-39386	5.1	3
92	Phosphate fertilization and liming in a trial conducted over 21 years: A survey for greater forage production and Pampa pasture conservation. <i>European Journal of Agronomy</i> , 2021 , 125, 126259	5	1
91	Phytoremediation of metals by colonizing plants developed in point bars in the channeled bed of the Dilwio Stream, Southern Brazil. <i>International Journal of Phytoremediation</i> , 2021 , 1-7	3.9	0
90	Biological N2 fixation by soybeans grown with or without liming on acid soils in a no-till integrated crop-livestock system. <i>Soil and Tillage Research</i> , 2021 , 209, 104923	6.5	7
89	The use of vegetal tissue multi-element content as an indicator of soil or substrate type employed to cultivate Cannabis sativa L. (marijuana). <i>Forensic Chemistry</i> , 2021 , 23, 100319	2.8	0
88	Soil chemical properties and crop response to gypsum and limestone on a coarse-textured Ultisol under no-till in the Brazilian Pampa biome. <i>Geoderma Regional</i> , 2021 , 25, e00372	2.7	1
87	Sediment source apportionment using optical property composite signatures in a rural catchment, Brazil. <i>Catena</i> , 2021 , 202, 105208	5.8	4
86	Effects of phosphorus fertilizer application on phosphorus fractions in different organs of Cordia trichotoma. <i>Journal of Forestry Research</i> , 2021 , 32, 725-732	2	3
85	Improving the quantification of sediment source contributions using different mathematical models and spectral preprocessing techniques for individual or combined spectra of ultravioletâlisible, near- and middle-infrared spectroscopy. <i>Geoderma</i> , 2021 , 384, 114815	6.7	8
84	Forms and balance of soil potassium from a long-term integrated crop-livestock system in a subtropical Oxisol. <i>Soil and Tillage Research</i> , 2021 , 207, 104864	6.5	1
83	Digital soil class mapping in Brazil: a systematic review. Scientia Agricola, 2021, 78,	2.5	5
82	Plant uptake of legacy phosphorus from soils without P fertilization. <i>Nutrient Cycling in Agroecosystems</i> , 2021 , 119, 139-151	3.3	5

(2020-2021)

81	The Drivers-Pressures-State-Impact-Response Model to Structure Causeâ E ffect Relationships between Agriculture and Aquatic Ecosystems. <i>Sustainability</i> , 2021 , 13, 9365	3.6	0
80	Soil K forms and K budget in integrated crop-livestock systems in subtropical paddy fields. <i>Soil and Tillage Research</i> , 2021 , 213, 105070	6.5	Ο
79	Phosphorus accumulation in a southern Brazilian Ultisol amended with pig manure for nine years. <i>Scientia Agricola</i> , 2021 , 78,	2.5	2
78	Using water with different levels of salinity by paddy fields: a Brazilian case study. <i>Communications in Soil Science and Plant Analysis</i> , 2020 , 51, 2821-2829	1.5	
77	"Modern agriculture" transfers many pesticides to watercourses: a case study of a representative rural catchment of southern Brazil. <i>Environmental Science and Pollution Research</i> , 2020 , 27, 10581-1059	8 ^{5.1}	28
76	Does gypsum increase crop grain yield on no-tilled acid soils? A meta-analysis. <i>Agronomy Journal</i> , 2020 , 112, 675-692	2.2	11
75	Quantification of sediment source contributions in two paired catchments of the Brazilian Pampa using conventional and alternative fingerprinting approaches. <i>Hydrological Processes</i> , 2020 , 34, 2965-29	9863	11
74	The Urban Pressure Over the Sediment Contamination in a Southern Brazil Metropolis: the Case of Diluvio Stream. <i>Water, Air, and Soil Pollution</i> , 2020 , 231, 1	2.6	4
73	No-Till Farming Systems for Sustainable Agriculture in South America 2020 , 533-565		1
72	Effect of 26-years of soil tillage systems and winter cover crops on C and N stocks in a Southern Brazilian Oxisol. <i>Revista Brasileira De Ciencia Do Solo</i> , 2020 , 44,	1.5	2
71	The effect of crop rotation and sheep grazing management on plant production and soil C and N stocks in a long-term integrated crop-livestock system in Southern Brazil. <i>Soil and Tillage Research</i> , 2020 , 203, 104678	6.5	7
70	Nine-year impact of grazing management on soil acidity and aluminum speciation and fractionation in a long-term no-till integrated crop-livestock system in the subtropics. <i>Geoderma</i> , 2020 , 359, 113986	6.7	7
69	Use of color parameters in the grouping of soil samples produces more accurate predictions of soil texture and soil organic carbon. <i>Computers and Electronics in Agriculture</i> , 2020 , 177, 105710	6.5	5
68	Investigating the relationships between chemical element concentrations and discharge to improve our understanding of their transport patterns in rural catchments under subtropical climate conditions. <i>Science of the Total Environment</i> , 2020 , 748, 141345	10.2	4
67	Combining spectroscopy and magnetism with geochemical tracers to improve the discrimination of sediment sources in a homogeneous subtropical catchment. <i>Catena</i> , 2020 , 195, 104800	5.8	9
66	Phosphorus forms leached in a sandy Typic Hapludalf soil under no-tillage with successive pig slurry applications. <i>Agricultural Water Management</i> , 2020 , 242, 106406	5.9	7
65	Soil properties governing phosphorus adsorption in soils of Southern Brazil. <i>Geoderma Regional</i> , 2020 , 22, e00318	2.7	5
64	Sediment source fingerprinting: benchmarking recent outputs, remaining challenges and emerging themes. <i>Journal of Soils and Sediments</i> , 2020 , 20, 4160-4193	3.4	46

63	Soil acidity and aluminum speciation affected by liming in the conversion of a natural pasture from the Brazilian Campos Biome into no-tillage system for grain production. <i>Archives of Agronomy and Soil Science</i> , 2020 , 66, 138-151	2	10
62	Geochemistry and mineralogy of southwestern Lake Superior sediments with an emphasis on phosphorus lability. <i>Journal of Soils and Sediments</i> , 2020 , 20, 1060-1073	3.4	9
61	Copper and zinc distribution and toxicity in âlladeâl/ âllenovesaâlyoung peach tree. <i>Scientia Horticulturae</i> , 2020 , 259, 108763	4.1	7
60	Impact of tobacco management practices on soil, water and nutrients losses in steeplands with shallow soil. <i>Catena</i> , 2019 , 183, 104215	5.8	4
59	Using spectrocolourimetry to trace sediment source dynamics in coastal catchments draining the main Fukushima radioactive pollution plume (2011â\(\mathbb{Q}\)017). <i>Journal of Soils and Sediments</i> , 2019 , 19, 3290	1 ³ 3 ⁴ 301	11
58	Phosphorus fractionation in grasses with different resource-acquisition characteristics in natural grasslands of South America. <i>Journal of Tropical Ecology</i> , 2019 , 35, 203-212	1.3	3
57	Application of the Multicomponent Spectral Fitting Algorithm in the Estimation of the Correct Value of Phosphorus determined by ICP OES in Soil Samples. <i>Communications in Soil Science and Plant Analysis</i> , 2019 , 50, 1671-1682	1.5	1
56	Effect of gypsum rates and lime with different reactivity on soil acidity and crop grain yields in a subtropical Oxisol under no-tillage. <i>Soil and Tillage Research</i> , 2019 , 193, 27-41	6.5	20
55	Soil acidification and P, K, Ca and Mg budget as affected by sheep grazing and crop rotation in a long-term integrated crop-livestock system in southern Brazil. <i>Geoderma</i> , 2019 , 351, 197-208	6.7	21
54	Crop Yield Responses to Sulfur Fertilization in Brazilian No-Till Soils: a Systematic Review. <i>Revista Brasileira De Ciencia Do Solo</i> , 2019 , 43,	1.5	13
53	Phosphorus distribution after three decades of different soil management and cover crops in subtropical region. <i>Soil and Tillage Research</i> , 2019 , 192, 33-41	6.5	18
52	Dynamics of sulfate and basic cations in soil solution as affected by gypsum fertilization in an Ultisol of Southern Brazil. <i>Archives of Agronomy and Soil Science</i> , 2019 , 65, 1998-2012	2	3
51	Physico-chemical variability and heavy metal pollution of surface sediment in a non-channeled section of Dilūio Stream (Southern Brazil) and the influence of channeled section in sediment pollution. <i>Revista Ambiente & Bua</i> , 2019 , 14, 1	0.8	3
50	Potential of phosphorus fractions to trace sediment sources in a rural catchment of Southern Brazil: Comparison with the conventional approach based on elemental geochemistry. <i>Geoderma</i> , 2019 , 337, 1067-1076	6.7	14
49	Long-term effect of surface and incorporated liming in the conversion of natural grassland to no-till system for grain production in a highly acidic sandy-loam Ultisol from South Brazilian Campos. <i>Soil and Tillage Research</i> , 2018 , 180, 222-231	6.5	22
48	Fingerprinting sediment sources in a large agricultural catchment under no-tillage in Southern Brazil (Concei ö River). <i>Land Degradation and Development</i> , 2018 , 29, 939-951	4.4	19
47	The interaction of high copper and zinc doses in acid soil changes the physiological state and development of the root system in young grapevines (Vitis vinifera). <i>Ecotoxicology and Environmental Safety</i> , 2018 , 148, 985-994	7	19
46	Phosphorus dynamics during storm events in a subtropical rural catchment in southern Brazil. <i>Agriculture, Ecosystems and Environment</i> , 2018 , 261, 93-102	5.7	18

45	Assessing linkage between soil phosphorus forms in contrasting tillage systems by path analysis. <i>Soil and Tillage Research</i> , 2018 , 175, 276-280	6.5	18
44	Salt-affected soils of the coastal plains in Rio Grande do Sul, Brazil. <i>Geoderma Regional</i> , 2018 , 14, e00186	52.7	4
43	Effects of Rhizophagus clarus and P availability in the tolerance and physiological response of Mucuna cinereum to copper. <i>Plant Physiology and Biochemistry</i> , 2018 , 122, 46-56	5.4	8
42	Residual effect of surface-applied lime on soil acidity properties in a long-term experiment under no-till in a Southern Brazilian sandy Ultisol. <i>Geoderma</i> , 2018 , 313, 7-16	6.7	34
41	Resposta da soja ao gesso agrãola em plantio direto no Paraguai. <i>Revista Ceres</i> , 2018 , 65, 450-462	0.7	
40	Physiological, Biochemical Changes, and Phytotoxicity Remediation in Agricultural Plant Species Cultivated in Soils Contaminated with Copper and Zinc 2018 , 29-76		1
39	High carbon storage in a previously degraded subtropical soil under no-tillage with legume cover crops. <i>Agriculture, Ecosystems and Environment</i> , 2018 , 268, 15-23	5.7	51
38	Crop Response to Gypsum Application to Subtropical Soils Under No-Till in Brazil: a Systematic Review. <i>Revista Brasileira De Ciencia Do Solo</i> , 2018 , 42,	1.5	19
37	Distribution and redistribution of phosphorus forms in grapevines. <i>Scientia Horticulturae</i> , 2017 , 218, 125-131	4.1	4
36	Tolerance and translocation of heavy metals in young grapevine (Vitis vinifera) grown in sandy acidic soil with interaction of high doses of copper and zinc. <i>Scientia Horticulturae</i> , 2017 , 222, 203-212	4.1	46
35	Quantifying land use contributions to suspended sediment in a large cultivated catchment of Southern Brazil (Guapor'River, Rio Grande do Sul). <i>Agriculture, Ecosystems and Environment</i> , 2017 , 237, 95-108	5.7	38
34	Characteristics, lability and distribution of phosphorus in suspended sediment from a subtropical catchment under diverse anthropic pressure in Southern Brazil. <i>Ecological Engineering</i> , 2017 , 100, 28-45	3.9	7
33	Tracing Sediment Sources Using Mid-infrared Spectroscopy in Arvorezinha Catchment, Southern Brazil. <i>Land Degradation and Development</i> , 2017 , 28, 1603-1614	4.4	12
32	Phosphorus fractions in apple orchards in southern Brazil. <i>Bragantia</i> , 2017 , 76, 422-432	1.2	3
31	Chemical, Biological, and Biochemical Parameters of the Soil P Cycle After Long-Term Pig Slurry Application in No-Tillage System. <i>Revista Brasileira De Ciencia Do Solo</i> , 2017 , 41,	1.5	7
30	Release of Phosphorus Forms from Cover Crop Residues in Agroecological No-Till Onion Production. <i>Revista Brasileira De Ciencia Do Solo</i> , 2017 , 41,	1.5	2
29	Sediment pollution in margins of the Lake Guaßa, Southern Brazil. <i>Environmental Monitoring and Assessment</i> , 2017 , 190, 3	3.1	10
28	Soil fertility and nutrient budget after 23-years of different soil tillage systems and winter cover crops in a subtropical Oxisol. <i>Geoderma</i> , 2017 , 308, 78-85	6.7	41

27	Tracing Sediment Sources in a Subtropical Agricultural Catchment of Southern Brazil Cultivated With Conventional and Conservation Farming Practices. <i>Land Degradation and Development</i> , 2017 , 28, 1426-1436	4.4	19
26	Tracing sediment sources in two paired agricultural catchments with different riparian forest and wetland proportion in southern Brazil. <i>Geoderma</i> , 2017 , 285, 225-239	6.7	11
25	Phosphorus Forms in Sediments as Indicators of Anthropic Pressures in an Agricultural Catchment in Southern Brazil. <i>Revista Brasileira De Ciencia Do Solo</i> , 2017 , 41,	1.5	10
24	The potential of Zea mays L. in remediating copper and zinc contaminated soils for grapevine production. <i>Geoderma</i> , 2016 , 262, 52-61	6.7	42
23	Tracing sediment sources in a subtropical rural catchment of southern Brazil by using geochemical tracers and near-infrared spectroscopy. <i>Soil and Tillage Research</i> , 2016 , 155, 478-491	6.5	20
22	Phosphorus seasonal sorption-desorption kinetics in suspended sediment in response to land use and management in the Guapor'catchment, Southern Brazil. <i>Environmental Monitoring and Assessment</i> , 2016 , 188, 643	3.1	9
21	Effects of zinc addition to a copper-contaminated vineyard soil on sorption of Zn by soil and plant physiological responses. <i>Ecotoxicology and Environmental Safety</i> , 2016 , 129, 109-19	7	22
20	Iron oxides and organic matter on soil phosphorus availability. Ciencia E Agrotecnologia, 2016, 40, 369-	37 <u>9</u> 6	129
19	Physiological and nutritional status of black oat (Avena strigosa Schreb.) grown in soil with interaction of high doses of copper and zinc. <i>Plant Physiology and Biochemistry</i> , 2016 , 106, 253-63	5.4	26
18	Occurrence of iron and aluminum sesquioxides and their implications for the P sorption in subtropical soils. <i>Applied Clay Science</i> , 2015 , 104, 196-204	5.2	63
17	Transferficia de nitrogfio e ffiforo para ĝuas superficiais em uma bacia hidrogrfica com agricultura e produfi pecufia intensiva no Sul do Brasil. <i>Ciencia Rural</i> , 2015 , 45, 647-650	1.3	7
16	Combining visible-based-color parameters and geochemical tracers to improve sediment source discrimination and apportionment. <i>Science of the Total Environment</i> , 2015 , 527-528, 135-49	10.2	37
15	Long-Term Effects of Phosphorus on Dynamics of an Overseeded Natural Grassland in Brazil. <i>Rangeland Ecology and Management</i> , 2015 , 68, 445-452	2.2	8
14	Contribui B das fontes de sedimentos em uma bacia hidrogr f ica agr B ola sob plantio direto. <i>Revista Brasileira De Ciencia Do Solo</i> , 2014 , 38, 639-649	1.5	15
13	Formas de f\(\text{Sforo no solo sob pastagens naturais submetidas \(\text{Ladib} \) de fosfatos. Revista Brasileira De Ciencia Do Solo, 2014 , 38, 867-878	1.5	9
12	Animal manure phosphorus characterization by sequential chemical fractionation, release kinetics and 31P-NMR analysis. <i>Revista Brasileira De Ciencia Do Solo</i> , 2014 , 38, 1506-1514	1.5	11
11	Identifica ß de fontes de produ ß de sedimentos em uma bacia hidrogr f ica de encosta. <i>Revista Brasileira De Ciencia Do Solo</i> , 2014 , 38, 585-598	1.5	9
10	Long-term effect of different soil management systems and winter crops on soil acidity and vertical distribution of nutrients in a Brazilian Oxisol. <i>Soil and Tillage Research</i> , 2013 , 133, 32-39	6.5	45

LIST OF PUBLICATIONS

9	Phosphorus fractions in sandy soils of vineyards in southern Brazil. <i>Revista Brasileira De Ciencia Do Solo</i> , 2013 , 37, 472-481	1.5	10	
8	Accumulation of phosphorus fractions and contamination potential in vineyard soils in the southern region of the state of Santa Catarina, Brazil. <i>Revista Brasileira De Ciencia Do Solo</i> , 2013 , 37, 1256-1266	1.5	5	
7	Respostas de culturas ladubalo sulfatada e deposilo de enxofre atmosffico. <i>Revista Ceres</i> , 2013 , 60, 420-427	0.7	7	
6	Soil organic phosphorus forms under different soil management systems and winter crops, in a long term experiment. <i>Soil and Tillage Research</i> , 2012 , 124, 57-67	6.5	49	
5	Phosphorus accumulation and pollution potential in a hapludult fertilized with pig manure. <i>Revista Brasileira De Ciencia Do Solo</i> , 2012 , 36, 1333-1342	1.5	29	
4	Forms of inorganic phosphorus in soil under different long term soil tillage systems and winter crops. <i>Revista Brasileira De Ciencia Do Solo</i> , 2012 , 36, 271-282	1.5	39	
3	Accumulation of phosphorus fractions in typic Hapludalf soil after long-term application of pig slurry and deep pig litter in a no-tillage system. <i>Nutrient Cycling in Agroecosystems</i> , 2012 , 93, 215-225	3.3	45	
2	Resposta de culturas e disponibilidade de enxofre em solos com diferentes teores de argila e matfia orgfiica submetidos ladubalo sulfatada. <i>Bragantia</i> , 2012 , 71, 518-527	1.2	11	
1	FBforo microbiano em solos sob pastagem natural submetida Equeima e pastejo. <i>Revista Brasileira De Ciencia Do Solo</i> , 2011 , 35, 1509-1516	1.5	5	