Yoshito Kishi

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/292907/yoshito-kishi-publications-by-year.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

237	11,209	57	92
papers	citations	h-index	g-index
251	11,966 ext. citations	7.1	5.95
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
237	Total Synthesis of Halistatins 1 and 2. <i>Journal of the American Chemical Society</i> , 2020 , 142, 14743-14749	9 16.4	3
236	A landmark in drug discovery based on complex natural product synthesis. <i>Scientific Reports</i> , 2019 , 9, 8656	4.9	14
235	Further Studies on Ni/Zr-mediated One-pot Ketone Synthesis: Use of a Mixture of Nil- and Nill-catalysts Greatly Improves the Molar Ratio of Coupling Partners. <i>Chemistry Letters</i> , 2019 , 48, 947-95	50 ^{.7}	3
234	Design, synthesis, and cytotoxicity of stabilized mycolactone analogs. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017 , 27, 1274-1277	2.9	6
233	Fe/Cu-Mediated One-Pot Ketone Synthesis. <i>Organic Letters</i> , 2017 , 19, 2766-2769	6.2	19
232	Mycolactone cytotoxicity in Schwann cells could explain nerve damage in Buruli ulcer. <i>PLoS Neglected Tropical Diseases</i> , 2017 , 11, e0005834	4.8	7
231	Zirconium/Nickel-Mediated One-Pot Ketone Synthesis. <i>Angewandte Chemie</i> , 2017 , 129, 10931-10935	3.6	8
230	Zirconium/Nickel-Mediated One-Pot Ketone Synthesis. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 10791-10795	16.4	28
229	Unified Synthesis of Right Halves of Halichondrins A-C. Journal of Organic Chemistry, 2017, 82, 8792-880	07 4.2	5
228	Stereocontrolled Synthesis of Left Halves of Halichondrins. <i>Journal of Organic Chemistry</i> , 2017 , 82, 8808	8- <u>4</u> 8830	7
227	Unified, Efficient, and Scalable Synthesis of Halichondrins: Zirconium/Nickel-Mediated One-Pot Ketone Synthesis as the Final Coupling Reaction. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 10796-10800	16.4	18
226	Unified, Efficient, and Scalable Synthesis of Halichondrins: Zirconium/Nickel-Mediated One-Pot Ketone Synthesis as the Final Coupling Reaction. <i>Angewandte Chemie</i> , 2017 , 129, 10936-10940	3.6	1
225	Extension of Pd-Mediated One-Pot Ketone Synthesis to Macrocyclization: Application to a New Convergent Synthesis of Eribulin. <i>Journal of the American Chemical Society</i> , 2016 , 138, 16248-16251	16.4	9
224	One-Pot Ketone Synthesis with Alkylzinc Halides Prepared from Alkyl Halides via a Single Electron Transfer (SET) Process: New Extension of Fukuyama Ketone Synthesis. <i>Journal of the American Chemical Society</i> , 2016 , 138, 7178-86	16.4	22
223	Unified Synthesis of C1-C19 Building Blocks of Halichondrins via Selective Activation/Coupling of Polyhalogenated Nucleophiles in (Ni)/Cr-Mediated Reactions. <i>Journal of the American Chemical Society</i> , 2015 , 137, 6226-31	16.4	8
222	Selective activation/coupling of polyhalogenated nucleophiles in ni/cr-mediated reactions: synthesis of c1-c19 building block of halichondrin bs. <i>Journal of the American Chemical Society</i> , 2015 , 137, 6219-25	16.4	15
221	Simple, Rapid Mycobacterium ulcerans Disease Diagnosis from Clinical Samples by Fluorescence of Mycolactone on Thin Layer Chromatography. <i>PLoS Neglected Tropical Diseases</i> , 2015 , 9, e0004247	4.8	21

(2009-2015)

220	Stereoselective total synthesis and stereochemistry confirmation of photo-mycolactones. <i>Tetrahedron Letters</i> , 2015 , 56, 3220-3224	2	6
219	Efficacy of Rifampin Plus Clofazimine in a Murine Model of Mycobacterium ulcerans Disease. <i>PLoS Neglected Tropical Diseases</i> , 2015 , 9, e0003823	4.8	20
218	Total synthesis of halichondrin A, the missing member in the halichondrin class of natural products. Journal of the American Chemical Society, 2014 , 136, 5171-6	16.4	39
217	Accelerated detection of mycolactone production and response to antibiotic treatment in a mouse model of Mycobacterium ulcerans disease. <i>PLoS Neglected Tropical Diseases</i> , 2014 , 8, e2618	4.8	30
216	Total synthesis of halichondrin C. Journal of the American Chemical Society, 2012, 134, 893-6	16.4	49
215	Synthesis and structure of two new mycolactones isolated from M. ulcerans subsp. shinshuense. <i>Organic Letters</i> , 2012 , 14, 4618-21	6.2	11
214	Synthesis of alcohols from m-fluorophenylsulfones and dialkylboranes: application to the C14-C35 building block of E7389. <i>Organic Letters</i> , 2012 , 14, 2262-5	6.2	11
213	Photochemistry of mycolactone A/B, the causative toxin of Buruli ulcer. <i>Journal of the American Chemical Society</i> , 2012 , 134, 19234-9	16.4	12
212	On Ni catalysts for catalytic, asymmetric Ni/Cr-mediated coupling reactions. <i>Journal of the American Chemical Society</i> , 2012 , 134, 6136-9	16.4	24
211	Chemistry of Mycolactones, the Causative Toxins of Buruli Ulcer 2012 , 3-13		
211 210	Chemistry of Mycolactones, the Causative Toxins of Buruli Ulcer 2012 , 3-13 Case History. <i>Annual Reports in Medicinal Chemistry</i> , 2011 , 227-241	1.6	29
			29 52
210	Case History. <i>Annual Reports in Medicinal Chemistry</i> , 2011 , 227-241 Chemistry of mycolactones, the causative toxins of Buruli ulcer. <i>Proceedings of the National</i>		
210	Case History. Annual Reports in Medicinal Chemistry, 2011, 227-241 Chemistry of mycolactones, the causative toxins of Buruli ulcer. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 6703-8 Highly sensitive, operationally simple, cost/time effective detection of the mycolactones from the	11.5	52
210	Case History. Annual Reports in Medicinal Chemistry, 2011, 227-241 Chemistry of mycolactones, the causative toxins of Buruli ulcer. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 6703-8 Highly sensitive, operationally simple, cost/time effective detection of the mycolactones from the human pathogen Mycobacterium ulcerans. Chemical Communications, 2010, 46, 1410-2	11.5 5.8	5 ²
210 209 208 207	Case History. Annual Reports in Medicinal Chemistry, 2011, 227-241 Chemistry of mycolactones, the causative toxins of Buruli ulcer. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 6703-8 Highly sensitive, operationally simple, cost/time effective detection of the mycolactones from the human pathogen Mycobacterium ulcerans. Chemical Communications, 2010, 46, 1410-2 Scalable and efficient synthesis of the mycolactone core. Tetrahedron, 2010, 66, 2263-2272 Synthesis and structure assignment of the minor metabolite arising from the frog pathogen	11.55.82.4	52 33 23
210 209 208 207 206	Case History. Annual Reports in Medicinal Chemistry, 2011, 227-241 Chemistry of mycolactones, the causative toxins of Buruli ulcer. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 6703-8 Highly sensitive, operationally simple, cost/time effective detection of the mycolactones from the human pathogen Mycobacterium ulcerans. Chemical Communications, 2010, 46, 1410-2 Scalable and efficient synthesis of the mycolactone core. Tetrahedron, 2010, 66, 2263-2272 Synthesis and structure assignment of the minor metabolite arising from the frog pathogen Mycobacterium liflandii. Tetrahedron Letters, 2010, 51, 1782-1785 Catalytic enantioselective Cr-mediated propargylation: application to halichondrin synthesis.	11.5 5.8 2.4 2	52 33 23 19

202	New syntheses of E7389 C14-C35 and halichondrin C14-C38 building blocks: reductive cyclization and oxy-Michael cyclization approaches. <i>Journal of the American Chemical Society</i> , 2009 , 131, 15642-6	16.4	56
201	Heterogeneity in the stereochemistry of mycolactones isolated from M. marinum: toxins produced by fresh vs. saltwater fish pathogens. <i>Chemical Communications</i> , 2009 , 7402-4	5.8	13
200	Attempts to improve the overall stereoselectivity of the Ireland-Claisen rearrangement. <i>Organic Letters</i> , 2009 , 11, 409-12	6.2	30
199	Synthesis and structure of mycolactone E isolated from frog mycobacterium. <i>Organic Letters</i> , 2008 , 10, 5385-8	6.2	26
198	Total synthesis and stereochemistry of mycolactone F. <i>Journal of the American Chemical Society</i> , 2008 , 130, 1842-4	16.4	32
197	Further improvement on sulfonamide-based ligand for catalytic asymmetric 2-haloallylation and allylation. <i>Organic Letters</i> , 2008 , 10, 3073-6	6.2	43
196	Conformational analysis of a covalently cross-linked Watson-Crick base pair model. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008 , 18, 5884-7	2.9	
195	Unique reactivity of the Mukaiyama glycosidation catalyst (SnCl3ClO4) toward beta-mannopyranosides. <i>Chemistry - an Asian Journal</i> , 2008 , 3, 319-26	4.5	15
194	Highly stereoselective and iterative synthesis of alpha-(1>4)-linked polysaccharides composed of 3-O-methyl-D-mannose. <i>Organic Letters</i> , 2007 , 9, 3323-6	6.2	18
193	Chiral aggregates formed from methylated tetraenoic fatty acids: formation of both antipodes of chiral aggregates from a single enantiomer and time-dependent stereomutation. <i>Organic Letters</i> , 2007 , 9, 319-22	6.2	12
192	Synthetic 6-O-methylglucose-containing polysaccharides (sMGPs): design and synthesis. <i>Journal of Organic Chemistry</i> , 2007 , 72, 1941-50	4.2	17
191	Practical and scalable synthesis of alpha-(1>4)-linked polysaccharides composed of 6-O-methyl-D-glucose. <i>Organic Letters</i> , 2007 , 9, 3327-9	6.2	7
190	Complexation of fatty acids and fatty acid-CoAs with synthetic O-methylated polysaccharides. <i>ChemBioChem</i> , 2007 , 8, 353-9	3.8	12
189	Product-regulation mechanisms for fatty acid biosynthesis catalyzed by Mycobacterium smegmatis FAS I. <i>ChemBioChem</i> , 2007 , 8, 1775-80	3.8	10
188	Complexation of Fatty Acids and Fatty Acids-CoAs with Synthetic O-Methylated Polysaccharides. <i>ChemBioChem</i> , 2007 , 8, 840-840	3.8	
187	Aggregation behavior of tetraenoic fatty acids in aqueous solution. <i>Angewandte Chemie - International Edition</i> , 2007 , 46, 1333-6	16.4	8
186	Aggregation Behavior of Tetraenoic Fatty Acids in Aqueous Solution. <i>Angewandte Chemie</i> , 2007 , 119, 1355-1358	3.6	4
185	Total Synthesis of Mycolactones A and B. <i>Tetrahedron</i> , 2007 , 63, 5739-5753	2.4	31

(2002-2007)

184	Effective Procedure for Selective Ammonolysis of Monosubstituted Oxiranes: Application to E7389 Synthesis. <i>Tetrahedron Letters</i> , 2007 , 48, 8967-8971	2	19
183	Synthetic 3-O-methylmannose-containing polysaccharides (sMMPs): design and synthesis. <i>Journal of Organic Chemistry</i> , 2007 , 72, 1931-40	4.2	22
182	Operationally simple and efficient workup procedure for TBAF-mediated desilylation: application to halichondrin synthesis. <i>Organic Letters</i> , 2007 , 9, 723-6	6.2	90
181	Attempts to assemble a universal NMR database without synthesis of NMR database compounds. <i>Organic Letters</i> , 2006 , 8, 3861-4	6.2	34
180	Catalytic Ni/Cr-mediated macrocyclization without use of high-dilution techniques. <i>Journal of the American Chemical Society</i> , 2005 , 127, 15382-3	16.4	49
179	Assignment of the relative and absolute configurations of acyclic secondary 1,2-diols. <i>Tetrahedron</i> , 2004 , 60, 11977-11982	2.4	24
178	Macrocyclic ketone analogues of halichondrin B. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2004 , 14, 5551-4	2.9	125
177	Use of a chiral praseodymium shift reagent in predicting the complete stereostructure of glisoprenin A. <i>Organic Letters</i> , 2004 , 6, 4719-22	6.2	19
176	Structure determination of mycolactone C via total synthesis. Organic Letters, 2004, 6, 4901-4	6.2	36
175	Fe/Cr- and Co/Cr-mediated catalytic asymmetric 2-haloallylations of aldehydes. <i>Journal of the American Chemical Society</i> , 2004 , 126, 12248-9	16.4	86
174	Application of chiral lanthanide shift reagents for assignment of absolute configuration of alcohols. <i>Organic Letters</i> , 2004 , 6, 4715-8	6.2	49
173	New catalytic cycle for couplings of aldehydes with organochromium reagents. <i>Organic Letters</i> , 2004 , 6, 5031-3	6.2	75
172	Application of chiral bidentate NMR solvents for assignment of the absolute configuration of alcohols: scope and limitation. <i>Tetrahedron Letters</i> , 2003 , 44, 7489-7491	2	24
171	Complete stereochemistry of tetrafibricin. <i>Organic Letters</i> , 2003 , 5, 93-6	6.2	43
170	Universal NMR databases for contiguous polyols. <i>Journal of the American Chemical Society</i> , 2003 , 125, 14379-93	16.4	80
169	Palytoxin: an inexhaustible source of inspiration perspective. <i>Tetrahedron</i> , 2002 , 58, 6239-6258	3 2.4	43
168	Total synthesis of the mycolactones. <i>Organic Letters</i> , 2002 , 4, 647-50	6.2	57
167	Toward the creation of NMR databases in chiral solvents: bidentate chiral NMR solvents for assignment of the absolute configuration of acyclic secondary alcohols. <i>Organic Letters</i> , 2002 , 4, 411-4	6.2	53

166	Solution structure of n-type DNA oligomers possessing a covalently cross-linked Watson-Crick base pair model. <i>ChemBioChem</i> , 2001 , 2, 371-4	3.8	8
165	Synthesis of DNA Oligomers Possessing a Covalently Cross-Linked Watson-Crick Base Pair Model. <i>Angewandte Chemie</i> , 2001 , 113, 1519-1523	3.6	7
164	Chlorophyll Catabolism Leading to the Skeleton of Dinoflagellate and Krill Luciferins: Hypothesis and Model Studies. <i>Angewandte Chemie</i> , 2001 , 113, 4010-4012	3.6	6
163	Synthesis of DNA Oligomers Possessing a Covalently Cross-Linked Watson-Crick Base Pair Model. Angewandte Chemie - International Edition, 2001 , 40, 1471-1475	16.4	32
162	Chlorophyll Catabolism Leading to the Skeleton of Dinoflagellate and Krill Luciferins: Hypothesis and Model Studies. <i>Angewandte Chemie - International Edition</i> , 2001 , 40, 3892-3894	16.4	21
161	Toward creation of a universal NMR database for stereochemical assignment: complete structure of the desertomycin/oasomycin class of natural products. <i>Journal of the American Chemical Society</i> , 2001 , 123, 2076-8	16.4	76
160	Toward the creation of NMR databases in chiral solvents for assignments of relative and absolute stereochemistry: scope and limitation. <i>Organic Letters</i> , 2001 , 3, 2249-52	6.2	27
159	Toward the creation of NMR databases in chiral solvents for assignments of relative and absolute stereochemistry: proof of concept. <i>Organic Letters</i> , 2001 , 3, 2245-8	6.2	27
158	Complete structure of the mycolactones. <i>Journal of the American Chemical Society</i> , 2001 , 123, 10117-8	16.4	76
157	Stereochemistry of the core structure of the mycolactones. <i>Journal of the American Chemical Society</i> , 2001 , 123, 5128-9	16.4	76
156	Toward the creation of NMR databases in chiral solvents for assignments of relative and absolute stereochemistry: NMR desymmetrization of meso compounds. <i>Organic Letters</i> , 2001 , 3, 2253-5	6.2	26
155	Toward Creation of a Universal NMR Database for Stereochemical Assignment: The Case of 1,3,5-Trisubstituted Acyclic Systems. <i>Helvetica Chimica Acta</i> , 2000 , 83, 2562-2571	2	89
154	Stereochemical Assignment of the C21©38 Portion of the Desertomycin/Oasomycin Class of Natural Products by Using Universal NMR Databases: Prediction. <i>Angewandte Chemie</i> , 2000 , 112, 4449-4	4451	4
153	Stereochemical Assignment of the C21©138 Portion of the Desertomycin/Oasomycin Class of Natural Products by Using Universal NMR Databases: Proof. <i>Angewandte Chemie</i> , 2000 , 112, 4452-4454	3.6	5
152	Stereochemical Assignment of the C21-C38 Portion of the Desertomycin/Oasomycin Class of Natural Products by Using Universal NMR Databases: Prediction. <i>Angewandte Chemie - International Edition</i> , 2000 , 39, 4279-4281	16.4	32
151	Stereochemical Assignment of the C21-C38 Portion of the Desertomycin/Oasomycin Class of Natural Products by Using Universal NMR Databases: Proof. <i>Angewandte Chemie - International Edition</i> , 2000 , 39, 4282-4284	16.4	22
150	Covalently cross-linked Watson Trick base pair models. Part 2. <i>Tetrahedron Letters</i> , 2000 , 41, 9425-9429	2	15
149	Structure-activity relationships of halichondrin B analogues: modifications at C.30-C.38. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2000 , 10, 1029-32	2.9	49

148	Totalsynthese des (+)-Tolyporphin-A-O,O-diacetats mit der vorgeschlagenen Struktur. <i>Angewandte Chemie</i> , 1999 , 111, 972-975	3.6	6
147	Revision der Struktur von Tolyporphin A. <i>Angewandte Chemie</i> , 1999 , 111, 975-977	3.6	7
146	Modelle f∃kovalent verkn p fte Watson-Crick-Basenpaare. <i>Angewandte Chemie</i> , 1999 , 111, 977-980	3.6	6
145	Total Synthesis of the Proposed Structure of (+)-Tolyporphin A O,O-Diacetate. <i>Angewandte Chemie</i> - <i>International Edition</i> , 1999 , 38, 923-925	16.4	45
144	Revised Structure of Tolyporphin A. Angewandte Chemie - International Edition, 1999, 38, 926-928	16.4	41
143	Covalently Cross-Linked Watson-Crick Base Pair Models. <i>Angewandte Chemie - International Edition</i> , 1999 , 38, 928-931	16.4	23
142	Toward creation of a universal NMR database for the stereochemical assignment of acyclic compounds: proof of concept. <i>Organic Letters</i> , 1999 , 1, 2181-4	6.2	53
141	Toward creation of a universal NMR database for the stereochemical assignment of acyclic compounds: the case of two contiguous propionate units. <i>Organic Letters</i> , 1999 , 1, 2177-80	6.2	89
140	Synthesis and structure of tolyporphin A O,O-diacetate. <i>Organic Letters</i> , 1999 , 1, 1129-32	6.2	54
139	Reaction of methylcerium reagent with tertiary amides: Synthesis of saturated and unsaturated ketones from tertiary amides. <i>Tetrahedron Letters</i> , 1998 , 39, 4793-4796	2	38
138	A useful modification of the Garst-Spencer furan annulation: An improved synthesis of 3,4-substituted furans. <i>Tetrahedron Letters</i> , 1998 , 39, 8929-8932	2	8
137	Totalsynthese von Altohyrtin A (Spongistatin 1): Teil 1. <i>Angewandte Chemie</i> , 1998 , 110, 198-202	3.6	23
136	Totalsynthese von Altohyrtin A (Spongistatin 1): Teil 2. <i>Angewandte Chemie</i> , 1998 , 110, 202-206	3.6	18
135	Total Synthesis of Altohyrtin A (Spongistatin 1): Part 1. <i>Angewandte Chemie - International Edition</i> , 1998 , 37, 187-190	16.4	114
134	Total Synthesis of Altohyrtin A (Spongistatin 1): Part 2. <i>Angewandte Chemie - International Edition</i> , 1998 , 37, 190-196	16.4	97
133	Total synthesis and stereochemistry of cytoblastin. <i>Bioorganic and Medicinal Chemistry</i> , 1998 , 6, 1243-5	43.4	7
132	A Novel Example for Optical Resolution of Racemic Ketones Originating from Batrachotoxin Synthesis. <i>Journal of Organic Chemistry</i> , 1998 , 63, 6100-6101	4.2	26
131	Total Synthesis of Pinnatoxin A. <i>Journal of the American Chemical Society</i> , 1998 , 120, 7647-7648	16.4	149

130	Preferred Conformation of C-Lactose at the Free and Peanut Lectin Bound States. <i>Journal of the American Chemical Society</i> , 1998 , 120, 11297-11303	16.4	70
129	Experimental Support for the Primary Stereoelectronic Effect Governing Baeyer Villiger Oxidation and Criegee Rearrangement. <i>Journal of the American Chemical Society</i> , 1998 , 120, 9392-9393	16.4	72
128	Total Synthesis of (⊞)-Batrachotoxinin A. <i>Journal of the American Chemical Society</i> , 1998 , 120, 6627-6629	816.4	68
127	Structural Basis of Protein Kinase C Activation by Tumor Promoters. <i>Accounts of Chemical Research</i> , 1998 , 31, 163-172	24.3	41
126	Suppression of murine endotoxin response by E5531, a novel synthetic lipid A antagonist. <i>Antimicrobial Agents and Chemotherapy</i> , 1998 , 42, 2824-9	5.9	23
125	Total Synthesis of Altohyrtin A (Spongistatin 1): Part 2 1998 , 37, 190		1
124	Enantioselective Total Synthesis of Fumonisin B2. <i>Journal of Organic Chemistry</i> , 1997 , 62, 5666-5667	4.2	40
123	New Synthetic Route to the C.14 I .38 Segment of Halichondrins. <i>Journal of Organic Chemistry</i> , 1997 , 62, 7552-7553	4.2	54
122	The Stereochemical Assignment and Conformational Analysis of the V/W-Ring Juncture of Maitotoxin. <i>Journal of the American Chemical Society</i> , 1997 , 119, 7928-7937	16.4	56
121	Ni(II)/Cr(II)-Mediated Coupling Reaction: Beneficial Effects of 4-tert-Butylpyridine as an Additive and Development of New and Improved Workup Procedures. <i>Tetrahedron Letters</i> , 1997 , 38, 6355-6358	2	42
120	Extension of the Eschenmoser sulfide contraction/iminoester cyclization method to the synthesis of tolyporphin chromophore. <i>Tetrahedron Letters</i> , 1997 , 38, 6811-6814	2	31
119	Exelective C-glycosidations: lewis-acid mediated reactions of carbohydrates with silyl ketene acetals. <i>Tetrahedron Letters</i> , 1997 , 38, 6815-6818	2	31
118	Complete Relative Stereochemistry of Maitotoxin. <i>Journal of the American Chemical Society</i> , 1996 , 118, 7946-7968	16.4	147
117	Total Synthesis and Stereochemistry of Cytoblastin. <i>Journal of the American Chemical Society</i> , 1996 , 118, 8180-8181	16.4	22
116	Synthetic studies on halichondrins: A practical synthesis of the C.1?C.13 segment. <i>Tetrahedron Letters</i> , 1996 , 37, 8643-8646	2	42
115	A mild preparation of vinyliodides from vinylsilanes. <i>Tetrahedron Letters</i> , 1996 , 37, 8647-8650	2	107
114	Absolute configuration at the tricarballylic acid moieties of fumonisin B2. <i>Tetrahedron Letters</i> , 1995 , 36, 4579-4582	2	23
113	Novel syntheses of Ehalo-⊞, Eunsaturated ketones. <i>Tetrahedron Letters</i> , 1995 , 36, 4583-4584	2	9

112	Ni(II)/Cr(II)-mediated coupling reaction: an asymmetric process. <i>Journal of Organic Chemistry</i> , 1995 , 60, 5386-5387	4.2	108
111	Novel, Light-Emitting Reaction of (E)-2-(Phenylsulfonyl)-3-phenyloxaziridine with Strong Bases. Journal of the American Chemical Society, 1995 , 117, 9921-9922	16.4	5
110	Biological Evaluation of Rationally Modified Analogs of the H-Type II Blood Group Trisaccharide. A Correlation between Solution Conformation and Binding Affinity. <i>Journal of the American Chemical Society</i> , 1995 , 117, 9432-9436	16.4	68
109	Interaction of palytoxin with red cells: structure-function studies. <i>Toxicon</i> , 1995 , 33, 799-807	2.8	12
108	The potencies of synthetic analogues of saxitoxin and the absolute stereoselectivity of decarbamoyl saxitoxin. <i>Toxicon</i> , 1995 , 33, 723-37	2.8	31
107	Preferred Conformations of C-Glycosides. 14. Synthesis and Conformational Analysis of Carbon Analogs of the Blood Group Determinant H-Type II. <i>Journal of Organic Chemistry</i> , 1995 , 60, 2160-2169	4.2	56
106	E5531, a pure endotoxin antagonist of high potency. <i>Science</i> , 1995 , 268, 80-3	33.3	298
105	Synthetic studies towards batrachotoxin 1. A furan-based intramolecular diels-alder route to construct the a-d ring system. <i>Tetrahedron Letters</i> , 1994 , 35, 8333-8336	2	31
104	Synthetic studies towards batrachotoxin 2. Formation of the oxazepane ring system via a Michael reaction. <i>Tetrahedron Letters</i> , 1994 , 35, 8337-8340	2	18
103	C-sucrose vs. O-sucrose: Different conformational behavior in methanol solutions containing Ca2+. <i>Tetrahedron Letters</i> , 1994 , 35, 5591-5594	2	8
102	Relative and absolute stereochemistry of the fumonisin B2 backbone. <i>Tetrahedron Letters</i> , 1994 , 35, 6819-6822	2	32
101	Dinoflagellate bioluminescence: The chromophore of dinoflagellate luciferin. <i>Tetrahedron Letters</i> , 1994 , 35, 9343-9346	2	9
100	Dinoflagellate bioluminescence: Chemical behavior of the chromophore towards oxidants. <i>Tetrahedron Letters</i> , 1994 , 35, 9347-9350	2	8
99	Preferred Conformation of C-Glycosides. 13. A Comparison of the Conformational Behavior of Several C-, N-, and O-Furanosides. <i>Journal of Organic Chemistry</i> , 1994 , 59, 6629-6636	4.2	46
98	Synthesis of Palytoxin from Palytoxin Carboxylic Acid. <i>Journal of the American Chemical Society</i> , 1994 , 116, 11205-11206	16.4	86
97	Extension of the Criegee Rearrangement: Synthesis of Enol Ethers from Secondary Allylic Hydroperoxides. <i>Journal of Organic Chemistry</i> , 1994 , 59, 5125-5127	4.2	18
96	Preferred conformation of C-glycosides. 12. Synthesis and conformational analysis of .alpha.,.alpha, .alpha.,.beta, and .beta.,.betaC-trehaloses. <i>Journal of Organic Chemistry</i> , 1994 , 59, 88-9	9 4 .2	53
95	Conformationally Rigid Tricyclic Tripods: Synthesis and Application to Preparation of Enterobactin Analogs. <i>Journal of Organic Chemistry</i> , 1994 , 59, 7807-7814	4.2	29

94	Novel Structure Elucidation of AAL Toxin TA Backbone. <i>Journal of the American Chemical Society</i> , 1994 , 116, 4995-4996	16.4	51
93	Preferred conformation of C-glycosides. 11. C-Sucrose: new practical synthesis, structural reassignment, and solid-state and solution conformation of its octaacetate. <i>Journal of Organic Chemistry</i> , 1993 , 58, 304-306	4.2	24
92	Chiral analogs of enterobactin with hydrophilic or lipophilic properties. <i>Journal of the American Chemical Society</i> , 1993 , 115, 7892-7893	16.4	31
91	Structure and non-enzymatic light emission of two luciferin precursors isolated from the luminous mushroom Panellus stipticus. <i>Luminescence</i> , 1993 , 8, 201-5		11
90	Synthetic studies on halichondrins: A new practical synthesis of the C.1L.12 segment. <i>Tetrahedron Letters</i> , 1993 , 34, 7541-7544	2	41
89	A concise synthesis of enantiomerically pure taxane C-ring via the [2,3] wittig rearrangement. <i>Tetrahedron Letters</i> , 1993 , 34, 8047-8050	2	10
88	Synthetic studies toward the taxane class of natural products. <i>Tetrahedron Letters</i> , 1993 , 34, 5999-6002	2	38
87	Investigations of the intramolecular Ni(II)/Cr(II)-mediated coupling reaction: Application to the taxane ring system. <i>Tetrahedron Letters</i> , 1993 , 34, 6003-6006	2	25
86	Enantioselective total synthesis of (-)-decarbamoylsaxitoxin. <i>Journal of the American Chemical Society</i> , 1992 , 114, 7001-7006	16.4	61
85	Total synthesis of halichondrin B and norhalichondrin B. <i>Journal of the American Chemical Society</i> , 1992 , 114, 3162-3164	16.4	317
84	Preferred conformation of C-glycosides. 8. Synthesis of 1,4-linked carbon disaccharides. <i>Journal of Organic Chemistry</i> , 1992 , 57, 468-481	4.2	75
83	Preferred conformation of C-glycosides. 9. Conformational analysis of 1,4-linked carbon disaccharides. <i>Journal of Organic Chemistry</i> , 1992 , 57, 482-489	4.2	46
82	Structural basis of protein kinase C activation by diacylglycerols and tumor promoters. <i>Biochemistry</i> , 1992 , 31, 2211-8	3.2	67
81	Preferred conformation of C-glycosides. 10. Synthesis and conformational analysis of carbon trisaccharides. <i>Journal of Organic Chemistry</i> , 1992 , 57, 490-498	4.2	69
80	Synthetic Studies towards Halichondrins: Synthesis of the C.27L.38 Segment. <i>Tetrahedron Letters</i> , 1992 , 33, 1549-1552	2	51
79	Synthetic Studies Towards Halichondrins: Synthesis of the Left Half of Halichondrins. <i>Tetrahedron Letters</i> , 1992 , 33, 1553-1556	2	26
78	Synthetic Studies Towards Halichondrins: Synthesis of the Left Halves of Norhalichondrins and Homohalichondrins. <i>Tetrahedron Letters</i> , 1992 , 33, 1557-1560	2	21
77	Preferred conformation of C-glycosides. 6. Conformational similarity of glycosides and corresponding C-glycosides. <i>Journal of Organic Chemistry</i> , 1991 , 56, 6412-6422	4.2	41

76	Total synthesis of onnamide A. Journal of the American Chemical Society, 1991, 113, 9693-9694	16.4	68
75	Preferred conformation of C-glycosides. 7. Preferred conformation of carbon analogs of isomaltose and gentiobiose. <i>Journal of Organic Chemistry</i> , 1991 , 56, 6422-6434	4.2	46
74	From Luc and Phot genes to the hospital bed. <i>Luminescence</i> , 1990 , 5, 131-9		4
73	Total synthesis of mycalamides A and B. <i>Journal of Organic Chemistry</i> , 1990 , 55, 4242-4245	4.2	55
72	Structure of dinoflagellate luciferin and its enzymic and nonenzymic air-oxidation products. <i>Journal of the American Chemical Society</i> , 1989 , 111, 7607-7611	16.4	124
71	Total synthesis of (+)-ophiobolin C. <i>Journal of the American Chemical Society</i> , 1989 , 111, 2735-2737	16.4	104
70	Panal: A possible precursor of fungal luciferin. <i>Tetrahedron</i> , 1988 , 44, 1597-1602	2.4	14
69	Synthetic studies on ophiobolins. <i>Tetrahedron Letters</i> , 1988 , 29, 4909-4912	2	51
68	Preferred conformation of C-glycosides. 5. Experimental support for the conformational similarity between C- and O-disaccharides. <i>Journal of Organic Chemistry</i> , 1988 , 53, 5580-5582	4.2	23
67	Preferred conformation of C-glycosides. 4. Importance of 1,3-diaxial-like interactions around the nonglycosidic bond: prediction and experimental proof. <i>Journal of Organic Chemistry</i> , 1988 , 53, 4151-4	15 ⁴ 3 ²	29
66	Synthesis of C-sucrose. Journal of Organic Chemistry, 1988, 53, 3383-3384	4.2	40
65	Structure of the light emitter in krill (Euphausia pacifica) bioluminescence. <i>Journal of the American Chemical Society</i> , 1988 , 110, 2683-2685	16.4	48
64	A New, Efficient Synthesis of the Left Half of Narasin. <i>Heterocycles</i> , 1987 , 25, 97	0.8	13
63	Synthesis of C-disaccharides. <i>Journal of Organic Chemistry</i> , 1987 , 52, 1370-1372	4.2	70
62	Influence of secondary structure (helical conformation) on stereoselectivity in peptide couplings. <i>Journal of the Chemical Society Chemical Communications</i> , 1987 , 1817		7
61	Preferred conformation of C-glycosides. 3. Preferred conformation of carbon analogs of 1,4-disaccharides. <i>Journal of Organic Chemistry</i> , 1987 , 52, 4825-4827	4.2	40
60	Total synthesis of debromoaplysiatoxin and aplysiatoxin. <i>Journal of the American Chemical Society</i> , 1987 , 109, 6205-6207	16.4	63
59	Preferred conformation of C-glycosides. 1. Conformational similarity of glycosides and corresponding C-glycosides. <i>Journal of Organic Chemistry</i> , 1987 , 52, 4819-4823	4.2	48

58	Preferred conformation of C-glycosides. 2. Preferred conformation of carbon analogs of isomaltose and gentiobiose. <i>Journal of Organic Chemistry</i> , 1987 , 52, 4823-4825	4.2	50
57	Synthetic studies towards halichondrins. <i>Tetrahedron Letters</i> , 1987 , 28, 3463-3466	2	77
56	Dramatic rate enhancement of Suzuki diene synthesis. Its application to palytoxin synthesis. <i>Journal of the American Chemical Society</i> , 1987 , 109, 4756-4758	16.4	254
55	A total synthesis of polyether antibiotic (IFA23187 (calcimycin). <i>Tetrahedron Letters</i> , 1987 , 28, 1063-106	62	39
54	A practical synthesis of trans-iodoolefins. <i>Tetrahedron Letters</i> , 1986 , 27, 4759-4762	2	34
53	EHalovinyl ketones: Synthesis from acetylenic ketones. <i>Tetrahedron Letters</i> , 1986 , 27, 4763-4766	2	48
52	Aldol reaction of allenolates generated via 1,4-addition of iodide anion or its equivalent to \Box , Example 1,4-addition of iodide anion or its equivalent to \Box , Example 2,7,4767-4770	2	78
51	Catalytic effect of nickel(II) chloride and palladium(II) acetate on chromium(II)-mediated coupling reaction of iodo olefins with aldehydes. <i>Journal of the American Chemical Society</i> , 1986 , 108, 5644-5646	16.4	447
50	Structure of the functional part of photoprotein aequorin. <i>Journal of the Chemical Society Chemical Communications</i> , 1986 , 1566		30
49	Terminal epoxidation of farnesate attached to helical peptides. <i>Journal of the American Chemical Society</i> , 1986 , 108, 6080-2	16.4	17
48	Synthesis of mono- and unsymmetrical bis-orthoesters of scyllo-inositol. <i>Journal of Organic Chemistry</i> , 1985 , 50, 4402-4404	4.2	139
47	Practical asymmetric synthesis of aklavinone. <i>Tetrahedron</i> , 1984 , 40, 4685-4691	2.4	23
46	An improved procedure for the Blaise reaction: a short, practical route to the key intermediates of the saxitoxin synthesis. <i>Journal of Organic Chemistry</i> , 1983 , 48, 3833-3835	4.2	147
45	Stereocontrolled synthesis of D-pentitols, 2-amino-2-deoxy-D-pentitols and 2-deoxy-D-pentitols from D-glyceraldehyde acetonide. <i>Journal of the American Chemical Society</i> , 1982 , 104, 1109-1111	16.4	201
44	Highly stereoselective approaches to .alpha and .betaC-glycopyranosides. <i>Journal of the American Chemical Society</i> , 1982 , 104, 4976-4978	16.4	537
43	Synthetic studies on palytoxin. Stereocontrolled, practical synthesis of the C.101a.115 segment. <i>Tetrahedron Letters</i> , 1982 , 23, 4415-4418	2	24
42	Further studies on chromium(II)-mediated homoallylic alcohol syntheses. <i>Tetrahedron Letters</i> , 1982 , 23, 2343-2346	2	49
41	Reductive ring openings of allyl-alcohol epoxides. <i>Tetrahedron Letters</i> , 1982 , 23, 2719-2722	2	184

40	On the absolute configuration of gephyrotoxin. <i>Tetrahedron Letters</i> , 1981 , 22, 4197-4198	2	62
39	A model study for the biomimetic-type synthesis of rifamycin S. <i>Tetrahedron Letters</i> , 1981 , 22, 2451-245	54	7
38	Further synthetic studies on rifamycin s. <i>Tetrahedron</i> , 1981 , 37, 3873-3888	2.4	335
37	Total synthesis of gliotoxin, dehydrogliotoxin and hyalodendrin. <i>Tetrahedron</i> , 1981 , 37, 2045-2078	2.4	89
36	A synthesis of the aromatic segment of rifamycin s. <i>Tetrahedron Letters</i> , 1981 , 22, 899-902	2	42
35	Further studies on stereospecific epoxidation of allylic alcohols Iltifat Hasan. <i>Tetrahedron Letters</i> , 1980 , 21, 4229-4232	2	50
34	Total synthesis of (.+)-gephyrotoxin. <i>Journal of the American Chemical Society</i> , 1980 , 102, 7154-7156	16.4	70
33	Total Synthesis of d,l-Saxitoxin. <i>Heterocycles</i> , 1980 , 14, 1477	0.8	39
32	Stereo- and regioselective methods for the synthesis of three consecutive asymmetric units found in many natural products. <i>Tetrahedron Letters</i> , 1979 , 20, 4343-4346	2	106
31	Cooperative effect by a hydroxy and ether oxygen in epoxidation with a peracid. <i>Tetrahedron Letters</i> , 1979 , 20, 4347-4350	2	82
30	The Total Synthesis of Mitomycins. <i>Journal of Natural Products</i> , 1979 , 42, 549-568	4.9	58
29	Stereospecific total synthesis of dl-austamide. <i>Journal of the American Chemical Society</i> , 1979 , 101, 678	61 6 7.88	3 6 ₇
28	Synthetic Studies on Echinulin and Related Natural Products. II.: A Total Synthesis of Echinulin. <i>Yakugaku Zasshi</i> , 1977 , 97, 558-563	O	10
27	A total synthesis of gliotoxin. <i>Journal of the American Chemical Society</i> , 1976 , 98, 6723-4	16.4	65
26	Letter: Biogenetic-type synthesis of penicillin-cephalosporin antibiotics. II. An oxidative cyclization route to beta-lactam thiazoline derivatives. <i>Journal of the American Chemical Society</i> , 1975 , 97, 5010-2	16.4	25
25	Letter: Biogenetic-type synthesis of penicillin-cephalosporin antibiotics. I. A stereocontrolled synthesis of the penam- and cephem-ring systems from an acyclic tripeptide equivalent. <i>Journal of the American Chemical Society</i> , 1975 , 97, 5008-10	16.4	49
24	X-Ray structure determination of 3,6-p-anisylidenedithio-3-ethyl-NN?-dimethylpiperazine-2,5-dione. <i>Journal of the Chemical Society Chemical Communications</i> , 1975 , 542-543		6
23	Synthetic studies on tetrodotoxin and related compounds. V. The protecting group of the C9-hydroxy group. <i>Tetrahedron Letters</i> , 1974 , 15, 335-338	2	10

22	Synthetic Study of Puffer-fish Poison, Tetrodotoxin. <i>Yuki Gosei Kagaku Kyokaishi/Journal of Synthetic Organic Chemistry</i> , 1974 , 32, 855-860	0.2	3
21	Biosynthesis of nigrifactin. Journal of the Chemical Society Chemical Communications, 1973, 75		9
20	A total synthesis of sporidesmin A. <i>Journal of the American Chemical Society</i> , 1973 , 95, 6493-5	16.4	90
19	New method for the synthesis of epidithiodiketopiperazines. <i>Journal of the American Chemical Society</i> , 1973 , 95, 6490-6492	16.4	62
18	A total synthesis of dehydrogliotoxin. <i>Journal of the American Chemical Society</i> , 1973 , 95, 6492-3	16.4	59
17	The structure confirmation of the light-emitting moiety of bioluminescent jellyfish. <i>Tetrahedron Letters</i> , 1972 , 13, 2747-2748	2	50
16	A stereoselective decarboxylation of 1,6-dimethyl-3-(3?-indolyl)methyl-3-carboxy-2,5-piperazinedione. <i>Tetrahedron Letters</i> , 1971 , 12, 4657-46	660	6
15	Synthetic study on echinulin and related compounds. Part I. acid-catalyzed amino claisen rearrangement of allyl- and 3,3-dimethylallyl-aniline derivatives. <i>Tetrahedron Letters</i> , 1971 , 12, 4661-46	6 ² 4	20
14	Synthetic study on echinulin and related compounds. Part II. A stereoselective total synthesis of optically active echinulin. <i>Tetrahedron Letters</i> , 1971 , 12, 4665-4668	2	13
13	Synthesis and stereochemistry of latia luciferin. <i>Tetrahedron Letters</i> , 1970 , 11, 381-382	2	17
12	Synthesis of leonurine. <i>Tetrahedron Letters</i> , 1968 , 9, 637-640	2	4
11	Cypridina bioluminescence II structural studies of luciferin by means of a high resolution mass spectrometer and an amino acid analyzer. <i>Tetrahedron Letters</i> , 1966 , 7, 3437-3444	2	22
10	Cypridina bioluminescence III total synthesis of luciferin. <i>Tetrahedron Letters</i> , 1966 , 7, 3445-3450	2	59
9	Aminodesoxytetrodotoxin. <i>Tetrahedron Letters</i> , 1964 , 5, 1831-1834	2	4
8	Further studies on the structure of tetrodotoxin. <i>Tetrahedron Letters</i> , 1964 , 5, 779-786	2	14
7	Tetrodotoxin. III. A Revised Molecular Formula for Tetrodotoxin. <i>Bulletin of the Chemical Society of Japan</i> , 1964 , 37, 283-284	5.1	5
6	The structure op tetrodotoxin. <i>Tetrahedron Letters</i> , 1963 , 4, 2105-2113	2	17
5	The structure and stereochemistry of tetrodotoxin. <i>Tetrahedron Letters</i> , 1963 , 4, 2115-2118	2	15

LIST OF PUBLICATIONS

4	Structure of the C9-Base, an Alkaline Degradation Product of Tetrodotoxin. <i>Bulletin of the Chemical Society of Japan</i> , 1962 , 35, 1045-1046	5.1	5
3	Structure of the C8-Base, an Acid Degradation Product of Tetrodotoxin. <i>Bulletin of the Chemical Society of Japan</i> , 1962 , 35, 1244-1245	5.1	8
2	Steroid Studies. III. A New Route for the Preparation of Cholestane-3月5日, 6日-triol 3,6-Diacetate from Cholesterol. <i>Bulletin of the Chemical Society of Japan</i> , 1962 , 35, 2044-2045	5.1	2
1	The catalytic action of metal salts on the borohydride reduction of ∃-bromoketone. <i>Tetrahedron Letters</i> , 1961 , 2, 513-515	2	12