

Stephan Suckow

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2929501/publications.pdf>

Version: 2024-02-01

25
papers

493
citations

840776

11
h-index

677142

22
g-index

25
all docs

25
docs citations

25
times ranked

906
citing authors

#	ARTICLE	IF	CITATIONS
1	Two-Dimensional Platinum Diselenide Waveguide-Integrated Infrared Photodetectors. ACS Photonics, 2022, 9, 859-867.	6.6	14
2	High-efficiency grating coupler for an ultralow-loss Si ₃ N ₄ -based platform. Optics Letters, 2022, 47, 2498.	3.3	13
3	Unbiased Plasmonic-Assisted Integrated Graphene Photodetectors. ACS Photonics, 2022, 9, 1992-2007.	6.6	4
4	Hybrid Devices by Selective and Conformal Deposition of PtSe ₂ at Low Temperatures. Advanced Functional Materials, 2021, 31, 2103936.	14.9	17
5	Bringing Plasmonics Into CMOS Photonic Foundries: Aluminum Plasmonics on Si ₃ N ₄ for Biosensing Applications. Journal of Lightwave Technology, 2019, 37, 5516-5524.	4.6	8
6	High Responsivity and Quantum Efficiency of Graphene/Silicon Photodiodes Achieved by Interdigitating Schottky and Gated Regions. ACS Photonics, 2019, 6, 107-115.	6.6	68
7	Monolithically Integrated Perovskite Semiconductor Lasers on Silicon Photonic Chips by Scalable Top-Down Fabrication. Nano Letters, 2018, 18, 6915-6923.	9.1	98
8	Towards the Predicted High Performance of Waveguide Integrated Electro-Refractive Phase Modulators Based on Graphene. IEEE Photonics Journal, 2017, 9, 1-7.	2.0	15
9	Integrated perovskite lasers on a silicon nitride waveguide platform by cost-effective high throughput fabrication. Optics Express, 2017, 25, 13199.	3.4	55
10	Infrared transparent graphene heater for silicon photonic integrated circuits. Optics Express, 2016, 24, 7871.	3.4	44
11	N ₂ O plasma treatment for minimization of background plating in silicon solar cells with Ni-Cu front side metallization. Solar Energy Materials and Solar Cells, 2016, 144, 671-677.	6.2	8
12	56 Gb/s WDM transmitter module based on silicon microrings using comb lasers. , 2015, , .		2
13	Study of Nickel Silicide Formation and Associated Fill-Factor Loss Analysis for Silicon Solar Cells With Plated Ni-Cu Based Metallization. IEEE Journal of Photovoltaics, 2015, 5, 1554-1562.	2.5	12
14	Fast and reliable calculation of the two-diode model without simplifications. Progress in Photovoltaics: Research and Applications, 2014, 22, 494-501.	8.1	71
15	Phosphorus gettering of iron by screen-printed emitters in monocrystalline Czochralski silicon wafers. Progress in Photovoltaics: Research and Applications, 2013, 21, 900-905.	8.1	1
16	SiliconPV 2012 generation of defect-related acceptor states by laser doping. Solar Energy Materials and Solar Cells, 2012, 106, 2-6.	6.2	7
17	Defect passivation by hydrogen reincorporation for silicon quantum dots in SiC/SiO _x hetero-superlattice. Journal of Non-Crystalline Solids, 2012, 358, 2145-2149.	3.1	20
18	Optical evaluation of doping concentration in SiO ₂ -doping source layer for silicon quantum dot materials. EPJ Photovoltaics, 2011, 2, 25001.	1.6	2

#	ARTICLE	IF	CITATIONS
19	Structural characterization of crystallized Si thin film material by HRTEM and Raman spectroscopy. Physica Status Solidi (A) Applications and Materials Science, 2011, 208, 588-591.	1.8	6
20	Gettering in multicrystalline silicon wafers with screen-printed emitters. Progress in Photovoltaics: Research and Applications, 2011, 19, 946-953.	8.1	4
21	Quantum wells based on Si/SiO _x stacks for nanostructured absorbers. Solar Energy Materials and Solar Cells, 2010, 94, 1893-1896.	6.2	7
22	Geometric broadening in resonant tunneling through Si quantum dots. Energy Procedia, 2010, 2, 207-212.	1.8	0
23	Improved charge transport through Si based multiple quantum wells with substoichiometric SiO _x barrier layers. Journal of Applied Physics, 2009, 106, 083706.	2.5	6
24	Resonant and phonon-assisted tunneling transport through silicon quantum dots embedded in SiO ₂ . Applied Physics Letters, 2008, 93, 132111.	3.3	10
25	Stark effect at dislocations in silicon for modulation of a 1.5 μ m light emitter. Proceedings of SPIE, 2008, , .	0.8	1