

JosÃ© MarÃ¡a RamÃrez-Moreno

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/29299/publications.pdf>

Version: 2024-02-01

59

papers

2,016

citations

394421

19

h-index

254184

43

g-index

91

all docs

91

docs citations

91

times ranked

3242

citing authors

#	ARTICLE	IF	CITATIONS
1	Cognitive Function and Neuropsychiatric Disorders after COVID-19: A Long Term Social and Clinical Problem?. BioMed, 2022, 2, 50-59.	1.1	4
2	Ultrasonographic and hemodynamic characteristics of patients with symptomatic carotid near-occlusion: results from a multicenter registry study. Neuroradiology, 2021, 63, 705-711.	2.2	7
3	Slump in Hospital Admissions for Stroke, a Fact of an Uncertain Nature That Requires Explanation. Brain Sciences, 2021, 11, 92.	2.3	5
4	Location of recurrent cardiovascular events and anticardiolipin antibodies. European Journal of Clinical Investigation, 2021, 51, e13533.	3.4	3
5	Mask-associated â€œde novoâ€™ headache in healthcare workers during the COVID-19 pandemic. Occupational and Environmental Medicine, 2021, 78, 548-554.	2.8	38
6	La autopercepciÃ³n del estrÃ±os psicolÃ³gico se asocia con el ataque isquÃ©mico transitorio e ictus minor. Un estudio de casos y controles. NeurologÃa, 2020, 35, 556-562.	0.7	10
7	Association between self-perceived psychological stress and transitory ischaemic attack and minor stroke: a caseâ€“control study. NeurologÃa (English Edition), 2020, 35, 556-562.	0.4	9
8	Comment on the article â€œSymptomatic carotid near-occlusion causes a high risk of recurrent ipsilateral ischemic strokeâ€ by Gu et al.. Journal of Neurology, 2020, 267, 849-851.	3.6	1
9	Progression of carotid near-occlusion to complete occlusion: related factors and clinical implications. Journal of NeuroInterventional Surgery, 2020, 12, neurintsurg-2019-015638.	3.3	1
10	The Value of Transcranial Doppler Sonography in Hyperperfusion Syndrome after Carotid Artery Stenting: A Nationwide Prospective Study. Journal of Stroke, 2020, 22, 254-257.	3.2	3
11	The risk of recurrent stroke at 24 months in patients with symptomatic carotid nearâ€occlusion: results from CAOS, a multicentre registry study. European Journal of Neurology, 2019, 26, 1391-1398.	3.3	5
12	Clinical Predictors of Hyperperfusion Syndrome Following Carotid Stenting. JACC: Cardiovascular Interventions, 2019, 12, 873-882.	2.9	17
13	DetecciÃ³n del deterioro cognitivo con la EvaluaciÃ³n Cognitiva de Montreal en pacientes espaÃ±oles con ictus minor o ataque isquÃ©mico transitorio. NeurologÃa, 2019, 37, 38-38.	0.7	2
14	Health-Related Quality of Life and Fatigue After Transient Ischemic Attack and Minor Stroke. Journal of Stroke and Cerebrovascular Diseases, 2019, 28, 276-284.	1.6	35
15	External validation of the A2DS2 and ISAN scales for predicting infectious respiratory complications of ischaemic stroke. NeurologÃa (English Edition), 2019, 34, 14-21.	0.4	2
16	ValidaciÃ³n externa de las escalas A2DS2 e ISAN para predecir la infecciÃ³n respiratoria asociada al ictus isquÃ©mico. NeurologÃa, 2019, 34, 14-21.	0.7	5
17	Tendencias en las tasas de hospitalizaciÃ³n por ictus en Extremadura en el periodo 2002-2014. Cambiando la idea del ictus como una enfermedad propia de la senectud. NeurologÃa, 2018, 33, 561-569.	0.7	10
18	Trends in stroke hospitalisation rates in Extremadura between 2002 and 2014: Changing the notion of stroke as a disease of the elderly. NeurologÃa (English Edition), 2018, 33, 561-569.	0.4	3

#	ARTICLE	IF	CITATIONS
19	Rivaroxaban or aspirin for patent foramen ovale and embolic stroke of undetermined source: a prespecified subgroup analysis from the NAVIGATE ESUS trial. <i>Lancet Neurology</i> , The, 2018, 17, 1053-1060.	10.2	146
20	Rivaroxaban for Stroke Prevention after Embolic Stroke of Undetermined Source. <i>New England Journal of Medicine</i> , 2018, 378, 2191-2201.	27.0	730
21	Factores asociados al mal control de la anticoagulaciÃ³n con antivitamina K en pacientes con fibrilaciÃ³n auricular no valvular atendidos en consultas de Medicina Interna y NeurologÃa. Estudio ALADIN. <i>Revista Clínica Espanola</i> , 2018, 218, 327-335.	0.6	10
22	Hypertension and Cognitive Function. <i>Hypertension Journal</i> , 2018, 4, 154-156.	0.1	0
23	TrombectomÃa mecÃ¡nica en un ictus isquÃ©mico debido a embolia cerebral cÃ¡lcica. <i>NeurologÃa</i> , 2017, 32, 270-273.	0.7	8
24	Early risk of recurrent stroke in patients with symptomatic carotid near-occlusion: Results from CAOS, a multicenter registry study. <i>International Journal of Stroke</i> , 2017, 12, 713-719.	5.9	17
25	Satisfaction, quality of life and perception of patients regarding burdens and benefits of vitamin K antagonists compared with direct oral anticoagulants in patients with nonvalvular atrial fibrillation. <i>Journal of Comparative Effectiveness Research</i> , 2017, 6, 303-312.	1.4	28
26	Mechanical thrombectomy during ischaemic stroke due to a calcified cerebral embolism. <i>NeurologÃa</i> (English Edition), 2017, 32, 270-273.	0.4	1
27	Effect of socioeconomic level on knowledge of stroke in the general population: A social inequality gradient. <i>NeurologÃa</i> (English Edition), 2016, 31, 24-32.	0.4	9
28	Functional Status and Disability in Patients After Acute Stroke: A Longitudinal Study. <i>American Journal of Critical Care</i> , 2016, 25, 144-151.	1.6	24
29	Impacto del nivel socioeconÃ³mico en el conocimiento del ictus de la poblaciÃ³n general: un gradiente de desigualdad social. <i>NeurologÃa</i> , 2016, 31, 24-32.	0.7	16
30	Association between subclinical carotid atherosclerosis, hyperhomocysteinaemia and mild cognitive impairment. <i>Acta Neurologica Scandinavica</i> , 2016, 134, 154-159.	2.1	12
31	Knowledge of stroke a study from a sex perspective. <i>BMC Research Notes</i> , 2015, 8, 604.	1.4	11
32	Association of Vascular Factors and Amnestic Mild Cognitive Impairment: A Comprehensive Approach. <i>Journal of Alzheimer's Disease</i> , 2015, 44, 695-704.	2.6	18
33	Stroke Awareness Is Worse among the Old and Poorly Educated: A Population-Based Survey. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2015, 24, 1038-1046.	1.6	21
34	Acerca de las interconsultas a los neurÃ³logos formuladas desde urgencias. Respuesta del autor. <i>NeurologÃa</i> , 2015, 30, 320-322.	0.7	0
35	Consumo de habas (<i>Vicia faba</i>) y enfermedad de Parkinson: una fuente natural de L-dopa a tener en cuenta. <i>NeurologÃa</i> , 2015, 30, 375-376.	0.7	12
36	Determinants of Quality of Life in Stroke Survivors After 6 Months, from a Comprehensive Stroke Unit. <i>Biological Research for Nursing</i> , 2015, 17, 461-468.	1.9	28

#	ARTICLE	IF	CITATIONS
37	Abstract W P143: Ankle-brachial Index Predicts Extracranial Vascular Events After Transient Ischemic Attacks. Data From The Promapa Study. Stroke, 2015, 46, .	2.0	0
38	SituaciÃ³n funcional tras un ictus y experiencia acumulada de una unidad de ictus. NeurologÃa, 2014, 29, 271-279.	0.7	2
39	AnÃ¡lisis de recursos asistenciales para el ictus en EspaÃ±a en 2012: Â¿beneficios de la Estrategia del Ictus del Sistema Nacional de Salud?. NeurologÃa, 2014, 29, 387-396.	0.7	10
40	How predictors and patterns of stroke recurrence after a TIA differ during the first year of follow-up. Journal of Neurology, 2014, 261, 1614-1621.	3.6	7
41	Functional outcome of stroke and the cumulative experience of a stroke unit. NeurologÃa (English) Tj ETQq1 1 0.784314 rgBT /Overlock	0.4	0
42	Factores determinantes del inicio de tratamiento con levodopa/carbidopa/entacapona en pacientes espaÃ±oles con enfermedad de Parkinson. NeurologÃa, 2014, 29, 153-160.	0.7	2
43	Longitudinal study of in-hospital consultations with neurology in a tertiary hospital. A health care activity on the increase. NeurologÃa (English Edition), 2013, 28, 9-14.	0.4	3
44	Tendencia de la mortalidad por ictus isquÃ©mico (2000-2009) y factores pronÃ³sticos. Estudio ICTUS-Extremadura. Revista Clinica Espanola, 2013, 213, 177-185.	0.6	13
45	EvoluciÃ³n temporal de las interconsultas hospitalarias dirigidas a NeurologÃa en un hospital terciario. Una actividad asistencial en crecimiento. NeurologÃa, 2013, 28, 9-14.	0.7	15
46	Charlson Comorbidity Index in Ischemic Stroke and Intracerebral Hemorrhage as Predictor of Mortality and Functional Outcome after 6 Months. Journal of Stroke and Cerebrovascular Diseases, 2013, 22, e214-e218.	1.6	89
47	Predictive value of brain and vascular imaging including intracranial vessels in transient ischaemic attack patients: external validation of the <scp>ABCD</scp> 3â€¢ score. European Journal of Neurology, 2013, 20, 1088-1093.	3.3	30
48	Recurrent transient ischaemic attack and early risk of stroke: data from the PROMAPA study. Journal of Neurology, Neurosurgery and Psychiatry, 2013, 84, 596-603.	1.9	35
49	Relation between Red Blood Cell Distribution Width and Ischemic Stroke: A Case-Control Study. International Journal of Stroke, 2013, 8, E36-E36.	5.9	30
50	Prediction of Early Stroke Recurrence in Transient Ischemic Attack Patients from the PROMAPA Study: A Comparison of Prognostic Risk Scores. Cerebrovascular Diseases, 2012, 33, 182-189.	1.7	66
51	Clinical Correlates of Apathy in Patients Recently Diagnosed with Parkinsonâ€™s Disease: The ANIMO Study. Neuroepidemiology, 2012, 38, 48-55.	2.3	55
52	A new <i>SCARB2</i> mutation in a patient with progressive myoclonus ataxia without renal failure. Movement Disorders, 2012, 27, 1827-1828.	3.9	11
53	Impact of apathy on healthâ€¢related quality of life in recently diagnosed Parkinson's disease: The ANIMO study. Movement Disorders, 2012, 27, 211-218.	3.9	105
54	Recursos asistenciales en ictus en EspaÃ±a 2010: anÃ¡lisis de una encuesta nacional del Grupo de Estudio de Enfermedades Cerebrovasculares. NeurologÃa, 2011, 26, 449-454.	0.7	33

#	ARTICLE	IF	CITATIONS
55	Intravenous thrombolysis for acute stroke in patients with cancer. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2011, 82, 1404-1405.	1.9	20
56	ValidaciÃ³n del estudio ultrasonolÃ³gico de troncos supraaÃrticos en el diagnÃ³stico de la enfermedad aterosclerÃ³tica de la arteria carÃ³tida interna. ComparaciÃ³n de los resultados con los de angiografÃa. <i>NeurologÃa</i> , 2010, 25, 357-363.	0.7	2
57	Validation of supra-aortic trunks ultrasound in the diagnosis of atherosclerotic disease of the internal carotid artery. Comparison of the results with angiography. <i>NeurologÃa (English Edition)</i> , 2010, 25, 357-363.	0.4	1
58	Serum Cholesterol LDL and 90-Day Mortality in Patients With Intracerebral Hemorrhage. <i>Stroke</i> , 2009, 40, 1917-1920.	2.0	49
59	Bilateral and symmetric C1-C2 dumbbell ganglioneuromas producing severe spinal cord compression. <i>World Neurosurgery</i> , 2001, 55, 228-231.	1.3	31