Henrik Petersen

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2930431/henrik-petersen-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

48
papers
1,073
citations
18
h-index
g-index

52
ext. papers
2,233
ext. citations
4.4
avg, IF
L-index

#	Paper	IF	Citations
48	Value of regular endosonography and [18F]fluorodeoxyglucose PET-CT after surgery for gastro-oesophageal junction, stomach or pancreatic cancer. <i>BJS Open</i> , 2021 , 5,	3.9	1
47	GMP production of 6-[F]Fluoro-L-DOPA for PET/CT imaging by different synthetic routes: a three center experience. <i>EJNMMI Radiopharmacy and Chemistry</i> , 2021 , 6, 21	5.8	2
46	Hybrid PET/MRI in non-small cell lung cancer (NSCLC) and lung nodules-a literature review. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021 , 48, 584-591	8.8	6
45	Prevalence of Newly Diagnosed Malignancies in Patients with Polymyalgia Rheumatica and Giant Cell Arteritis, Comparison of 18F-FDG PET/CT Scan with Chest X-ray and Abdominal Ultrasound: Data from a 40 Week Prospective, Exploratory, Single Centre Study. <i>Journal of Clinical Medicine</i> ,	5.1	4
44	2020 , 9, The difficult management of persistent, non-focal congenital hyperinsulinism: A retrospective review from a single, tertiary center. <i>Pediatric Diabetes</i> , 2020 , 21, 441-455	3.6	5
43	The Utility of 18F-FDG PET/CT in Patients With Clinical Suspicion of Polymyalgia Rheumatica and Giant Cell Arteritis: A Prospective, Observational, and Cross-sectional Study. <i>ACR Open Rheumatology</i> , 2020 , 2, 478-490	3.5	7
42	Tissue variations of mosaic genome-wide paternal uniparental disomy and phenotype of multi-syndromal congenital hyperinsulinism. <i>European Journal of Medical Genetics</i> , 2020 , 63, 103632	2.6	3
41	Hybrid PET/MRI in major cancers: a scoping review. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019 , 46, 2138-2151	8.8	19
40	15-O-water myocardial flow reserve PET and CT angiography by full hybrid PET/CT as a potential alternative to invasive angiography. <i>International Journal of Cardiovascular Imaging</i> , 2018 , 34, 2011-202	2 ^{2.5}	2
39	18F-DOPA PET/CT and 68Ga-DOTANOC PET/CT scans as diagnostic tools in focal congenital hyperinsulinism: a blinded evaluation. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018 , 45, 250-261	8.8	23
38	Intraoperative Ultrasound: A Tool to Support Tissue-Sparing Curative Pancreatic Resection in Focal Congenital Hyperinsulinism. <i>Frontiers in Endocrinology</i> , 2018 , 9, 478	5.7	9
37	Can semiquantitative measurements of SUVmax and cut-off values differentiate colorectal malignant from benign lessions?. <i>Hellenic Journal of Nuclear Medicine</i> , 2017 , 20, 113-121	0.6	6
36	Reply to: "Comments on Kristensen et al.: Clinical value of FDG-PET/CT in suspected paraneoplastic syndromes: a retrospective analysis of 137 patients": By Bet[]Vatankulu, Sabire Yilmaz Aksoy, Sait Sager, Metin Hala[] <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016 , 43, 582	8.8	
35	[18F]Fluorodeoxyglucose (FDG)-Positron Emission Tomography (PET)/Computed Tomography (CT) in Suspected Recurrent Breast Cancer: A Prospective Comparative Study of Dual-Time-Point FDG-PET/CT, Contrast-Enhanced CT, and Bone Scintigraphy. <i>Journal of Clinical Oncology</i> , 2016 , 34, 1889	2.2 9-97	39
34	FDG PET/CT in cancer: comparison of actual use with literature-based recommendations. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016 , 43, 695-706	8.8	40
33	Clinical significance of incidental focal bowel uptake on F-FDG PET/CT as related to colorectal cancer. <i>Hellenic Journal of Nuclear Medicine</i> , 2016 , 19, 245-249	0.6	3
32	Cardiac Abnormalities in Adult Patients With Polymyositis or Dermatomyositis as Assessed by Noninvasive Modalities. <i>Arthritis Care and Research</i> , 2016 , 68, 1012-20	4.7	31

31	Quantitative myocardial perfusion by O-15-water PET: individualized vs. standardized vascular territories. <i>European Heart Journal Cardiovascular Imaging</i> , 2015 , 16, 970-6	4.1	17
30	Clinical value of FDG-PET/CT in suspected paraneoplastic syndromes: a retrospective analysis of 137 patients. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2015 , 42, 2056-63	8.8	14
29	Traditional cardiovascular risk factors and coronary artery calcification in adults with polymyositis and dermatomyositis: a Danish multicenter study. <i>Arthritis Care and Research</i> , 2015 , 67, 848-54	4.7	29
28	Planned FDG PET-CT Scan in Follow-Up Detects Disease Progression in Patients With Locally Advanced NSCLC Receiving Curative Chemoradiotherapy Earlier Than Standard CT. <i>Medicine (United States)</i> , 2015 , 94, e1863	1.8	9
27	Cardiac abnormalities assessed by non-invasive techniques in patients with newly diagnosed idiopathic inflammatory myopathies. <i>Clinical and Experimental Rheumatology</i> , 2015 , 33, 706-14	2.2	16
26	Spine metastases in prostate cancer: comparison of technetium-99m-MDP whole-body bone scintigraphy, [(18) F]choline positron emission tomography(PET)/computed tomography (CT) and [(18) F]NaF PET/CT. <i>BJU International</i> , 2014 , 114, 818-23	5.6	100
25	FDG in Urologic Malignancies. <i>PET Clinics</i> , 2014 , 9, 457-68, vi	2.2	10
24	Do X-ray-occult fractures play a role in chronic pain following a whiplash injury?. <i>European Spine Journal</i> , 2014 , 23, 1673-9	2.7	4
23	Answer to the letter to the editor of L. Uhrenholt et al. concerning "do X-ray-occult fractures play a role in chronic pain following a whiplash injury?" by Hertzum-Larsen R, Petersen H, Kasch H, Bendix T, Eur Spine J, 2014; DOI 10.1007/s00586-014-3362-3. <i>European Spine Journal</i> , 2014 , 23, 2225	2.7	
22	FDG-PET/CT can rule out malignancy in patients with vocal cord palsy. <i>American Journal of Nuclear Medicine and Molecular Imaging</i> , 2014 , 4, 193-201	2.2	5
21	Hybrid CT angiography and quantitative 15O-water PET for assessment of coronary artery disease: comparison with quantitative coronary angiography. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2013 , 40, 1894-904	8.8	27
20	Extramedullary disease in patients with acute myeloid leukemia assessed by 18F-FDG PET. European Journal of Haematology, 2013 , 90, 273-8	3.8	41
19	The relation between coronary artery calcification in asymptomatic subjects and both traditional risk factors and living in the city centre: a DanRisk substudy. <i>Journal of Internal Medicine</i> , 2012 , 271, 444	- 50 .8	23
18	Renal cortical and medullary blood flow during modest saline loading in humans. <i>Acta Physiologica</i> , 2012 , 205, 472-83	5.6	11
17	[18F]fluoromethylcholine (FCH) positron emission tomography/computed tomography (PET/CT) for lymph node staging of prostate cancer: a prospective study of 210 patients. <i>BJU International</i> , 2012 , 110, 1666-71	5.6	93
16	FAZA PET/CT hypoxia imaging in patients with squamous cell carcinoma of the head and neck treated with radiotherapy: results from the DAHANCA 24 trial. <i>Radiotherapy and Oncology</i> , 2012 , 105, 14-20	5.3	231
15	Population screening for coronary artery calcification does not increase mental distress and the use of psychoactive medication. <i>Journal of Thoracic Imaging</i> , 2012 , 27, 202-6	5.6	13
14	Discrepancy between coronary artery calcium score and HeartScore in middle-aged Danes: the DanRisk study. <i>European Journal of Preventive Cardiology</i> , 2012 , 19, 558-64	3.9	52

13	Patients Quiews of cardiac computed tomography angiography compared with conventional coronary angiography. <i>Journal of Thoracic Imaging</i> , 2012 , 27, 36-9	5.6	7
12	302 DETECTION OF BONE METASTASES FROM PROSTATE CANCER: A PROSPECTIVE STUDY OF 99MTC-MDP WHOLE-BODY BONE SCINTIGRAPHY, 18F-FLUOROCHOLINE PET/CT, 18F-FLUORIDE PET/CT COMPARED WITH MRI. <i>Journal of Urology</i> , 2011 , 185,	2.5	1
11	Metastasis in the subcarinal lymph node with unknown primary tumor. <i>Thoracic Cancer</i> , 2011 , 2, 69-70	3.2	2
10	PET/CT without capacity limitations: a Danish experience from a European perspective. <i>European Radiology</i> , 2011 , 21, 1277-85	8	21
9	Duration of 18F-FDG avidity in lymph nodes after pandemic H1N1v and seasonal influenza vaccination. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2011 , 38, 894-8	8.8	42
8	Feasibility of FDG-PET/CT imaging during concurrent chemo-radiotherapy in patients with locally advanced pancreatic cancer. <i>Acta Oncolgica</i> , 2011 , 50, 1250-2	3.2	5
7	Low risk of recurrence in breast cancer with negative sentinel node. <i>Danish Medical Bulletin</i> , 2011 , 58, A4255		3
6	[18F]-fluorocholine positron-emission/computed tomography for lymph node staging of patients with prostate cancer: preliminary results of a prospective study. <i>BJU International</i> , 2010 , 106, 639-43; discussion 644	5.6	40
5	Renal cortical and medullary blood flow responses to altered NO availability in humans. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2010 , 299, R1449-55	3.2	24
4	PET/CT may change diagnosis and treatment in cancer patients. <i>Danish Medical Bulletin</i> , 2010 , 57, A417	'8	1
3	Diagnostic value of cardiac 64-slice computed tomography: importance of coronary calcium. <i>Scandinavian Cardiovascular Journal</i> , 2009 , 43, 337-44	2	26
2	PET imaging in patients with Modic changes. <i>Nuklearmedizin - NuclearMedicine</i> , 2009 , 48, 110-2	1.8	6
	Influence of analytical quality and preanalytical variations on measurements of cholesterol in		

Influence of analytical quality and preanalytical variations on measurements of cholesterol in screening programmes. *Scandinavian Journal of Clinical and Laboratory Investigation, Supplement*, **1990**, 198, 66-72