
Efrén Murillo-Zamora

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2930611/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Survival in adult inpatients with COVID-19. Public Health, 2021, 190, 1-3.	2.9	37
2	Predictors of severe symptomatic laboratory-confirmed SARS-CoV-2 reinfection. Public Health, 2021, 193, 113-115.	2.9	31
3	Predictors of laboratory-positive COVID-19 in children and teenagers. Public Health, 2020, 189, 153-157.	2.9	27
4	Male gender and kidney illness areÂassociated with an increased risk of severe laboratory-confirmed coronavirus disease. BMC Infectious Diseases, 2020, 20, 674.	2.9	25
5	Association Between rs2981582 Polymorphism in the FGFR2 Gene and the Risk of Breast Cancer in Mexican Women. Archives of Medical Research, 2013, 44, 459-466.	3.3	24
6	Persistent Arthralgia and Related Risks Factors: A Cohort Study at 12ÂMonths from Laboratory-Confirmed Chikungunya Infection. Archives of Medical Research, 2018, 49, 65-73.	3.3	20
7	Desempeño de los sistemas de puntuación PSI y CURB-65 para predecir la mortalidad a 30 dÃas de la neumonÃa asociada a la asistencia sanitaria. Medicina ClÃnica, 2018, 150, 99-103.	0.6	20
8	Physical distancing reduced the incidence of influenza and supports a favorable impact on SARS-CoV-2 spread in Mexico. Journal of Infection in Developing Countries, 2020, 14, 953-956.	1.2	16
9	COVID-19 mortality among pregnant women in Mexico: A retrospective cohort study. Journal of Global Health, 2020, 10, 020512.	2.7	15
10	Symptomatic SARS-COV-2 reinfection: healthcare workers and immunosuppressed individuals at high risk. BMC Infectious Diseases, 2021, 21, 923.	2.9	15
11	Moderate-Intensity Physical Activity Ameliorates the Breast Cancer Risk in Diabetic Women. Diabetes Care, 2012, 35, 2500-2502.	8.6	13
12	Safety and efficacy of a COVID‑19 treatment with nebulized and/or intravenous neutral electrolyzed saline combined with usual medical care vs. usual medical care alone: A randomized, open‑label, controlled trial. Experimental and Therapeutic Medicine, 2021, 22, 915.	1.8	13
13	Cost-Effectiveness of the Strategies to Reduce the Incidence of Dengue in Colima, México. International Journal of Environmental Research and Public Health, 2017, 14, 890.	2.6	12
14	Regional-level estimation of expected years of life lost attributable to overweight and obesity among Mexican adults. Global Health Action, 2016, 9, 31642.	1.9	11
15	Persistent arthralgia and related risks factors in laboratory-confirmed cases of Chikungunya virus infection in Mexico. Revista Panamericana De Salud Publica/Pan American Journal of Public Health, 2017, 41, 1.	1.1	11
16	Efficacy of the use of mefenamic acid combined with standard medical care vs. standard medical care alone for the treatment of COVID‑19: A randomized double‑blind placebo‑controlled trial. International Journal of Molecular Medicine, 2022, 49, .	4.0	11
17	Independent risk factors of COVID-19 pneumonia in vaccinated Mexican adults. International Journal of Infectious Diseases, 2022, 118, 244-246.	3.3	9
18	Expected years of life lost through road traffic injuries in Mexico. Global Health Action, 2017, 10, 1360629.	1.9	8

Efrén Murillo-Zamora

#	Article	IF	CITATIONS
19	Effectiveness of BNT162b2 COVID-19 Vaccine in Preventing Severe Symptomatic Infection among Healthcare Workers. Medicina (Lithuania), 2021, 57, 746.	2.0	8
20	Survival in influenza virus-related pneumonia by viral subtype: 2016-2020. International Journal of Infectious Diseases, 2021, 112, 288-293.	3.3	7
21	First-generation BNT162b2 and AZD1222 vaccines protect from COVID-19 pneumonia during the Omicron variant emergence. Public Health, 2022, 207, 105-107.	2.9	7
22	COVID-19 vaccines provide better protection against related pneumonia than previous symptomatic infection. International Journal of Infectious Diseases, 2022, 120, 142-145.	3.3	7
23	Performance of the PSI and CURB-65 scoring systems in predicting 30-day mortality in healthcare-associated pneumonia. Medicina ClAnica (English Edition), 2018, 150, 99-103.	0.2	6
24	Disability-Adjusted Life Years for Cancer in 2010–2014: A Regional Approach in Mexico. International Journal of Environmental Research and Public Health, 2018, 15, 864.	2.6	6
25	Decreased risk of COVID-19 pneumonia in children and adolescents during the Delta variant emergence. Public Health, 2022, 204, 9-11.	2.9	6
26	Empirical Antibiotic Prescribing in Adult COVID-19 Inpatients over Two Years in Mexico. Antibiotics, 2022, 11, 764.	3.7	6
27	Decreased survival in children inpatients with COVID-19 and antibiotic prescription. BMC Infectious Diseases, 2022, 22, .	2.9	6
28	Usefulness of direct fluorescent in buffy coat in the diagnosis of Candida sepsis in neonates. Journal of Perinatology, 2016, 36, 874-877.	2.0	5
29	Screening for Depressive Mood During Acute Chikungunya Infection in Primary Healthcare Settings. International Journal of Environmental Research and Public Health, 2018, 15, 2552.	2.6	5
30	Estudio de cohorte retrospectivo nacional para identificar los factores de riesgo de letalidad por hospitalización durante 30 dÃas en casos de gripe confirmados por laboratorio. Revista Clinica Espanola, 2021, 221, 76-85.	0.6	5
31	Health Impacts from Corn Production Pre-and Post-NAFTA Trade Agreement (1986–2013). International Journal of Environmental Research and Public Health, 2016, 13, 709.	2.6	4
32	Clinical markers associated with acute laboratory-confirmed Dengue infection: results of a national epidemiological surveillance system. Revista De Salud Publica, 2017, 19, 744-748.	0.1	3
33	Performance of the case definition of suspected influenza before and during the COVID-19 pandemic. Revista Clínica Espanõla, 2021, 221, 582-586.	O.5	3
34	Performance of Antigen-Based Testing as Frontline Diagnosis of Symptomatic COVID-19. Medicina (Lithuania), 2021, 57, 852.	2.0	3
35	Development of a concise clinical index for predicting chronic chikungunya arthritis. International Journal of Infectious Diseases, 2019, 86, 1-4.	3.3	2
36	National retrospective cohort study to identify risk factors for in-hospital 30-day lethality in laboratory-confirmed cases of influenza. Revista Clínica Espanõla, 2021, 221, 76-85.	0.5	2

#	Article	IF	CITATIONS
37	Factors associated with increased odds of sensorineural hearing loss in infants exposed to the Zika virus during pregnancy. Journal of Infection in Developing Countries, 2021, 15, 590-594.	1.2	2
38	Survival in adult pneumonia inpatients fulfilling suspected CoViD-19 criteria and baseline negative RT-qPCR. Public Health, 2021, 195, 123-125.	2.9	2
39	Trends in Teen Births in Mexico Spanning 25ÂYears: A Need for Regionally-directed Preventive Strategies. Archives of Medical Research, 2019, 50, 142-150.	3.3	1
40	Improve cognitive impairment using mefenamic acid non-steroidal anti-inflammatory therapy: additional beneficial effect found in a controlled clinical trial for prostate cancer therapy. American Journal of Translational Research (discontinued), 2021, 13, 4535-4543.	0.0	1
41	Systemic Administration of Neutral Electrolyzed Saline as a Novel Treatment for Rheumatoid Arthritis Reduces Mechanical and Inflammatory Damage to the Joints: Preclinical Evaluation in Mice. Evidence-based Complementary and Alternative Medicine, 2022, 2022, 1-8.	1.2	1
42	Response to: Chikungunya and Zika in Huila: Mapping their Incidence in a Neglected Area of Colombia. Archives of Medical Research, 2018, 49, 514.	3.3	0
43	Response to: Chikungunya in Bolivia: Still a Neglected Disease?. Archives of Medical Research, 2018, 49, 289.	3.3	ο
44	Characterisation of palliative sedation use in inpatients at a medium-stay palliative care unit. International Journal of Palliative Nursing, 2020, 26, 341-345.	0.5	0
45	The Burden of Dengue in Children by Calculating Spatial Temperature: A Methodological Approach Using Remote Sensing Techniques. International Journal of Environmental Research and Public Health, 2021, 18, 4230.	2.6	0