## **Maxim Titov**

# List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2931188/maxim-titov-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

567	31,215	63	162
papers	citations	h-index	g-index
591 ext. papers	36,104 ext. citations	4.7 avg, IF	4.02 L-index

#	Paper	IF	Citations
567	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	O
566	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	1
565	Search for long-lived particles decaying to leptons with large impact parameter in proton-proton collisions at <i>European Physical Journal C</i> , <b>2022</b> , 82, 153	4.2	O
564	Study of dijet events with large rapidity separation in proton-proton collisions at \$\$ sqrt{s} \$\$ = 2.76 TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	
563	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton-proton collisions at <i>European Physical Journal C</i> , <b>2022</b> , 82, 290	4.2	O
562	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	0
561	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	O
560	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at $$$ sqrt ${s}$ $$$ = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	0
559	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	О
558	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\$\$$ sqrt $\$\$$ = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	0
557	Search for electroweak production of charginos and neutralinos in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	O
556	Measurement of the inclusive $\$\$$ mathrm{t}overline{mathrm{t}} $\$\$$ production cross section in proton-proton collisions at $\$\$$ sqrt{s} $\$\$$ = 5.02 TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	
555	Combined searches for the production of supersymmetric top quark partners in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 970	4.2	3
554	Gaseous Detectors <b>2021</b> , 275-316		
553	Measurements of production cross sections and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 200	4.2	5
552	Development and validation of HERWIGI7 tunes from CMS underlying-event measurements. <i>European Physical Journal C</i> , <b>2021</b> , 81, 312	4.2	1
551	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 378	4.2	5

## (2020-2021)

550	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 488	4.2	5
549	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at ( $sqrt{mathrm{s}}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	3
548	Search for dark matter produced in association with a leptonically decaying boson in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 13	4.2	7
547	Gaseous Detectors <b>2021</b> , 1-42		
546	Search for top squark pair production using dilepton final states in collision data collected at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 3	4.2	5
545	MUSiC: a model-unspecific search for new physics in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 629	4.2	4
544	Search for a heavy vector resonance decaying to a ©boson and a Higgs boson in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 688	4.2	О
543	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 723	4.2	3
542	Measurements of angular distance and momentum ratio distributions in three-jet and + two-jet final states in collisions. <i>European Physical Journal C</i> , <b>2021</b> , 81, 852	4.2	О
541	Precision luminosity measurement in proton-proton collisions at in 2015 and 2016 at CMS. <i>European Physical Journal C</i> , <b>2021</b> , 81, 800	4.2	7
540	Performance of the CMS Level-1 trigger in proton-proton collisions at $\blacksquare$ = 13 TeV. <i>Journal of Instrumentation</i> , <b>2020</b> , 15, P10017-P10017	1	23
539	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	12
538	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at (sqrt{mathrm{s}}) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	8
537	Towards MPGD-based (S)DHCAL. <i>Journal of Physics: Conference Series</i> , <b>2020</b> , 1498, 012040	0.3	2
536	Search for new neutral Higgs bosons through the (mathrm{H}to mathrm{ZA}to {ell}^{+}{ell}^{-}mathrm{b}overline{mathrm{b}}) process in pp collisions at (sqrt{s}) = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1	5.4	10
535	Search for direct pair production of supersymmetric partners to the lepton in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2020</b> , 80, 189	4.2	3
534	Mixed higher-order anisotropic flow and nonlinear response coefficients of charged particles in collisions at and 5.02. <i>European Physical Journal C</i> , <b>2020</b> , 80, 534	4.2	6
533	Measurement of electroweak production of a boson in association with two jets in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2020</b> , 80, 43	4.2	6

532	Search for top squark pair production in a final state with two tau leptons in proton-proton collisions at ( $sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	1
531	Evidence for (text {W}text {W}) production from double-parton interactions in proton $\overline{p}$ roton collisions at (sqrt{s} = 13 ,text {TeV} ). European Physical Journal C, <b>2020</b> , 80, 1	4.2	4
530	Search for production of four top quarks in final states with same-sign or multiple leptons in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2020</b> , 80, 75	4.2	24
529	Searches for physics beyond the standard model with the variable in hadronic final states with and without disappearing tracks in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2020</b> , 80, 3	4.2	16
528	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. <i>European Physical Journal C</i> , <b>2020</b> , 80, 4	4.2	61
527	Search for lepton flavour violating decays of a neutral heavy Higgs boson to $\Box$ and e $\Box$ n proton-proton collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	6
526	A search for the standard model Higgs boson decaying to charm quarks. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	9
525	Search for a heavy Higgs boson decaying to a pair of W bosons in proton-proton collisions at ( sqrt{s} ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	11
524	Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at (sqrt{mathrm{s}}) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	7
523	A multi-dimensional search for new heavy resonances decaying to boosted , , or boson pairs in the dijet final state at 13 <i>European Physical Journal C</i> , <b>2020</b> , 80, 237	4.2	10
522	Measurement of single-diffractive dijet production in proton-proton collisions at with the CMS and TOTEM experiments. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1164	4.2	О
521	Measurement of differential cross sections and charge ratios for -channel single top quark production in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2020</b> , 80, 370	4.2	4
520	Measurement of (hbox {t}{bar{hbox {t}}}) normalised multi-differential cross sections in ({text {p}}{text {p}}) collisions at (sqrt{s}=13,{text {TeV}}), and simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution functions. <i>European Physical</i>	4.2	13
519	Search for a charged Higgs boson decaying into top and bottom quarks in events with electrons or muons in proton-proton collisions at (sqrt{mathrm{s}}) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	16
518	Next frontiers in particle physics detectors: INSTR2020 summary and a look into the future. <i>Journal of Instrumentation</i> , <b>2020</b> , 15, C10023-C10023	1	2
517	Novel Resistive-Plate WELL sampling element for (S)DHCAL. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2020</b> , 958, 162861	1.2	1
516	Bose-Einstein correlations of charged hadrons in proton-proton collisions at (sqrt{s}) = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1	5.4	2
515	A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. <i>Computing and Software for Big Science</i> , <b>2020</b> , 4, 10	6	3

#### (2019-2020)

514	Search for electroweak production of a vector-like T quark using fully hadronic final states. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	8
513	Search for a heavy pseudoscalar Higgs boson decaying into a 125 GeV Higgs boson and a Z boson in final states with two tau and two light leptons at ( $sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	5
512	Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at 目 = 13 TeV. <i>Journal of Instrumentation</i> , <b>2020</b> , 15, P02027-P02027	1	11
511	Review of Particle Physics. <i>Progress of Theoretical and Experimental Physics</i> , <b>2020</b> , 2020,	5.4	1112
510	Calibration of the CMS hadron calorimeters using proton-proton collision data at $8 = 13$ TeV. Journal of Instrumentation, <b>2020</b> , 15, P05002-P05002	1	
509	Study of central exclusive production in proton-proton collisions at and 13TeV. <i>European Physical Journal C</i> , <b>2020</b> , 80, 718	4.2	2
508	Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2020</b> , 80, 752	4.2	2
507	Search for physics beyond the standard model in multilepton final states in proton-proton collisions at (sqrt $\{s\}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	8
506	Measurement of the top quark pair production cross section in dilepton final states containing one [lepton in pp collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	О
505	Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 773	4.2	O
504	Search for charged Higgs bosons in the H $\oplus$ - $\!$	5.4	24
503	Search for resonant production of second-generation sleptons with same-sign dimuon events in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 305	4.2	2
502	Search for supersymmetry with a compressed mass spectrum in the vector boson fusion topology with 1-lepton and 0-lepton final states in proton-proton collisions at ( $sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	8
501	Search for a low-mass $\blacksquare$ resonance in association with a bottom quark in proton-proton collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	4
500	Search for the associated production of the Higgs boson and a vector boson in proton-proton collisions at (sqrt{s}) = 13 TeV via Higgs boson decays to [leptons. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	3
499	Search for the pair production of light top squarks in the eller final state in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	4
498	Combined measurements of Higgs boson couplings in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 421	4.2	153
497	Search for supersymmetry in events with a photon, jets, -jets, and missing transverse momentum in proton-proton collisions at 13. <i>European Physical Journal C</i> , <b>2019</b> , 79, 444	4.2	1

496	Measurements of the pp ->WZ inclusive and differential production cross sections and constraints on charged anomalous triple gauge couplings at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	10
495	Measurement of the production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 368	4.2	27
494	Measurement of the energy density as a function of pseudorapidity in proton proton collisions at $(sqrt\{s\} = 13, text \{TeV\})$ . European Physical Journal C, <b>2019</b> , 79, 1	4.2	7
493	Search for nonresonant Higgs boson pair production in the ( mathrm{b}overline{mathrm{b}} ) final state at ( sqrt{s} ) = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1	5.4	4
492	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 280	4.2	12
491	Search for contact interactions and large extra dimensions in the dilepton mass spectra from proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	8
490	Search for vector-like quarks in events with two oppositely charged leptons and jets in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 364	4.2	18
489	Search for single production of vector-like quarks decaying to a top quark and a boson in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 90	4.2	6
488	Study of the underlying event in top quark pair production in collisions at 13. <i>European Physical Journal C</i> , <b>2019</b> , 79, 123	4.2	4
487	Search for rare decays of and Higgs bosons to and a photon in proton-proton collisions at = 13. <i>European Physical Journal C</i> , <b>2019</b> , 79, 94	4.2	7
486	Search for new physics in final states with a single photon and missing transverse momentum in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	9
485	Measurements of (mathrm{t}overline{mathrm{t}}) differential cross sections in proton-proton collisions at (sqrt{mathrm{s}}=13) TeV using events containing two leptons. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	15
484	Search for (mathrm{t}overline{mathrm{t}}mathrm{H}) production in the (mathrm{H}to mathrm{b}overline{mathrm{b}}) decay channel with leptonic (mathrm{t}overline{mathrm{t}}) decays in proton-proton collisions at (sqrt{s}=13) TeV. Journal of High Energy Physics, 2019, 2019, 1	5.4	17
483	Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in proton-proton collisions at ( $sqrt{s} = 13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	2
482	Measurement of inclusive and differential Higgs boson production cross sections in the diphoton decay channel in proton-proton collisions at ( sqrt{s}=13 ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	8
481	Search for resonant (mathrm{t}overline{mathrm{t}}) production in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	13
480	Search for production of Higgs boson pairs in the four b quark final state using large-area jets in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	7
479	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	7

478	Search for heavy Majorana neutrinos in same-sign dilepton channels in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	14
477	Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 20	4.2	4
476	Search for heavy neutrinos and third-generation leptoquarks in hadronic states of two Ileptons and two jets in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	18
475	Search for a W? boson decaying to a vector-like quark and a top or bottom quark in the all-jets final state. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	4
474	Search for top quark partners with charge 5/3 in the same-sign dilepton and single-lepton final states in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	9
473	Inclusive search for supersymmetry in pp collisions at (sqrt{s}=13) TeV using razor variables and boosted object identification in zero and one lepton final states. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	2
472	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	8
471	Search for excited leptons in <b>If</b> inal states in proton-proton collisions at (sqrt{mathrm{s}}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	2
470	Search for new particles decaying to a jet and an emerging jet. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	15
469	Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton $+$ jets final state in pp collisions at (sqrt{s} = 13,text {TeV}). European Physical Journal C, <b>2019</b> , 79, 1	4.2	6
468	Measurement of exclusive Thotoproduction in ultraperipheral pPb collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 702	4.2	13
467	Measurement of exclusive photoproduction from protons in Pb collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 277	4.2	19
466	Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 564	4.2	20
465	Search for supersymmetry in final states with photons and missing transverse momentum in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	5
464	Measurement of the top quark mass in the all-jets final state at and combination with the lepton+jets channel. <i>European Physical Journal C</i> , <b>2019</b> , 79, 313	4.2	13
463	Ukraine - ERN: the Way to Cooperation. Science and Innovation, 2019, 15, 99-111	0.2	O
462	Ukraine - ERN: the Way to Cooperation. <i>Nauka Ta Innovacii</i> , <b>2019</b> , 15, 93-105	0.2	2
461	Search for dark photons in decays of Higgs bosons produced in association with Z bosons in proton-proton collisions at ( $sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	7

460	Search for supersymmetry using Higgs boson to diphoton decays at ( $sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	2
459	Measurements of differential Z boson production cross sections in proton-proton collisions at ( sqrt{s} ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	11
458	Search for anomalous triple gauge couplings in WW and WZ production in lepton + jet events in proton-proton collisions at (sqrt $\{s\}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	9
457	Study of the ( $\{mathrm\{B\}\}^{+}$ to $mathrm\{J\}$ /uppsi overline $\{Lambda\}$ mathrm $\{p\}$ ) decay in proton-proton collisions at ( $sqrt\{s\}$ ) = 8 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	1
456	Search for resonances decaying to a pair of Higgs bosons in the b( overline{mathrm{b}} )q( overline{mathrm{q}} )If inal state in proton-proton collisions at ( sqrt{s} ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	5
455	Measurements of triple-differential cross sections for inclusive isolated-photon+jet events in collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 969	4.2	1
454	Measurement of the differential Drell-Yan cross section in proton-proton collisions at ( sqrt{mathrm{s}} ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	6
453	Search for the production of four top quarks in the single-lepton and opposite-sign dilepton final states in proton-proton collisions at (sqrt $\{s\}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	2
452	Measurement of the average very forward energy as a function of the track multiplicity at central pseudorapidities in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 893	4.2	6
451	Search for supersymmetry in proton-proton collisions at 13 TeV in final states with jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	21
450	Search for new physics in top quark production in dilepton final states in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 886	4.2	6
449	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 242	4.2	4
448	Pseudorapidity distributions of charged hadrons in proton-lead collisions at ( sqrt{s_{mathrm{NN}}}=5.02) and 8.16 TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	4
447	Search for resonant and nonresonant Higgs boson pair production in the (mathrm{b}overline{mathrm{b}}mathit{ell nu ell nu }) final state in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	19
446	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton-proton collisions at = 13. <i>European Physical Journal C</i> , <b>2018</b> , 78, 291	4.2	17
445	Measurements of the production cross section and the branching fraction, and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 165	4.2	29
444	Measurement of associated Z + charm production in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 287	4.2	11
443	Measurement of the inclusive (mathrm{t}overline{mathrm{t}}) cross section in pp collisions at (sqrt{s}=5.02) TeV using final states with at least one charged lepton. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	3

442	Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	
441	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at ( sqrt{s}=13 ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	2
440	Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	4
439	Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	45
438	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	40
437	Measurement of differential cross sections in the kinematic angular variable ?* for inclusive Z boson production in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	2
436	Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at ( sqrt{s_{mathrm{NN}}}=5.02 ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	8
435	Measurement of normalized differential (mathrm{t}overline{mathrm{t}}) cross sections in the dilepton channel from pp collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	12
434	Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	13
433	Search for ZZ resonances in the 2½ Final state in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	3
432	Jet properties in PbPb and pp collisions at ( $sqrt{s_{mathrm{N};mathrm{N}}}=5.02$ ) TeV. Journal of High Energy Physics, <b>2018</b> , 2018, 1	5.4	7
431	Search for a new scalar resonance decaying to a pair of Z bosons in proton-proton collisions at ( sqrt{s}=13 ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	22
430	Search for standard model production of four top quarks with same-sign and multilepton final states in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 140	4.2	20
429	Review of Particle Physics*. <i>Physical Review D</i> , <b>2018</b> , 98,	4.9	4401
428	Measurement of b hadron lifetimes in pp collisions at. European Physical Journal C, 2018, 78, 457	4.2	9
427	Measurements of the (mathrm $\{p\}$ mathrm $\{p\}$ rightarrow mathrm $\{Z\}$ mathrm $\{Z\}$ ) production cross section and the (mathrm $\{Z\}$ rightarrow 4ell) branching fraction, and constraints on anomalous triple gauge couplings at $\{p\}$ 13, text $\{p\}$ 2018, 78, 1		3
426	Development of Resistive Micromegas for Sampling Calorimetry. <i>EPJ Web of Conferences</i> , <b>2018</b> , 174, 01017	0.3	2
425	Search for (mathrm{t}overline{mathrm{t}}mathrm{H}) production in the all-jet final state in proton-proton collisions at (sqrt{s}=13) TeV. Journal of High Energy Physics, 2018, 2018, 1	5.4	13

424	Search for resonances in the mass spectrum of muon pairs produced in association with b quark jets in proton-proton collisions at (sqrt{s}=8) and 13 TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	7
423	Measurement of the groomed jet mass in PbPb and pp collisions at (sqrt{s_{mathrm{NN}}}=5.02) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	5
422	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at ( sqrt{s}=13 ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	7
421	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	14
420	MPGD2015: Low-energy electron source to characterize Micromegas/InGrid and study of dE/dx for low energy electrons. <i>EPJ Web of Conferences</i> , <b>2018</b> , 174, 02011	0.3	
419	Search for natural and split supersymmetry in proton-proton collisions at (sqrt{s}=13) TeV in final states with jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	39
418	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	6
417	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state of two muons and two lieptons in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	14
416	Search for a charged Higgs boson decaying to charm and bottom quarks in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	16
415	Search for top squarks decaying via four-body or chargino-mediated modes in single-lepton final states in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	6
414	Charged-particle nuclear modification factors in XeXe collisions at (sqrt{s_{mathrm{NN}}} = 5.44) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	11
413	Measurement of the top quark mass with lepton+jets final states using collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 891	4.2	13
412	Measurements of the differential jet cross section as a function of the jet mass in dijet events from proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	14
411	Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	37
410	Event shape variables measured using multijet final states in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	3
409	Searches for pair production of charginos and top squarks in final states with two oppositely charged leptons in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	12
408	Search for narrow and broad dijet resonances in proton-proton collisions at (sqrt{s}=13) TeV and constraints on dark matter mediators and other new particles. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	50
407	Search for ZI resonances using leptonic and hadronic final states in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	11

## (2018-2018)

406	Measurement of the production cross section for single top quarks in association with W bosons in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	5
405	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	9
404	Search for supersymmetry in events with a llepton pair and missing transverse momentum in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	14
403	Search for the decay of a Higgs boson in the Ithannel in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	11
402	Search for third-generation scalar leptoquarks decaying to a top quark and a lepton at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 707	4.2	23
401	Measurement of differential cross sections for boson production in association with jets in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 965	4.2	19
400	Studies of and mesons including the observation of the decay in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 939	4.2	12
399	Search for a heavy resonance decaying into a Z boson and a Z or W boson in 20q final states at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	7
398	Measurement of charged particle spectra in minimum-bias events from proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 697	4.2	9
397	Search for lepton-flavor violating decays of heavy resonances and quantum black holes to elfinal states in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	3
396	Search for new physics in dijet angular distributions using proton-proton collisions at and constraints on dark matter and other models. <i>European Physical Journal C</i> , <b>2018</b> , 78, 789	4.2	19
395	Azimuthal correlations for inclusive 2-jet, 3-jet, and 4-jet events in pp collisions at (sqrt{s}= 13~hbox {TeV}). European Physical Journal C, <b>2018</b> , 78, 1	4.2	4
394	Search for high-mass resonances in final states with a lepton and missing transverse momentum at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	15
393	Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	8
392	Search for resonant pair production of Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	10
391	Measurement of the cross section in pp collisions at and validation of lepton analysis techniques. <i>European Physical Journal C</i> , <b>2018</b> , 78, 708	4.2	5
390	Search for vector-like T and B quark pairs in final states with leptons at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	29
389	Search for dark matter produced in association with a Higgs boson decaying to lbr lblust (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	7

388	Search for additional neutral MSSM Higgs bosons in the III in all state in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	42
387	Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	7
386	Search for a heavy right-handed W boson and a heavy neutrino in events with two same-flavor leptons and two jets at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	20
385	Search for a heavy resonance decaying into a Z boson and a vector boson in the (nu overline{nu}mathrm{q}overline{mathrm{q}}) final state. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	6
384	Measurement of the cross section for top quark pair production in association with a W or Z boson in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	18
383	Search for beyond the standard model Higgs bosons decaying into a (mathrm{b}overline{mathrm{b}}) pair in pp collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	11
382	Measurement of the weak mixing angle using the forward-backward asymmetry of Drell-Yan events in collisions at 8. <i>European Physical Journal C</i> , <b>2018</b> , 78, 701	4.2	25
381	Measurement of prompt and nonprompt charmonium suppression in collisions at 5.02. <i>European Physical Journal C</i> , <b>2018</b> , 78, 509	4.2	37
380	Search for lepton flavour violating decays of the Higgs boson to Land ellin proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	19
379	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying [leptons at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	23
378	Electroweak production of two jets in association with a Z boson in protonproton collisions at (sqrt{s}= ) 13(,text {TeV}). European Physical Journal C, 2018, 78, 1	4.2	12
377	Observation of proton-tagged, central (semi)exclusive production of high-mass lepton pairs in pp collisions at 13 TeV with the CMS-TOTEM precision proton spectrometer. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	14
376	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	16
375	Search for single production of vector-like quarks decaying to a b quark and a Higgs boson. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	12
374	Search for the flavor-changing neutral current interactions of the top quark and the Higgs boson which decays into a pair of b quarks at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	20
373	Search for a singly produced third-generation scalar leptoquark decaying to a ¶epton and a bottom quark in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	9
372	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 1	5.4	10
371	Measurement of the inelastic proton-proton cross section at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	41

370	Search for disappearing tracks as a signature of new long-lived particles in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	24	
369	Search for high-mass resonances in dilepton final states in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	63	
368	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	28	
367	Measurements of the [Formula: see text] production cross section in lepton+jets final states in pp collisions at 8 [Formula: see text] and ratio of 8 to 7 [Formula: see text] cross sections. <i>European Physical Journal C</i> , <b>2017</b> , 77, 15	4.2	19	
366	Measurement of the [Formula: see text] production cross section using events in the [Formula: see text] final state in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2017</b> , 77, 172	4.2	22	
365	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at (sqrt{s}=8) TeV and cross section ratios to 2.76 and 7 TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	34	
364	Search for electroweak production of charginos in final states with two [leptons in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	7	
363	Measurement of the production cross section of a Wiboson in association with two b jets in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2017</b> , 77, 92	4.2	7	
362	Measurement of the WZ production cross section in pp collisions at [Formula: see text] and 8[Formula: see text] and search for anomalous triple gauge couplings at [Formula: see text]. European Physical Journal C, 2017, 77, 236	4.2	21	
361	Measurement of prompt and nonprompt [Formula: see text] production in [Formula: see text] and [Formula: see text] collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2017</b> , 77, 269	4.2	26	
360	A search for new phenomena in pp collisions at [Formula: see text] in final states with missing transverse momentum and at least one jet using the [Formula: see text] variable. <i>European Physical Journal C</i> , <b>2017</b> , 77, 294	4.2	21	
359	Search for new physics in the monophoton final state in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	11	
358	Measurement of double-differential cross sections for top quark pair production in pp collisions at [Formula: see text][Formula: see text] and impact on parton distribution functions. <i>European Physical Journal C</i> , <b>2017</b> , 77, 459	4.2	16	
357	Measurement of the jet mass in highly boosted [Formula: see text] events from pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2017</b> , 77, 467	4.2	14	
356	Measurements of the associated production of a Z boson and b jets in pp collisions at. <i>European Physical Journal C</i> , <b>2017</b> , 77, 751	4.2	15	
355	Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at (sqrt{s}=8) TeV using H-¾WW decays. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	10	
354	Charged-particle nuclear modification factors in PbPb and pPb collisions at ( sqrt{s_{mathrm{N}}}=5.02 ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	64	
353	Search for (mathrm{t}overline{mathrm{t}}) resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	17	

352	Search for associated production of dark matter with a Higgs boson decaying to (mathrm{b}overline{mathrm{b}}) or [at (sqrt{s}=13) TeV. Journal of High Energy Physics, 2017, 2017, 1	5.4	9
351	Observation of Y(1S) pair production in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	29
350	Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at (sqrt{s}=7) and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	26
349	Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	8
348	Measurement of the semileptonic ( mathrm $\{t\}$ overline $\{mathrm\{t\}\}$ ) + $\{production cross section in pp collisions at ( sqrt\{s\}=8 ) TeV. Journal of High Energy Physics, 2017, 2017, 1$	5.4	7
347	Measurements of the pp -ঋland pp -≵ltross sections and limits on anomalous quartic gauge couplings at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	2
346	Search for new phenomena with the variable in the all-hadronic final state produced in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2017</b> , 77, 710	4.2	54
345	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	11
344	Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	19
343	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	9
342	Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	15
341	Suppression and azimuthal anisotropy of prompt and nonprompt [Formula: see text] production in PbPb collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2017</b> , 77, 252	4.2	58
340	Searches for pair production of third-generation squarks in [Formula: see text][Formula: see text] pp collisions. <i>European Physical Journal C</i> , <b>2017</b> , 77, 327	4.2	17
339	Measurement of the top quark mass using single top quark events in proton-proton collisions at [Formula: see text] TeV. European Physical Journal C, <b>2017</b> , 77, 354	4.2	8
338	Searches for invisible decays of the Higgs boson in pp collisions at (sqrt{s}) = 7, 8, and 13 TeV. Journal of High Energy Physics, <b>2017</b> , 2017, 1	5.4	74
337	Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	19
336	Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2017</b> , 77, 845	4.2	22
335	Study of low multiplicity electron source LEETECH with diamond detector. <i>Journal of Instrumentation</i> , <b>2017</b> , 12, P02011-P02011	1	2

#### (2017-2017)

334	Measurement of electroweak-induced production of Wilwith two jets in pp collisions at (sqrt{s}=8) TeV and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	9	
333	Searches for W? bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	7	
332	Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	5	
331	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	18	
330	Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	11	
329	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	20	
328	Search for top squark pair production in pp collisions at (sqrt{s}=13) TeV using single lepton events. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	25	
327	Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	12	
326	Measurement of the (mathrm{t}overline{mathrm{t}}) production cross section using events with one lepton and at least one jet in pp collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	14	
325	Search for a heavy resonance decaying to a top quark and a vector-like top quark at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	4	
324	Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2017</b> , 77, 578	4.2	21	
323	Search for top quark partners with charge 5/3 in proton-proton collisions at (sqrt{s}=13) TeV. Journal of High Energy Physics, 2017, 2017, 1	5.4	3	
322	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	21	
321	Measurements of jet charge with dijet events in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	10	
320	Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	10	
319	Search for new physics with dijet angular distributions in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	11	
318	Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	46	
317	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> <b>2017</b> 2017	5.4	35	

316	Search for new phenomena with multiple charged leptons in protonproton collisions at (sqrt{s}= 13) (,text {TeV}). European Physical Journal C, <b>2017</b> , 77, 1	4.2	2
315	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at. <i>European Physical Journal C</i> , <b>2017</b> , 77, 636	4.2	20
314	Search for high-mass Zlresonances in e+eland laterial states in proton-proton collisions at (sqrt{s}=8) and 13 TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	4
313	Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying [leptons and two jets in proton-proton collisions at ( sqrt{s}=13 ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	18
312	Search for CP violation in (toverline{t}) production and decay in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	4
311	Measurement of the triple-differential dijet cross section in proton-proton collisions at and constraints on parton distribution functions. <i>European Physical Journal C</i> , <b>2017</b> , 77, 746	4.2	8
310	Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	7
309	Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at ( sqrt{s}=13 ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	10
308	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	77
307	Quartz bar Cherenkov detector characterization at the LEETECH spectrometer. <i>Nuclear Physics and Atomic Energy</i> , <b>2017</b> , 18, 390-394	0.3	
306	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	16
305	Design, commissioning and first measurements at the LEETECH spectrometer. <i>Nuclear Physics and Atomic Energy</i> , <b>2017</b> , 18, 245-253	0.3	
304	Forward-backward asymmetry of Drell-Yan lepton pairs in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 325	4.2	13
303	Search for new physics in same-sign dilepton events in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 439	4.2	34
302	Comments by the Guest Editor. <i>IEEE Transactions on Nuclear Science</i> , <b>2016</b> , 63, 1445-1445	1.7	
301	Measurement of dijet azimuthal decorrelation in pplollisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 536	4.2	6
300	Search for dark matter particles in proton-proton collisions at (sqrt{s}=8) TeV using the razor variables. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	2
299	Search for s channel single top quark production in pp collisions at (sqrt{s}=7) and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	8

## (2016-2016)

298	Measurement of inclusive jet production and nuclear modifications in pPb collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 372	4.2	24
297	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at (sqrt{s}=7) and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	15
296	Measurement of the (mathrm{t}overline{mathrm{t}}) production cross section in the elthannel in proton-proton collisions at (sqrt{s}=7) and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	30
295	Search for new physics with the M T2 variable in all-jets final states produced in pp collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	16
294	Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	9
293	Evidence for exclusive 日秋 + W [production and constraints on anomalous quartic gauge couplings in pp collisions at (sqrt{s}=7) and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	27
292	Search for supersymmetry in pp collisions at (sqrt{s}=13) TeV in the single-lepton final state using the sum of masses of large-radius jets. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	7
291	Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 460	4.2	14
290	Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at (sqrt{s}=7) TeV. Journal of High Energy Physics, <b>2016</b> , 2016, 1	5.4	9
289	Phenomenological MSSM interpretation of CMS searches in pp collisions at (sqrt{s}=7) and 8 TeV. Journal of High Energy Physics, <b>2016</b> , 2016, 1	5.4	11
288	Measurement of the mass of the top quark in decays with a J/Imeson in pp collisions at 8 TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	5
287	Measurement of the inclusive jet cross section in pp collisions at ( $sqrt{s} = 2.76$ , text {TeV}). European Physical Journal C, <b>2016</b> , 76, 1	4.2	17
286	Measurement of [Formula: see text] production with additional jet activity, including [Formula: see text] quark jets, in the dilepton decay channel using pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 379	4.2	20
285	Measurement of the differential cross section and charge asymmetry for inclusive [Formula: see text] production at [Formula: see text] TeV. European Physical Journal C, <b>2016</b> , 76, 469	4.2	37
284	Observation of top quark pairs produced in association with a vector boson in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	18
283	Search for W? -≵b in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	2
282	Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	2
281	Search for excited leptons in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	10

280	Measurement of the [Formula: see text] production cross section in the all-jets final state in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 128	4.2	21
279	Event generator tunes obtained from underlying event and multiparton scattering measurements. <i>European Physical Journal C</i> , <b>2016</b> , 76, 155	4.2	250
278	Search for massive WH resonances decaying into the [Formula: see text] final state at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 237	4.2	19
277	Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	14
276	Measurement of top quark polarisation in t-channel single top quark production. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	7
275	Search for heavy Majorana neutrinos in $e \exists e \exists + \text{ jets}$ and $e \exists \exists + \text{ jets}$ events in proton-proton collisions at ( sqrt{s}=8 ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	28
274	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into [leptons in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	16
273	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 13	4.2	35
272	Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	7
271	Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at ( sqrt{s_{mathrm{N};mathrm{N}}}=2.76 ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	13
270	Measurement of the double-differential inclusive jet cross section in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 451	4.2	36
269	Measurement of the [Formula: see text] cross section in pp collisions at [Formula: see text] TeVand limits on anomalous gauge couplings. <i>European Physical Journal C</i> , <b>2016</b> , 76, 401	4.2	38
268	Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. <i>European Physical Journal C</i> , <b>2016</b> , 76, 371	4.2	25
267	Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	14
266	Search for lepton flavour violating decays of heavy resonances and quantum black holes to an [Formula: see text] pair in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 317	4.2	9
265	Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	4
264	Resistive Micromegas for sampling calorimetry, a study of charge-up effects. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2016</b> , 824, 510-511	1.2	11
263	Search for anomalous single top quark production in association with a photon in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	20

262	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	6
261	Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	10
260	Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. <i>European Physical Journal C</i> , <b>2015</b> , 75, 251	4.2	55
259	Measurement of electroweak production of two jets in association with a Z boson in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 66	4.2	21
258	Measurements of differential and double-differential Drell-Yan cross sections in proton-proton collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 147	4.2	50
257	Search for decays of stopped long-lived particles produced in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 151	4.2	33
256	Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	19
255	Search for disappearing tracks in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	35
254	Study of Z production in PbPb and pp collisions at (sqrt{s_{mathrm{NN}}}=2.76) TeV in the dimuon and dielectron decay channels. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	18
253	Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	69
252	Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at (sqrt{s}=2.76) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	6
251	Search for dark matter, extra dimensions, and unparticles in monojet events in proton-proton collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 235	4.2	250
250	Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 288	4.2	37
249	Nuclear effects on the transverse momentum spectra of charged particles in pPb collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 237	4.2	48
248	Distributions of topological observables in inclusive three- and four-jet events in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 302	4.2	4
247	Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 325	4.2	24
246	Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at ( sqrt{s} ) = 8 TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	22
245	Search for third-generation scalar leptoquarks in the tlkhannel in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	19

244	Searches for supersymmetry using the M T2 variable in hadronic events produced in pp collisions at 8 TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	26
243	Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	33
242	Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	17
241	Search for a charged Higgs boson in pp collisions at ( sqrt{s}=8 ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	61
240	Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	11
239	Search for a light charged Higgs boson decaying to (mathrm{c}overline{mathrm{s}}) in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1-37	5.4	33
238	Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	16
237	Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	
236	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	73
235	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8[Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 212	4.2	399
234	Measurement of the Z[production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	7
233	Measurement of the inclusive 3-jet production differential cross section in proton-proton collisions at 7 TeVand determination of the strong coupling constant in the TeVange. <i>European Physical Journal C</i> , <b>2015</b> , 75, 186	4.2	41
232	Measurement of the differential cross section for top quark pair production in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 542	4.2	98
231	Measurements of the [Formula: see text][Formula: see text] production cross sections in the [Formula: see text] channel in proton-proton collisions at [Formula: see text] and [Formula: see text] and combined constraints on triple gauge couplings. European Physical Journal C, 2015, 75, 511	4.2	25
230	Comparison of the $Z/\mathbb{P}$ + jets to $\mathbb{P}$ jets cross sections in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	5
229	Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	18
228	LEETECH facility as a flexible source of low energy electrons. <i>Nuclear Physics and Atomic Energy</i> , <b>2015</b> , 16, 337-342	0.3	2
227	Measurement of the (toverline{t}) production cross section in the dilepton channel in pp collisions at (sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	43

226	Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at (sqrt{{{s_{NN }}}}) = 2.76 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	60	
225	Measurement of associated W + charm production in pp collisions at (sqrt{s}) = 7 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	37	
224	Search for new physics in events with same-sign dileptons and jets in pp collisions at (sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	38	
223	Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at (sqrt{s_{mathrm{NN}}} = 5.02) (,text {TeV}). European Physical Journal C, 2014, 74, 1	4.2	67	
222	Measurement of WZ and ZZ production in pp collisions at [Formula: see text] in final states with b-tagged jets. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2973	4.2	16	
221	Search for invisible decays of Higgs bosons in the vector boson fusion and associated ZH production modes. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2980	4.2	131	
220	Measurement of jet multiplicity distributions in [Formula: see text] production in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3014	4.2	11	
219	Study of double parton scattering using W + 2-jet events in proton-proton collisions at (sqrt $\{s\}$ ) = 7 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	61	
218	Event activity dependence of (Y)(nS) production in ( $sqrt\{\{s_{NN}\}\}\}$ ) = 5.02 TeV pPb and ( $sqrt\{s\}$ ) = 2.76 TeV pp collisions. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	42	
217	. Journal of High Energy Physics, <b>2014</b> , 2014, 1	5.4	18	
216	Evidence for the 125 GeV Higgs boson decaying to a pair of [leptons. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	101	
215	Search for W? - $\pm$ b decays in the lepton + jets final state in pp collisions at (sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	23	
214	Measurement of the triple-differential cross section for photon + jets production in proton-proton collisions at ( $sqrt{s}$ ) = 7 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	15	
213	Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at (sqrt $\{s\}$ ) = 8 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	81	
212	Measurement of the t-channel single-top-quark production cross section and of the $ V $ tb CKM matrix element in pp collisions at (sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	48	
211	Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at ( sqrt{s} ) = 7 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	21	
<b>21</b> 0	Search for pair production of excited top quarks in the lepton + jets final state. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	3	
209	Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp	5.4	74	

208	Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at (sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	59
207	Measurement of the top-quark mass in all-jets [Formula: see text] events in pp collisions at [Formula: see text] TeV. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2758	4.2	21
206	Study of the production of charged pions, kaons, and protons in pPb collisions at [Formula: see text]5.02[Formula: see text]. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2847	4.2	71
205	Probing color coherence effects in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2901	4.2	13
204	Search for heavy neutrinos and [Formula: see text] bosons with right-handed couplings in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3149	4.2	149
203	Measurement of top quark-antiquark pair production in association with a W or Z boson in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3060	4.2	29
202	Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3129	4.2	29
201	Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	70
200	Measurement of pseudorapidity distributions of charged particles in proton $\beta$ roton collisions at (sqrt{s} = 8) TeV by the CMS and TOTEM experiments. <i>European Physical Journal C</i> , <b>2014</b> , 74, 1	4.2	37
199	Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8 TeV. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3036	4.2	183
198	Measurement of prompt J/ $\Box$ pair production in pp collisions at (sqrt{s}) = 7 Tev. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	41
197	Comments by the Guest Editor. <i>IEEE Transactions on Nuclear Science</i> , <b>2014</b> , 61, 1950-1950	1.7	
196	Observation of the diphoton decay of the Higgs boson and measurement of its properties. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3076	4.2	239
195	Search for the associated production of the Higgs boson with a top-quark pair. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	45
194	Study of hadronic event-shape variables in multijet final states in pp collisions at ( $sqrt{s} = 7$ ) TeV. Journal of High Energy Physics, <b>2014</b> , 2014, 1	5.4	3
193	Search for standard model production of four top quarks in the lepton + jets channel in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	15
192	Identification techniques for highly boosted W bosons that decay into hadrons. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	32
191	Measurement of Higgs boson production and properties in the WW decay channel with leptonic final states. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	144

190	Measurement of the (toverline $\{t\}$ ) production cross section in the dilepton channel in pp collisions at (sqrt $\{s\}$ ) = 8 TeV <b>2014</b> , 2014, 1		3
189	Search for the associated production of the Higgs boson with a top-quark pair <b>2014</b> , 2014, 1		6
188	Search for microscopic black holes in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	38
187	Measurement of the (Lambda_{mathrm{b}}^0) lifetime in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	14
186	Searches for long-lived charged particles in pp collisions at (sqrt{s}) = 7 and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	96
185	Study of exclusive two-photon production of W+Wlin pp collisions at (sqrt{s}=7) TeV and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	56
184	Observation of a new boson with mass near 125 GeV in pp collisions at (sqrt{s}=7) and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	261
183	Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	35
182	Studies of jet mass in dijet and W/Z + jet events. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	39
181	Measurement of the (mathrm $\{t\}$ overline $\{mathrm\{t\}\}$ ) production cross section in the all-jet final state in pp collisions at (sqrt $\{s\}$ =7) TeV. Journal of High Energy Physics, 2013, 2013, 1	5.4	14
180	Measurement of the X(3872) production cross section via decays to J/I In pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	44
179	Study of the underlying event at forward rapidity in pp collisions at ( sqrt{s}=0.9,2.76,;mathrm{and};7;mathrm{TeV}). <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	39
178	Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	15
177	Search for new physics in events with same-sign dileptons and b jets in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	33
176	Search in leptonic channels for heavy resonances decaying to long-lived neutral particles. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	30
175	Search for exotic resonances decaying into WZ/ZZ in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	16
174	Search for supersymmetry in pp collisions at [Formula: see text] TeV in events with a single lepton, jets, and missing transverse momentum. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2404	4.2	15
173	Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC. European Physical Journal C, <b>2013</b> , 73, 2469	4.2	49

172	MICRO-PATTERN GASEOUS DETECTOR TECHNOLOGIES AND RD51 COLLABORATION. <i>Modern Physics Letters A</i> , <b>2013</b> , 28, 1340022	1.3	26
171	Measurement of the W-boson helicity in top-quark decays from (mathrm{t}overline{mathrm{t}}) production in lepton+jets events in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	25
170	Search for supersymmetry in hadronic final states with missing transverse energy using the variables and b-quark multiplicity in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2568	4.2	82
169	Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at (sqrt{s}=7) TeV. Journal of High Energy Physics, 2013, 2013, 1	5.4	10
168	Measurement of masses in the [Formula: see text] system by kinematic endpoints in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2494	4.2	37
167	Search for physics beyond the standard model in events with leptons, jets, and large transverse momentum imbalance in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2493	3 <sup>4.2</sup>	10
166	Measurement of the (mathrm{t}bar{mathrm{t}}) production cross section in the ⊞jets channel in pp collisions at (sqrt{s}=7 mbox{TeV}). European Physical Journal C, <b>2013</b> , 73, 1	4.2	21
165	Jet and underlying event properties as a function of charged-particle multiplicity in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2674	4.2	24
164	Search for top-squark pair production in the single-lepton final state in pp collisions at (sqrt{s}=8 mathrm{TeV}). <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	162
163	Measurement of the differential and double-differential Drell-Yan cross sections in proton-proton collisions at (sqrt{s}) = 7 TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	43
162	Measurement of the cross section and angular correlations for associated production of a Z boson with b hadrons in pp collisions at (sqrt{s}) = 7 TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	26
161	Measurement of the ratio of the inclusive 3-jet cross section to the inclusive 2-jet cross section in pp collisions at (sqrt{s} = 7 mathrm{TeV}) and first determination of the strong coupling constant in the TeV range. <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	50
160	Measurement of the W+WI $t$ ross section in pp collisions at (sqrt{s} = 7mbox{ TeV}) and limits on anomalous WWI $t$ and WWZ couplings. <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	56
159	Search for narrow resonances and quantum black holes in inclusive and b-tagged dijet mass spectra from pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	37
158	Measurement of the ZZ production cross section and search for anomalous couplings in 200 final states in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	39
157	Search for supersymmetry in final states with missing transverse energy and 0, 1, 2, or B b-quark jets in 7 TeV pp collisions using the variable $\oplus$ T. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	29
156	Search for heavy quarks decaying into a top quark and a W or Z boson using lepton + jets events in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	12
155	Measurement of the sum of WW and WZ production with W+dijet events in pp collisions at [Formula: see text]. European Physical Journal C, 2013, 73, 2283	4.2	45

## (2012-2013)

154	Measurement of differential top-quark-pair production cross sections in pp collisions at (sqrt{s} = 7 mathrm{TeV}). <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	102
153	Search for new physics in events with same-sign dileptons and b jets in pp collisions at ( $sqrt{s}=8$ ) TeV <b>2013</b> , 2013, 1		2
152	Study of high-p T charged particle suppression in PbPb compared to pp collisions at (sqrt{s_{mathrm{NN}}}=2.76~mathrm{TeV}). European Physical Journal C, <b>2012</b> , 72, 1	4.2	316
151	Centrality dependence of dihadron correlations and azimuthal anisotropy harmonics in PbPb collisions at (sqrt{s_{NN}}= 2.76 mbox{TeV}). <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	158
150	Jet production rates in association with W and Z bosons in pp collisions at (sqrt $\{s\} = 7 \{\text{text}\{\text{TeV}\}\}\)$ ). Journal of High Energy Physics, <b>2012</b> , 2012, 1	5.4	37
149	Exclusive $\Box \oplus \Box$ Throduction in proton-proton collisions at (sqrt {s} = {7}) TeV. Journal of High Energy Physics, <b>2012</b> , 2012, 1	5.4	45
148	Measurement of the production cross section for pairs of isolated photons in pp collisions at (sqrt {s} = 7;TeV). <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	20
147	Review of Particle Physics*. <i>Physical Review D</i> , <b>2012</b> , 86,	4.9	4786
146	Inclusive b-jet production in pp collisions at (sqrt {s} = 7TeV). <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	30
145	Search for quark compositeness in dijet angular distributions from pp collisions at (sqrt $\{s\}$ = $7\{\}$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	12
144	Suppression of non-prompt J/🏻prompt J/ឋand ( Upsilon )(1S) in PbPb collisions at ( sqrt {{{s_{text{NN}}}}} = 2.76 ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	184
143	Search for heavy bottom-like quarks in 4.9 fb $\blacksquare$ of pp collisions at (sqrt {s} = 7) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	44
142	Measurement of the cross section for production of (boverline b X) decaying to muons in pp collisions at (sqrt $\{s\} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	3
141	Measurement of the $Z/B + b$ -jet cross section in pp collisions at (sqrt $\{s\} = 7$ ) TeV. Journal of High Energy Physics, <b>2012</b> , 2012, 1	5.4	24
140	Shape, transverse size, and charged-hadron multiplicity of jets in pp collisions at (sqrt{s}=7;TeV). Journal of High Energy Physics, <b>2012</b> , 2012, 1	5.4	27
139	Search for anomalous production of multilepton events in pp collisions at (sqrt $\{s\}$ = 7,TeV). Journal of High Energy Physics, <b>2012</b> , 2012, 1	5.4	65
138	Search for a light charged Higgs boson in top quark decays in pp collisions at (sqrt $\{s\}$ = 7;TeV). Journal of High Energy Physics, <b>2012</b> , 2012, 1	5.4	101
137	Search for leptonic decays of W? bosons in pp collisions at (sqrt $\{s\} = \{7\}$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	43

136	Search for stopped long-lived particles produced in pp collisions at (sqrt $\{s\} = \{\text{text}\{7\text{TeV}\}\}$ ). Journal of High Energy Physics, 2012, 1	5.4	17
135	Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at (sqrt {s} = 7) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	24
134	Measurement of the underlying event activity in pp collisions at (sqrt $\{s\}$ = 0.9) and 7 TeV with the novel jet-area/median approach. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	11
133	Search for anomalous (toverline t) production in the highly-boosted all-hadronic final state. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	57
132	Search for dark matter and large extra dimensions in monojet events in pp collisions at (sqrt {s} = {7}) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	155
131	Search for a fermiophobic Higgs boson in pp collisions at (sqrt $\{s\} = 7$ ) TeV. Journal of High Energy Physics, <b>2012</b> , 2012, 1	5.4	13
130	Search for supersymmetry in hadronic final states using M T2 in pp collisions at (sqrt{s}=7) TeV. Journal of High Energy Physics, <b>2012</b> , 2012, 1	5.4	92
129	Measurement of jet fragmentation into charged particles in pp and PbPb collisions at ( sqrt{{{s_{mathrm{NN}}}}} = 2.76 ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	73
128	Measurement of the (mathrm{t}overline{mathrm{t}}) production cross section in the dilepton channel in pp collisions at (sqrt{s}=7) TeV. Journal of High Energy Physics, 2012, 2012, 1	5.4	64
127	Search for exclusive or semi-exclusive production and observation of exclusive and semi-exclusive e+eproduction in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	45
126	Search for the standard model Higgs boson produced in association with W and Z bosons in pp collisions at (sqrt{s}=7)TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	6
125	Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	41
124	Search for new physics with long-lived particles decaying to photons and missing energy in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	10
123	Search for resonant (mathrm{t}overline{mathrm{t}}) production in lepton+jets events in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	25
122	Observation of Z decays to four leptons with the CMS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	30
121	Measurement of the single-top-quark t-channel cross section in pp collisions at (sqrt{s}=7) TeV. Journal of High Energy Physics, 2012, 2012, 1	5.4	70
120	Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at (sqrt{s}=7;TeV). <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	12
119	Measurement of the top-quark mass in (mathrm{t}overline{mathrm{t}}) events with lepton+jets final states in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	30

118	. IEEE Transactions on Nuclear Science, <b>2012</b> , 59, 1711-1716	1.7	4
117	Measurement of the underlying event in the DrellMan process in proton $\beta$ roton collisions at (sqrt{s} = 7~mbox{TeV}). European Physical Journal C, <b>2012</b> , 72, 1	4.2	30
116	Study of the inclusive production of charged pions, kaons, and protons in pp collisions at (sqrt{s} = $0.9$ , $2.76$ ,mbox{ and }7~mbox{TeV}). European Physical Journal C, <b>2012</b> , 72, 1	4.2	133
115	A search for a doubly-charged Higgs boson in pp collisions at ( $sqrt{s} = 7 mbox{TeV}$ ). European Physical Journal C, <b>2012</b> , 72, 1	4.2	111
114	Measurement of the top-quark mass in (mathrm $\{t\}$ ) overline $\{mathrm\{t\}\}$ ) events with dilepton final states in pp collisions at (sqrt $\{s\}=7$ mbox $\{TeV\}$ ). European Physical Journal C, <b>2012</b> , 72, 1	4.2	36
113	Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in proton $\beta$ roton collisions at (sqrt{s} = 7 mathrm{TeV}). European Physical Journal C, <b>2012</b> , 72, 1	4.2	17
112	Measurement of the relative prompt production rate of and in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2251	4.2	46
111	Forward energy flow, central charged-particle multiplicities, and pseudorapidity gaps in W and Z boson events from pp collisions at (sqrt{s}= 7) TeV. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	11
110	J/ $\triangle$ nd (PS) production in pp collisions at (sqrt {s} = 7{text{Tev}}). Journal of High Energy Physics, <b>2012</b> , 2012, 1	5.4	69
109	Search for the standard model Higgs boson in the H $-$ ZZ $-$ 2 $\square$ L hannel in pp collisions at (sqrt {text{s}} = {7};{text{TeV}}). <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	24
108	Search for the standard model Higgs boson in the H $-$ ZZ $-$ ABD ecay channel in pp collisions at (sqrt {s} = {7};{text{TeV}}). <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	11
107	Search for ( {text{B}}_{text{s}}^0 ) - # II and B0 - # III decays. Journal of High Energy Physics, 2012, 2012, 1	5.4	52
106	Search for a Higgs boson in the decay channel H $- \frac{1}{2} \mathbb{Z}(*) - \frac{1}{2} \mathbb{Q}(*) = \mathbb{Z}(*) + \mathbb{Z}(*) = \mathbb{Z}(*) + \mathbb{Z}(*) = \mathbb{Z}(*) = \mathbb{Z}(*) + \mathbb{Z}(*) + \mathbb{Z}(*) = \mathbb{Z}(*) + \mathbb{Z}(*) $	5.4	21
105	Search for microscopic black holes in pp collisions at (sqrt {s} = {text{7TeV}}). <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	34
104	Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at ( sqrt $\{s\} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	13
103	Measurement of the mass difference between top and antitop quarks. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	13
102	Aging studies of Micromegas prototypes for the HL-LHC. <i>Journal of Instrumentation</i> , <b>2012</b> , 7, C01041-0	201041	4
101	Performances of anode-resistive Micromegas for HL-LHC. <i>Journal of Instrumentation</i> , <b>2012</b> , 7, C03040-	C03040	) 11

100	Gaseous Detectors <b>2012</b> , 239-264		4
99	Measurement of Wland Zlproduction in pp collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics,</i> <b>2011</b> , 701, 535-555	4.2	38
98	Measurement of the ratio of the 3-jet to 2-jet cross sections in pp collisions at s=7 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 702, 336-354	4.2	13
97	Search for first generation scalar leptoquarks in the . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 703, 246-266	4.2	11
96	Prompt and non-prompt J/ $\mathbb{I}$ production in pp collisions at (sqrt{s} = 7) TeV. European Physical Journal C, <b>2011</b> , 71, 1	4.2	118
95	Measurement of the (mathrm{{tbar{t}}}) production cross section in pp collisions at (sqrt{s}=7) TeV using the kinematic properties of events with leptons and jets. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	35
94	Charged particle multiplicities in pp interactions at ( sqrt $\{s\}$ = 0.9 ), 2.36, and 7 TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	89
93	Measurements of inclusive W and Z cross sections in pp collisions at (sqrt $\{s\} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	104
92	Search for heavy stable charged particles in pp collisions at ( sqrt {s} = 7;{text{TeV}} ). <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	34
91	Inclusive b-hadron production cross section with muons in pp collisions at (sqrt $\{s\} = 7; \{text\{TeV\}\}\}$ ).  Journal of High Energy Physics, <b>2011</b> , 2011, 1	5.4	21
90	Measurement of ( $\{\text{text}\{B\}\}$ ) overline $\{\text{text}\{B\}\}$ ) angular correlations based on secondary vertex reconstruction at ( $\text{sqrt}\{s\} = 7$ , $\{\text{text}\{\text{TeV}\}\}$ ). <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	27
89	Measurement of the lepton charge asymmetry in inclusive W production in pp collisions at (sqrt {s} = 7;{text{TeV}}). <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	38
88	Measurement of Bose-Einstein correlations in pp collisions at (sqrt $\{s\}$ = 0.9) and 7 TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	22
87	Strange particle production in pp collisions at (sqrt $\{s\}$ = 0.9) and 7 TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	78
86	Search for large extra dimensions in the diphoton final state at the Large Hadron Collider. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	21
85	Search for resonances in the dilepton mass distribution in pp collisions at (sqrt $\{s\} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	32
84	Search for physics beyond the standard model in opposite-sign dilepton events in pp collisions at ( sqrt {s} = 7,{text{TeV}}). <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	26
83	Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy at the LHC. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	46

## (2011-2011)

82	Search for supersymmetry in events with a lepton, a photon, and large missing transverse energy in pp collisions at (sqrt $\{s\} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	10
81	Measurement of the ( $\{\{rm t\}bar\{rm t\}\}$ ) production cross section and the top quark mass in the dilepton channel in pp collisions at ( $sqrt \{s\} = 7$ ) TeV. Journal of High Energy Physics, <b>2011</b> , 2011, 1	5.4	48
80	Long-range and short-range dihadron angular correlations in central PbPb collisions at (sqrt {{{s_{text{NN}}}}} ) = 2.76 TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	56
79	Search for light resonances decaying into pairs of muons as a signal of new physics. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	12
78	Search for supersymmetry in events with b jets and missing transverse momentum at the LHC. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	28
77	Search for same-sign top-quark pair production at (sqrt {s} = 7) TeV and limits on flavour changing neutral currents in the top sector. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	39
76	Charged particle transverse momentum spectra in pp collisions at ( sqrt $\{s\}$ = 0.9 ) and 7 TeV. Journal of High Energy Physics, <b>2011</b> , 2011, 1	5.4	44
75	Measurement of the inclusive Z cross section via decays to tau pairs in pp collisions at (sqrt $\{s\} = 7$ ) TeV. Journal of High Energy Physics, <b>2011</b> , 2011, 1	5.4	17
74	Dependence on pseudorapidity and on centrality of charged hadron production in PbPb collisions at ( sqrt {{{s_{text{NN}}}}} = 2.76 ) TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	87
73	Search for new physics with jets and missing transverse momentum in pp collisions at (sqrt {s} = 7) TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	46
72	Search for supersymmetry in pp collisions at (sqrt $\{s\} = 7$ ) TeV in events with a single lepton, jets, and missing transverse momentum. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	32
71	Measurement of the underlying event activity at the LHC with (sqrt $\{s\} = 7$ ) TeV and comparison with (sqrt $\{s\} = 0.9$ ) TeV. Journal of High Energy Physics, <b>2011</b> , 2011, 1	5.4	70
70	Measurement of the Drell-Yan cross section in pp collisions at (sqrt $\{s\} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	32
69	Measurement of the inclusive W and Z production cross sections in pp collisions at (sqrt $\{s\} = 7$ ) TeV with the CMS experiment. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	121
68	Measurement of energy flow at large pseudorapidities in pp collisions at (sqrt $\{s\}$ = 0. $\{9\}$ ) and 7 TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	19
67	Upsilon production cross section in pp collisions at s=7 TeV. <i>Physical Review D</i> , <b>2011</b> , 83,	4.9	77
66	Measurement of the Bs0 Production Cross Section with Bs0-₃/᠒ Decays in pp Collisions at s=7 TeV. <i>Physical Review D</i> , <b>2011</b> , 84,	4.9	31
65	Observation and studies of jet quenching in PbPb collisions at sNN=2.76 TeV. <i>Physical Review C</i> , <b>2011</b> , 84,	2.7	395

64	First measurement of the cross section for top-quark pair production in proton proton collisions at s=7TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 695, 424-4	143 <sup>2</sup>	79
63	Search for microscopic black hole signatures at the Large Hadron Collider. <i>Physics Letters, Section B:</i> Nuclear, Elementary Particle and High-Energy Physics, <b>2011</b> , 697, 434-453	4.2	61
62	Search for a heavy gauge boson . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 698, 21-39	4.2	26
61	Measurement of W+Wlproduction and search for the Higgs boson in pp collisions at s=7 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics,</i> <b>2011</b> , 699, 25-47	4.2	86
60	First measurement of hadronic event shapes in pp collisions at s=7TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics,</i> <b>2011</b> , 699, 48-67	4.2	35
59	Measurement of the differential dijet production cross section in protonproton collisions at s=7 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 700, 187-206	4.2	44
58	Search for a . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 701, 160-179	4.2	26
57	Search for a heavy bottom-like quark in pp collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 701, 204-223	4.2	28
56	Measurement of the isolated prompt photon production cross section in pp collisions at ⊞=7 TeV. <i>Physical Review Letters</i> , <b>2011</b> , 106, 082001	7.4	57
55	Measurement of the B(+) production cross section in pp collisions at sqrt[s]=7 TeV. <i>Physical Review Letters</i> , <b>2011</b> , 106, 112001	7.4	59
54	Search for pair production of second-generation scalar leptoquarks in pp collisions at $\blacksquare$ = 7 TeV. <i>Physical Review Letters</i> , <b>2011</b> , 106, 201803	7.4	13
53	Study of Z Boson Production in PbPb Collisions at 8(NN)=2.76 TeV. <i>Physical Review Letters</i> , <b>2011</b> , 106, 212301	7.4	66
52	Search for supersymmetry in pp collisions at <b>I</b> TeV in events with two photons and missing transverse energy. <i>Physical Review Letters</i> , <b>2011</b> , 106, 211802	7.4	45
51	Search for pair production of first-generation scalar leptoquarks in pp collisions at 8 = 7 TeV. <i>Physical Review Letters</i> , <b>2011</b> , 106, 201802	7.4	17
50	Measurement of the B0 production cross section in pp collisions at sqrt[s] = 7 TeV. <i>Physical Review Letters</i> , <b>2011</b> , 106, 252001	7.4	48
49	Publisher Note: Search for Dijet Resonances in 7 TeV pp Collisions at CMS [Phys. Rev. Lett. 105, 211801 (2010)]. <i>Physical Review Letters</i> , <b>2011</b> , 106,	7.4	9
48	Search for neutral minimal supersymmetric standard model Higgs bosons decaying to tau pairs in pp collisions at 8=7 TeV. <i>Physical Review Letters</i> , <b>2011</b> , 106, 231801	7.4	63
47	Dijet azimuthal decorrelations in pp collisions at ₹=7 TeV. <i>Physical Review Letters</i> , <b>2011</b> , 106, 122003	7.4	48

#### (2009-2011)

46	Measurement of the polarization of W bosons with large transverse momenta in W + jets events at the LHC. <i>Physical Review Letters</i> , <b>2011</b> , 107, 021802	7.4	37
45	Search for stopped Gluinos in pp collisions at square root s=7 TeV. <i>Physical Review Letters</i> , <b>2011</b> , 106, 011801	7.4	38
44	Performances and ageing study of resistive-anodes Micromegas detectors for HL-LHC environment <b>2011</b> ,		1
43	Measurement of energy flow at large pseudorapidities in pp collisions at ( sqrt $\{s\}$ = 0. $\{9\}$ ) and 7 TeV <b>2011</b> , 2011, 1		5
42	Search for quark compositeness with the dijet centrality ratio in pp collisions at ₹=7 TeV. <i>Physical Review Letters</i> , <b>2010</b> , 105, 262001	7.4	35
41	First measurement of Bose-Einstein correlations in proton-proton collisions at \$\overline{8}=0.9\$ and 2.36 TeV at the LHC. <i>Physical Review Letters</i> , <b>2010</b> , 105, 032001	7.4	44
40	Transverse-momentum and pseudorapidity distributions of charged hadrons in pp collisions at square root of $s = 7$ TeV. <i>Physical Review Letters</i> , <b>2010</b> , 105, 022002	7.4	353
39	Search for dijet resonances in 7 TeV pp collisions at CMS. <i>Physical Review Letters</i> , <b>2010</b> , 105, 211801	7.4	116
38	Radiation hardness qualification of PbWO4scintillation crystals for the CMS Electromagnetic Calorimeter. <i>Journal of Instrumentation</i> , <b>2010</b> , 5, P03010-P03010	1	10
37	Micromegas study for the sLHC environment. <i>Journal of Instrumentation</i> , <b>2010</b> , 5, P02003-P02003	1	3
36	Study of a micromegas chamber in a neutron beam. <i>Journal of Instrumentation</i> , <b>2010</b> , 5, P02005-P0200	15 1	1
35	First measurement of the underlying event activity at the LHC with ( $sqrt{s} = 0.9$ ) TeV. European Physical Journal C, <b>2010</b> , 70, 555-572	4.2	36
34	CMS tracking performance results from early LHC operation. European Physical Journal C, 2010, 70, 11	6541219	2 99
33	Transverse-momentum and pseudorapidity distributions of charged hadrons in pp collisions at $(sqrt{s} = 0.9)$ and 2.36 TeV. <i>Journal of High Energy Physics</i> , <b>2010</b> , 2010, 1	5.4	201
32	Observation of long-range, near-side angular correlations in proton-proton collisions at the LHC. <i>Journal of High Energy Physics</i> , <b>2010</b> , 2010, 1	5.4	389
31	Measurement of the charge ratio of atmospheric muons with the CMS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics,</i> <b>2010</b> , 692, 83-104	4.2	32
30	Production of the charmonium states 🛭 1 and 🗓 2 in proton nucleus interactions at s=41.6 GeV. <i>Physical Review D</i> , <b>2009</b> , 79,	4.9	19
29	Angular distributions of leptons from J/日 produced in 920 GeV fixed-target proton-nucleus collisions. <i>European Physical Journal C</i> , <b>2009</b> , 60, 517-524	4.2	26

28	The CMS barrel calorimeter response to particle beams from 2 to 350 GeV/c. <i>European Physical Journal C</i> , <b>2009</b> , 60, 359-373	4.2	21
27	Kinematic distributions and nuclear effects of J/production in 920 GeV fixed-target proton-nucleus collisions. <i>European Physical Journal C</i> , <b>2009</b> , 60, 525-542	4.2	57
26	V0 production in p+A collisions at (sqrt{s}=41.6) GeV. European Physical Journal C, 2009, 61, 207-221	4.2	2
25	Triple-GEM operated in different gases with highly pixelated readout using MediPix2 chip. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2007</b> , 572, 157-159	1.2	5
24	Readout of GEM detectors using the Medipix2 CMOS pixel chip. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2007</b> , 573, 361-370	1.2	23
23	The silicon microstrip sensors of the ATLAS semiconductor tracker. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2007</b> , 578, 98-118	1.2	49
22	New developments and future perspectives of gaseous detectors. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment,</i> <b>2007</b> , 581, 25-37	1.2	38
21	Bottom production cross section from double muonic decays of b-flavoured hadrons in 920 GeV proton-nucleus collisions. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2007</b> , 650, 103-110	4.2	3
20	A Measurement of the 🛮 to J/[production ratio in 920 GeV proton-nucleus interactions. <i>European Physical Journal C</i> , <b>2007</b> , 49, 545-558	4.2	36
19	K*0 and Imeson production in protonilucleus interactions at (sqrt{s}=41.6text{GeV}). <i>European Physical Journal C</i> , <b>2007</b> , 50, 315-328	4.2	23
18	Measurement of D0, D+, Ds + and D*+ production in fixed target 920 GeV protonflucleus collisions. <i>European Physical Journal C</i> , <b>2007</b> , 52, 531-542	4.2	25
17	Resolution studies on 5GeV electron tracks observed with triple-GEM and MediPix2/TimePix-readout. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2007</b> , 581, 274-278	1.2	15
16	Luminosity determination at HERA-B. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2007</b> , 582, 401-412	1.2	3
15	The barrel modules of the ATLAS semiconductor tracker. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2006</b> , 568, 642-671	1.2	63
14	Improved measurement of the bb□production cross section in 920 GeV fixed-target proton-nucleus collisions. <i>Physical Review D</i> , <b>2006</b> , 73,	4.9	13
13	Measurement of the . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2006</b> , 638, 407-414	4.2	18
12	Measurement of the? production cross section in 920 GeV fixed-target protonflucleus collisions. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2006</b> , 638, 13-21	4.2	7
11	Polarization of land . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2006</b> , 638, 415-421	4.2	16

#### LIST OF PUBLICATIONS

10	Limits for the central production of Theta+ and Xi()pentaquarks in 920-GeV pA collisions. <i>Physical Review Letters</i> , <b>2004</b> , 93, 212003	7.4	61
9	Search for the flavor-changing neutral current decay D0-Buwith the HERA-B detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2004</b> , 596, 173-183	4.2	3
8	Aging studies for the muon detector of HERA-B. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2003</b> , 515, 202-21	9 <sup>1.2</sup>	2
7	Aging phenomena in gaseous detectors [berspectives from the 2001 workshop. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2002</b> , 494, 179-193	1.2	10
6	Laboratory aging studies for the HERA-B muon chambers. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2002</b> , 494, 236-240	1.2	1
5	Summary and outlook of the international workshop on aging phenomena in gaseous detectors (DESY, Hamburg, October 2001). <i>IEEE Transactions on Nuclear Science</i> , <b>2002</b> , 49, 1609-1621	1.7	11
4	The Muon Detector at the HERA-B experiment. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2001</b> , 461, 104-10	6 <sup>1.2</sup>	11
3	A gaseous muon detector at the HERA-B experiment. <i>IEEE Transactions on Nuclear Science</i> , <b>2001</b> , 48, 1059-1064	1.7	12
2	The MUON system in the HERA-B experiment. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment,</i> <b>2000</b> , 446, 355-365	1.2	7
1	Design and operation of front-end electronics for the HERA-B muon detector. <i>IEEE Transactions on Nuclear Science</i> , <b>1999</b> , 46, 126-132	1.7	8