

Prabirkumar Saha

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2931909/publications.pdf>

Version: 2024-02-01

54
papers

1,222
citations

331538

21
h-index

360920

35
g-index

54
all docs

54
docs citations

54
times ranked

1042
citing authors

#	ARTICLE	IF	CITATIONS
1	Spectroscopic, thermodynamic and ultrasonic properties of pseudo-binary mixtures of organic extractants and vegetable oil at 25–60°C under atmospheric pressure. <i>Asia-Pacific Journal of Chemical Engineering</i> , 2021, 16, e2650.	0.8	1
2	Removal of hexavalent chromium from wastewater using supported liquid membrane: synthesis of chromium-iron complex through electrochemical reaction. <i>Water and Environment Journal</i> , 2020, 34, 753-771.	1.0	8
3	Separation and Recovery of Nickel and Zinc from Synthetic Wastewater Using Supported Liquid Membranes with <i>in Situ</i> Electrodeposition. <i>Industrial & Engineering Chemistry Research</i> , 2019, 58, 9970-9987.	1.8	14
4	Synthesis of cadmium sulphide nanoparticles through liquid membrane pathway. <i>International Journal of Nanoparticles</i> , 2019, 11, 202.	0.1	0
5	Synthesis of cadmium sulphide nanoparticles through liquid membrane pathway. <i>International Journal of Nanoparticles</i> , 2019, 11, 202.	0.1	0
6	Separation of hexavalent chromium from industrial effluent through liquid membrane using environmentally benign solvent: A study of experimental optimization through response surface methodology. <i>Chemical Engineering Research and Design</i> , 2018, 132, 564-583.	2.7	28
7	A Nash Game Approach to Mixed H_2/H^∞ Model Predictive Control: Part 3 – Output Feedback Case. <i>International Journal of Automation and Computing</i> , 2018, 15, 616-624.	4.5	1
8	Kautz filters based model predictive control for resonating systems. <i>International Journal of Dynamics and Control</i> , 2017, 5, 477-495.	1.5	3
9	Separation of cadmium and lead from wastewater using supported liquid membrane integrated with in-situ electrodeposition. <i>Electrochimica Acta</i> , 2017, 229, 1-7.	2.6	34
10	Modelling and control of nonlinear resonating processes: part II – model based control using orthogonal basis function based Wiener models. <i>International Journal of Dynamics and Control</i> , 2017, 5, 1237-1251.	1.5	2
11	Modelling and control of nonlinear resonating processes: part I – system identification using orthogonal basis function. <i>International Journal of Dynamics and Control</i> , 2017, 5, 1222-1236.	1.5	8
12	A Nash game approach to mixed $\mathcal{H}_2/\mathcal{H}_\infty$ H_2/H^∞ . <i>International Journal of Dynamics and Control</i> , 2017, 5, 1063-1072.	1.5	1
13	A Nash game approach to mixed $\mathcal{H}_2/\mathcal{H}_\infty$ H_2/H^∞ model predictive control: part II – stability and robustness. <i>International Journal of Dynamics and Control</i> , 2017, 5, 1073-1088.	1.5	2
14	Model predictive control of resonant systems using Kautz model. <i>International Journal of Automation and Computing</i> , 2016, 13, 501-515.	4.5	5
15	Study of the supported liquid membrane for the estimation of the synergistic effects of influential parameters on its stability. <i>Journal of Environmental Chemical Engineering</i> , 2016, 4, 943-949.	3.3	24
16	Supported liquid membrane based removal of lead(II) and cadmium(II) from mixed feed: Conversion to solid waste by precipitation. <i>Journal of Hazardous Materials</i> , 2015, 299, 504-512.	6.5	64
17	Separation of toxic heavy metals from its aqueous solution using environmentally benign vegetable oil as liquid membrane. <i>RSC Advances</i> , 2015, 5, 88331-88338.	1.7	20
18	Studies on the stability of a supported liquid membrane and its cleaning protocol. <i>RSC Advances</i> , 2015, 5, 71999-72008.	1.7	15

#	ARTICLE	IF	CITATIONS
19	Liquid Membrane Filters. , 2015, , 155-205.		4
20	Computer Aided Design of Distillation Column Suitable for Classroom Teaching. , 2014, , .		1
21	Supported liquid membrane-based simultaneous separation of cadmium and lead from wastewater. Journal of Membrane Science, 2014, 459, 256-263.	4.1	71
22	Iron complexation of pharmaceutical catechins through selective separation. RSC Advances, 2014, 4, 26247-26250.	1.7	15
23	Separation of medicinal catechins from tea leaves (<i>Camellia sinensis</i>) extract using hollow fiber supported liquid membrane (HF-SLM) module. Journal of Membrane Science, 2014, 471, 219-226.	4.1	17
24	Transportation of bioactive (+)catechin from its aqueous solution using flat sheet supported liquid membrane. Journal of Membrane Science, 2013, 447, 325-334.	4.1	19
25	Separation of Cd(II) from its aqueous solution using environmentally benign vegetable oil as liquid membrane. Asia-Pacific Journal of Chemical Engineering, 2013, 8, 775-785.	0.8	11
26	Measurement and Modeling of Adsorption of Lower Hydrocarbons on Activated Carbon. Journal of Chemical & Engineering Data, 2013, 58, 1606-1612.	1.0	17
27	Transportation of Catechin (\pm C) Using Physiologically Benign Vegetable Oil As Liquid Membrane. Industrial & Engineering Chemistry Research, 2012, 51, 15207-15216.	1.8	21
28	Real Time Model Predictive Control of a Four Tank Interacting Storage System. Computer Aided Chemical Engineering, 2012, 31, 335-339.	0.3	0
29	Biodegradation kinetics of phenol by predominantly <i>Pseudomonas</i> sp. in a batch shake flask. Desalination and Water Treatment, 2011, 36, 99-104.	1.0	8
30	Studies on growth kinetics of predominantly <i>Pseudomonas</i> sp. in internal loop airlift bioreactor using phenol and m-cresol. Korean Journal of Chemical Engineering, 2011, 28, 1550-1555.	1.2	5
31	Modeling and Control of a Complex Interacting Process. Advanced Materials Research, 2011, 403-408, 3758-3762.	0.3	0
32	Hydrodynamics and batch biodegradation of phenol in an Internal Loop Airlift Reactor. International Journal of Environmental Engineering, 2010, 2, 303.	0.1	4
33	Separation of lignosulfonate from its aqueous solution using emulsion liquid membrane. Journal of Membrane Science, 2010, 360, 34-39.	4.1	43
34	Simultaneous separation of mercury and lignosulfonate from aqueous solution using supported liquid membrane. Journal of Membrane Science, 2010, 346, 37-44.	4.1	66
35	Separation of mercury from its aqueous solution through supported liquid membrane using environmentally benign diluent. Journal of Membrane Science, 2010, 350, 395-401.	4.1	77
36	Separation of Hg(II) from Its Aqueous Solution Using Bulk Liquid Membrane. Industrial & Engineering Chemistry Research, 2010, 49, 2889-2894.	1.8	13

#	ARTICLE	IF	CITATIONS
37	Extraction and recovery of lignosulfonate from its aqueous solution using bulk liquid membrane. <i>Journal of Membrane Science</i> , 2009, 330, 135-144.	4.1	50
38	Separation of lignosulfonate from its aqueous solution using supported liquid membrane. <i>Journal of Membrane Science</i> , 2009, 340, 84-91.	4.1	29
39	Treatment of phenolics containing synthetic wastewater in an internal loop airlift bioreactor (ILALR) using indigenous mixed strain of <i>Pseudomonas</i> sp. under continuous mode of operation. <i>Bioresource Technology</i> , 2009, 100, 4111-4116.	4.8	27
40	Batch growth kinetics of an indigenous mixed microbial culture utilizing m-cresol as the sole carbon source. <i>Journal of Hazardous Materials</i> , 2009, 162, 476-481.	6.5	58
41	Degradation of phenol by TiO ₂ -based heterogeneous photocatalysts in presence of sunlight. <i>Journal of Hydro-Environment Research</i> , 2009, 3, 45-50.	1.0	24
42	Modeling and Simulation of Stirred Dead End Ultrafiltration Process Using the Aspen Engineering Suite. <i>Industrial & Engineering Chemistry Research</i> , 2009, 48, 4428-4439.	1.8	3
43	Adaptive nonlinear DMC of hydrodealkylation process using Aspen Engineering Suite. <i>Asia-Pacific Journal of Chemical Engineering</i> , 2008, 3, 680-687.	0.8	3
44	Growth kinetics of an indigenous mixed microbial consortium during phenol degradation in a batch reactor. <i>Bioresource Technology</i> , 2008, 99, 205-209.	4.8	156
45	Biodegradation of phenol and m-cresol in a batch and fed batch operated internal loop airlift bioreactor by indigenous mixed microbial culture predominantly <i>Pseudomonas</i> sp.. <i>Bioresource Technology</i> , 2008, 99, 8553-8558.	4.8	57
46	Nonlinear system identification using Wiener type Laguerre Wavelet network model. <i>Chemical Engineering Science</i> , 2008, 63, 3932-3941.	1.9	42
47	Kinetics of phenol and m-cresol biodegradation by an indigenous mixed microbial culture isolated from a sewage treatment plant. <i>Journal of Environmental Sciences</i> , 2008, 20, 1508-1513.	3.2	39
48	Kinetics of growth and multi substrate degradation by an indigenous mixed microbial culture isolated from a wastewater treatment plant in Guwahati, India. <i>Water Science and Technology</i> , 2008, 58, 1101-1106.	1.2	1
49	Stochastic identification of bioreactor process exhibiting input multiplicity. <i>Bioprocess and Biosystems Engineering</i> , 2007, 30, 165-172.	1.7	4
50	Improved branch and bound method for control structure screening. <i>Chemical Engineering Science</i> , 2005, 60, 1555-1564.	1.9	33
51	MODELING AND PREDICTIVE CONTROL OF MIMO NONLINEAR SYSTEMS USING WIENER-LAGUERRE MODELS. <i>Chemical Engineering Communications</i> , 2004, 191, 1083-1119.	1.5	43
52	MODELING AND PREDICTIVE CONTROL OF MIMO NONLINEAR SYSTEMS USING WIENER-LAGUERRE MODELS. <i>Chemical Engineering Communications</i> , 2004, 191, 1083-1119.	1.5	3
53	Globally optimal control structure selection using Hankel singular value through branch and bound method. <i>Computer Aided Chemical Engineering</i> , 2003, 15, 1014-1019.	0.3	2
54	Experimental evaluation of an augmented IMC for nonlinear systems. <i>Control Engineering Practice</i> , 2000, 8, 1167-1176.	3.2	26