

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2932583/olivier-koole-publications-by-citations.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| | | | |
|-------------------|-----------------------|----------------|-----------------|
| 32 papers | 404 citations | 13 h-index | 19 g-index |
| 37 ext. papers | 546 ext. citations | 4.7 avg, IF | 2.96 L-index |

| # | Paper | IF | Citations |
|----|--|------|-----------|
| 32 | Retention and risk factors for attrition among adults in antiretroviral treatment programmes in Tanzania, Uganda and Zambia. <i>Tropical Medicine and International Health</i> , 2014 , 19, 1397-410 | 2.3 | 55 |
| 31 | Prevalence and risk factors for anemia severity and type in Malawian men and women: urban and rural differences. <i>Population Health Metrics</i> , 2017 , 15, 12 | 3 | 42 |
| 30 | Hypertension and diabetes in Africa: design and implementation of a large population-based study of burden and risk factors in rural and urban Malawi. <i>Emerging Themes in Epidemiology</i> , 2016 , 13, 3 | 3.9 | 32 |
| 29 | Uptake of prevention of mother-to-child-transmission using Option B+ in northern rural Malawi: a retrospective cohort study. <i>Sexually Transmitted Infections</i> , 2014 , 90, 309-14 | 2.8 | 27 |
| 28 | Community-based antiretroviral therapy versus standard clinic-based services for HIV in South Africa and Uganda (DO ART): a randomised trial. <i>The Lancet Global Health</i> , 2020 , 8, e1305-e1315 | 13.6 | 25 |
| 27 | Reasons for Missing Antiretroviral Therapy: Results from a Multi-Country Study in Tanzania, Uganda, and Zambia. <i>PLoS ONE</i> , 2016 , 11, e0147309 | 3.7 | 24 |
| 26 | Improved retention of patients starting antiretroviral treatment in Karonga District, northern Malawi, 2005-2012. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014 , 67, e27-e33 | 3.1 | 23 |
| 25 | Accessing clinical services and retention in care following screening for hypertension and diabetes among Malawian adults: an urban/rural comparison. <i>Journal of Hypertension</i> , 2016 , 34, 2172-9 | 1.9 | 19 |
| 24 | Sustained 10-year gain in adult life expectancy following antiretroviral therapy roll-out in rural Malawi: July 2005 to June 2014. <i>International Journal of Epidemiology</i> , 2017 , 46, 479-491 | 7.8 | 17 |
| 23 | Convergence of infectious and non-communicable disease epidemics in rural South Africa: a cross-sectional, population-based multimorbidity study. <i>The Lancet Global Health</i> , 2021 , 9, e967-e976 | 13.6 | 16 |
| 22 | Patterns and risk factors for deaths from external causes in rural Malawi over 10 years: a prospective population-based study. <i>BMC Public Health</i> , 2015 , 15, 1036 | 4.1 | 15 |
| 21 | HIV policy and implementation: a national policy review and an implementation case study of a rural area of northern Malawi. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2016 , 28, 1097-109 | 2.2 | 14 |
| 20 | Antiretroviral treatment program retention among HIV-infected children in the Democratic Republic of Congo. <i>PLoS ONE</i> , 2014 , 9, e113877 | 3.7 | 13 |
| 19 | Simplified clinical prediction scores to target viral load testing in adults with suspected first line treatment failure in Phnom Penh, Cambodia. <i>PLoS ONE</i> , 2014 , 9, e87879 | 3.7 | 11 |
| 18 | Human Immunodeficiency Virus, Antiretroviral Therapy and Markers of Lymphatic Filariasis Infection: A Cross-sectional Study in Rural Northern Malawi. <i>PLoS Neglected Tropical Diseases</i> , 2015 , 9, e0003825 | 4.8 | 9 |
| 17 | Adherence to COVID-19 Preventive Measures in Mozambique: Two Consecutive Online Surveys. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18, | 4.6 | 8 |
| 16 | Self-reported disability in rural Malawi: prevalence, incidence, and relationship to chronic disease. <i>Wellcome Open Research</i> , 2019 , 4, 90 | 4.8 | 7 |

| | | | |
|----|--|------|---|
| 15 | Participant understanding of informed consent in a multidisease community-based health screening and biobank platform in rural South Africa. <i>International Health</i> , 2020 , 12, 560-566 | 2.4 | 7 |
| 14 | Reliability of reporting of HIV status and antiretroviral therapy usage during verbal autopsies: a large prospective study in rural Malawi. <i>Global Health Action</i> , 2016 , 9, 31084 | 3 | 6 |
| 13 | Linkage to primary care after home-based blood pressure screening in rural KwaZulu-Natal, South Africa: a population-based cohort study. <i>BMJ Open</i> , 2018 , 8, e023369 | 3 | 6 |
| 12 | Determinants of time to antiretroviral treatment initiation and subsequent mortality on treatment in a cohort in rural northern Malawi. <i>AIDS Research and Therapy</i> , 2016 , 13, 24 | 3 | 5 |
| 11 | Health Outcomes of Infants in a PMTCT Program in Kinshasa. <i>Journal of the International Association of Providers of AIDS Care</i> , 2015 , 14, 449-54 | 1.7 | 4 |
| 10 | Self-reported disability in rural Malawi: prevalence, incidence, and relationship to chronic disease. <i>Wellcome Open Research</i> , 2019 , 4, 90 | 4.8 | 4 |
| 9 | Prevalence of Mycobacterium tuberculosis in sputum and reported symptoms among clinic attendees compared to a community survey in rural South Africa. <i>Clinical Infectious Diseases</i> , 2021 , | 11.6 | 3 |
| 8 | Primary healthcare and school health service utilisation by adolescents and young adults in KwaZulu-Natal, South Africa. <i>BMC Health Services Research</i> , 2019 , 19, 905 | 2.9 | 3 |
| 7 | Does antiretroviral therapy use affect the accuracy of HIV rapid diagnostic assays? Experience from a demographic health and surveillance site in rural South Africa. <i>Diagnostic Microbiology and Infectious Disease</i> , 2020 , 97, 115031 | 2.9 | 2 |
| 6 | Computer-aided interpretation of chest radiography reveals the spectrum of tuberculosis in rural South Africa | | 2 |
| 5 | Computer-aided interpretation of chest radiography reveals the spectrum of tuberculosis in rural South Africa. <i>Npj Digital Medicine</i> , 2021 , 4, 106 | 15.7 | 2 |
| 4 | Risk of Mycobacterium tuberculosis transmission in an antiretroviral therapy clinic. <i>Aids</i> , 2018 , 32, 2417-2421 | 3.3 | 1 |
| 3 | Self-reported disability in relation to mortality in rural Malawi: a longitudinal study of over 16 000 adults. <i>BMJ Open</i> , 2020 , 10, e034802 | 3 | 1 |
| 2 | Pitfalls of Single Measurement Screening for Diabetes and Hypertension in Community-Based Settings.. <i>Global Heart</i> , 2021 , 16, 79 | 2.9 | 0 |
| 1 | Self-reported disability in rural Malawi: prevalence, incidence, and relationship to chronic conditions. <i>Wellcome Open Research</i> , 4, 90 | 4.8 | |