## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2932622/publications.pdf Version: 2024-02-01



Μει Υμαν

#	Article	IF	CITATIONS
1	Urine bisphenol-A (BPA) level in relation to semen quality. Fertility and Sterility, 2011, 95, 625-630.e4.	0.5	298
2	Bisphenol A levels in blood and urine in a Chinese population and the personal factors affecting the levels. Environmental Research, 2009, 109, 629-633.	3.7	219
3	In utero exposure to bisphenol-A and anogenital distance of male offspring. Birth Defects Research Part A: Clinical and Molecular Teratology, 2011, 91, 867-872.	1.6	130
4	Altered Gut Microbiota Composition Associated with Eczema in Infants. PLoS ONE, 2016, 11, e0166026.	1.1	130
5	Urine Bisphenol-A Level in Relation to Obesity and Overweight in School-Age Children. PLoS ONE, 2013, 8, e65399.	1.1	111
6	Relationship Between Urine Bisphenolâ€A Level and Declining Male Sexual Function. Journal of Andrology, 2010, 31, 500-506.	2.0	108
7	In utero exposure to bisphenol-A and its effect on birth weight of offspring. Reproductive Toxicology, 2011, 32, 64-68.	1.3	102
8	Determinants of plasma concentrations of perfluoroalkyl and polyfluoroalkyl substances in pregnant women from a birth cohort in Shanghai, China. Environment International, 2018, 119, 165-173.	4.8	98
9	Exposure to bisphenol-A and reproductive hormones among male adults. Environmental Toxicology and Pharmacology, 2015, 39, 934-941.	2.0	64
10	Maternal exposure to bisphenol A and anogenital distance throughout infancy: A longitudinal study from Shanghai, China. Environment International, 2018, 121, 269-275.	4.8	63
11	Occupational Exposure Levels of Bisphenol A among Chinese Workers. Journal of Occupational Health, 2009, 51, 432-436.	1.0	61
12	Prevalence and Clinical Significance of Portal Vein Thrombosis in Patients With Cirrhosis and Acute Decompensation. Clinical Gastroenterology and Hepatology, 2020, 18, 2564-2572.e1.	2.4	55
13	Associations between Bisphenol A Exposure and Reproductive Hormones among Female Workers. International Journal of Environmental Research and Public Health, 2015, 12, 13240-13250.	1.2	52
14	Associations of prenatal exposures to low levels of Polybrominated Diphenyl Ether (PBDE) with thyroid hormones in cord plasma and neurobehavioral development in children at 2 and 4†years. Environment International, 2019, 131, 105010.	4.8	51
15	Exposure to magnetic fields and the risk of poor sperm qualityâ <sup>~</sup> †. Reproductive Toxicology, 2010, 29, 86-92.	1.3	50
16	Genome-wide alteration in DNA hydroxymethylation in the sperm from bisphenol A-exposed men. PLoS ONE, 2017, 12, e0178535.	1.1	50
17	Exposure of environmental Bisphenol A in relation to routine sperm parameters and sperm movement characteristics among fertile men. Scientific Reports, 2018, 8, 17548.	1.6	43
18	Prenatal polybrominated diphenyl ethers exposure and anogenital distance in boys from a Shanghai birth cohort. International Journal of Hygiene and Environmental Health, 2019, 222, 513-523.	2.1	40

#	Article	lF	CITATIONS
19	Higher Urinary Bisphenol A Concentration Is Associated with Unexplained Recurrent Miscarriage Risk: Evidence from a Case-Control Study in Eastern China. PLoS ONE, 2015, 10, e0127886.	1.1	39
20	Prenatal and early life stress and risk of eating disorders in adolescent girls and young women. European Child and Adolescent Psychiatry, 2016, 25, 1245-1253.	2.8	35
21	Paternal Age and Offspring Congenital Heart Defects: A National Cohort Study. PLoS ONE, 2015, 10, e0121030.	1.1	34
22	Maternal plasma concentrations of perfluoroalkyl and polyfluoroalkyl substances during pregnancy and anogenital distance in male infants. Human Reproduction, 2019, 34, 1356-1368.	0.4	32
23	Association of Bisphenol A Exposure with LINE-1 Hydroxymethylation in Human Semen. International Journal of Environmental Research and Public Health, 2018, 15, 1770.	1.2	30
24	The Association Between Calcium, Magnesium, and Ratio of Calcium/Magnesium in Seminal Plasma and Sperm Quality. Biological Trace Element Research, 2016, 174, 1-7.	1.9	29
25	Prenatal bisphenol A exposure, fetal thyroid hormones and neurobehavioral development in children at 2 and 4Âyears: A prospective cohort study. Science of the Total Environment, 2020, 722, 137887.	3.9	27
26	The Association between Exposure to Environmental Bisphenol A and Gonadotropic Hormone Levels among Men. PLoS ONE, 2017, 12, e0169217.	1.1	27
27	Urine bisphenol A and pubertal development in boys. International Journal of Hygiene and Environmental Health, 2017, 220, 43-50.	2.1	25
28	Childhood polybrominated diphenyl ether (PBDE) serum concentration and reading ability at ages 5 and 8†years: The HOME Study. Environment International, 2019, 122, 330-339.	4.8	24
29	Prenatal exposure to perfluoroalkyl substances and thyroid hormone concentrations in cord plasma in a Chinese birth cohort. Environmental Health, 2020, 19, 127.	1.7	24
30	Bisphenol A Exposure and Sperm ACHE Hydroxymethylation in Men. International Journal of Environmental Research and Public Health, 2019, 16, 152.	1.2	23
31	Urinary bisphenol A and pubertal development in Chinese school-aged girls: a cross-sectional study. Environmental Health, 2017, 16, 80.	1.7	20
32	Association Between Paternal Alcohol Consumption Before Conception and Anogenital Distance of Offspring. Alcoholism: Clinical and Experimental Research, 2018, 42, 735-742.	1.4	20
33	Bisphenol A and pubertal height growth in school-aged children. Journal of Exposure Science and Environmental Epidemiology, 2019, 29, 109-117.	1.8	19
34	Developmental differences in the intestinal microbiota of Chinese 1-year-old infants and 4-year-old children. Scientific Reports, 2020, 10, 19470.	1.6	15
35	Prenatal maternal bereavement and risk of eating disorders in infants and toddlers: a population-based cohort study. BMC Psychiatry, 2015, 15, 229.	1.1	14
36	Prenatal exposure to residential PM2.5 and its chemical constituents and weight in preschool children: A longitudinal study from Shanghai, China. Environment International, 2021, 154, 106580.	4.8	14

#	Article	IF	CITATIONS
37	Correlation between Exposure to Magnetic Fields and Embryonic Development in the First Trimester. PLoS ONE, 2014, 9, e101050.	1.1	13
38	Association between prenatal bisphenol a exposure and promoter hypermethylation of CAPS2, TNFRSF25, and HKR1 genes in cord blood. Environmental Research, 2020, 190, 109996.	3.7	12
39	Prenatal exposure to perfluoroalkyl substances and cord plasma lipid concentrations. Environmental Pollution, 2021, 268, 115426.	3.7	12
40	Attitudes and practices related to intrauterine devices for nulliparous women among Chinese health care providers. Reproductive Health, 2019, 16, 10.	1.2	11
41	Differential methylation of genes in the human placenta associated with bisphenol A exposure. Environmental Research, 2021, 200, 111389.	3.7	11
42	Prenatal exposure to extremely low frequency magnetic field and its impact on fetal growth. Environmental Health, 2019, 18, 6.	1.7	9
43	Associations between prenatal exposure to perfluoroalkyl substances and neurobehavioral development in early childhood: A prospective cohort study. Ecotoxicology and Environmental Safety, 2022, 241, 113818.	2.9	9
44	Risk Factors and Outcomes of Acute Kidney Injury in Patients With Hepatitis B Virus-Related Acute-on-Chronic Liver Failure. American Journal of the Medical Sciences, 2017, 353, 452-458.	0.4	8
45	Cryptorchidism and increased risk of neurodevelopmental disorders. Journal of Psychiatric Research, 2018, 96, 153-161.	1.5	8
46	Effects of prenatal exposure to polybrominated diphenyl ethers (PBDEs) on the second to fourth digit ratio in children aged 4 years. International Journal of Hygiene and Environmental Health, 2021, 231, 113639.	2.1	8
47	Prenatal exposure to residential PM2.5 and anogenital distance in infants at birth: A birth cohort study from Shanghai, China. Environmental Pollution, 2020, 264, 114684.	3.7	7
48	Association between prenatal exposure to polybrominated diphenyl ethers and anogenital distance in girls at ages 0–4 years. International Journal of Hygiene and Environmental Health, 2021, 233, 113706.	2.1	7
49	Prenatal exposure to bisphenol analogues and digit ratio in children at ages 4 and 6 years: A birth cohort study. Environmental Pollution, 2021, 278, 116820.	3.7	7
50	In utero exposure to β-2-adrenergic receptor agonist and attention-deficit/hyperactivity disorder in children. European Child and Adolescent Psychiatry, 2017, 26, 847-856.	2.8	6
51	Prenatal Paternal Selective Serotonin Reuptake Inhibitors Use and Risk of ADHD in Offspring. Pediatrics, 2018, 141, .	1.0	6
52	Different Effects of Total Bilirubin on 90-Day Mortality in Hospitalized Patients With Cirrhosis and Advanced Fibrosis: A Quantitative Analysis. Frontiers in Medicine, 2021, 8, 704452.	1.2	6
53	Impact of Hepatic Encephalopathy on Clinical Characteristics and Adverse Outcomes in Prospective and Multicenter Cohorts of Patients With Acute-on-Chronic Liver Diseases. Frontiers in Medicine, 2021, 8, 709884.	1.2	6
54	Misconceptions and Beliefs Regarding the Use of Intrauterine Devices for Nulliparous Women Among Chinese Health Care Providers. Journal of Pediatric and Adolescent Gynecology, 2020, 33, 33-38.	0.3	5

#	Article	IF	CITATIONS
55	Risks and predicting factors of bleeding complications in hepatitis B virus-related acute-on-chronic liver failure. Turkish Journal of Gastroenterology, 2020, 31, 620-625.	0.4	4
56	Association between polymorphisms of prokineticin receptor (PKR1 rs4627609 and PKR2 rs6053283) and recurrent pregnancy loss. Journal of Zhejiang University: Science B, 2016, 17, 218-224.	1.3	3
57	High Expression of Interleukin-33/ST2 Predicts the Progression and Poor Prognosis in Chronic Hepatitis B Patients with Hepatic Flare. American Journal of the Medical Sciences, 2020, 360, 656-661.	0.4	3
58	Risk of intellectual disability and maternal history of spontaneous abortion: a nationwide cohort study. Developmental Medicine and Child Neurology, 2021, 63, 831-838.	1.1	3
59	Association of prenatal exposure to polybrominated diphenyl ethers at low levels with adiposity measures in children up to 6 years. Chemosphere, 2022, 303, 134867.	4.2	3
60	Association of pre-pregnancy body mass index and gestational weight gain with neonatal anogenital distance in a Chinese birth cohort. Reproductive Health, 2022, 19, .	1.2	3
61	Association Between Neonatal Thyroid Function and Anogenital Distance from Birth to 48 Months of Age. Frontiers in Endocrinology, 2021, 12, 736505.	1.5	Ο