

Wei Yuan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2932622/publications.pdf>

Version: 2024-02-01

61
papers

2,346
citations

236612

25
h-index

214527

47
g-index

61
all docs

61
docs citations

61
times ranked

3178
citing authors

#	ARTICLE	IF	CITATIONS
1	Association of prenatal exposure to polybrominated diphenyl ethers at low levels with adiposity measures in children up to 6 years. <i>Chemosphere</i> , 2022, 303, 134867.	4.2	3
2	Association of pre-pregnancy body mass index and gestational weight gain with neonatal anogenital distance in a Chinese birth cohort. <i>Reproductive Health</i> , 2022, 19, .	1.2	3
3	Associations between prenatal exposure to perfluoroalkyl substances and neurobehavioral development in early childhood: A prospective cohort study. <i>Ecotoxicology and Environmental Safety</i> , 2022, 241, 113818.	2.9	9
4	Effects of prenatal exposure to polybrominated diphenyl ethers (PBDEs) on the second to fourth digit ratio in children aged 4 years. <i>International Journal of Hygiene and Environmental Health</i> , 2021, 231, 113639.	2.1	8
5	Prenatal exposure to perfluoroalkyl substances and cord plasma lipid concentrations. <i>Environmental Pollution</i> , 2021, 268, 115426.	3.7	12
6	Risk of intellectual disability and maternal history of spontaneous abortion: a nationwide cohort study. <i>Developmental Medicine and Child Neurology</i> , 2021, 63, 831-838.	1.1	3
7	Association between prenatal exposure to polybrominated diphenyl ethers and anogenital distance in girls at ages 0–4 years. <i>International Journal of Hygiene and Environmental Health</i> , 2021, 233, 113706.	2.1	7
8	Prenatal exposure to bisphenol analogues and digit ratio in children at ages 4 and 6 years: A birth cohort study. <i>Environmental Pollution</i> , 2021, 278, 116820.	3.7	7
9	Different Effects of Total Bilirubin on 90-Day Mortality in Hospitalized Patients With Cirrhosis and Advanced Fibrosis: A Quantitative Analysis. <i>Frontiers in Medicine</i> , 2021, 8, 704452.	1.2	6
10	Impact of Hepatic Encephalopathy on Clinical Characteristics and Adverse Outcomes in Prospective and Multicenter Cohorts of Patients With Acute-on-Chronic Liver Diseases. <i>Frontiers in Medicine</i> , 2021, 8, 709884.	1.2	6
11	Association Between Neonatal Thyroid Function and Anogenital Distance from Birth to 48 Months of Age. <i>Frontiers in Endocrinology</i> , 2021, 12, 736505.	1.5	0
12	Differential methylation of genes in the human placenta associated with bisphenol A exposure. <i>Environmental Research</i> , 2021, 200, 111389.	3.7	11
13	Prenatal exposure to residential PM2.5 and its chemical constituents and weight in preschool children: A longitudinal study from Shanghai, China. <i>Environment International</i> , 2021, 154, 106580.	4.8	14
14	Misconceptions and Beliefs Regarding the Use of Intrauterine Devices for Nulliparous Women Among Chinese Health Care Providers. <i>Journal of Pediatric and Adolescent Gynecology</i> , 2020, 33, 33-38.	0.3	5
15	High Expression of Interleukin-33/ST2 Predicts the Progression and Poor Prognosis in Chronic Hepatitis B Patients with Hepatic Flare. <i>American Journal of the Medical Sciences</i> , 2020, 360, 656-661.	0.4	3
16	Prenatal exposure to perfluoroalkyl substances and thyroid hormone concentrations in cord plasma in a Chinese birth cohort. <i>Environmental Health</i> , 2020, 19, 127.	1.7	24
17	Association between prenatal bisphenol a exposure and promoter hypermethylation of CAPS2, TNFRSF25, and HKR1 genes in cord blood. <i>Environmental Research</i> , 2020, 190, 109996.	3.7	12
18	Developmental differences in the intestinal microbiota of Chinese 1-year-old infants and 4-year-old children. <i>Scientific Reports</i> , 2020, 10, 19470.	1.6	15

#	ARTICLE	IF	CITATIONS
19	Prenatal exposure to residential PM2.5 and anogenital distance in infants at birth: A birth cohort study from Shanghai, China. <i>Environmental Pollution</i> , 2020, 264, 114684.	3.7	7
20	Prevalence and Clinical Significance of Portal Vein Thrombosis in Patients With Cirrhosis and Acute Decompensation. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 2564-2572.e1.	2.4	55
21	Prenatal bisphenol A exposure, fetal thyroid hormones and neurobehavioral development in children at 2 and 4 years: A prospective cohort study. <i>Science of the Total Environment</i> , 2020, 722, 137887.	3.9	27
22	Risks and predicting factors of bleeding complications in hepatitis B virus-related acute-on-chronic liver failure. <i>Turkish Journal of Gastroenterology</i> , 2020, 31, 620-625.	0.4	4
23	Associations of prenatal exposures to low levels of Polybrominated Diphenyl Ether (PBDE) with thyroid hormones in cord plasma and neurobehavioral development in children at 2 and 4 years. <i>Environment International</i> , 2019, 131, 105010.	4.8	51
24	Maternal plasma concentrations of perfluoroalkyl and polyfluoroalkyl substances during pregnancy and anogenital distance in male infants. <i>Human Reproduction</i> , 2019, 34, 1356-1368.	0.4	32
25	Prenatal polybrominated diphenyl ethers exposure and anogenital distance in boys from a Shanghai birth cohort. <i>International Journal of Hygiene and Environmental Health</i> , 2019, 222, 513-523.	2.1	40
26	Attitudes and practices related to intrauterine devices for nulliparous women among Chinese health care providers. <i>Reproductive Health</i> , 2019, 16, 10.	1.2	11
27	Bisphenol A and pubertal height growth in school-aged children. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2019, 29, 109-117.	1.8	19
28	Prenatal exposure to extremely low frequency magnetic field and its impact on fetal growth. <i>Environmental Health</i> , 2019, 18, 6.	1.7	9
29	Bisphenol A Exposure and Sperm ACHE Hydroxymethylation in Men. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 152.	1.2	23
30	Childhood polybrominated diphenyl ether (PBDE) serum concentration and reading ability at ages 5 and 8 years: The HOME Study. <i>Environment International</i> , 2019, 122, 330-339.	4.8	24
31	Association Between Paternal Alcohol Consumption Before Conception and Anogenital Distance of Offspring. <i>Alcoholism: Clinical and Experimental Research</i> , 2018, 42, 735-742.	1.4	20
32	Cryptorchidism and increased risk of neurodevelopmental disorders. <i>Journal of Psychiatric Research</i> , 2018, 96, 153-161.	1.5	8
33	Prenatal Paternal Selective Serotonin Reuptake Inhibitors Use and Risk of ADHD in Offspring. <i>Pediatrics</i> , 2018, 141, .	1.0	6
34	Exposure of environmental Bisphenol A in relation to routine sperm parameters and sperm movement characteristics among fertile men. <i>Scientific Reports</i> , 2018, 8, 17548.	1.6	43
35	Maternal exposure to bisphenol A and anogenital distance throughout infancy: A longitudinal study from Shanghai, China. <i>Environment International</i> , 2018, 121, 269-275.	4.8	63
36	Association of Bisphenol A Exposure with LINE-1 Hydroxymethylation in Human Semen. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1770.	1.2	30

#	ARTICLE	IF	CITATIONS
37	Determinants of plasma concentrations of perfluoroalkyl and polyfluoroalkyl substances in pregnant women from a birth cohort in Shanghai, China. <i>Environment International</i> , 2018, 119, 165-173.	4.8	98
38	In utero exposure to \hat{I}^2 -2-adrenergic receptor agonist and attention-deficit/hyperactivity disorder in children. <i>European Child and Adolescent Psychiatry</i> , 2017, 26, 847-856.	2.8	6
39	Risk Factors and Outcomes of Acute Kidney Injury in Patients With Hepatitis B Virus-Related Acute-on-Chronic Liver Failure. <i>American Journal of the Medical Sciences</i> , 2017, 353, 452-458.	0.4	8
40	Urine bisphenol A and pubertal development in boys. <i>International Journal of Hygiene and Environmental Health</i> , 2017, 220, 43-50.	2.1	25
41	Genome-wide alteration in DNA hydroxymethylation in the sperm from bisphenol A-exposed men. <i>PLoS ONE</i> , 2017, 12, e0178535.	1.1	50
42	Urinary bisphenol A and pubertal development in Chinese school-aged girls: a cross-sectional study. <i>Environmental Health</i> , 2017, 16, 80.	1.7	20
43	The Association between Exposure to Environmental Bisphenol A and Gonadotropic Hormone Levels among Men. <i>PLoS ONE</i> , 2017, 12, e0169217.	1.1	27
44	Association between polymorphisms of prokineticin receptor (PKR1 rs4627609 and PKR2 rs6053283) and recurrent pregnancy loss. <i>Journal of Zhejiang University: Science B</i> , 2016, 17, 218-224.	1.3	3
45	The Association Between Calcium, Magnesium, and Ratio of Calcium/Magnesium in Seminal Plasma and Sperm Quality. <i>Biological Trace Element Research</i> , 2016, 174, 1-7.	1.9	29
46	Prenatal and early life stress and risk of eating disorders in adolescent girls and young women. <i>European Child and Adolescent Psychiatry</i> , 2016, 25, 1245-1253.	2.8	35
47	Altered Gut Microbiota Composition Associated with Eczema in Infants. <i>PLoS ONE</i> , 2016, 11, e0166026.	1.1	130
48	Prenatal maternal bereavement and risk of eating disorders in infants and toddlers: a population-based cohort study. <i>BMC Psychiatry</i> , 2015, 15, 229.	1.1	14
49	Associations between Bisphenol A Exposure and Reproductive Hormones among Female Workers. <i>International Journal of Environmental Research and Public Health</i> , 2015, 12, 13240-13250.	1.2	52
50	Paternal Age and Offspring Congenital Heart Defects: A National Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0121030.	1.1	34
51	Higher Urinary Bisphenol A Concentration Is Associated with Unexplained Recurrent Miscarriage Risk: Evidence from a Case-Control Study in Eastern China. <i>PLoS ONE</i> , 2015, 10, e0127886.	1.1	39
52	Exposure to bisphenol-A and reproductive hormones among male adults. <i>Environmental Toxicology and Pharmacology</i> , 2015, 39, 934-941.	2.0	64
53	Correlation between Exposure to Magnetic Fields and Embryonic Development in the First Trimester. <i>PLoS ONE</i> , 2014, 9, e101050.	1.1	13
54	Urine Bisphenol-A Level in Relation to Obesity and Overweight in School-Age Children. <i>PLoS ONE</i> , 2013, 8, e65399.	1.1	111

#	ARTICLE	IF	CITATIONS
55	Urine bisphenol-A (BPA) level in relation to semen quality. <i>Fertility and Sterility</i> , 2011, 95, 625-630.e4.	0.5	298
56	In utero exposure to bisphenol-A and its effect on birth weight of offspring. <i>Reproductive Toxicology</i> , 2011, 32, 64-68.	1.3	102
57	In utero exposure to bisphenol-A and anogenital distance of male offspring. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2011, 91, 867-872.	1.6	130
58	Exposure to magnetic fields and the risk of poor sperm quality. <i>Reproductive Toxicology</i> , 2010, 29, 86-92.	1.3	50
59	Relationship Between Urine Bisphenol-A Level and Declining Male Sexual Function. <i>Journal of Andrology</i> , 2010, 31, 500-506.	2.0	108
60	Bisphenol A levels in blood and urine in a Chinese population and the personal factors affecting the levels. <i>Environmental Research</i> , 2009, 109, 629-633.	3.7	219
61	Occupational Exposure Levels of Bisphenol A among Chinese Workers. <i>Journal of Occupational Health</i> , 2009, 51, 432-436.	1.0	61