

Zora PopoviÄ

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2932702/publications.pdf>

Version: 2024-02-01

110
papers

1,471
citations

411340

20
h-index

466096

32
g-index

112
all docs

112
docs citations

112
times ranked

1616
citing authors

#	ARTICLE	IF	CITATIONS
1	Anion-assisted supramolecular assemblies of zinc(II) complexes with isonicotinamide. <i>Heliyon</i> , 2022, 8, e09943.	1.4	2
2	Structural and electrochemical properties of two novel CdX ₂ (X=Br, I) picolinamide complexes. <i>Polyhedron</i> , 2021, 194, 114906.	1.0	1
3	Ternary palladium(II) complexes with N-benzyliminodiacetic acid derivatives and 2,2'-bipyridine: Preparation, thermogravimetric, vibrational spectroscopic, DFT, NMR studies and biological activity in vitro. <i>Inorganica Chimica Acta</i> , 2021, 516, 120131.	1.2	5
4	Self-Assembly of Cobalt(II) Coordination Polymers with Differently Halosubstituted Nicotinate Ligands and 4,4'-bipyridine – The Effect of the Halosubstituent Positions on Polymer Types. <i>European Journal of Inorganic Chemistry</i> , 2021, 2021, 1470-1480.	1.0	4
5	The Solvent Effect on Composition and Dimensionality of Mercury(II) Complexes with Picolinic Acid. <i>Molecules</i> , 2021, 26, 5002.	1.7	2
6	The role of non-covalent intermolecular interactions on the diversity of crystal packing in supramolecular dihalopyridine-silver nitrate complexes. <i>CrystEngComm</i> , 2020, 22, 7962-7974.	1.3	4
7	Stereochemistry of Hexacoordinated Zn(II), Cu(II), Ni(II), and Co(II) Complexes with Iminodiacetamide Ligands. <i>Inorganic Chemistry</i> , 2019, 58, 16445-16457.	1.9	20
8	Anion influence on polymerization of Cd(II) picolinamide complexes. <i>Inorganica Chimica Acta</i> , 2018, 478, 32-43.	1.2	6
9	A Design of Mercury(II) Coordination Polymers with Pyridinedicarboxylic Acids: Structural, Spectroscopic and Thermal Studies. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2018, 28, 2080-2089.	1.9	5
10	Copper(II) complexes with N-alkyliminodiacetamide ligands. Preparation, structural, spectroscopic and DFT studies and biological evaluation. <i>Inorganica Chimica Acta</i> , 2018, 471, 521-529.	1.2	2
11	New coordination modes of iminodiacetamide type ligands in palladium(II) complexes: crystallographic and DFT studies. <i>Structural Chemistry</i> , 2018, 29, 195-206.	1.0	3
12	Hydrogen-Bonded Frameworks of Mercury(II) Complexes with Pyridinedicarboxylic Acids. <i>Australian Journal of Chemistry</i> , 2018, 71, 455.	0.5	2
13	Palladium(II) complexes with N-alkyliminodiacetic acid derivatives: Preparation, structural and spectroscopic studies. <i>Inorganica Chimica Acta</i> , 2017, 462, 64-74.	1.2	5
14	Influence of the non-coordinating alkyl chain type in N-alkylated iminodiacetamides on the stability and structure of their complexes with nickel(II) and cobalt(II). <i>Polyhedron</i> , 2017, 130, 115-126.	1.0	9
15	Copper(II) perchlorate complexes with N-arylalkyliminodiacetamide ligands: X-ray structural, vibrational spectroscopic, DFT and thermogravimetric studies. <i>Inorganica Chimica Acta</i> , 2017, 462, 57-63.	1.2	7
16	Electrochemical Characteristics of 4-pyranedicarboxylic Acid (Chelidonic Acid) and some of its Metal Complexes. <i>Electroanalysis</i> , 2017, 29, 538-547.	1.5	5
17	Vibrational Spectroscopic Characterization and DFT Study of Palladium(II) Complexes with N-Benzyliminodiacetic Acid Derivatives. <i>Australian Journal of Chemistry</i> , 2016, 69, 1285.	0.5	5
18	Preparation and NMR spectroscopic study of palladium(II) complexes with N-arylalkyliminodiacetamide derivatives. <i>Journal of Molecular Structure</i> , 2016, 1122, 192-197.	1.8	1

#	ARTICLE	IF	CITATIONS
19	Cobalt(II) and nickel(II) complexes with N-benzyl- and N-(p-nitrobenzyl)iminodiacetic acids. Structural and vibrational spectroscopic characterization and DFT study. <i>Inorganica Chimica Acta</i> , 2016, 453, 95-103.	1.2	7
20	Interval ridge regression (IRR) as a fast and robust method for quantitative prediction and variable selection applied to edible oil adulteration. <i>Talanta</i> , 2016, 150, 37-45.	2.9	7
21	Structural diversity of the Ag coordination sphere in complexes of silver(I) nitrate with 3-halopyridine. Characterization of the complexes in solution and in the solid state. <i>Polyhedron</i> , 2016, 109, 166-175.	1.0	6
22	Preparation and Characterization of Copper(II) and Nickel(II) Complexes with N-Benzyliminodiacetamide Derivatives. <i>Australian Journal of Chemistry</i> , 2016, 69, 896.	0.5	6
23	Influence of electrostatic repulsive force and electron-withdrawing effect in ionic diphosphine on regioselectivity of rhodium-catalyzed hydroformylation of 1-octene. <i>Journal of Molecular Catalysis A</i> , 2015, 402, 37-45.	4.8	10
24	A diversity of hydrogen bond motifs in the crystal structures of nickel(II) and copper(II) complexes with N-arylalkyliminodiacetamides. <i>Polyhedron</i> , 2015, 93, 106-117.	1.0	10
25	Impact of Coordinated Pseudohalide Ions and Picolinamide on Supramolecular Synthons in Selected Zinc and Cadmium Complexes. <i>Acta Chimica Slovenica</i> , 2015, 62, 328-336.	0.2	7
26	Preparation and characterization of palladium(II) complexes with N-arylalkyliminodiacetic acids. Catalytic activity of complexes in methoxycarbonylation of iodobenzene. <i>Journal of Organometallic Chemistry</i> , 2014, 760, 224-230.	0.8	7
27	Can self-assembly of copper(ii) picolinamide building blocks be controlled?. <i>CrystEngComm</i> , 2013, 15, 8074.	1.3	9
28	Impact of amide-amide hydrogen bonding on the stability of two nicotinamide complexes of silver(I). <i>Mineralogy and Petrology</i> , 2013, 107, 341-348.	0.4	3
29	Role of the group 12 metals in tuning the structural motif: From complexes to halometallate salts of 3-carbamoyl-1-methylpyridinium. <i>Polyhedron</i> , 2013, 52, 689-698.	1.0	1
30	Nickel(II) complexes with N-arylalkyliminodiacetic acids: Preparation, spectroscopic, structural and thermal characterization. <i>Inorganica Chimica Acta</i> , 2013, 400, 122-129.	1.2	7
31	Synthesis, X-ray structural, IR spectroscopic, thermal and DFT studies of nickel(II) and copper(II) complexes with 3-methylpicolinic acid. UV-Vis spectrophotometric study of complexation in the solution. <i>Polyhedron</i> , 2013, 52, 1349-1361.	1.0	17
32	Vibrational spectroscopic and DFT calculation studies of cobalt(II) complexes with 3-hydroxypicolinic acid. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2013, 101, 273-282.	2.0	6
33	Synthesis and Characterization of a Copper(II) Complex with 6-Hydroxypicolinic Acid and 3-Picoline. <i>Croatica Chemica Acta</i> , 2012, 85, 479-483.	0.1	9
34	Synthesis, Spectral and Thermal Characterization of Bis(pyridine-3-carboxy-2-thiolato-S)mercury(II). Crystal Structure of Dibromobis(3-methoxycarbonylpyridine-2-thiolato-S)mercury(II). <i>Croatica Chemica Acta</i> , 2012, 85, 515-524.	0.1	1
35	Bifunctional Ionic Liquid Catalyst Containing Sulfoacid Group and Hexafluorotitanate for Room Temperature Sulfoxidation of Sulfides to Sulfoxides Using Hydrogen Peroxide. <i>ACS Catalysis</i> , 2012, 2, 230-237.	5.5	25
36	Functionalization of plasmonic metamaterials utilizing metal-organic framework thin films. <i>Physica Scripta</i> , 2012, T149, 014051.	1.2	3

#	ARTICLE	IF	CITATIONS
37	Preparation, spectroscopic, structural, and thermal characterization of vanadium complexes with 2-quinaldic acid. <i>Monatshefte für Chemie</i> , 2012, 143, 1471-1477.	0.9	7
38	Structural study of picolinamide complexes of Ni(II), Zn(II), Cd(II), and Hg(II) nitrates in solid state and solution. <i>Journal of Coordination Chemistry</i> , 2012, 65, 1017-1032.	0.8	21
39	Synthesis of an Ionic Paramagnetic Ruthenium(III) Complex and Its Application as an Efficient and Recyclable Catalyst for the Transfer Hydrogenation of Ketones. <i>European Journal of Inorganic Chemistry</i> , 2012, 2012, 3435-3440.	1.0	18
40	A functionalized ionic liquid containing phosphine-ligated palladium complex for the Sonogashira reactions under aerobic and CuI-free conditions. <i>Catalysis Communications</i> , 2012, 17, 160-163.	1.6	37
41	Structural preferences and isomerism in nickel(II) and copper(II) complexes with 3-hydroxypicolinic acid. <i>Polyhedron</i> , 2012, 39, 66-75.	1.0	10
42	Preparation, structural, spectroscopic, thermal and DFT characterization of cadmium(II) complexes with quinaldic acid. <i>Inorganica Chimica Acta</i> , 2011, 378, 154-162.	1.2	14
43	A Homogeneous Mixture Composed of Vanadate, Acid, and TEMPO Functionalized Ionic Liquids for Alcohol Oxidation by H ₂ O ₂ . <i>ChemCatChem</i> , 2011, 3, 1208-1213.	1.8	18
44	Coordination-driven self-assembly of thiocyanate complexes of Co(ii), Ni(ii) and Cu(ii) with picolinamide: a structural and DFT study. <i>CrystEngComm</i> , 2011, 13, 5863.	1.3	35
45	Self-Assembly of Two Isomorphous Thiocyanate Complexes of Co(II) and Ni(II) with 3-Hydroxypicolinamide. <i>Journal of Chemical Crystallography</i> , 2011, 41, 180-185.	0.5	15
46	Supramolecular Architecture via Self-Complementary Amide Hydrogen Bonding in [Ag(pia) ₂](NO ₃)·H ₂ O: Synthesis, Thermal and Structural Studies. <i>Journal of Chemical Crystallography</i> , 2011, 41, 343-348.	0.5	18
47	Preparation, structural and thermal characterization of cobalt(II) and copper(II) complexes with 3-hydroxypicolinamide. <i>Transition Metal Chemistry</i> , 2011, 36, 65-71.	0.7	4
48	Pd-porphyrin functionalized ionic liquid-modified mesoporous SBA-15: An efficient and recyclable catalyst for solvent-free Heck reaction. <i>Materials Research Bulletin</i> , 2010, 45, 1648-1653.	2.7	43
49	Association of copper(II) isonicotinamide moieties via different anionic bridging ligands: Two paths of ferromagnetic interaction in the azide coordination compound. <i>Polyhedron</i> , 2010, 29, 1910-1917.	1.0	47
50	Cis–trans isomerism in cobalt(II) complexes with 3-hydroxypicolinic acid. Structural, DFT and thermal studies. <i>Inorganica Chimica Acta</i> , 2010, 363, 1887-1896.	1.2	12
51	Disappearing and Concomitant Polymorphism of Nickel(II) Complexes with 6-Hydroxypicolinic Acid. Structural and Density Functional Theory Studies. <i>Crystal Growth and Design</i> , 2010, 10, 3685-3693.	1.4	14
52	Pseudopolymorphism in nickel(II) complexes with 6-bromopicolinic acid. Synthesis, structural and thermal studies. <i>Journal of Molecular Structure</i> , 2009, 930, 121-125.	1.8	10
53	Uncommon isonicotinamide supramolecular synthons in copper(II) complexes directed by nitrate and perchlorate anions. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2009, 65, m361-m366.	0.4	7
54	Polymorphism of cobalt(II) complex with 6-bromopicolinic acid: The influence of the solution pH value on the formation of polymorphs. <i>Journal of Molecular Structure</i> , 2009, 938, 174-178.	1.8	14

#	ARTICLE	IF	CITATIONS
55	Synthesis, structural, spectroscopic and thermal characterization of cobalt complexes with 3- and 6-methylpicolinic acid. Voltammetric and spectrophotometric study in solution. <i>Inorganica Chimica Acta</i> , 2009, 362, 2704-2714.	1.2	16
56	Various coordination modes in mercury(II) complexes with quinoline-2-carboxylic acid: Preparation and structural characterization. <i>Polyhedron</i> , 2009, 28, 2735-2743.	1.0	14
57	Thiocyanate complexes of the group 12 metals with pyridine-2-carboxamide: Synthesis and structural characterization. <i>Polyhedron</i> , 2008, 27, 210-222.	1.0	63
58	Synthesis, spectroscopic and structural investigation of Zn(NCS) ₂ (nicotinamide) ₂ and [Hg(SCN) ₂ (nicotinamide)] _n . <i>Polyhedron</i> , 2008, 27, 465-472.	1.0	33
59	Synthesis and characterization of some novel cadmium(II) complexes with 3-hydroxypicolinic acid (3-OHpicH): Crystal and molecular structures of [Cd(3-OHpic)(3-OHpicH)(H ₂ O)] ₂ , [Cd(3-OHpic) ₂ (H ₂ O) ₂] and [Cd(3-OHpic) ₂] _n . <i>Polyhedron</i> , 2008, 27, 1479-1488.	1.0	7
60	3D supramolecular architectures of copper(II) complexes with 6-methylpicolinic and 6-bromopicolinic acid: Synthesis, spectroscopic, thermal and magnetic properties. <i>Polyhedron</i> , 2008, 27, 3631-3638.	1.0	50
61	Synthesis and structure of cobalt(II) complexes with hydroxyl derivatives of pyridinecarboxylic acids: Conformation analysis of ligands in the solid state. <i>Journal of Molecular Structure</i> , 2008, 882, 47-55.	1.8	26
62	Synthesis, spectroscopic and structural investigation of two nickel(II) thiocyanate complexes with isonicotinic acid. <i>Journal of Molecular Structure</i> , 2008, 888, 394-400.	1.8	9
63	Pseudopolymorphism in Nickel(II) Complexes with 6-Methylpicolinate. Synthesis, Structural, Spectroscopic, Thermal, and Density Functional Theory Studies. <i>Crystal Growth and Design</i> , 2008, 8, 3465-3473.	1.4	23
64	Synthesis and characterization of copper(II) complexes with 3-methylpicolinic acid. Crystal and molecular structure of $[Cu(3\text{-methylpicolinate})_2]_n$. <i>Journal of Molecular Structure</i> , 2008, 888, 394-400.	1.4	14
65	cis-Bis(azido- η^1 N)bis(pyridine-2-carboxamide- η^2 N1,O)nickel(II). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2008, 64, m311-m312.	0.2	4
66	Coordination modes of 3-hydroxypicolinic acid: Synthesis and structural characterization of polymeric mercury(II) complexes. <i>Polyhedron</i> , 2007, 26, 1045-1052.	1.0	23
67	Synthesis and characterization of mercury(II) complexes with 2-styryl-1,3-benzothiazole (sb). Presence of two differently coordinated Hg(II) ions in the dinuclear complex Hg ₂ Cl ₄ (sb) ₃ . Structural characterization of 2-styryl-1,3-benzothiazole and some of its derivatives. <i>Polyhedron</i> , 2007, 26, 5162-5170.	1.0	15
68	trans-Bis(dimethyl sulfoxide- η^1 O)bis(3-oxo-3,4-dihydroquinoxaline-2-carboxylato- η^2 N1,O ₂)copper(II). <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2007, 63, m181-m183.	0.4	0
69	A one-dimensional Cd ^{II} coordination polymer: <i>catena</i> -poly[cadmium(II)-bis(1/4-6-methylpicolinate)]. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2007, 63, m389-m391.	0.4	6
70	trans-Bis(azido- η^1 N)bis(pyridine-2-carboxamide- η^2 N1,O ₂)nickel(II). <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2007, 63, m507-m509.	0.4	6
71	(Nitrate- η^1 O)bis(pyridine-2-carboxamide- η^2 N1,O)mercury(II) nitrate. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2007, 63, m557-m559.	0.4	3
72	A new coordination mode of 6-methylnicotinic acid intrans-tetraaquabis(6-methylpyridine-3-carboxylato- η^1 O)cobalt(II) tetrahydrate. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2007, 63, m615-m617.	0.4	5

#	ARTICLE	IF	CITATIONS
73	10.1007/s10973-006-8123-z. Journal of Thermal Analysis and Calorimetry, 2007, 88, 489-493.	2.0	1
74	Iodo(picolinato- λ^2 N,O)(picolinic acid- λ^2 N,O)mercury(II). Acta Crystallographica Section C: Crystal Structure Communications, 2006, 62, m272-m274.	0.4	3
75	Coordination modes of 3-hydroxypicolinic acid (OH-picH): Synthesis and characterization of cadmium(II) complexes. Polyhedron, 2006, 25, 2353-2362.	1.0	19
76	On the interaction between mercury(II) salts and 3-methylpyrazoline-5-one. The first crystal structure of a cyclic organomercuric compound with a dimercurated methylenic carbon atom. Structural Chemistry, 2006, 17, 195-200.	1.0	1
77	Supramolecular amide and thioamide synthons in hydrogen bonding patterns of N-aryl-furamides and N-aryl-thiofuramides. Structural Chemistry, 2006, 17, 275-285.	1.0	9
78	4-Amino-N-isopropylbenzamidinium chloride ethanol solvate. Acta Crystallographica Section C: Crystal Structure Communications, 2005, 61, o98-o100.	0.4	3
79	Bis{1-[N-(2-methoxyphenyl)iminomethyl]naphthalen-2(1H)-onato- λ^3 O,N, λ^2 }-zinc(II) ethanol solvate. Acta Crystallographica Section C: Crystal Structure Communications, 2005, 61, m351-m352.	0.4	2
80	Nitroaniline Derivatives of 2-Oxo-1-naphthylideneamines: Molecular Self-Assembling via $\text{C}=\text{O}$ Intermolecular Hydrogen Bonds and Stabilization of $\text{O}=\text{N}$ and $\text{N}=\text{O}$ Tautomers in Solution and Solid State. Structural Chemistry, 2004, 15, 587-598.	1.0	22
81	A new complex of HgBr_2 and pyrimidine-2-thione: (pyrimidine-2-thionato- λ^2 S)(pyrimidinium-2-thionato- λ^2 S)mercury(II) tetrabromomercury(II). Acta Crystallographica Section C: Crystal Structure Communications, 2004, 60, m44-m46.	0.4	7
82	2-Furancarboxanilide. Acta Crystallographica Section E: Structure Reports Online, 2004, 60, o631-o633.	0.2	3
83	N-Benzyl-2-methylfuran-3-thiocarboxanilide. Acta Crystallographica Section E: Structure Reports Online, 2004, 60, o637-o639.	0.2	2
84	Complexes of zinc(II) halides with N-benzyl- and N-p-tolyl-2-oxo-1-naphthylideneamine: preparation and characterization. Polyhedron, 2004, 23, 1293-1302.	1.0	5
85	Bis(7-amino-1,3-benzothiazole- λ^3 N3)dichlorozinc(II). Acta Crystallographica Section C: Crystal Structure Communications, 2003, 59, m4-m6.	0.4	5
86	1,3-Benzothiazole-6-carboxamidinium chloride dihydrate. Acta Crystallographica Section C: Crystal Structure Communications, 2003, 59, o190-o191.	0.4	4
87	Polymeric $\frac{1}{4}$ -bromo- $\frac{1}{4}$ -pyridine-3-carboxylato- λ^3 O, λ^2 :N-mercury(II). Acta Crystallographica Section C: Crystal Structure Communications, 2003, 59, m165-m167.	0.4	4
88	Mercury(II) Complexes with Heterocyclic Thiones: Preparation and Characterization of the 1:1 and 1:2 Mercury(II) Complexes with Benzo-1,3-imidazole-2-thione. European Journal of Inorganic Chemistry, 2002, 2002, 171-180.	1.0	23
89	Aquabromo(6-carboxypyridine-2-carboxylato-O,N, λ^2)mercury(II). Acta Crystallographica Section C: Crystal Structure Communications, 2002, 58, m39-m40.	0.4	3
90	On tautomerism of two 5-methoxysalicylaldehyde structural isomers in the solid state: structural study of N-(o-hydroxyphenyl)-5-methoxysalicylaldehyde and N-(m-hydroxyphenyl)-5-methoxysalicylaldehyde. Journal of Molecular Structure, 2002, 615, 23-31.	1.8	35

#	ARTICLE	IF	CITATIONS
91	Title is missing!. Structural Chemistry, 2002, 13, 415-424.	1.0	12
92	Title is missing!. Structural Chemistry, 2002, 13, 425-436.	1.0	24
93	Diiodo(3,4,5,6-tetrahydropyrimidinium-2-thiolato-S)mercury(II). Acta Crystallographica Section C: Crystal Structure Communications, 2001, 57, 409-411.	0.4	4
94	The first example of coexistence of the ketoamino-enolimino forms of diamine Schiff base naphthaldimine parts: the crystal and molecular structure of N,N'-bis(1-naphthaldimine)-o-phenylenediamine chloroform (1/1) solvate at 200 K. Journal of Molecular Structure, 2001, 597, 39-47.	1.8	57
95	Preparation and characterization of the 1:1 adducts of mercury(II) halides with N-benzyl- and N-p-tolyl-2-oxo-1-naphthylideneamine. The crystal and molecular structures of two isostructural di-1/4-halo-bis[halo(N-benzyl-2-oxo-1-naphthylideneamine)mercury(II)] adducts (halo=chloro, bromo). Inorganica Chimica Acta, 2001, 322, 65-73.	1.2	19
96	catena-Poly[[[(2-methyl-1,3-benzothiazole-N)mercury(II)]-di-1/4-chloro]. Acta Crystallographica Section C: Crystal Structure Communications, 2001, 57, 20-21.	0.4	3
97	Mercuration of thiophene-2-carboxylic acid, 1/2-thienylethanoic acid and 3-(2-thienyl)alanine: preparation and spectral characterization. Applied Organometallic Chemistry, 2000, 14, 598-603.	1.7	4
98	Mercury(II) complexes of heterocyclic thiones.. Inorganica Chimica Acta, 2000, 306, 142-152.	1.2	80
99	Diiodobis(1-methyl-1,3-imidazolium-2-thiolato-S)mercury(II). Acta Crystallographica Section C: Crystal Structure Communications, 2000, 56, 801-803.	0.4	8
100	A 1:2 complex of mercury(II) chloride with 1,3-imidazole-2-thione. Acta Crystallographica Section C: Crystal Structure Communications, 2000, 56, 61-63.	0.4	18
101	Preparation and spectroscopic properties of the complexes of mercuric thiocyanate with pyridine-2-thione and pyridine-2-carboxylic acid.. Inorganica Chimica Acta, 1999, 285, 208-216.	1.2	40
102	Mercury(II) compounds with 1,3-imidazole-2-thione and its 1-methyl analogue. Preparative and NMR spectroscopic studies. The crystal structures of di-1/4-iodo-bis[iodo(1,3-imidazolium-2-thiolato-S)mercury(II)], bis[bromo(1,3-imidazolium-2-thiolato-S)]mercury(II) and bis[1/4-(1-N-methyl-1,3-imidazole-2-thiolato-S)]mercury(II). Inorganica Chimica Acta, 1999, 294, 35-46.	1.2	64
103	Hydrogen bonding interactions in the 2,2'-bipyridine-pyromellitic acid complex IR, nuclear magnetic resonance and theoretical studies. Journal of the Chemical Society, Faraday Transactions, 1998, 94, 1051-1056.	1.7	9
104	Mercuration Products of Some Aliphatic Ketones and Keto-Acids. 1H and 13C NMR Evidence on the Site and Degree of Mercuration. The Crystal and Molecular Structure of 1-(Acetoxymercuro) Butanone. Main Group Chemistry, 1996, 1, 373-385.	0.4	9
105	Mercury(II) complex with terpyridine: structure of the 2*1 solvate of [Hg(terpy)2](CF3SO3)2 with acetone. Journal of Chemical Crystallography, 1995, 25, 453-458.	0.5	10
106	Mercuration products of some aliphatic carboxylic acids: preparation and spectral properties. Crystal structure of the bipyridyl complex of the nitrate of monomercurated propionic acid. Organometallics, 1993, 12, 4708-4713.	1.1	19
107	Monomercurated acetic acid. The crystal structure of NO3HgCH2COOH. Journal of Organometallic Chemistry, 1991, 411, 19-23.	0.8	12
108	Terpyridine complexes of Hg(OCOCF3)2 and Hg(BF4)2. Crystal and molecular structure of mercuric trifluoroacetato-2,2'-bis(2,2'-terpyridine). Inorganica Chimica Acta, 1991, 190, 169-172.	1.2	9

#	ARTICLE	IF	CITATIONS
109	Mercuration of n-butyric, n-valeric and isovaleric acid. The crystal structure of C ₂ H ₅ C(HgCl) ₂ COOH · DMSO. <i>Journal of Organometallic Chemistry</i> , 1991, 405, 59-65.	0.8	10
110	Addition compounds of bis(trifluoromethyl)mercury with tetraphenylphosphonium and tetraphenylarsonium halides and thiocyanates. <i>Inorganica Chimica Acta</i> , 1988, 150, 113-118.	1.2	17