

Barry J Hoffer

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2932742/barry-j-hoffer-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

76
papers

3,203
citations

27
h-index

56
g-index

82
ext. papers

3,667
ext. citations

5.6
avg, IF

4.82
L-index

#	Paper	IF	Citations
76	Role of chronic neuroinflammation in neuroplasticity and cognitive function: A hypothesis.. <i>Alzheimers and Dementia</i> , 2022 ,	1.2	1
75	3,6?- and 1,6?-Dithiopomalidomide Mitigate Ischemic Stroke in Rats and Blunt Inflammation. <i>Pharmaceutics</i> , 2022 , 14, 950	6.4	0
74	Tetrabenazine Mitigates Aberrant Release and Clearance of Dopamine in the Nigrostriatal System, and Alleviates L-DOPA-Induced Dyskinesia in a Mouse Model of Parkinson's Disease. <i>Journal of Parkinsons Disease</i> , 2022 , 1-21	5.3	
73	-Adamantyl Phthalimidine: A New Thalidomide-like Drug That Lacks Cereblon Binding and Mitigates Neuronal and Synaptic Loss, Neuroinflammation, and Behavioral Deficits in Traumatic Brain Injury and LPS Challenge. <i>ACS Pharmacology and Translational Science</i> , 2021 , 4, 980-1000	5.9	4
72	Drug Repurposing in the Treatment of Traumatic Brain Injury. <i>Frontiers in Neuroscience</i> , 2021 , 15, 635483	3.1	4
71	Administration of AAV-Alpha Synuclein NAC Antibody Improves Locomotor Behavior in Rats Overexpressing Alpha Synuclein. <i>Genes</i> , 2021 , 12,	4.2	1
70	Sustained Release GLP-1 Agonist PT320 Delays Disease Progression in a Mouse Model of Parkinson's Disease. <i>ACS Pharmacology and Translational Science</i> , 2021 , 4, 858-869	5.9	4
69	3,6'-Dithiopomalidomide Ameliorates Hippocampal Neurodegeneration, Microgliosis and Astrogliosis and Improves Cognitive Behaviors in Rats with a Moderate Traumatic Brain Injury. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	3
68	CCL5 via GPX1 activation protects hippocampal memory function after mild traumatic brain injury. <i>Redox Biology</i> , 2021 , 46, 102067	11.3	0
67	Downregulation of α Synuclein Protein Levels by an Intracellular Single-Chain Antibody. <i>Journal of Parkinsons Disease</i> , 2020 , 10, 573-590	5.3	1
66	3,6'-dithiopomalidomide reduces neural loss, inflammation, behavioral deficits in brain injury and microglial activation. <i>ELife</i> , 2020 , 9,	8.9	13
65	Time-dependent cytokine and chemokine changes in mouse cerebral cortex following a mild traumatic brain injury. <i>ELife</i> , 2020 , 9,	8.9	11
64	Neurotrophic and neuroprotective effects of a monomeric GLP-1/GIP/Gcg receptor triagonist in cellular and rodent models of mild traumatic brain injury. <i>Experimental Neurology</i> , 2020 , 324, 113113	5.7	5
63	(-)-Phenserine tartrate (PhenT) as a treatment for traumatic brain injury. <i>CNS Neuroscience and Therapeutics</i> , 2020 , 26, 636-649	6.8	7
62	The p53 inactivators pifithrin-B and pifithrin-C mitigate TBI-induced neuronal damage through regulation of oxidative stress, neuroinflammation, autophagy and mitophagy. <i>Experimental Neurology</i> , 2020 , 324, 113135	5.7	20
61	PT320, Sustained-Release Exendin-4, Mitigates L-DOPA-Induced Dyskinesia in a Rat 6-Hydroxydopamine Model of Parkinson's Disease. <i>Frontiers in Neuroscience</i> , 2020 , 14, 785	5.1	9
60	Neuronal Hyperexcitability Following mTBI 2019 , 67-81		

59	Post-Injury Neuroprotective Effects of the Thalidomide Analog 3,6'-Dithiothalidomide on Traumatic Brain Injury. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	16
58	Voluntary exercise delays progressive deterioration of markers of metabolism and behavior in a mouse model of Parkinson's disease. <i>Brain Research</i> , 2019 , 1720, 146301	3.7	8
57	(-)-Phenserine Ameliorates Contusion Volume, Neuroinflammation, and Behavioral Impairments Induced by Traumatic Brain Injury in Mice. <i>Cell Transplantation</i> , 2019 , 28, 1183-1196	4	7
56	Pomalidomide Reduces Ischemic Brain Injury in Rodents. <i>Cell Transplantation</i> , 2019 , 28, 439-450	4	9
55	Release parameters during progressive degeneration of dopamine neurons in a mouse model reveal earlier impairment of spontaneous than forced behaviors. <i>Journal of Neurochemistry</i> , 2019 , 150, 56-73	6	8
54	Incretin Mimetics as Rational Candidates for the Treatment of Traumatic Brain Injury. <i>ACS Pharmacology and Translational Science</i> , 2019 , 2, 66-91	5.9	15
53	Differences in Nicotine Encoding Dopamine Release between the Striatum and Shell Portion of the Nucleus Accumbens. <i>Cell Transplantation</i> , 2019 , 28, 248-261	4	5
52	(-)-Phenserine and the prevention of pre-programmed cell death and neuroinflammation in mild traumatic brain injury and Alzheimer's disease challenged mice. <i>Neurobiology of Disease</i> , 2019 , 130, 104528	7.5	22
51	Neuroprotective Effects and Treatment Potential of Incretin Mimetics in a Murine Model of Mild Traumatic Brain Injury. <i>Frontiers in Cell and Developmental Biology</i> , 2019 , 7, 356	5.7	14
50	Delayed Dopamine Dysfunction and Motor Deficits in Female Parkinson Model Mice. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	8
49	Role of Nogo Receptor-1 for Recovery of Balance, Cognition, and Emotion after Mild Traumatic Brain Injury in Mice. <i>Journal of Neurotrauma</i> , 2019 , 36, 1054-1059	5.4	4
48	Pharmacokinetics and efficacy of PT302, a sustained-release Exenatide formulation, in a murine model of mild traumatic brain injury. <i>Neurobiology of Disease</i> , 2019 , 124, 439-453	7.5	16
47	Exercise Ameliorates Motor Deficits and Improves Dopaminergic Functions in the Rat Hemi-Parkinson's Model. <i>Scientific Reports</i> , 2018 , 8, 3973	4.9	17
46	Post-treatment with PT302, a long-acting Exendin-4 sustained release formulation, reduces dopaminergic neurodegeneration in a 6-Hydroxydopamine rat model of Parkinson's disease. <i>Scientific Reports</i> , 2018 , 8, 10722	4.9	27
45	Nicotine-Induced Conditional Place Preference Is Affected by Head Injury: Correlation with Dopamine Release in the Nucleus Accumbens Shell. <i>International Journal of Neuropsychopharmacology</i> , 2018 , 21, 949-961	5.8	1
44	Effect of traumatic brain injury on nicotine-induced modulation of dopamine release in the striatum and nucleus accumbens shell. <i>Oncotarget</i> , 2018 , 9, 10016-10028	3.3	5
43	GLUCAGON-LIKE PEPTIDE-1 (GLP-1) RECEPTOR AGONISTS FOR THE TREATMENT OF NEURODEGENERATIVE DISORDERS. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2018 , WCP2018, OR6-4	0	
42	Profound deficits in hippocampal synaptic plasticity after traumatic brain injury and seizure is ameliorated by prophylactic levetiracetam. <i>Oncotarget</i> , 2018 , 9, 11515-11527	3.3	14

41	Pomalidomide Ameliorates HDH-Induced Oxidative Stress Injury and Cell Death in Rat Primary Cortical Neuronal Cultures by Inducing Anti-Oxidative and Anti-Apoptosis Effects. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	16
40	Glucose-Dependent Insulinotropic Polypeptide Mitigates 6-OHDA-Induced Behavioral Impairments in Parkinsonian Rats. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	9
39	Dopamine release in the nucleus accumbens is altered following traumatic brain injury. <i>Neuroscience</i> , 2017 , 348, 180-190	3.9	21
38	Impact of Traumatic Brain Injury on Dopaminergic Transmission. <i>Cell Transplantation</i> , 2017 , 26, 1156-1168	4.8	31
37	Repositioning drugs for traumatic brain injury - N-acetyl cysteine and Phenserine. <i>Journal of Biomedical Science</i> , 2017 , 24, 71	13.3	21
36	Exendin-4 attenuates blast traumatic brain injury induced cognitive impairments, losses of synaptophysin and in vitro TBI-induced hippocampal cellular degeneration. <i>Scientific Reports</i> , 2017 , 7, 3735	4.9	29
35	A New Treatment Strategy for Parkinson's Disease through the Gut-Brain Axis: The Glucagon-Like Peptide-1 Receptor Pathway. <i>Cell Transplantation</i> , 2017 , 26, 1560-1571	4	66
34	Impact of traumatic brain injury on dopaminergic transmission. <i>Cell Transplantation</i> , 2017 ,	4	2
33	Blast traumatic brain injury-induced cognitive deficits are attenuated by preinjury or postinjury treatment with the glucagon-like peptide-1 receptor agonist, exendin-4. <i>Alzheimers and Dementia</i> , 2016 , 12, 34-48	1.2	38
32	Post-traumatic administration of the p53 inactivator pifithrin- α oxygen analogue reduces hippocampal neuronal loss and improves cognitive deficits after experimental traumatic brain injury. <i>Neurobiology of Disease</i> , 2016 , 96, 216-226	7.5	26
31	Effect of the sonic hedgehog receptor smoothed on the survival and function of dopaminergic neurons. <i>Experimental Neurology</i> , 2016 , 283, 235-45	5.7	14
30	Cognitive Impairments Induced by Concussive Mild Traumatic Brain Injury in Mouse Are Ameliorated by Treatment with Phenserine via Multiple Non-Cholinergic and Cholinergic Mechanisms. <i>PLoS ONE</i> , 2016 , 11, e0156493	3.7	31
29	Thioredoxin-Mimetic-Peptides Protect Cognitive Function after Mild Traumatic Brain Injury (mTBI). <i>PLoS ONE</i> , 2016 , 11, e0157064	3.7	17
28	Pomalidomide mitigates neuronal loss, neuroinflammation, and behavioral impairments induced by traumatic brain injury in rat. <i>Journal of Neuroinflammation</i> , 2016 , 13, 168	10.1	28
27	Dopaminergic neuron-specific deletion of p53 gene is neuroprotective in an experimental Parkinson's disease model. <i>Journal of Neurochemistry</i> , 2016 , 138, 746-57	6	28
26	Reduced power spectra of heart rate variability are correlated with anxiety in patients with mild traumatic brain injury. <i>Psychiatry Research</i> , 2016 , 243, 349-56	9.9	15
25	Inhibition of Drp1 mitochondrial translocation provides neural protection in dopaminergic system in a Parkinson's disease model induced by MPTP. <i>Scientific Reports</i> , 2016 , 6, 32656	4.9	83
24	Levetiracetam prophylaxis ameliorates seizure epileptogenesis after fluid percussion injury. <i>Brain Research</i> , 2016 , 1642, 581-589	3.7	5

23	Lower Dopamine D2 Receptor Expression Levels in Human Dopaminergic Neurons Derived From Opioid-Dependent iPSCs. <i>American Journal of Psychiatry</i> , 2016 , 173, 429-31	11.9	4
22	Glucose-Dependent Insulinotropic Polypeptide Ameliorates Mild Traumatic Brain Injury-Induced Cognitive and Sensorimotor Deficits and Neuroinflammation in Rats. <i>Journal of Neurotrauma</i> , 2016 , 33, 2044-2054	5.4	26
21	Transiently lowering tumor necrosis factor- β synthesis ameliorates neuronal cell loss and cognitive impairments induced by minimal traumatic brain injury in mice. <i>Journal of Neuroinflammation</i> , 2015 , 12, 45	10.1	87
20	L-Dopa induced dyskinesias in Parkinsonian mice: Disease severity or L-Dopa history. <i>Brain Research</i> , 2015 , 1618, 261-9	3.7	14
19	Mitochondria: A Therapeutic Target for Parkinson's Disease?. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 20704-30	6.3	65
18	Maternally transmitted mitochondrial DNA mutations can reduce lifespan. <i>Scientific Reports</i> , 2014 , 4, 6569	4.9	34
17	Efficacy of N-acetyl cysteine in traumatic brain injury. <i>PLoS ONE</i> , 2014 , 9, e90617	3.7	70
16	Incretin mimetics as pharmacologic tools to elucidate and as a new drug strategy to treat traumatic brain injury. <i>Alzheimers and Dementia</i> , 2014 , 10, S62-75	1.2	58
15	Exendin-4 induced glucagon-like peptide-1 receptor activation reverses behavioral impairments of mild traumatic brain injury in mice. <i>Age</i> , 2013 , 35, 1621-36		65
14	Changes in mouse cognition and hippocampal gene expression observed in a mild physical- and blast-traumatic brain injury. <i>Neurobiology of Disease</i> , 2013 , 54, 1-11	7.5	69
13	Exendin-4, a glucagon-like peptide-1 receptor agonist prevents mTBI-induced changes in hippocampus gene expression and memory deficits in mice. <i>Experimental Neurology</i> , 2013 , 239, 170-82	5.7	70
12	Exendin-4 ameliorates traumatic brain injury-induced cognitive impairment in rats. <i>PLoS ONE</i> , 2013 , 8, e82016	3.7	48
11	Amelioration of acute sequelae of blast induced mild traumatic brain injury by N-acetyl cysteine: a double-blind, placebo controlled study. <i>PLoS ONE</i> , 2013 , 8, e54163	3.7	134
10	Tumor necrosis factor- β synthesis inhibitor, 3,6'-dithiothalidomide, reverses behavioral impairments induced by minimal traumatic brain injury in mice. <i>Journal of Neurochemistry</i> , 2011 , 118, 1032-42	6	81
9	Impaired nigrostriatal function precedes behavioral deficits in a genetic mitochondrial model of Parkinson's disease. <i>FASEB Journal</i> , 2011 , 25, 1333-44	0.9	90
8	Sigma-1 receptors regulate hippocampal dendritic spine formation via a free radical-sensitive mechanism involving Rac1xGTP pathway. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 22468-73	11.5	128
7	Closed head injury in a mouse model results in molecular changes indicating inflammatory responses. <i>Journal of Neurotrauma</i> , 2009 , 26, 1307-14	5.4	48
6	GLP-1 receptor stimulation preserves primary cortical and dopaminergic neurons in cellular and rodent models of stroke and Parkinsonism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 1285-90	11.5	414

5	Delayed treatment with a p53 inhibitor enhances recovery in stroke brain. <i>Annals of Neurology</i> , 2009 , 65, 520-30	9.4	85
4	Apoptotic and behavioral sequelae of mild brain trauma in mice. <i>Journal of Neuroscience Research</i> , 2007 , 85, 805-15	4.4	80
3	Progressive parkinsonism in mice with respiratory-chain-deficient dopamine neurons. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 1325-30	11.5	448
2	Serotonergic Modulation of Ethanol-Induced Electrophysiological Depression in Young and Aged Rats. <i>Alcoholism: Clinical and Experimental Research</i> , 2000 , 24, 1730-1741	3.7	2
1	Correlation of apomorphine- and amphetamine-induced turning with nigrostriatal dopamine content in unilateral 6-hydroxydopamine lesioned rats. <i>Brain Research</i> , 1993 , 626, 167-74	3.7	317