

ÃaÄrÄ± Ural

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/293338/publications.pdf>

Version: 2024-02-01

24
papers

287
citations

1307594

7
h-index

888059

17
g-index

24
all docs

24
docs citations

24
times ranked

349
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of layer thickness on the flexural strength of multiple-unit laser-sintered metal frameworks. Journal of Prosthetic Dentistry, 2022, 127, 651-658.	2.8	4
2	Evaluation of the flexural strength of metal frameworks fabricated by sintering-based computer-aided manufacturing methods. Journal of Prosthetic Dentistry, 2022, 127, 936.e1-936.e7.	2.8	2
3	Direct Digitalization Devices in Today's Dental Practice: Lab Scanners. Journal of Experimental and Clinical Medicine (Turkey), 2021, 38, 143-147.	0.2	0
4	Direct Digitalization Devices in Today's Dental Practice: Intra Oral Scanners. Journal of Experimental and Clinical Medicine (Turkey), 2021, 38, 136-142.	0.2	1
5	Computer-aided dental manufacturing technologies used in fabrication of metal frameworks. Journal of Experimental and Clinical Medicine (Turkey), 2021, 38, 119-122.	0.2	0
6	What does complete digital workflow mean for dentistry?. Journal of Experimental and Clinical Medicine (Turkey), 2021, 38, 175-179.	0.2	1
7	A 3-dimensional finite element and in vitro analysis of endocrown restorations fabricated with different preparation designs and various restorative materials. Journal of Prosthetic Dentistry, 2021, 126, 586.e1-586.e9.	2.8	7
8	Digital evaluation of laser scanning speed effects on the intaglio surface adaptation of laser-sintered metal frameworks. Journal of Prosthetic Dentistry, 2020, 123, 874.e1-874.e7.	2.8	6
9	Evaluation of marginal discrepancy in metal frameworks fabricated by sintering-based computer-aided manufacturing methods. Journal of Advanced Prosthodontics, 2020, 12, 124.	2.6	6
10	Evaluation of the accuracy of three different intraoral scanners for endocrown digital impression: An in vitro study. The Journal of Korean Academy of Prosthodontics, 2020, 58, 282.	0.1	0
11	Lazer Tarama ile Lazer Sinterleme ile Üretilen Metal Altyapıların Porselen Başımlarının Üzerindeki Etkisi. Kocaeli Üniversitesi Sağlık Bilimleri Dergisi, 2020, 6, 227-232.	0.5	2
12	Effect of layer thickness on the marginal and internal adaptation of laser-sintered metal frameworks. Journal of Prosthetic Dentistry, 2019, 121, 922-928.	2.8	15
13	The effect of layer thickness on the porcelain bond strength of laser-sintered metal frameworks. Journal of Prosthetic Dentistry, 2019, 122, 76-81.	2.8	7
14	Evaluation of the light transmission of chairside polymer infiltrated hybrid ceramics in different shades and thicknesses. Journal of Applied Biomaterials and Functional Materials, 2019, 17, 228080001880710.	1.6	5
15	Color match of a feldspathic ceramic CAD-CAM material for ultrathin laminate veneers as a function of substrate shade, restoration color, and thickness. Journal of Prosthetic Dentistry, 2018, 119, 455-460.	2.8	29
16	Light transmittance and surface roughness of a feldspathic ceramic CAD-CAM material as a function of different surface treatments. BMC Oral Health, 2017, 17, 16.	2.3	6
17	The effect of amine-free initiator system and the polymerization type on color stability of resin cements. Journal of Oral Science, 2016, 58, 157-161.	1.7	26
18	Investigation of the effect of titanium alloy surface coating with different techniques on titanium-porcelain bonding. Journal of Prosthetic Dentistry, 2016, 115, 115-122.	2.8	7

