

Huiqi Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2934685/publications.pdf>

Version: 2024-02-01

22
papers

638
citations

623188

14
h-index

713013

21
g-index

22
all docs

22
docs citations

22
times ranked

956
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Arsenic Exposure through Drinking Water Is Associated with Longer Telomeres in Peripheral Blood. <i>Chemical Research in Toxicology</i> , 2012, 25, 2333-2339. | 1.7 | 79 |
| 2 | Oxidative stress, telomere shortening, and DNA methylation in relation to low to moderate occupational exposure to welding fumes. <i>Environmental and Molecular Mutagenesis</i> , 2015, 56, 684-693. | 0.9 | 57 |
| 3 | Exploring telomere length in mother-newborn pairs in relation to exposure to multiple toxic metals and potential modifying effects by nutritional factors. <i>BMC Medicine</i> , 2019, 17, 77. | 2.3 | 53 |
| 4 | Smoking-induced Risk of Osteoporosis Is Partly Mediated by Cadmium From Tobacco Smoke: The MROS Sweden Study. <i>Journal of Bone and Mineral Research</i> , 2020, 35, 1424-1429. | 3.1 | 44 |
| 5 | Nitrosamines are associated with shorter telomere length. <i>Scandinavian Journal of Work, Environment and Health</i> , 2011, 37, 316-324. | 1.7 | 44 |
| 6 | A Cross-Sectional Study of the Cardiovascular Effects of Welding Fumes. <i>PLoS ONE</i> , 2015, 10, e0131648. | 1.1 | 43 |
| 7 | Exposure to Inorganic Arsenic Is Associated with Increased Mitochondrial DNA Copy Number and Longer Telomere Length in Peripheral Blood. <i>Frontiers in Cell and Developmental Biology</i> , 2016, 4, 87. | 1.8 | 42 |
| 8 | Serum perfluoroalkyl substances in residents following long-term drinking water contamination from firefighting foam in Ronneby, Sweden. <i>Environment International</i> , 2021, 147, 106333. | 4.8 | 42 |
| 9 | Smoking-induced risk of future cardiovascular disease is partly mediated by cadmium in tobacco: Malmö Diet and Cancer Cohort Study. <i>Environmental Health</i> , 2019, 18, 56. | 1.7 | 39 |
| 10 | Occupational exposure to particles and mitochondrial DNA - relevance for blood pressure. <i>Environmental Health</i> , 2017, 16, 22. | 1.7 | 33 |
| 11 | Cancer incidence in a Swedish cohort with high exposure to perfluoroalkyl substances in drinking water. <i>Environmental Research</i> , 2022, 204, 112217. | 3.7 | 30 |
| 12 | The social patterning of Covid-19 vaccine uptake in older adults: A register-based cross-sectional study in Sweden. <i>Lancet Regional Health - Europe</i> , The, 2022, 15, 100331. | 3.0 | 22 |
| 13 | PUFA Status and Methylmercury Exposure Are Not Associated with Leukocyte Telomere Length in Mothers or Their Children in the Seychelles Child Development Study. <i>Journal of Nutrition</i> , 2017, 147, 2018-2024. | 1.3 | 20 |
| 14 | Telomere length and LINE1 methylation is associated with chromosomal aberrations in peripheral blood. <i>Genes Chromosomes and Cancer</i> , 2013, 52, 1-10. | 1.5 | 18 |
| 15 | Exposure to welding fumes is associated with hypomethylation of the F2RL3 gene: a cardiovascular disease marker. <i>Occupational and Environmental Medicine</i> , 2015, 72, 845-851. | 1.3 | 17 |
| 16 | Alterations of telomere length and DNA methylation in hairdressers: A cross-sectional study. <i>Environmental and Molecular Mutagenesis</i> , 2016, 57, 159-167. | 0.9 | 15 |
| 17 | Diesel Exhaust Exposure Assessment Among Tunnel Construction Workers: Correlations Between Nitrogen Dioxide, Respirable Elemental Carbon, and Particle Number. <i>Annals of Work Exposures and Health</i> , 2017, 61, 539-553. | 0.6 | 14 |
| 18 | CD99 expression is strongly associated with clinical outcome in children with B-cell precursor acute lymphoblastic leukaemia. <i>British Journal of Haematology</i> , 2019, 184, 418-423. | 1.2 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | The association between early-life relative telomere length and childhood neurodevelopment. <i>NeuroToxicology</i> , 2018, 65, 22-27. | 1.4 | 6 |
| 20 | Hypertension-Related Knowledge, Attitudes, and Behaviors among Community-Dwellers at Risk for High Blood Pressure in Shanghai, China. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3683. | 1.2 | 6 |
| 21 | COVID-19 and Risk of Oxygen-Dependent Chronic Respiratory Failure: A National Cohort Study. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2022, 206, 506-509. | 2.5 | 4 |
| 22 | Development and Validation of a Risk Score Screening Tool to Identify People at Risk for Hypertension in Shanghai, China. <i>Risk Management and Healthcare Policy</i> , 2022, Volume 15, 553-562. | 1.2 | 2 |