Mara Pilar Almajano

List of Publications by Citations

Source: https://exaly.com/author-pdf/2934830/maria-pilar-almajano-publications-by-citations.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

71 1,842 25 41 g-index

78 2,166 4.9 5.08 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
71	Antioxidant and antimicrobial activities of tea infusions. <i>Food Chemistry</i> , 2008 , 108, 55-63	8.5	322
70	Comparison of the antioxidant activity of two Spanish onion varieties. Food Chemistry, 2008, 107, 1210	-1 2. ‡6	126
69	Antimicrobial and antioxidant activity of crude onion (Allium cepa, L.) extracts. <i>International Journal of Food Science and Technology</i> , 2010 , 45, 403-409	3.8	111
68	Red Fruits: Extraction of Antioxidants, Phenolic Content, and Radical Scavenging Determination: A Review. <i>Antioxidants</i> , 2017 , 6,	7.1	96
67	Antioxidant Properties of Three Aromatic Herbs (Rosemary, Thyme and Lavender) in Oil-in-Water Emulsions. <i>JAOCS, Journal of the American Oil ChemistsnSociety</i> , 2013 , 90, 1559-1568	1.8	71
66	Changes in the antioxidant properties of protein solutions in the presence of epigallocatechin gallate. <i>Food Chemistry</i> , 2007 , 101, 126-130	8.5	71
65	Effect of pH on the antimicrobial activity and oxidative stability of oil-in-water emulsions containing caffeic acid. <i>Journal of Food Science</i> , 2007 , 72, C258-63	3.4	71
64	Albumin causes a synergistic increase in the antioxidant activity of green tea catechins in oil-in-water emulsions. <i>Food Chemistry</i> , 2007 , 102, 1375-1382	8.5	58
63	Improvements in the aqueous extraction of polyphenols from borage (Borago officinalis L.) leaves by pulsed electric fields: Pulsed electric fields (PEF) applications. <i>Industrial Crops and Products</i> , 2015 , 65, 390-396	5.9	54
62	Avocado seed: Modeling extraction of bioactive compounds. <i>Industrial Crops and Products</i> , 2016 , 85, 21	352310	50
61	Avocado Seeds: Extraction Optimization and Possible Use as Antioxidant in Food. <i>Antioxidants</i> , 2014 , 3, 439-54	7.1	43
60	Synergistic effect of BSA on antioxidant activities in model food emulsions. <i>JAOCS, Journal of the American Oil ChemistsnSociety</i> , 2004 , 81, 275-280	1.8	42
59	Radical scavenging of white tea and its flavonoid constituents by electron paramagnetic resonance (EPR) spectroscopy. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 5743-8	5.7	38
58	Neuroprotective effects of white tea against oxidative stress-induced toxicity in striatal cells. <i>Neurotoxicity Research</i> , 2011 , 20, 372-8	4.3	38
57	Improving Polyphenol Extraction from Lemon Residues by Pulsed Electric Fields. <i>Waste and Biomass Valorization</i> , 2019 , 10, 889-897	3.2	32
56	Avocado Seed: A Comparative Study of Antioxidant Content and Capacity in Protecting Oil Models from Oxidation. <i>Molecules</i> , 2018 , 23,	4.8	31
55	Gelatine-Based Antioxidant Packaging Containing Caesalpinia decapetala and Tara as a Coating for Ground Beef Patties. <i>Antioxidants</i> , 2016 , 5,	7.1	29

54	The Effect of Perilla frutescens Extract on the Oxidative Stability of Model Food Emulsions. <i>Antioxidants</i> , 2014 , 3, 38-54	7.1	28
53	Antioxidant Properties of Artemisia annua Extracts in Model Food Emulsions. <i>Antioxidants</i> , 2014 , 3, 116	- 3 ⁄8£	27
52	Solid foodstuff supplemented with phenolics from grape: antioxidant properties and correlation with phenolic profiles. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 5147-55	5.7	27
51	Chitosan-Based Drug Delivery System: Applications in Fish Biotechnology. <i>Polymers</i> , 2020 , 12,	4.5	26
50	Antioxidant properties of aqueous and ethanolic extracts of tara (Caesalpinia spinosa) pods in vitro and in model food emulsions. <i>Journal of the Science of Food and Agriculture</i> , 2014 , 94, 911-8	4.3	26
49	Human urine: epicatechin metabolites and antioxidant activity after cocoa beverage intake. <i>Free Radical Research</i> , 2007 , 41, 943-9	4	26
48	Screening of Antioxidant Activity of Gentian Lutea Root and Its Application in Oil-in-Water Emulsions. <i>Antioxidants</i> , 2014 , 3, 455-71	7.1	25
47	Bovine serum albumin produces a synergistic increase in the antioxidant activity of virgin olive oil phenolic compounds in oil-in-water emulsions. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 707	6 ⁵ 8 ⁷ 1	25
46	Study of the Properties of Bearberry Leaf Extract as a Natural Antioxidant in Model Foods. <i>Antioxidants</i> , 2016 , 5,	7.1	21
45	Effects of the combination of B PUFAs and proanthocyanidins on the gut microbiota of healthy rats. <i>Food Research International</i> , 2017 , 97, 364-371	7	20
44	Antioxidant Activities and Total Phenolic Content of Malaysian Herbs as Components of Active Packaging Film in Beef Patties. <i>Antioxidants</i> , 2019 , 8,	7.1	20
43	Protective effect of white tea extract against acute oxidative injury caused by adriamycin in different tissues. <i>Food Chemistry</i> , 2012 , 134, 1780-5	8.5	20
42	Conformation and selectivity towards silver of thiocrown ethers based on Xylyl subunits. <i>Journal of the Chemical Society Dalton Transactions</i> , 1992 , 2889-2897		20
41	Caesalpinia decapetala Extracts as Inhibitors of Lipid Oxidation in Beef Patties. <i>Molecules</i> , 2015 , 20, 139	143826	19
40	Influence of wind velocity and wind direction on measurements of spray drift potential of boom sprayers using drift test bench. <i>Agricultural and Forest Meteorology</i> , 2015 , 202, 94-101	5.8	17
39	Continuous or Batch Solid-Liquid Extraction of Antioxidant Compounds from Seeds of Plant and Kinetic Release Study. <i>Molecules</i> , 2018 , 23,	4.8	16
38	Extraction of Antioxidants from Borage (Borago officinalis L.) Leaves-Optimization by Response Surface Method and Application in Oil-in-Water Emulsions. <i>Antioxidants</i> , 2014 , 3, 339-57	7.1	15
37	A transcriptomic approach to study the effect of long-term starvation and diet composition on the expression of mitochondrial oxidative phosphorylation genes in gilthead sea bream (Sparus aurata). BMC Genomics, 2017 , 18, 768	4.5	13

36	The Effect of Convolvulus arvensis Dried Extract as a Potential Antioxidant in Food Models. <i>Antioxidants</i> , 2015 , 4, 170-84	7.1	12
35	Co-ordination of the crown thioether 2,5,8-trithia[9]-o-benzenophane (L1). Synthesis and crystal structures of [CuL1(CI)] and [NiL12][BF4]2. <i>Journal of the Chemical Society Dalton Transactions</i> , 1993 , 2969-2974		11
34	Pineapple Waste Extract for Preventing Oxidation in Model Food Systems. <i>Journal of Food Science</i> , 2016 , 81, C1622-8	3.4	10
33	In Vitro Antioxidant Activity Optimization of Nut Shell () by Extrusion Using Response Surface Methods. <i>Biomolecules</i> , 2019 , 9,	5.9	10
32	Effects of Pecan Nut () and Roselle Flower () as Antioxidant and Antimicrobial Agents for Sardines (). <i>Molecules</i> , 2018 , 24,	4.8	10
31	Stability of O/W emulsions packed with PLA film with incorporated rosemary and thyme. <i>European Food Research and Technology</i> , 2017 , 243, 1249-1259	3.4	9
30	Use of lyophilised and powdered Gentiana lutea root in fresh beef patties stored under different atmospheres. <i>Journal of the Science of Food and Agriculture</i> , 2015 , 95, 1804-11	4.3	9
29	Radical Scavenging and Antioxidant Activity of Leaves and Flowers. <i>Molecules</i> , 2018 , 23,	4.8	9
28	Effect of Neem (L.) on Lipid Oxidation in Raw Chilled Beef Patties. Antioxidants, 2019, 8,	7.1	8
27	Evaluation of the antioxidant activity of Betula pendula leaves extract and its effects on model foods. <i>Pharmaceutical Biology</i> , 2017 , 55, 912-919	3.8	6
26	Effect of Leaves of Caesalpinia decapetala on Oxidative Stability of Oil-in-Water Emulsions. <i>Antioxidants</i> , 2017 , 6,	7.1	6
25	Effect of Tara () Pod Powder on the Oxidation and Colour Stability of Pork Meat Batter During Chilled Storage. <i>Food Technology and Biotechnology</i> , 2015 , 53, 419-427	2.1	6
24	Poly (EDodecyl EGlutamate) (PAAG-12) and Polylactic Acid Films Charged with ETocopherol and Their Antioxidant Capacity in Food Models. <i>Antioxidants</i> , 2019 , 8,	7.1	5
23	Semi-refined carrageenan film incorporated with £ocopherol: Application in food model. <i>Journal of Food Processing and Preservation</i> , 2019 , 43, e13937	2.1	5
22	The Administration of Chitosan-Tripolyphosphate-DNA Nanoparticles to Express Exogenous SREBP1a Enhances Conversion of Dietary Carbohydrates into Lipids in the Liver of. <i>Biomolecules</i> , 2019 , 9,	5.9	5
21	New trithia- and dithioxa-macrocycles with biphenyl fused into the backbone: structures, and molecular modelling studies. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1994 , 1309-1316		5
20	Effects of Water Deficit Irrigation on Phenolic Composition and Antioxidant Activity of Monastrell Grapes under Semiarid Conditions. <i>Antioxidants</i> , 2021 , 10,	7.1	5
19	Analytical Characterization of Polyphenols from Tara and Caesalpinia decapetala as Stabilizers of O/W Emulsions. <i>Journal of Food Science</i> , 2016 , 81, C2676-C2685	3.4	4

18	Modelling Extraction of White Tea Polyphenols: The Influence of Temperature and Ethanol Concentration. <i>Antioxidants</i> , 2014 , 3, 684-99	7.1	4
17	White tea consumption slightly reduces iron absorption but not growth, food efficiency, protein utilization, or calcium, phosphorus, magnesium, and zinc absorption in rats. <i>Journal of Physiology and Biochemistry</i> , 2011 , 67, 331-7	5	4
16	Synthesis and molecular dynamics studies of the new ditopic para-xylyl containing macrocycle 2,5,8,17,20,23-hexathia[9,9]-p-cyclophane(p-S6). X-ray crystal structure of the dicopper(I) complex [Cu2(p-S6)CH3CN)2](BF4)2. <i>Polyhedron</i> , 1996 , 15, 4203-4209	2.7	4
15	Bipolar charge transport in organic electron donor-acceptor systems with stable organic radicals as electron-withdrawing moieties. <i>Journal of Physical Organic Chemistry</i> , 2019 , 32, e3974	2.1	3
14	Formation of a stable biradical triplet state cation versus a closed shell singlet state cation by oxidation of adducts of 3,6-dimethoxycarbazole and polychlorotriphenylmethyl radicals. <i>Physical Chemistry Chemical Physics</i> , 2019 , 21, 20225-20231	3.6	3
13	The conservative effects of lipopeptides from Bacillus methylotrophicus DCS1 on sunflower oil-in-water emulsion and raw beef patties quality. <i>Food Chemistry</i> , 2020 , 303, 125364	8.5	3
12	Brewing By-Products as a Source of Natural Antioxidants for Food Preservation. <i>Antioxidants</i> , 2021 , 10,	7.1	3
11	Characterization and Application of Gelatin Films with Pecan Walnut and Shell Extract (). <i>Polymers</i> , 2020 , 12,	4.5	2
10	(Nitrato-D)(triphenylphosphine-P){3,6,9-trithiabicyclo[9.4.0]pentadeca-1(11),12,14-triene-BS3,6,9}merc nitrate hydrate hemiethanol solvate. <i>Acta Crystallographica Section C: Crystal Structure</i> <i>Communications</i> , 1994 , 50, 1249-1252	ury(II)	1
9	6-Oxa-3,9-dithiabicyclo[9.4.0]pentadeca-1(11),12,14-triene. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1994 , 50, 2047-2049		1
8	Crystal structure of 2,5,8-trithia[9]-o-benzenophane, C12H16S3. <i>Zeitschrift Fur Kristallographie - Crystalline Materials</i> , 1994 , 209, 560-561	1	1
7	The Effects of Pecan Shell, Roselle Flower and Red Pepper on the Quality of Beef Patties during Chilled Storage. <i>Foods</i> , 2020 , 9,	4.9	1
6	Phytochemical screening and evaluation of the antioxidant and anti-bacterial activity of Woundwort (Anthyllis vulneraria L.). <i>Revista Brasileira De Botanica</i> , 2021 , 44, 549-559	1.2	1
5	Antioxidant properties of Enterobacter cloacae C3 lipopeptides in vitro and in model food emulsion. <i>Journal of Food Processing and Preservation</i> , 2020 , 44, e14337	2.1	Ο
4	Extrusion and solid-state fermentation with Aspergillus oryzae on the phenolic compounds and radical scavenging activity of pecan nut (Carya illinoinensis) shell. <i>British Food Journal</i> , 2021 , ahead-of-print, 4367	2.8	О
3	Gene markers of dietary macronutrient composition and growth in the skeletal muscle of gilthead sea bream (Sparus aurata). <i>Aquaculture</i> , 2022 , 738221	4.4	O
2	GREDIQ-RIMA: The Evolution of a Teaching Project of Experimentation in Chemistry. <i>Procedia, Social and Behavioral Sciences</i> , 2012 , 46, 858-862		
1	Evaluation of non-extruded and extruded pecan (Carya illinoinensis) shell powder as functional ingredient in bread and wheat tortilla. <i>LWT - Food Science and Technology</i> , 2022 , 160, 113299	5.4	