

Sudipta Chatterjee

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2936070/sudipta-chatterjee-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

47
papers

2,893
citations

24
h-index

48
g-index

48
ext. papers

3,217
ext. citations

7.8
avg, IF

5.56
L-index

#	Paper	IF	Citations
47	Review of Applications and Future Prospects of Stimuli-Responsive Hydrogel Based on Thermo-Responsive Biopolymers in Drug Delivery Systems. <i>Polymers</i> , 2021 , 13,	4.5	12
46	Influence of pH-responsive compounds synthesized from chitosan and hyaluronic acid on dual-responsive (pH/temperature) hydrogel drug delivery systems of Cortex Moutan. <i>International Journal of Biological Macromolecules</i> , 2021 , 168, 163-174	7.9	16
45	Drug delivery system of dual-responsive PF127 hydrogel with polysaccharide-based nano-conjugate for textile-based transdermal therapy. <i>Carbohydrate Polymers</i> , 2020 , 236, 116074	10.3	21
44	Dual-responsive (pH/temperature) Pluronic F-127 hydrogel drug delivery system for textile-based transdermal therapy. <i>Scientific Reports</i> , 2019 , 9, 11658	4.9	63
43	Stimuli-Responsive Hydrogels: An Interdisciplinary Overview 2019 ,		3
42	Review of Stimuli-Responsive Polymers in Drug Delivery and Textile Application. <i>Molecules</i> , 2019 , 24,	4.8	72
41	Supersorption Capacity of Anionic Dye by Newer Chitosan Hydrogel Capsules via Green Surfactant Exchange Method. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 3604-3614	8.3	38
40	Thermoresponsive Hydrogels and Their Biomedical Applications: Special Insight into Their Applications in Textile Based Transdermal Therapy. <i>Polymers</i> , 2018 , 10,	4.5	66
39	Impact of the type of emulsifier on the physicochemical characteristics of the prepared fish oil-loaded microcapsules. <i>Journal of Microencapsulation</i> , 2017 , 34, 366-382	3.4	5
38	Highly efficient capture of naphthalene by nonionic surfactants in hydrogel capsules. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2017 , 78, 75-80	5.3	3
37	Impact of encapsulation on the physicochemical properties and gastrointestinal stability of fish oil. <i>LWT - Food Science and Technology</i> , 2016 , 65, 206-213	5.4	23
36	Microencapsulation of fish oil. <i>Lipid Technology</i> , 2016 , 28, 13-15		16
35	Encapsulation of fish oil with N-stearoyl O-butylglyceryl chitosan using membrane and ultrasonic emulsification processes. <i>Carbohydrate Polymers</i> , 2015 , 123, 432-42	10.3	40
34	Synthesis and characterization of chitosan droplet particles by ionic gelation and phase coacervation. <i>Polymer Bulletin</i> , 2014 , 71, 1001-1013	2.4	13
33	A study on antifungal activity of water-soluble chitosan against <i>Macrophomina phaseolina</i> . <i>International Journal of Biological Macromolecules</i> , 2014 , 67, 452-7	7.9	23
32	Chitosan and chitosan-co-poly(epsilon-caprolactone) grafted multiwalled carbon nanotube transducers for vapor sensing. <i>Journal of Nanoscience and Nanotechnology</i> , 2014 , 14, 2425-35	1.3	17
31	The influence of 1-butanol and trisodium citrate ion on morphology and chemical properties of chitosan-based microcapsules during rigidification by alkali treatment. <i>Marine Drugs</i> , 2014 , 12, 5801-16	6	18

30	Development of multilayer microcapsules by a phase coacervation method based on ionic interactions for textile applications. <i>Pharmaceutics</i> , 2014 , 6, 281-97	6.4	20
29	A study on biochemical changes during cultivation of <i>Rhizopus oryzae</i> in deproteinized whey medium in relation to chitosan production. <i>Letters in Applied Microbiology</i> , 2014 , 59, 155-60	2.9	9
28	An e-nose made of carbon nanotube based quantum resistive sensors for the detection of eighteen polar/nonpolar VOC biomarkers of lung cancer. <i>Journal of Materials Chemistry B</i> , 2013 , 1, 4563-4575	7.3	92
27	Preparation of micro- and nano-emulsions of soybean oil and removal of sorbed phenanthrene from sandy soil. <i>Desalination and Water Treatment</i> , 2013 , 51, 3207-3214		1
26	Effect of chitosan addition on phenanthrene solubilization in anionic or cationic surfactant solutions. <i>Desalination and Water Treatment</i> , 2012 , 37, 253-258		2
25	Preparation of microcapsules with multi-layers structure stabilized by chitosan and sodium dodecyl sulfate. <i>Carbohydrate Polymers</i> , 2012 , 90, 967-75	10.3	24
24	Adsorption of a cationic dye, methylene blue, on to chitosan hydrogel beads generated by anionic surfactant gelation. <i>Environmental Technology (United Kingdom)</i> , 2011 , 32, 1503-14	2.6	72
23	Influence of the polyethyleneimine grafting on the adsorption capacity of chitosan beads for Reactive Black 5 from aqueous solutions. <i>Chemical Engineering Journal</i> , 2011 , 166, 168-175	14.7	54
22	Effect of coagulant addition on the sedimentation of a surfactant-containing washing solution used for phenanthrene-contaminated soil. <i>Korean Journal of Chemical Engineering</i> , 2011 , 28, 2293-2299	2.8	1
21	Effect of the addition mode of carbon nanotubes for the production of chitosan hydrogel core-shell beads on adsorption of Congo red from aqueous solution. <i>Bioresource Technology</i> , 2011 , 102, 4402-9	11	58
20	Adsorption of Congo Red from Aqueous Solutions Using Chitosan Hydrogel Beads Formed by Various Anionic Surfactants. <i>Separation Science and Technology</i> , 2011 , 46, 986-996	2.5	10
19	Effect of Surfactant Impregnation into Chitosan Hydrogel Beads Formed by Sodium Dodecyl Sulfate Gelation for the Removal of Congo Red. <i>Separation Science and Technology</i> , 2011 , 46, 2022-2031	2.5	9
18	Removal of Reactive Black 5 by zero-valent iron modified with various surfactants. <i>Chemical Engineering Journal</i> , 2010 , 160, 27-32	14.7	73
17	A new type of chitosan hydrogel sorbent generated by anionic surfactant gelation. <i>Bioresource Technology</i> , 2010 , 101, 3853-8	11	73
16	Enhanced molar sorption ratio for naphthalene through the impregnation of surfactant into chitosan hydrogel beads. <i>Bioresource Technology</i> , 2010 , 101, 4315-21	11	27
15	Enhanced solubilization of phenanthrene in Triton X-100 solutions by the addition of small amounts of chitosan. <i>Chemical Engineering Journal</i> , 2010 , 163, 450-453	14.7	18
14	Adsorption of congo red by chitosan hydrogel beads impregnated with carbon nanotubes. <i>Bioresource Technology</i> , 2010 , 101, 1800-6	11	309
13	Influence of plant growth hormones on the growth of <i>Mucor rouxii</i> and chitosan production. <i>Microbiological Research</i> , 2009 , 164, 347-51	5.3	14

12	The removal of nitrate from aqueous solutions by chitosan hydrogel beads. <i>Journal of Hazardous Materials</i> , 2009 , 164, 1012-8	12.8	205
11	Nitrate removal from aqueous solutions by cross-linked chitosan beads conditioned with sodium bisulfate. <i>Journal of Hazardous Materials</i> , 2009 , 166, 508-13	12.8	145
10	Enhanced coagulation of bentonite particles in water by a modified chitosan biopolymer. <i>Chemical Engineering Journal</i> , 2009 , 148, 414-419	14.7	50
9	Influence of impregnation of chitosan beads with cetyl trimethyl ammonium bromide on their structure and adsorption of congo red from aqueous solutions. <i>Chemical Engineering Journal</i> , 2009 , 155, 254-259	14.7	56
8	Enhanced adsorption of congo red from aqueous solutions by chitosan hydrogel beads impregnated with cetyl trimethyl ammonium bromide. <i>Bioresource Technology</i> , 2009 , 100, 2803-9	11	255
7	Congo red adsorption from aqueous solutions by using chitosan hydrogel beads impregnated with nonionic or anionic surfactant. <i>Bioresource Technology</i> , 2009 , 100, 3862-8	11	131
6	Enhanced mechanical strength of chitosan hydrogel beads by impregnation with carbon nanotubes. <i>Carbon</i> , 2009 , 47, 2933-2936	10.4	80
5	Coagulation of soil suspensions containing nonionic or anionic surfactants using chitosan, polyacrylamide, and polyaluminium chloride. <i>Chemosphere</i> , 2009 , 75, 1307-14	8.4	20
4	Enhancement of growth and chitosan production by <i>Rhizopus oryzae</i> in whey medium by plant growth hormones. <i>International Journal of Biological Macromolecules</i> , 2008 , 42, 120-6	7.9	41
3	Adsorptive removal of congo red, a carcinogenic textile dye by chitosan hydrobeads: Binding mechanism, equilibrium and kinetics. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2007 , 299, 146-152	5.1	303
2	Adsorption of a model anionic dye, eosin Y, from aqueous solution by chitosan hydrobeads. <i>Journal of Colloid and Interface Science</i> , 2005 , 288, 30-5	9.3	216
1	Clarification of fruit juice with chitosan. <i>Process Biochemistry</i> , 2004 , 39, 2229-2232	4.8	76