Ki-Tae Kim

List of Publications by Citations

Source: https://exaly.com/author-pdf/2936484/ki-tae-kim-publications-by-citations.pdf

Version: 2024-04-05

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68 1,514 22 37 g-index h-index citations papers 1,885 6.5 5.1 72 avg, IF L-index ext. papers ext. citations

#	Paper	IF	Citations
68	Oxidative stress responses of Daphnia magna exposed to TiO(2) nanoparticles according to size fraction. <i>Science of the Total Environment</i> , 2010 , 408, 2268-72	10.2	177
67	Gold nanoparticles disrupt zebrafish eye development and pigmentation. <i>Toxicological Sciences</i> , 2013 , 133, 275-88	4.4	121
66	Predicting PM concentration in Seoul metropolitan subway stations using artificial neural network (ANN). <i>Journal of Hazardous Materials</i> , 2018 , 341, 75-82	12.8	80
65	The role of chorion on toxicity of silver nanoparticles in the embryonic zebrafish assay. <i>Environmental Health and Toxicology</i> , 2014 , 29, e2014021	0.7	76
64	Influence of multiwalled carbon nanotubes dispersed in natural organic matter on speciation and bioavailability of copper. <i>Environmental Science & Environmental Science & En</i>	10.3	76
63	Silver nanoparticle toxicity in the embryonic zebrafish is governed by particle dispersion and ionic environment. <i>Nanotechnology</i> , 2013 , 24, 115101	3.4	70
62	Biotoxicity of nanoparticles: effect of natural organic matter. <i>Journal of Nanoparticle Research</i> , 2011 , 13, 3051-3061	2.3	66
61	A multivariate study for characterizing particulate matter (PM(10), PM(2.5), and PM(1)) in Seoul metropolitan subway stations, Korea. <i>Journal of Hazardous Materials</i> , 2015 , 297, 295-303	12.8	65
60	Acute toxicity of a mixture of copper and single-walled carbon nanotubes to Daphnia magna. <i>Environmental Toxicology and Chemistry</i> , 2010 , 29, 122-6	3.8	57
59	Developmental toxicity of Japanese medaka embryos by silver nanoparticles and released ions in the presence of humic acid. <i>Ecotoxicology and Environmental Safety</i> , 2013 , 92, 57-63	7	51
58	Effect of preparation methods on toxicity of fullerene water suspensions to Japanese medaka embryos. <i>Science of the Total Environment</i> , 2010 , 408, 5606-12	10.2	40
57	Migration of DEHP and DINP into dust from PVC flooring products at different surface temperature. <i>Science of the Total Environment</i> , 2016 , 547, 441-446	10.2	38
56	A novel Dff-onItype fluorescent chemosensor for detection of Zn2+ and its zinc complex for Dn-offIfluorescent sensing of sulfide in aqueous solution, in vitro and in vivo. <i>Sensors and Actuators B: Chemical</i> , 2018 , 267, 58-69	8.5	35
55	Combined toxicity of copper and phenol derivatives to Daphnia magna: effect of complexation reaction. <i>Environment International</i> , 2006 , 32, 487-92	12.9	34
54	A water-soluble fluorescence chemosensor for the sequential detection of Zn2+ and pyrophosphate in living cells and zebrafish. <i>Dyes and Pigments</i> , 2018 , 152, 131-138	4.6	31
53	Effects of tris(2-butoxyethyl) phosphate exposure on endocrine systems and reproduction of zebrafish (Danio rerio). <i>Environmental Pollution</i> , 2016 , 214, 568-574	9.3	31
52	Fluorescent determination of zinc by a quinoline-based chemosensor in aqueous media and zebrafish. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2019 , 219, 74-82	4.4	27

(2019-2019)

51	Comparative analysis of endocrine disrupting effects of major phthalates in employed two cell lines (MVLN and H295R) and embryonic zebrafish assay. <i>Environmental Research</i> , 2019 , 172, 319-325	7.9	27	
50	Bioconcentration and distribution of silver nanoparticles in Japanese medaka (Oryzias latipes). <i>Journal of Hazardous Materials</i> , 2014 , 267, 206-13	12.8	26	
49	Embryonic toxicity changes of organic nanomaterials in the presence of natural organic matter. <i>Science of the Total Environment</i> , 2012 , 426, 423-9	10.2	25	
48	Estimating the combined effects of copper and phenol to nitrifying bacteria in wastewater treatment plants. <i>Water Research</i> , 2006 , 40, 561-8	12.5	23	
47	Bisphenol A exposure through receipt handling and its association with insulin resistance among female cashiers. <i>Environment International</i> , 2018 , 117, 268-275	12.9	23	
46	Integrating zebrafish toxicology and nanoscience for safer product development. <i>Green Chemistry</i> , 2013 , 15, 872-880	10	21	
45	Highly Sensitive Dansyl-Based Chemosensor for Detection of Cu in Aqueous Solution and Zebrafish. <i>ACS Omega</i> , 2019 , 4, 12537-12543	3.9	19	
44	Relay detection of Zn2+ and S2Iby a quinoline-based fluorescent chemosensor in aqueous media and zebrafish. <i>Dyes and Pigments</i> , 2019 , 165, 264-272	4.6	17	
43	Effects of the chorion on the developmental toxicity of organophosphate esters in zebrafish embryos. <i>Journal of Hazardous Materials</i> , 2021 , 401, 123389	12.8	16	
42	Synthesis of MgAC-FeO/TiO hybrid nanocomposites via sol-gel chemistry for water treatment by photo-Fenton and photocatalytic reactions. <i>Scientific Reports</i> , 2019 , 9, 11855	4.9	14	
41	A Novel Benzimidazole-Based Fluorescence Probe for Detecting Zinc Ion in Aqueous Solution and Zebrafish. <i>Bulletin of the Chemical Society of Japan</i> , 2019 , 92, 961-966	5.1	13	
40	Effects of chronic exposure to cefadroxil and cefradine on Daphnia magna and Oryzias latipes. <i>Chemosphere</i> , 2017 , 185, 844-851	8.4	13	
39	Sensing of zinc ions and sulfide using a highly practical and water-soluble fluorescent sensor: applications in test kits and zebrafish. <i>New Journal of Chemistry</i> , 2020 , 44, 442-449	3.6	13	
38	A benzyl carbazate-based fluorescent chemosensor for detecting Zn: Application to zebrafish. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2020 , 228, 117787	4.4	12	
37	Developing a new chemosensor targeting zinc ion based on two types of quinoline platform. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2020 , 241, 118652	4.4	11	
36	A Novel Thiophene-Based Fluorescent Chemosensor for the Detection of Zn and CN: Imaging Applications in Live Cells and Zebrafish. <i>Sensors</i> , 2019 , 19,	3.8	11	
35	Detection of zinc (II) and hypochlorite by a thiourea-based chemosensor via two emission channels and its application in vivo. <i>Microchemical Journal</i> , 2020 , 155, 104788	4.8	10	
34	Selective chemosensor capable of sensing both CNIand Zn2+: Its application to zebrafish. <i>Sensors and Actuators B: Chemical</i> , 2019 , 297, 126814	8.5	10	

33	Comparative Analysis of Neurotoxicity of Six Phthalates in Zebrafish Embryos. <i>Toxics</i> , 2021 , 9,	4.7	10
32	Optimization of experimental conditions and measurement of oxygen consumption rate (OCR) in zebrafish embryos exposed to organophosphate flame retardants (OPFRs). <i>Ecotoxicology and Environmental Safety</i> , 2019 , 182, 109377	7	9
31	A thiourea-based fluorescent chemosensor for bioimaging hypochlorite. <i>Journal of Industrial and Engineering Chemistry</i> , 2020 , 89, 436-441	6.3	9
30	Acute and chronic response of Daphnia magna exposed to TiO2 nanoparticles in agitation system. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2014 , 93, 456-60	2.7	9
29	Low-concentration exposure to organochlorine pesticides (OCPs) in L6 myotubes and RIN-m5F pancreatic beta cells induces disorders of glucose metabolism. <i>Toxicology in Vitro</i> , 2020 , 65, 104767	3.6	9
28	An Acridine-Based Fluorescent Sensor for Monitoring ClO in Water Samples and Zebrafish. <i>Sensors</i> , 2020 , 20,	3.8	8
27	Profiling of Histidine Phosphoproteome in Danio rerio by TiO Enrichment. <i>Proteomics</i> , 2019 , 19, e18004	17 418	7
26	Tris(1,3-dichloro-2-propyl)phosphate (TDCIPP) disrupts zebrafish tail fin development. <i>Ecotoxicology and Environmental Safety</i> , 2019 , 182, 109449	7	7
25	miR-137 and miR-141 regulate tail defects in zebrafish embryos caused by triphenyl phosphate (TPHP). <i>Environmental Pollution</i> , 2020 , 262, 114286	9.3	6
24	Plausibility of the zebrafish embryos/larvae as an alternative animal model for autism: A comparison study of transcriptome changes. <i>PLoS ONE</i> , 2018 , 13, e0203543	3.7	6
23	Integrated multi-omics analysis reveals the underlying molecular mechanism for developmental neurotoxicity of perfluorooctanesulfonic acid in zebrafish. <i>Environment International</i> , 2021 , 157, 10680	2 ^{12.9}	6
22	Global Proteomic Analysis of Lysine Succinylation in Zebrafish (). <i>Journal of Proteome Research</i> , 2019 , 18, 3762-3769	5.6	5
21	A dual-response sensor based on NBD for the highly selective determination of sulfide in living cells and zebrafish. <i>New Journal of Chemistry</i> , 2019 , 43, 4029-4035	3.6	5
20	Exposure to a low concentration of mixed organochlorine pesticides impairs glucose metabolism and mitochondrial function in L6 myotubes and zebrafish. <i>Journal of Hazardous Materials</i> , 2021 , 414, 125437	12.8	5
19	Residual weakly bound ligands influence biological compatibility of mixed ligand shell, thiol-stabilized gold nanoparticles. <i>Environmental Science: Nano</i> , 2017 , 4, 1634-1646	7.1	4
18	Ratiometric fluorescence In3+ sensing via In3+-triggered tautomerization: Its applications to water samples, live cells and zebrafish. <i>Dyes and Pigments</i> , 2020 , 183, 108704	4.6	4
17	Differential mitochondrial dysregulation by exposure to individual organochlorine pesticides (OCPs) and their mixture in zebrafish embryos. <i>Environmental Pollution</i> , 2021 , 277, 115904	9.3	4
16	Cloning metallothionein gene in Zacco platypus and its potential as an exposure biomarker against cadmium. <i>Environmental Monitoring and Assessment</i> , 2015 , 187, 447	3.1	3

LIST OF PUBLICATIONS

15	Mixed Exposure of Persistent Organic Pollutants Alters Oxidative Stress Markers and Mitochondrial Function in the Tail of Zebrafish Depending on Sex. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	3
14	Predicting PBT and CMR properties of substances of very high concern (SVHCs) using QSAR models, and application for K-REACH. <i>Toxicology Reports</i> , 2020 , 7, 995-1000	4.8	2
13	A Novel Thiosemicarbazide-Based Fluorescent Chemosensor for Hypochlorite in Near-Perfect Aqueous Solution and Zebrafish. <i>Chemosensors</i> , 2021 , 9, 65	4	2
12	Nonmonotonic response of type 2 diabetes by low concentration organochlorine pesticide mixture: Findings from multi-omics in zebrafish. <i>Journal of Hazardous Materials</i> , 2021 , 416, 125956	12.8	2
11	Nano-QTTR development for interspecies aquatic toxicity of silver nanoparticles between daphnia and fish. <i>Chemosphere</i> , 2021 , 283, 131164	8.4	2
10	Biochemical effects of veterinary antibiotics on proliferation and cell cycle arrest of human HEK293 cells. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2012 , 89, 234-9	2.7	1
9	A Practical Hydrazine-Carbothioamide-Based Fluorescent Probe for the Detection of Zn2+: Applications to Paper Strip, Zebrafish and Water Samples. <i>Chemosensors</i> , 2022 , 10, 32	4	1
8	A benzothiazole-based fluorescent and colorimetric probe for the detection of ClO and its application to zebrafish and water sample <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2021 , 270, 120827	4.4	1
7	Mechanisms and effects of zinc oxide nanoparticle transformations on toxicity to zebrafish embryos. <i>Environmental Science: Nano</i> , 2021 , 8, 1690-1700	7.1	1
6	Advantages of omics technology for evaluating cadmium toxicity in zebrafish. <i>Toxicological Research</i> , 2021 , 37, 395-403	3.7	1
5	A selective fluorescence sensor for hypochlorite used for the detection of hypochlorite in zebrafish. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2021 , 261, 120059	4.4	1
4	Detecting and bioimaging of hypochlorite by a conjugated fluorescent chemosensor based on thioamide. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2021 , 421, 113531	4.7	1
3	A solvent-dependent dual chemosensor for detecting Zn2+ and Hg2+ based on thiophene and thiourea functional groups by fluorescence turn-on. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2022 , 428, 113882	4.7	0
2	An NBD-based fluorescent and colorimetric chemosensor for detecting S: Practical application to zebrafish and water samples <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2022 , 276, 121207	4.4	O

Comparative proteomics of Zebrafish liver in 5 POPs mixture exposure. FASEB Journal, **2018**, 32, 692.13 0.9