

Katrin Vorkamp

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2936814/katrin-vorkamp-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

92
papers

3,835
citations

31
h-index

61
g-index

95
ext. papers

4,359
ext. citations

7.5
avg, IF

5.58
L-index

#	Paper	IF	Citations
92	Influence of climate change on persistent organic pollutants and chemicals of emerging concern in the Arctic: state of knowledge and recommendations for future research.. <i>Environmental Sciences: Processes and Impacts</i> , 2022 ,	4.3	1
91	Critical review of analytical methods for the determination of flame retardants in human matrices.. <i>Analytica Chimica Acta</i> , 2022 , 1193, 338828	6.6	1
90	Sample preparation techniques for suspect and non-target screening of emerging contaminants. <i>Chemosphere</i> , 2022 , 287, 132306	8.4	8
89	Residual additives in marine microplastics and their risk assessment - A critical review.. <i>Marine Pollution Bulletin</i> , 2022 , 177, 113467	6.7	0
88	Persistent organic pollutant exposures among Greenlandic adults in relation to lifestyle and diet: New data from the ACCEPT cohort.. <i>Science of the Total Environment</i> , 2022 , 827, 154270	10.2	0
87	European interlaboratory comparison investigations (ICI) and external quality assurance schemes (EQUAS) for the analysis of bisphenol A, S and F in human urine: Results from the HBM4EU project.. <i>Environmental Research</i> , 2022 , 112933	7.9	1
86	State of the art in the analysis of brominated flame retardants in biota and sediment: insights from the characterisation of two new certified reference materials. <i>Environmental Science and Pollution Research</i> , 2021 , 28, 59105-59118	5.1	2
85	Interlaboratory Comparison Investigations (ICIs) for human biomonitoring of chromium as part of the quality assurance programme under HBM4EU.. <i>Journal of Trace Elements in Medicine and Biology</i> , 2021 , 70, 126912	4.1	1
84	The European human biomonitoring platform - Design and implementation of a laboratory quality assurance/quality control (QA/QC) programme for selected priority chemicals. <i>International Journal of Hygiene and Environmental Health</i> , 2021 , 234, 113740	6.9	17
83	Interlaboratory comparison investigations (ICI) and external quality assurance schemes (EQUAS) for cadmium in urine and blood: Results from the HBM4EU project. <i>International Journal of Hygiene and Environmental Health</i> , 2021 , 234, 113711	6.9	9
82	Time trends of persistent organic pollutants (POPs) and Chemicals of Emerging Arctic Concern (CEAC) in Arctic air from 25 years of monitoring. <i>Science of the Total Environment</i> , 2021 , 775, 145109	10.2	15
81	Assessing microplastic as a vector for chemical entry into fish larvae using a novel tube-feeding approach. <i>Chemosphere</i> , 2021 , 265, 129144	8.4	8
80	Biomarkers, matrices and analytical methods targeting human exposure to chemicals selected for a European human biomonitoring initiative. <i>Environment International</i> , 2021 , 146, 106082	12.9	31
79	Interlaboratory comparison investigations (ICIs) and external quality assurance schemes (EQUASs) for flame retardant analysis in biological matrices: Results from the HBM4EU project. <i>Environmental Research</i> , 2021 , 202, 111705	7.9	4
78	The NORMAN Association and the European Partnership for Chemicals Risk Assessment (PARC): let's cooperate!. <i>Environmental Sciences Europe</i> , 2020 , 32,	5	12
77	Organohalogen compounds of emerging concern in Baltic Sea biota: Levels, biomagnification potential and comparisons with legacy contaminants. <i>Environment International</i> , 2020 , 144, 106037	12.9	24
76	Global emissions of Dechlorane Plus. <i>Science of the Total Environment</i> , 2020 , 742, 140677	10.2	8

75	Risk assessment of added chemicals in plastics in the Danish marine environment. <i>Marine Pollution Bulletin</i> , 2020 , 157, 111298	6.7	4
74	Influence of climate and biological variables on temporal trends of persistent organic pollutants in Arctic char and ringed seals from Greenland. <i>Environmental Sciences: Processes and Impacts</i> , 2020 , 22, 993-1005	4.3	2
73	Status and trends of circumpolar peregrine falcon and gyrfalcon populations. <i>Ambio</i> , 2020 , 49, 762-783	6.5	6
72	Human exposure to PFOS and mercury through meat from baltic harbour seals (<i>Phoca vitulina</i>). <i>Environmental Research</i> , 2019 , 175, 376-383	7.9	4
71	Hexachlorobutadiene (HCBD) contamination in the Arctic environment: A review. <i>Emerging Contaminants</i> , 2019 , 5, 116-122	5.8	9
70	Levels and trends of current-use pesticides (CUPs) in the arctic: An updated review, 2010-2018. <i>Emerging Contaminants</i> , 2019 , 5, 70-88	5.8	26
69	Accumulation of Short-, Medium-, and Long-Chain Chlorinated Paraffins in Marine and Terrestrial Animals from Scandinavia. <i>Environmental Science & Technology</i> , 2019 , 53, 3526-3537	10.3	55
68	Chemicals of Emerging Arctic Concern: Preface. <i>Emerging Contaminants</i> , 2019 , 5, 1-3	5.8	5
67	Perfluoroalkyl substances (PFASs) and polychlorinated naphthalenes (PCNs) add to the chemical cocktail in peregrine falcon eggs. <i>Science of the Total Environment</i> , 2019 , 648, 894-901	10.2	17
66	A review of chlorinated paraffin contamination in Arctic ecosystems. <i>Emerging Contaminants</i> , 2019 , 5, 219-231	5.8	16
65	Identifying further chemicals of emerging arctic concern based on <i>in silico</i> screening of chemical inventories. <i>Emerging Contaminants</i> , 2019 , 5, 201-210	5.8	17
64	Current-use halogenated and organophosphorous flame retardants: A review of their presence in Arctic ecosystems. <i>Emerging Contaminants</i> , 2019 , 5, 179-200	5.8	23
63	Temporal trends of persistent organic pollutants in Arctic marine and freshwater biota. <i>Science of the Total Environment</i> , 2019 , 649, 99-110	10.2	113
62	Dermal uptake and percutaneous penetration of organophosphate esters in a human skin <i>ex vivo</i> model. <i>Chemosphere</i> , 2018 , 197, 185-192	8.4	26
61	Raptors are still affected by environmental pollutants: Greenlandic Peregrines will not have normal eggshell thickness until 2034. <i>Ornis Hungarica</i> , 2018 , 26, 171-176	0.5	3
60	Regulated and Unregulated Halogenated Flame Retardants in Peregrine Falcon Eggs from Greenland. <i>Environmental Science & Technology</i> , 2018 , 52, 474-483	10.3	10
59	Endosulfan, Short-Chain Chlorinated Paraffins (SCCPs) and Octachlorostyrene in Wildlife from Greenland: Levels, Trends and Methodological Challenges. <i>Archives of Environmental Contamination and Toxicology</i> , 2017 , 73, 542-551	3.2	15
58	The flame retardant DE-71 (a mixture of polybrominated diphenyl ethers) inhibits human differentiated thyroid cell function <i>in vitro</i> . <i>PLoS ONE</i> , 2017 , 12, e0179858	3.7	13

57	Utilizing the partitioning properties of silicone for the passive sampling of polychlorinated biphenyls (PCBs) in indoor air. <i>Chemosphere</i> , 2016 , 160, 280-6	8.4	12
56	Passive Sampling in Regulatory Chemical Monitoring of Nonpolar Organic Compounds in the Aquatic Environment. <i>Environmental Science & Technology</i> , 2016 , 50, 3-17	10.3	106
55	Dermal uptake and percutaneous penetration of ten flame retardants in a human skin ex vivo model. <i>Chemosphere</i> , 2016 , 162, 308-14	8.4	26
54	Concentrations of organochlorine pesticides, polybrominated diphenyl ethers and perfluorinated compounds in the atmosphere of North Greenland. <i>Environmental Pollution</i> , 2016 , 217, 4-10	9.3	51
53	An overlooked environmental issue? A review of the inadvertent formation of PCB-11 and other PCB congeners and their occurrence in consumer products and in the environment. <i>Science of the Total Environment</i> , 2016 , 541, 1463-1476	10.2	64
52	Modeling Population-Level Consequences of Polychlorinated Biphenyl Exposure in East Greenland Polar Bears. <i>Archives of Environmental Contamination and Toxicology</i> , 2016 , 70, 143-54	3.2	11
51	Effects of the Commercial Flame Retardant Mixture DE-71 on Cytokine Production by Human Immune Cells. <i>PLoS ONE</i> , 2016 , 11, e0154621	3.7	9
50	A Circumarctic Review of Contaminants in Ringed Seals. <i>From Pole To Pole</i> , 2016 , 229-251		
49	How to Improve Exposure Assessment 2015 , 77-102		1
48	Toxaphene in the aquatic environment of Greenland. <i>Environmental Pollution</i> , 2015 , 200, 140-8	9.3	5
47	Novel brominated flame retardants and dechlorane plus in Greenland air and biota. <i>Environmental Pollution</i> , 2015 , 196, 284-91	9.3	85
46	New priority substances of the European Water Framework Directive: biocides, pesticides and brominated flame retardants in the aquatic environment of Denmark. <i>Science of the Total Environment</i> , 2014 , 470-471, 459-68	10.2	40
45	A review of new and current-use contaminants in the Arctic environment: evidence of long-range transport and indications of bioaccumulation. <i>Chemosphere</i> , 2014 , 111, 379-95	8.4	123
44	Levels and trends of toxaphene and chlordane-related pesticides in peregrine falcon eggs from South Greenland. <i>Science of the Total Environment</i> , 2014 , 468-469, 614-21	10.2	7
43	Polybrominated diphenyl ethers and perfluoroalkyl substances in serum of pregnant women: levels, correlations, and potential health implications. <i>Archives of Environmental Contamination and Toxicology</i> , 2014 , 67, 9-20	3.2	41
42	Field metabolic rate and PCB adipose tissue deposition efficiency in East Greenland polar bears derived from contaminant monitoring data. <i>PLoS ONE</i> , 2014 , 9, e104037	3.7	9
41	A two-dimensional HPLC separation for the enantioselective determination of hexabromocyclododecane (HBCD) isomers in biota samples. <i>Analytical and Bioanalytical Chemistry</i> , 2013 , 405, 6519-27	4.4	7
40	Trends of perfluorochemicals in Greenland ringed seals and polar bears: indications of shifts to decreasing trends. <i>Chemosphere</i> , 2013 , 93, 1607-14	8.4	76

39	Xenoestrogenic and dioxin-like activity in blood of East Greenland polar bears (<i>Ursus maritimus</i>). <i>Chemosphere</i> , 2013 , 92, 583-91	8.4	15
38	Temporal trends of selected POPs and the potential influence of climate variability in a Greenland ringed seal population. <i>Environmental Sciences: Processes and Impacts</i> , 2013 , 15, 1706-16	4.3	18
37	Changes in patterns of persistent halogenated compounds through a pelagic food web in the Baltic Sea. <i>Marine Environmental Research</i> , 2012 , 73, 17-24	3.3	10
36	Species-specific time trends and enantiomer fractions of hexabromocyclododecane (HBCD) in biota from East Greenland. <i>Environmental Science & Technology</i> , 2012 , 46, 10549-55	10.3	37
35	Different organochlorine contaminant profiles in groups of flounders (<i>Platichthys flesus</i>) from sampling locations around Denmark. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2012 , 69, 13-23	2.4	4
34	Polybrominated diphenyl ethers (PBDEs) in the indoor environment and associations with prenatal exposure. <i>Environment International</i> , 2011 , 37, 1-10	12.9	85
33	Occurrence of organochlorine pesticides in indoor dust. <i>Journal of Environmental Monitoring</i> , 2011 , 13, 522-6		20
32	Metals and organotins in multiple bivalve species in a one-off global survey. <i>Journal of Environmental Monitoring</i> , 2011 , 13, 1793-802		9
31	Temporal trends of hexabromocyclododecane, polybrominated diphenyl ethers and polychlorinated biphenyls in ringed seals from East Greenland. <i>Environmental Science & Technology</i> , 2011 , 45, 1243-9	10.3	64
30	Polychlorinated biphenyls, organochlorine pesticides and polycyclic aromatic hydrocarbons in a one-off global survey of bivalves. <i>Journal of Environmental Monitoring</i> , 2010 , 12, 1141-52		21
29	Temporal trends of contaminants in Arctic char (<i>Salvelinus alpinus</i>) from a small lake, southwest Greenland during a warming climate. <i>Journal of Environmental Monitoring</i> , 2010 , 12, 2252-8		27
28	Brominated flame retardants in the Arctic environment—trends and new candidates. <i>Science of the Total Environment</i> , 2010 , 408, 2885-918	10.2	570
27	Placental transfer of the polybrominated diphenyl ethers BDE-47, BDE-99 and BDE-209 in a human placenta perfusion system: an experimental study. <i>Environmental Health</i> , 2010 , 9, 32	6	64
26	Polybrominated diphenyl ethers in paired samples of maternal and umbilical cord blood plasma and associations with house dust in a Danish cohort. <i>International Journal of Hygiene and Environmental Health</i> , 2010 , 213, 233-42	6.9	137
25	Human internal and external exposure to PBDEs—a review of levels and sources. <i>International Journal of Hygiene and Environmental Health</i> , 2009 , 212, 109-34	6.9	464
24	Persistent organochlorine compounds in peregrine falcon (<i>Falco peregrinus</i>) eggs from South Greenland: levels and temporal changes between 1986 and 2003. <i>Environment International</i> , 2009 , 35, 336-41	12.9	16
23	Patterns and concentration levels of polybrominated diphenyl ethers (PBDEs) in placental tissue of women in Denmark. <i>Chemosphere</i> , 2009 , 76, 1464-9	8.4	58
22	Reproductive performance in East Greenland polar bears (<i>Ursus maritimus</i>) may be affected by organohalogen contaminants as shown by physiologically-based pharmacokinetic (PBPK) modelling. <i>Chemosphere</i> , 2009 , 77, 1558-68	8.4	51

21	Organochlorine Fingerprinting to Determine Foraging Areas of Sea-Ranched Atlantic Salmon: A Case Study from Denmark. <i>North American Journal of Fisheries Management</i> , 2009 , 29, 598-603	1.1	5
20	Atmospheric concentrations of organochlorine pesticides, polybrominated diphenyl ethers and polychloronaphthalenes in Nuuk, South-West Greenland. <i>Atmospheric Environment</i> , 2008 , 42, 7293-7303 ⁵³		50
19	Conceptual framework for a Danish human biomonitoring program. <i>Environmental Health</i> , 2008 , 7 Suppl 1, S3	6	4
18	Levels and trends of persistent organic pollutants in ringed seals (<i>Phoca hispida</i>) from Central West Greenland, with particular focus on polybrominated diphenyl ethers (PBDEs). <i>Environment International</i> , 2008 , 34, 499-508	12.9	54
17	Levels and temporal trends of HCH isomers in ringed seals from West and East Greenland. <i>Journal of Environmental Monitoring</i> , 2008 , 10, 935-40		14
16	Retrospective determination of primary feeding areas of Atlantic salmon (<i>Salmo salar</i>) using fingerprinting of chlorinated organic contaminants. <i>ICES Journal of Marine Science</i> , 2008 , 65, 921-929	2.7	12
15	Organochlorines and polybrominated diphenyl ethers in four geographically separated populations of Atlantic salmon (<i>Salmo salar</i>). <i>Journal of Environmental Monitoring</i> , 2007 , 9, 1213-9		17
14	Body burdens of persistent halogenated compounds during different development stages of anadromous brown trout (<i>Salmo trutta</i>). <i>Environmental Science & Technology</i> , 2007 , 41, 5980-5	10.3	17
13	Method development for simultaneous analysis of HBCD, TBBPA, and dimethyl-TBBPA in marine biota from Greenland and the Faroe Islands. <i>International Journal of Environmental Analytical Chemistry</i> , 2007 , 87, 1095-1109	1.8	36
12	Degradation of phthalate esters in an activated sludge wastewater treatment plant. <i>Water Research</i> , 2007 , 41, 969-76	12.5	195
11	Temporal trend studies on polybrominated diphenyl ethers (PBDEs) and polychlorinated biphenyls (PCBs) in ringed seals from east Greenland. <i>Journal of Environmental Monitoring</i> , 2006 , 8, 1000-5		44
10	Halogenated organic contaminants in marine fish and mussels from southern Greenland--pilot study on relations to trophic levels and local sources. <i>Journal of Environmental Monitoring</i> , 2005 , 7, 127-31		12
9	Preliminary screening of perfluorooctane sulfonate (PFOS) and other fluorochemicals in fish, birds and marine mammals from Greenland and the Faroe Islands. <i>Environmental Pollution</i> , 2005 , 136, 323-9	9.3	152
8	Temporal development of brominated flame retardants in peregrine Falcon (<i>Falco peregrinus</i>) eggs from South Greenland (1986-2003). <i>Environmental Science & Technology</i> , 2005 , 39, 8199-206	10.3	96
7	Polybrominated diphenyl ethers and organochlorine compounds in biota from the marine environment of East Greenland. <i>Science of the Total Environment</i> , 2004 , 331, 143-55	10.2	57
6	Chlorobenzenes, chlorinated pesticides, coplanar chlorobiphenyls and other organochlorine compounds in Greenland biota. <i>Science of the Total Environment</i> , 2004 , 331, 157-75	10.2	69
5	An update on analytical methods, quality assurance and quality control used in the Greenland AMAP programme: 1999-2002. <i>Science of the Total Environment</i> , 2004 , 331, 233-45	10.2	44
4	Persistent halogenated compounds in black guillemots (<i>Cepphus grylle</i>) from Greenland--levels, compound patterns and spatial trends. <i>Marine Pollution Bulletin</i> , 2004 , 48, 111-21	6.7	87

3	Fate of the fungicide dodemorph during anaerobic digestion of biological waste. <i>Chemosphere</i> , 2003 , 53, 505-14	8.4	1
2	Fate of methidathion residues in biological waste during anaerobic digestion. <i>Chemosphere</i> , 2002 , 48, 287-97	8.4	13
1	Characterisation of organic matter from anaerobic digestion of organic waste by aerobic microbial activity. <i>Bioresource Technology</i> , 2001 , 78, 257-65	11	6