## Joe West

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2938877/publications.pdf

Version: 2024-02-01

219 13,692 63 112
papers citations h-index g-index

227 227 227 15833
all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	The epidemiology of irritable bowel syndrome. Clinical Epidemiology, 2014, 6, 71.	1.5	606
2	Venous thromboembolism during active disease and remission in inflammatory bowel disease: a cohort study. Lancet, The, 2010, 375, 657-663.	6.3	591
3	Bullous pemphigoid and pemphigus vulgaris-incidence and mortality in the UK: population based cohort study. BMJ: British Medical Journal, 2008, 337, a180-a180.	2.4	500
4	Incidence and mortality of idiopathic pulmonary fibrosis and sarcoidosis in the UK. Thorax, 2006, 61, 980-985.	2.7	461
5	Risk of Venous Thromboembolism in Patients with Cancer: A Systematic Review and Meta-Analysis. PLoS Medicine, 2012, 9, e1001275.	3.9	449
6	Seroprevalence, correlates, and characteristics of undetected coeliac disease in England. Gut, 2003, 52, 960-965.	6.1	439
7	The rising incidence of idiopathic pulmonary fibrosis in the UK. Thorax, 2011, 66, 462-467.	2.7	427
8	Incidence of venous thromboembolism in patients with cancer – A cohort study using linked United Kingdom databases. European Journal of Cancer, 2013, 49, 1404-1413.	1.3	380
9	Review article: the economic impact of the irritable bowel syndrome. Alimentary Pharmacology and Therapeutics, 2014, 40, 1023-1034.	1.9	333
10	Malignancy and mortality in people with coeliac disease: population based cohort study. BMJ: British Medical Journal, 2004, 329, 716-719.	2.4	294
11	Recent advances in coeliac disease. Gut, 2006, 55, 1037-1046.	6.1	266
12	The incidence of cancer in patients with idiopathic pulmonary fibrosis and sarcoidosis in the UK. Respiratory Medicine, 2007, 101, 2534-2540.	1.3	266
13	Risk of oesophageal cancer in Barrett's oesophagus and gastro-oesophageal reflux. Gut, 2004, 53, 1070-1074.	6.1	244
14	Incidence and Prevalence of Celiac Disease and Dermatitis Herpetiformis in the UK Over Two Decades: Population-Based Study. American Journal of Gastroenterology, 2014, 109, 757-768.	0.2	227
15	Trends in the incidence of primary liver and biliary tract cancers in England and Wales 1971–2001. British Journal of Cancer, 2006, 94, 1751-1758.	2.9	215
16	COVID-19-associated hyperinflammation and escalation of patient care: a retrospective longitudinal cohort study. Lancet Rheumatology, The, 2020, 2, e594-e602.	2.2	200
17	The Relationship between Neurological Disease and Bullous Pemphigoid: A Population-Based Case–Control Study. Journal of Investigative Dermatology, 2011, 131, 631-636.	0.3	182
18	Risk of first venous thromboembolism in and around pregnancy: a populationâ€based cohort study. British Journal of Haematology, 2012, 156, 366-373.	1.2	181

#	Article	IF	Citations
19	Risk factors for first venous thromboembolism around pregnancy: a population-based cohort study from the United Kingdom. Blood, 2013, 121, 3953-3961.	0.6	181
20	Fracture risk in people with celiac disease: a population-based cohort study. Gastroenterology, 2003, 125, 429-436.	0.6	179
21	Reduced Mortality Rates Following Elective Percutaneous Liver Biopsies. Gastroenterology, 2010, 139, 1230-1237.	0.6	176
22	Incidence and prevalence of cirrhosis in the United Kingdom, 1992–2001: A general population-based study. Journal of Hepatology, 2008, 49, 732-738.	1.8	152
23	Risk of Cancer in Inflammatory Bowel Disease Treated With Azathioprine: A UK Population-Based Case–Control Study. American Journal of Gastroenterology, 2010, 105, 1604-1609.	0.2	143
24	Fertility and pregnancy-related events in women with celiac disease: A population-based cohort study. Gastroenterology, 2005, 128, 849-855.	0.6	128
25	Hip fractures in patients with inflammatory bowel disease and their relationship to corticosteroid use: a population based cohort study. Gut, 2004, 53, 251-255.	6.1	126
26	General population based study of the impact of tricyclic and selective serotonin reuptake inhibitor antidepressants on the risk of acute myocardial infarction. Heart, 2005, 91, 465-471.	1.2	125
27	Allâ€cause mortality in people with cirrhosis compared with the general population: a populationâ€based cohort study. Liver International, 2012, 32, 79-84.	1.9	125
28	Incidence and mortality of primary sclerosing cholangitis in the UK: A population-based cohort study. Journal of Hepatology, 2008, 48, 939-944.	1.8	124
29	Risk of vascular disease in adults with diagnosed coeliac disease: a population-based study. Alimentary Pharmacology and Therapeutics, 2004, 20, 73-79.	1.9	120
30	Concurrent drug use and the risk of perforated colonic diverticular disease: a population-based case-control study. Gut, 2011, 60, 219-224.	6.1	115
31	Fracture experience of patients with coeliac disease: a population based survey. Gut, 2003, 52, 518-522.	6.1	111
32	1 and 5 year survival estimates for people with cirrhosis of the liver in England, 1998–2009: A large population study. Journal of Hepatology, 2014, 60, 282-289.	1.8	107
33	Human physiology at extreme altitudes on Mount Everest. Science, 1984, 223, 784-788.	6.0	106
34	The rate of decompensation and clinical progression of disease in people with cirrhosis: a cohort study. Alimentary Pharmacology and Therapeutics, 2010, 32, 1343-1350.	1.9	103
35	Risk of malignancy in diagnosed coeliac disease: a 24-year prospective, population-based, cohort study. Alimentary Pharmacology and Therapeutics, 2004, 20, 769-775.	1.9	98
36	Extrinsic allergic alveolitis: incidence and mortality in the general population. QJM - Monthly Journal of the Association of Physicians, 2007, 100, 233-237.	0.2	98

#	Article	IF	CITATIONS
37	Patient perceptions of the burden of coeliac disease and its treatment in the UK. Alimentary Pharmacology and Therapeutics, 2009, 29, 1131-1136.	1.9	98
38	A Population-Based Study of Perforated Diverticular Disease Incidence and Associated Mortality. Gastroenterology, 2009, 136, 1198-1205.	0.6	95
39	Development and validation of risk prediction model for venous thromboembolism in postpartum women: multinational cohort study. BMJ, The, 2016, 355, i6253.	3.0	94
40	When are breast cancer patients at highest risk of venous thromboembolism? A cohort study using English health care data. Blood, 2016, 127, 849-857.	0.6	93
41	Use of Inhaled Corticosteroids and the Risk of Fracture. Chest, 2006, 130, 1082-1088.	0.4	91
42	Comorbidities Affect Risk of Nonvariceal Upper Gastrointestinal Bleeding. Gastroenterology, 2013, 144, 1384-1393.e2.	0.6	90
43	Fracture Risk in People With Primary Biliary Cirrhosis: A Population-Based Cohort Study. Gastroenterology, 2006, 131, 1752-1757.	0.6	89
44	A Comprehensive Analysis of Adverse Obstetric and Pediatric Complications in Women with Asthma. American Journal of Respiratory and Critical Care Medicine, 2007, 175, 991-997.	2.5	89
45	Reductions in 28-Day Mortality Following Hospital Admission for Upper Gastrointestinal Hemorrhage. Gastroenterology, 2011, 141, 62-70.	0.6	87
46	Maternal depression, antidepressant prescriptions, and congenital anomaly risk in offspring: a populationâ€based cohort study. BJOG: an International Journal of Obstetrics and Gynaecology, 2014, 121, 1471-1481.	1.1	82
47	Risk of first venous thromboembolism in pregnant women in hospital: population based cohort study from England. BMJ, The, 2013, 347, f6099-f6099.	3.0	79
48	Does concurrent prescription of selective serotonin reuptake inhibitors and non-steroidal anti-inflammatory drugs substantially increase the risk of upper gastrointestinal bleeding?. Alimentary Pharmacology and Therapeutics, 2005, 22, 175-181.	1.9	78
49	The antecedents of biliary cancer: a primary care case–control study in the United Kingdom. British Journal of Cancer, 2009, 100, 178-180.	2.9	78
50	Oral and inhaled corticosteroids and adrenal insufficiency: a case-control study. Thorax, 2006, 61, 405-408.	2.7	77
51	Increased risk of atrial fibrillation in patients with coeliac disease: a nationwide cohort study. European Heart Journal, 2011, 32, 2430-2437.	1.0	77
52	Influence of ursodeoxycholic acid on the mortality and malignancy associated with primary biliary cirrhosis: A population-based cohort study. Hepatology, 2007, 46, 1131-1137.	3.6	76
53	Causes of Death in People with Liver Cirrhosis in England Compared with the General Population: A Population-Based Cohort Study. American Journal of Gastroenterology, 2015, 110, 1149-1158.	0.2	76
54	Role of acute diverticulitis in the development of complicated colonic diverticular disease and 1-year mortality after diagnosis in the UK: population-based cohort study. Gut, 2012, 61, 95-100.	6.1	73

#	Article	IF	CITATIONS
55	Autoimmune cholestatic liver disease in people with coeliac disease: a population-based study of their association. Alimentary Pharmacology and Therapeutics, 2005, 21, 401-405.	1.9	72
56	Risk of Acute Appendicitis in and Around Pregnancy. Annals of Surgery, 2015, 261, 332-337.	2.1	72
57	Long-Term Mortality in People With Celiac Disease Diagnosed in Childhood Compared With Adulthood: A Population-Based Cohort Study. American Journal of Gastroenterology, 2007, 102, 864-870.	0.2	71
58	Impact of risk factors on the timing of first postpartum venous thromboembolism: a population-based cohort study from England. Blood, 2014, 124, 2872-2880.	0.6	71
59	The longâ€ŧerm risk of malignancy following a diagnosis of coeliac disease or dermatitis herpetiformis: a cohort study. Alimentary Pharmacology and Therapeutics, 2012, 35, 730-739.	1.9	70
60	Elevated serum alanine transaminase in patients with type 1 or type 2 diabetes mellitus. QJM - Monthly Journal of the Association of Physicians, 2006, 99, 871-876.	0.2	69
61	A comparison of the recording of comorbidity in primary and secondary care by using the Charlson Index to predict short-term and long-term survival in a routine linked data cohort. BMJ Open, 2015, 5, e007974-e007974.	0.8	69
62	Diagnosis of Liver Cirrhosis in England, a Cohort Study, 1998–2009: A Comparison With Cancer. American Journal of Gastroenterology, 2014, 109, 190-198.	0.2	68
63	No increase in risk of fracture, malignancy or mortality in dermatitis herpetiformis: a cohort study. Alimentary Pharmacology and Therapeutics, 2008, 27, 1140-1147.	1.9	67
64	Impact of socioeconomic deprivation on maternal perinatal mental illnesses presenting to UK general practice. British Journal of General Practice, 2012, 62, e671-e678.	0.7	67
65	Do rates of hospital admission for falls and hip fracture in elderly people vary by socio-economic status?. Public Health, 2004, 118, 576-581.	1.4	65
66	Recall of informed consent information by healthy volunteers in clinical trials. QJM - Monthly Journal of the Association of Physicians, 2008, 101, 625-629.	0.2	65
67	Mortality Associated with Barrett's Esophagus and Gastroesophageal Reflux Disease Diagnoses-A Population-Based Cohort Study. American Journal of Gastroenterology, 2005, 100, 2616-2621.	0.2	64
68	First Trimester Exposure to Anxiolytic and Hypnotic Drugs and the Risks of Major Congenital Anomalies: A United Kingdom Population-Based Cohort Study. PLoS ONE, 2014, 9, e100996.	1.1	63
69	Cholesterol profile in people with newly diagnosed coeliac disease: a comparison with the general population and changes following treatment. British Journal of Nutrition, 2009, 102, 509.	1.2	62
70	Does influenza vaccination increase consultations, corticosteroid prescriptions, or exacerbations in subjects with asthma or chronic obstructive pulmonary disease?. Thorax, 2003, 58, 835-839.	2.7	61
71	Causes of Death in People With Celiac Disease Spanning the Pre- and Post-Serology Era: A Population-Based Cohort Study From Derby, UK. American Journal of Gastroenterology, 2011, 106, 933-939.	0.2	61
72	Risk of hepatocellular carcinoma among individuals with different aetiologies of cirrhosis: a populationâ€based cohort study. Alimentary Pharmacology and Therapeutics, 2017, 45, 983-990.	1.9	61

#	Article	IF	CITATIONS
73	Cause-Specific Mortality of People With Barrett's Esophagus Compared With the General Population: A Population-Based Cohort Study. Gastroenterology, 2013, 144, 1375-1383.e1.	0.6	59
74	Independent Risk Factors for Injury in Pre-School Children: Three Population-Based Nested Case-Control Studies Using Routine Primary Care Data. PLoS ONE, 2012, 7, e35193.	1.1	58
75	Celiac Disease and Its Complications: A Time Traveller's Perspective. Gastroenterology, 2009, 136, 32-34.	0.6	55
76	Risk of Cardiovascular and Cerebrovascular Events in Primary Biliary Cirrhosis: A Population-Based Cohort Study. American Journal of Gastroenterology, 2008, 103, 2784-2788.	0.2	52
77	Association between perinatal depression in mothers and the risk of childhood infections in offspring: a population-based cohort study. BMC Public Health, 2010, 10, 799.	1.2	51
78	The Incidence of First Venous Thromboembolism in and around Pregnancy Using Linked Primary and Secondary Care Data: A Population Based Cohort Study from England and Comparative Meta-Analysis. PLoS ONE, 2013, 8, e70310.	1.1	51
79	Causes of death in people with coeliac disease in England compared with the general population: a competing risk analysis. Gut, 2015, 64, 1220-1226.	6.1	50
80	Risk of schizophrenia in people with coeliac disease, ulcerative colitis and Crohn's disease: a general population-based study. Alimentary Pharmacology and Therapeutics, 2006, 23, 71-74.	1.9	49
81	Bupropion and the risk of sudden death: a self-controlled case-series analysis using The Health Improvement Network. Thorax, 2005, 60, 848-850.	2.7	48
82	Fertility Rates in Women with Asthma, Eczema, and Hay Fever: A General Population-based Cohort Study. American Journal of Epidemiology, 2007, 165, 1023-1030.	1.6	48
83	Live and Non-Live Pregnancy Outcomes among Women with Depression and Anxiety: A Population-Based Study. PLoS ONE, 2012, 7, e43462.	1.1	48
84	Is an internal comparison better than using national data when estimating mortality in longitudinal studies?. Journal of Epidemiology and Community Health, 2006, 60, 819-821.	2.0	45
85	A population-based study of acute medical conditions associated with bullous pemphigoid. British Journal of Dermatology, 2009, 161, 1149-1152.	1.4	43
86	No difference in mortality in undetected coeliac disease compared with the general population: a UK cohort study. Alimentary Pharmacology and Therapeutics, 2011, 34, 1012-1019.	1.9	41
87	An increased risk of urinary tract infection precedes development of primary biliary cirrhosis. BMC Gastroenterology, 2011, 11, 95.	0.8	41
88	Reduced risk of breast, endometrial and ovarian cancer in women with celiac disease. International Journal of Cancer, 2012, 131, E244-50.	2.3	41
89	Chest Radiograph Scoring Alone or Combined with Other Risk Scores for Predicting Outcomes in COVID-19. Radiology, 2022, 302, 460-469.	3.6	41
90	The Incidence of Other Gastroenterological Disease following Diagnosis of Irritable Bowel Syndrome in the UK: A Cohort Study. PLoS ONE, 2014, 9, e106478.	1.1	40

#	Article	IF	Citations
91	Incidence, prevalence and mortality of autoimmune hepatitis in England 1997â€2015. A populationâ€based cohort study. Liver International, 2020, 40, 1634-1644.	1.9	40
92	Upper gastrointestinal haemorrhage and deprivation: a nationwide cohort study of health inequality in hospital admissions. Gut, 2012, 61, 514-520.	6.1	39
93	Pulse oximeter measurements vary across ethnic groups: an observational study in patients with COVID-19. European Respiratory Journal, 2022, 59, 2103246.	3.1	39
94	Injury Among Children and Young Adults With Epilepsy. Pediatrics, 2014, 133, 827-835.	1.0	38
95	The Iceberg of Celiac Disease: What Is Below the Waterline?. Clinical Gastroenterology and Hepatology, 2007, 5, 59-62.	2.4	37
96	The risk of communityâ€acquired pneumonia among 9803 patients with coeliac disease compared to the general population: a cohort study. Alimentary Pharmacology and Therapeutics, 2016, 44, 57-67.	1.9	37
97	Meta-analysis of operative experiences of general surgery trainees during training. British Journal of Surgery, 2016, 104, 22-33.	0.1	37
98	Risk of Stroke in 28,000 Patients with Celiac Disease: A Nationwide Cohort Study in Sweden. Journal of Stroke and Cerebrovascular Diseases, 2012, 21, 860-867.	0.7	36
99	Socioeconomic variation in the incidence of childhood coeliac disease in the UK. Archives of Disease in Childhood, 2015, 100, 466-473.	1.0	35
100	Hip fracture risk in patients with alcoholic cirrhosis: A population-based study using English and Danish data. Journal of Hepatology, 2018, 69, 697-704.	1.8	35
101	Adverse Pregnancy Outcomes Among Women with Inflammatory Bowel Disease. Inflammatory Bowel Diseases, 2016, 22, 1621-1630.	0.9	34
102	Calculating Total Health Service Utilisation and Costs from Routinely Collected Electronic Health Records Using the Example of Patients with Irritable Bowel Syndrome Before and After Their First Gastroenterology Appointment. Pharmacoeconomics, 2016, 34, 181-194.	1.7	34
103	Population-based study of presentation and adverse outcomes after femoral hernia surgery. British Journal of Surgery, 2013, 100, 1827-1832.	0.1	33
104	Women With Celiac Disease Present With Fertility Problems No More Often Than Women in the General Population. Gastroenterology, 2014, 147, 1267-1274.e1.	0.6	33
105	Variation in the risk of venous thromboembolism in people with colorectal cancer: a populationâ€based cohort study from England. Journal of Thrombosis and Haemostasis, 2014, 12, 641-649.	1.9	32
106	Venous thromboembolism in children with cancer – A population-based cohort study. Thrombosis Research, 2014, 133, 340-344.	0.8	32
107	Persistence of Health Inequalities in Childhood Injury in the UK; A Population-Based Cohort Study of Children under 5. PLoS ONE, 2014, 9, e111631.	1.1	31
108	We need stronger evidence for (or against) hepatocellular carcinoma surveillance. Journal of Hepatology, 2021, 74, 1234-1239.	1.8	31

#	Article	IF	Citations
109	Loss of vision in one eye following scoliosis surgery British Journal of Ophthalmology, 1990, 74, 243-244.	2.1	28
110	Fracture risk of women with primary biliary cirrhosis: no increase compared with general population controls. Alimentary Pharmacology and Therapeutics, 2004, 20, 551-557.	1.9	28
111	Excess Long-Term Mortality following Non-Variceal Upper Gastrointestinal Bleeding: A Population-Based Cohort Study. PLoS Medicine, 2013, 10, e1001437.	3.9	28
112	Coeliac disease and risk of tuberculosis: a population-based cohort study. Thorax, 2007, 62, 1-2.	2.7	27
113	The epidemiology of haemochromatosis: a populationâ€based study. Alimentary Pharmacology and Therapeutics, 2009, 29, 183-192.	1.9	27
114	Defining upper gastrointestinal bleeding from linked primary and secondary care data and the effect on occurrence and 28 day mortality. BMC Health Services Research, 2012, 12, 392.	0.9	27
115	Risk of extraâ€oesophageal malignancies and colorectal cancer in Barrett's oesophagus and gastroâ€oesophageal reflux. Scandinavian Journal of Gastroenterology, 2004, 39, 680-685.	0.6	26
116	An excess of prior irritable bowel syndrome diagnoses or treatments in Celiac disease: evidence of diagnostic delay. Scandinavian Journal of Gastroenterology, 2013, 48, 801-807.	0.6	26
117	Use of libraries and electronic information resources by primary care staff: outcomes from a survey. Health Information and Libraries Journal, 2005, 22, 182-188.	1.3	25
118	Occurrence of fertility problems presenting to primary care: population-level estimates of clinical burden and socioeconomic inequalities across the UK. Human Reproduction, 2013, 28, 960-968.	0.4	25
119	Liver cirrhosis in England—an observational study: are we measuring its burden occurrence correctly?. BMJ Open, 2017, 7, e013752.	0.8	24
120	Change in Quality of Life for Patients with Irritable Bowel Syndrome following Referral to a Gastroenterologist: A Cohort Study. PLoS ONE, 2015, 10, e0139389.	1.1	24
121	Defining venous thromboembolism and measuring its incidence using Swedish health registries: a nationwide pregnancy cohort study. BMJ Open, 2015, 5, e008864-e008864.	0.8	23
122	Injury among children and young people with and without attentionâ€deficit hyperactivity disorder in the community: The risk of fractures, thermal injuries, and poisonings. Child: Care, Health and Development, 2018, 44, 871-878.	0.8	23
123	Changing Autonomy in Operative Experience Through UK General Surgery Training. Annals of Surgery, 2019, 269, 399-406.	2.1	21
124	Variation in the risk of venous thromboembolism following colectomy. British Journal of Surgery, 2015, 102, 1629-1638.	0.1	20
125	Risk of symptomatic venous thromboembolism following emergency appendicectomy in adults. British Journal of Surgery, 2016, 103, 443-450.	0.1	19
126	Narrowband ultraviolet B treatment for psoriasis is highly economical and causes significant savings in cost for topical treatments. British Journal of Dermatology, 2018, 179, 1148-1156.	1.4	19

#	Article	IF	Citations
127	Abnormal liver tests in people aged 75 and above: prevalence and association with mortality. Alimentary Pharmacology and Therapeutics, 2011, 34, 324-334.	1.9	18
128	Mortality in people with coeliac disease: Longâ€ŧerm followâ€up from a Scottish cohort. United European Gastroenterology Journal, 2019, 7, 377-387.	1.6	18
129	Risk of hepatocellular carcinoma in Danish outpatients with alcohol-related cirrhosis. Journal of Hepatology, 2020, 73, 1030-1036.	1.8	18
130	Incidence and distribution of coeliac disease in Campania (Italy): 2011–2013. United European Gastroenterology Journal, 2015, 3, 182-189.	1.6	17
131	Socioeconomic inequalities in the incidence of alcohol-related liver disease: A nationwide Danish study. Lancet Regional Health - Europe, The, 2021, 8, 100172.	3.0	17
132	Attention-deficit/hyperactivity disorder: variation by socioeconomic deprivation. Archives of Disease in Childhood, 2019, 104, 802-805.	1.0	16
133	Risk and Outcome of Venous and Arterial Thrombosis in Patients With Cirrhosis: A Danish Nationâ€wide Cohort Study. Hepatology, 2021, 74, 2725-2734.	3.6	16
134	How often is a positive faecal occult blood test the result of coeliac disease?. European Journal of Gastroenterology and Hepatology, 2003, 15, 1097-1100.	0.8	15
135	Incidence and survival of haemophagocytic lymphohistiocytosis: A populationâ€based cohort study from England. Journal of Internal Medicine, 2022, 291, 493-504.	2.7	15
136	Hospital Costs of Colorectal Cancer Care. Clinical Medicine Oncology, 2009, 3, CMO.S2362.	0.2	14
137	Pregnancy Complications and Adverse Birth Outcomes Among Women With Celiac Disease: A Population-Based Study From England. American Journal of Gastroenterology, 2014, 109, 1653-1661.	0.2	14
138	Sex and age differences in the early identification and treatment of alcohol use: a populationâ€based study of patients with alcoholic cirrhosis. Addiction, 2015, 110, 1932-1940.	1.7	14
139	The risk of venous thromboembolism after surgery for esophagogastric malignancy and the impact of chemotherapy: a population-based cohort study. Ecological Management and Restoration, 2020, 33, .	0.2	13
140	Risk of venous thromboembolism in children after general surgery. Journal of Pediatric Surgery, 2015, 50, 1870-1873.	0.8	12
141	Characterizing the risk interplay between alcohol intake and body mass index on cirrhosis morbidity. Hepatology, 2022, 75, 369-378.	3.6	12
142	Neutral risk of lung cancer in adults with celiac disease? nationwide cohort study. Lung Cancer, 2012, 78, 179-184.	0.9	11
143	Methotrexate in psoriasis under realâ∈world conditions: longâ€term efficacy and tolerability. British Journal of Dermatology, 2016, 174, 1407-1410.	1.4	11
144	Duration and magnitude of postoperative risk of venous thromboembolism after planned inguinal hernia repair in men: a population-based cohort study. Hernia: the Journal of Hernias and Abdominal Wall Surgery, 2018, 22, 447-453.	0.9	11

#	Article	IF	CITATIONS
145	Changes in Testing for and Incidence of Celiac Disease in the United Kingdom. Epidemiology, 2019, 30, e23-e24.	1.2	11
146	Rate of venous thromboembolism by cancer type compared to the general population using multiple linked databases. Thrombosis Research, 2012, 129, S155-S156.	0.8	9
147	Alcoholâ€attributable healthcare attendances up to 10 years prior to diagnosis of alcoholic cirrhosis: a population based case–control study. Liver International, 2016, 36, 538-546.	1.9	9
148	IgA-antitissue transglutaminase: validation of a commercial assay for diagnosing coeliac disease. Clinical Laboratory, 2002, 48, 241-6.	0.2	9
149	Analysis of the absolute risks in coeliac disease indicates the importance of the prevention of osteoporosis * Author's reply. Gut, 2007, 56, 310-311.	6.1	8
150	Treating occult coeliac disease with a gluten-free diet is associated with a significant improvement in quality of life. Gut, 2011, 60, A1-A2.	6.1	8
151	Duration and Magnitude of Postoperative Risk of Venous Thromboembolism after Cholecystectomy: A Population-Based Cohort Study. Digestive Surgery, 2020, 37, 32-38.	0.6	8
152	Mortality following elective and emergency colectomy in patients with cirrhosis: a population-based cohort study from England. International Journal of Colorectal Disease, 2022, 37, 607-616.	1.0	8
153	Angiotensin converting enzyme inhibitors and hepatocellular carcinoma incidence in the General Practice Research Database. Cancer Causes and Control, 2011, 22, 1743-1747.	0.8	7
154	Diet and risk of diverticular disease. BMJ: British Medical Journal, 2011, 343, d4115-d4115.	2.4	7
155	The communication of a secondary care diagnosis of autoimmune hepatitis to primary care practitioners: a population-based study. BMC Health Services Research, 2013, 13, 161.	0.9	7
156	Mortality After Extrahepatic Gastrointestinal and Abdominal Wall Surgery in Patients With Alcoholic Liver Disease: A Systematic Review and Meta-Analysis. Alcohol and Alcoholism, 2020, 55, 497-511.	0.9	7
157	Primary biliary cirrhosis does not increase the risk of <scp>UTI</scp> s following diagnosis compared to other chronic liver diseases?. Liver International, 2013, 33, 384-388.	1.9	6
158	Limited risks of major congenital anomalies in children of mothers with coeliac disease: a populationâ€based cohort study. BJOG: an International Journal of Obstetrics and Gynaecology, 2015, 122, 1833-1841.	1.1	6
159	External validation of a model to predict women most at risk of postpartum venous thromboembolism: Maternity clot risk. Thrombosis Research, 2021, , .	0.8	6
160	Hospital admission database or specialist national audits for monitoring gastrointestinal bleeding? both are vital to monitoring our clinical practice. Gut, 2011, 60, A187-A188.	6.1	5
161	Time Out of General Surgery Specialty Training in the UK: A National Database Study. Journal of Surgical Education, 2019, 76, 55-64.	1.2	5
162	The Use of a Bayesian Hierarchy to Develop and Validate a Co-Morbidity Score to Predict Mortality for Linked Primary and Secondary Care Data from the NHS in England. PLoS ONE, 2016, 11, e0165507.	1.1	5

#	Article	IF	Citations
163	Mortality Following Appendicectomy in Patients with Liver Cirrhosis: A Systematic Review and Metaâ€Analysis. World Journal of Surgery, 2022, 46, 531-541.	0.8	5
164	The risk of unexpected hospital admissions and primary care visits after an elective day ase gastroscopy: a cohort study within England. Alimentary Pharmacology and Therapeutics, 2022, 56, 56-66.	1.9	5
165	Health related quality of life in individuals at high risk of chronic liver disease: Impact of a community diagnostic pathway. Public Health in Practice, 2020, 1, 100033.	0.7	4
166	Editorial: how widespread and serious is nonâ€alcoholic fatty liver disease in the real world?. Alimentary Pharmacology and Therapeutics, 2020, 51, 1199-1200.	1.9	4
167	Longâ€term healthâ€related quality of life following colorectal cancer surgery: patientâ€reported outcomes in a remote followâ€up population. Colorectal Disease, 2021, 23, 213-225.	0.7	4
168	A validation study of the identification of haemophagocytic lymphohistiocytosis in England using populationâ€based health data. British Journal of Haematology, 2021, 194, 1039-1044.	1.2	4
169	Risk of fracture in coeliac disease. Gut, 2003, 52, 1532-a-1532.	6.1	3
170	A validation study of the CirCom comorbidity score in an English cirrhosis population using the Clinical Practice Research Datalink. Clinical Epidemiology, 2018, Volume 10, 107-120.	1.5	3
171	Outcomes after non-operative management of perforated diverticular disease: a population-based cohort study. BJS Open, 2021, 5, .	0.7	3
172	Time Trends in the Incidence Rates of Venous Thromboembolism Following Colorectal Resection by Indication and Operative Technique. Colorectal Disease, 0, , .	0.7	3
173	* Vascular risk profile in incident coeliac disease and change with gluten-free diet. Gut, 2011, 60, A87-A88.	6.1	2
174	How to Critically Read the GI Epidemiology Literature. Gastroenterology, 2013, 145, 496-499.	0.6	2
175	Trends in diagnosis rate and clinical presentation of adult celiac disease: A 25 year prospective study. Gastroenterology, 2001, 120, A394-A394.	0.6	2
176	Age modifies both the maximal temperature and inflammatory response in patients with SARS-CoV-2 infection. Clinical Medicine, 2022, 22, 192-196.	0.8	2
177	Commentary: Does the presence of asthma increase the incidence of coronary heart disease?. International Journal of Epidemiology, 2004, 33, 749-750.	0.9	1
178	PTH-092â€Reproductive and hormonal risk factors for breast cancer among women with coeliac disease: a population-based questionnaire study. Gut, 2010, 59, A160.3-A161.	6.1	1
179	PTH-101â€Mild enteropathy (Marsh 1 and 2) coeliac disease: a comparison with more severe disease using a population-based cohort. Gut, 2010, 59, A164.2-A165.	6.1	1
180	Disease activity and venous thromboembolism in inflammatory bowel disease – Authors' reply. Lancet, The, 2010, 375, 1690-1691.	6.3	1

#	Article	IF	CITATIONS
181	Is variceal bleeding increasing within the UK population?. Gut, 2011, 60, A9-A10.	6.1	1
182	Letter: the burden of coâ€morbidity in the population contributes more to upper gastrointestinal bleeding than aspirin. Alimentary Pharmacology and Therapeutics, 2013, 37, 1115-1115.	1.9	1
183	PTU-151ÂRisk of community-acquired pneumonia among patients with coeliac disease compared to the general population: a population based cohort study: Abstract PTU-151 Table 1. Gut, 2015, 64, A129.2-A130.	6.1	1
184	355â€The risk of injuries in children with Attention deficit-hyperactivity disorder (ADHD) in England. Injury Prevention, 2016, 22, A130.1-A130.	1.2	1
185	Healthcare Utilisation, Morbidities and Alcohol Use Monitoring Prior to Alcoholic Psychosis Diagnosis. Alcohol and Alcoholism, 2019, 54, 131-138.	0.9	1
186	Reply to: "Hip fracture risk in patients with alcoholic cirrhosis: Do comorbidities and complications matter?― Journal of Hepatology, 2019, 70, 213-214.	1.8	1
187	O2â€f Mortality following elective and emergency colorectal surgery in patients with cirrhosis: a population-based cohort study. British Journal of Surgery, 2021, 108, .	0.1	1
188	Trends in indirect liver function marker testing in Wales from 2000 to 2017 and their association with age and sex: an observational study. BMJ Open Gastroenterology, 2022, 9, e000885.	1.1	1
189	Silent hypoxia is not an identifiable characteristic in patients with COVID-19 infection. Respiratory Medicine, 2022, 197, 106858.	1.3	1
190	Treated Colorectal Cancer: What is the Cost to Primary Care?. Clinical Medicine Oncology, 2009, 3, CMO.S877.	0.2	0
191	Corrigendum to "Incidence and prevalence of cirrhosis in the United Kingdom, 1992–2001: A general population-based study―[J Hepatol 49 (2008) 732–738]. Journal of Hepatology, 2009, 51, 233-234.	1.8	0
192	PTH-091 ls the diagnosis of coeliac disease associated with socio-economic status? A population-based study: Abstract PTH-091. Gut, 2010, 59, A160.2-A160.	6.1	0
193	63 What is the risk of venous thromboembolism in patients with cancer? $\hat{a} \in \hat{a}$ a systematic review and meta-analysis. European Journal of Cancer, Supplement, 2010, 8, 16-17.	2.2	0
194	P2-346 The risk of venous thromboembolism in and around pregnancy: a population-based cohort study. Journal of Epidemiology and Community Health, 2011, 65, A318-A318.	2.0	0
195	P2-367 Variations in perinatal depression, anxiety and severe mental illnesses by maternal age and socioeconomic group: a population-based study in UK primary care data. Journal of Epidemiology and Community Health, 2011, 65, A324-A324.	2.0	0
196	Is deprivation associated with hospitalisation for upper gastrointestinal haemorrhage? a nationwide study of hospital admissions. Gut, 2011, 60, A10-A11.	6.1	0
197	Treating occult coeliac disease with a gluten-free diet is associated with a significant improvement in quality of life. Proceedings of the Nutrition Society, $2011, 70, .$	0.4	0
198	OP95â€Risk Factors for First Venous Thromboembolism in and around Pregnancy: A Population Based Cohort Study from the United Kingdom. Journal of Epidemiology and Community Health, 2012, 66, A37.2-A37.	2.0	0

#	Article	IF	Citations
199	Commentary: comparisons of upper gastrointestinal bleeding mortality by admission time. Alimentary Pharmacology and Therapeutics, 2012, 36, 681-682.	1.9	0
200	Reply. Gastroenterology, 2013, 145, 1496.	0.6	0
201	Utilisation and Costs of Inpatient and Outpatient Services Among Patients with Irritable Bowel Syndrome- A Study Using the Clinical Practice Research Datalink (CPRD). Value in Health, 2013, 16, A495-A496.	0.1	0
202	OP69â€Occurrence of Liver Cirrhosis in England, A Cohort Study, 1998-2009: A Comparison with Cancer. Journal of Epidemiology and Community Health, 2013, 67, A33.1-A33.	2.0	0
203	Response to van Zanten. American Journal of Gastroenterology, 2014, 109, 1953.	0.2	0
204	P.19.6 RISK OF ACUTE APPENDICITIS IN AND AROUND PREGNANCY: A POPULATION-BASED COHORT FROM ENGLAND. Digestive and Liver Disease, 2014, 46, S132.	0.4	0
205	P453 UPTAKE OF ANTI-PNEUMOCOCCAL VACCINATION AMONG CIRRHOTIC PATIENTS: A MISSED OPPORTUNITY FOR IMPROVING PATIENT OUTCOME. Journal of Hepatology, 2014, 60, S220.	1.8	0
206	PPO2â€Opportunities to prevent alcohol misuse in UK primary healthcare settings: a retrospective study of individuals with a diagnosis of alcohol-induced cirrhosis. Journal of Epidemiology and Community Health, 2014, 68, A47.3-A48.	2.0	0
207	Cost of primary and secondary Healthcare Utilization for patients with irritable bowel Syndrome calculated using routinely collected Electronic records to assess the impact of secondary care referral. Value in Health, 2015, 18, A270.	0.1	0
208	The Cost-Effectiveness of Referring Patients With Irritable Bowel Syndrome To A Gastroenterologist In The Uk. Value in Health, 2015, 18, A625.	0.1	0
209	PTU-153ÂDiagnosis of coeliac disease among children whose mothers have coeliac disease: a united kingdom general population-based cohort. Gut, 2015, 64, A130.2-A130.	6.1	0
210	Reply to: Validation of database search strategies for the epidemiological study of pemphigus and pemphigoid. British Journal of Dermatology, 2016, 174, 696-697.	1.4	0
211	Development and Validation of Risk Prediction Model for Venous Thromboembolism in Postpartum Women: Multinational Cohort Study. Obstetric Anesthesia Digest, 2017, 37, 205-206.	0.0	0
212	PWE-106â€Changes in the testing for and incidence of coeliac disease in the UK 2005–2015. , 2018, , .		0
213	PTU-069â€Incidence of and survival following perforated diverticular disease: a population-based cohort study from england. , 2018, , .		0
214	PTU-070â€Incidence of and survival following diverticular abscess: a population-based cohort study from england. , 2018, , .		0
215	P291â€Colorectal cancer incidence and mortality in Europe. Any change with the introduction of screening?., 2021,,.		0
216	P91â€Trends in IBD mortality in the era of biologics. , 2021, , .		0

#	Article	IF	CITATIONS
217	O23â€fOutcomes after non-operative management of perforated diverticular disease: a population based cohort study. British Journal of Surgery, 2021, 108, .	0.1	0
218	Response to letter. European Respiratory Journal, 2022, , 2200766.	3.1	0
219	Editorial: seeing the light at the end of gastroscope ―complications after elective procedures are ready for <scp>NICE</scp> , bright decision aid tools ―authors' reply. Alimentary Pharmacology and Therapeutics, 2022, 56, 157-157.	1.9	0