

Joe West

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2938877/joe-west-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

197
papers

10,309
citations

56
h-index

98
g-index

227
ext. papers

12,029
ext. citations

6.7
avg, IF

6.41
L-index

#	Paper	IF	Citations
197	Venous thromboembolism during active disease and remission in inflammatory bowel disease: a cohort study. <i>Lancet, The</i> , 2010 , 375, 657-63	4.0	455
196	The epidemiology of irritable bowel syndrome. <i>Clinical Epidemiology</i> , 2014 , 6, 71-80	5.9	440
195	Bullous pemphigoid and pemphigus vulgaris--incidence and mortality in the UK: population based cohort study. <i>BMJ, The</i> , 2008 , 337, a180	5.9	382
194	Incidence and mortality of idiopathic pulmonary fibrosis and sarcoidosis in the UK. <i>Thorax</i> , 2006 , 61, 980-5	5.3	360
193	Seroprevalence, correlates, and characteristics of undetected coeliac disease in England. <i>Gut</i> , 2003 , 52, 960-5	19.2	359
192	The rising incidence of idiopathic pulmonary fibrosis in the U.K. <i>Thorax</i> , 2011 , 66, 462-7	7.3	311
191	Risk of venous thromboembolism in patients with cancer: a systematic review and meta-analysis. <i>PLoS Medicine</i> , 2012 , 9, e1001275	11.6	303
190	Incidence of venous thromboembolism in patients with cancer - a cohort study using linked United Kingdom databases. <i>European Journal of Cancer</i> , 2013 , 49, 1404-13	7.5	267
189	Malignancy and mortality in people with coeliac disease: population based cohort study. <i>BMJ, The</i> , 2004 , 329, 716-9	5.9	236
188	Review article: the economic impact of the irritable bowel syndrome. <i>Alimentary Pharmacology and Therapeutics</i> , 2014 , 40, 1023-34	6.1	231
187	The incidence of cancer in patients with idiopathic pulmonary fibrosis and sarcoidosis in the UK. <i>Respiratory Medicine</i> , 2007 , 101, 2534-40	4.6	211
186	Recent advances in coeliac disease. <i>Gut</i> , 2006 , 55, 1037-46	19.2	210
185	Risk of oesophageal cancer in Barrett's oesophagus and gastro-oesophageal reflux. <i>Gut</i> , 2004 , 53, 1070-4	9.2	208
184	Trends in the incidence of primary liver and biliary tract cancers in England and Wales 1971-2001. <i>British Journal of Cancer</i> , 2006 , 94, 1751-8	8.7	186
183	Incidence and prevalence of celiac disease and dermatitis herpetiformis in the UK over two decades: population-based study. <i>American Journal of Gastroenterology</i> , 2014 , 109, 757-68	0.7	178
182	Fracture risk in people with celiac disease: a population-based cohort study. <i>Gastroenterology</i> , 2003 , 125, 429-36	13.3	146
181	COVID-19-associated hyperinflammation and escalation of patient care: a retrospective longitudinal cohort study. <i>Lancet Rheumatology, The</i> , 2020 , 2, e594-e602	14.2	141

180	Risk factors for first venous thromboembolism around pregnancy: a population-based cohort study from the United Kingdom. <i>Blood</i> , 2013 , 121, 3953-61	2.2	138
179	The relationship between neurological disease and bullous pemphigoid: a population-based case-control study. <i>Journal of Investigative Dermatology</i> , 2011 , 131, 631-6	4.3	137
178	Risk of first venous thromboembolism in and around pregnancy: a population-based cohort study. <i>British Journal of Haematology</i> , 2012 , 156, 366-73	4.5	133
177	Reduced mortality rates following elective percutaneous liver biopsies. <i>Gastroenterology</i> , 2010 , 139, 1230-7	13.3	129
176	Incidence and prevalence of cirrhosis in the United Kingdom, 1992-2001: a general population-based study. <i>Journal of Hepatology</i> , 2008 , 49, 732-8	13.4	128
175	Risk of cancer in inflammatory bowel disease treated with azathioprine: a UK population-based case-control study. <i>American Journal of Gastroenterology</i> , 2010 , 105, 1604-9	0.7	115
174	Hip fractures in patients with inflammatory bowel disease and their relationship to corticosteroid use: a population based cohort study. <i>Gut</i> , 2004 , 53, 251-5	19.2	112
173	General population based study of the impact of tricyclic and selective serotonin reuptake inhibitor antidepressants on the risk of acute myocardial infarction. <i>Heart</i> , 2005 , 91, 465-71	5.1	109
172	Fertility and pregnancy-related events in women with celiac disease: a population-based cohort study. <i>Gastroenterology</i> , 2005 , 128, 849-55	13.3	100
171	Incidence and mortality of primary sclerosing cholangitis in the UK: a population-based cohort study. <i>Journal of Hepatology</i> , 2008 , 48, 939-44	13.4	99
170	Risk of vascular disease in adults with diagnosed coeliac disease: a population-based study. <i>Alimentary Pharmacology and Therapeutics</i> , 2004 , 20, 73-9	6.1	93
169	Concurrent drug use and the risk of perforated colonic diverticular disease: a population-based case-control study. <i>Gut</i> , 2011 , 60, 219-24	19.2	91
168	All-cause mortality in people with cirrhosis compared with the general population: a population-based cohort study. <i>Liver International</i> , 2012 , 32, 79-84	7.9	89
167	Patient perceptions of the burden of coeliac disease and its treatment in the UK. <i>Alimentary Pharmacology and Therapeutics</i> , 2009 , 29, 1131-6	6.1	88
166	Fracture experience of patients with coeliac disease: a population based survey. <i>Gut</i> , 2003 , 52, 518-22	19.2	84
165	Human physiology at extreme altitudes on Mount Everest. <i>Science</i> , 1984 , 223, 784-8	33.3	84
164	1 and 5 year survival estimates for people with cirrhosis of the liver in England, 1998-2009: a large population study. <i>Journal of Hepatology</i> , 2014 , 60, 282-9	13.4	82
163	Risk of malignancy in diagnosed coeliac disease: a 24-year prospective, population-based, cohort study. <i>Alimentary Pharmacology and Therapeutics</i> , 2004 , 20, 769-75	6.1	80

162	The rate of decompensation and clinical progression of disease in people with cirrhosis: a cohort study. <i>Alimentary Pharmacology and Therapeutics</i> , 2010 , 32, 1343-50	6.1	75
161	Reductions in 28-day mortality following hospital admission for upper gastrointestinal hemorrhage. <i>Gastroenterology</i> , 2011 , 141, 62-70	13.3	71
160	A comprehensive analysis of adverse obstetric and pediatric complications in women with asthma. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2007 , 175, 991-7	10.2	71
159	Fracture risk in people with primary biliary cirrhosis: a population-based cohort study. <i>Gastroenterology</i> , 2006 , 131, 1752-7	13.3	71
158	Use of inhaled corticosteroids and the risk of fracture. <i>Chest</i> , 2006 , 130, 1082-8	5.3	71
157	Comorbidities affect risk of nonvariceal upper gastrointestinal bleeding. <i>Gastroenterology</i> , 2013 , 144, 1384-93, 1393.e1-2; quiz e18-9	13.3	68
156	A population-based study of perforated diverticular disease incidence and associated mortality. <i>Gastroenterology</i> , 2009 , 136, 1198-205	13.3	68
155	Does concurrent prescription of selective serotonin reuptake inhibitors and non-steroidal anti-inflammatory drugs substantially increase the risk of upper gastrointestinal bleeding?. <i>Alimentary Pharmacology and Therapeutics</i> , 2005 , 22, 175-81	6.1	67
154	Extrinsic allergic alveolitis: incidence and mortality in the general population. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2007 , 100, 233-7	2.7	66
153	When are breast cancer patients at highest risk of venous thromboembolism? A cohort study using English health care data. <i>Blood</i> , 2016 , 127, 849-57; quiz 953	2.2	66
152	Increased risk of atrial fibrillation in patients with coeliac disease: a nationwide cohort study. <i>European Heart Journal</i> , 2011 , 32, 2430-7	9.5	65
151	Development and validation of risk prediction model for venous thromboembolism in postpartum women: multinational cohort study. <i>BMJ, The</i> , 2016 , 355, i6253	5.9	64
150	Maternal depression, antidepressant prescriptions, and congenital anomaly risk in offspring: a population-based cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014 , 121, 1471-81	3.7	63
149	Influence of ursodeoxycholic acid on the mortality and malignancy associated with primary biliary cirrhosis: a population-based cohort study. <i>Hepatology</i> , 2007 , 46, 1131-7	11.2	63
148	Elevated serum alanine transaminase in patients with type 1 or type 2 diabetes mellitus. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2006 , 99, 871-6	2.7	61
147	The antecedents of biliary cancer: a primary care case-control study in the United Kingdom. <i>British Journal of Cancer</i> , 2009 , 100, 178-80	8.7	60
146	Mortality associated with Barrett's esophagus and gastroesophageal reflux disease diagnoses-a population-based cohort study. <i>American Journal of Gastroenterology</i> , 2005 , 100, 2616-21	0.7	58
145	Causes of death in people with liver cirrhosis in England compared with the general population: a population-based cohort study. <i>American Journal of Gastroenterology</i> , 2015 , 110, 1149-58	0.7	57

144	Risk of first venous thromboembolism in pregnant women in hospital: population based cohort study from England. <i>BMJ, The</i> , 2013 , 347, f6099	5.9	57
143	Long-term mortality in people with celiac disease diagnosed in childhood compared with adulthood: a population-based cohort study. <i>American Journal of Gastroenterology</i> , 2007 , 102, 864-70	0.7	57
142	Oral and inhaled corticosteroids and adrenal insufficiency: a case-control study. <i>Thorax</i> , 2006 , 61, 405-8	7.3	56
141	Autoimmune cholestatic liver disease in people with coeliac disease: a population-based study of their association. <i>Alimentary Pharmacology and Therapeutics</i> , 2005 , 21, 401-5	6.1	56
140	Role of acute diverticulitis in the development of complicated colonic diverticular disease and 1-year mortality after diagnosis in the UK: population-based cohort study. <i>Gut</i> , 2012 , 61, 95-100	19.2	55
139	Cholesterol profile in people with newly diagnosed coeliac disease: a comparison with the general population and changes following treatment. <i>British Journal of Nutrition</i> , 2009 , 102, 509-13	3.6	55
138	Do rates of hospital admission for falls and hip fracture in elderly people vary by socio-economic status?. <i>Public Health</i> , 2004 , 118, 576-81	4	54
137	A comparison of the recording of comorbidity in primary and secondary care by using the Charlson Index to predict short-term and long-term survival in a routine linked data cohort. <i>BMJ Open</i> , 2015 , 5, e007974	3	53
136	The long-term risk of malignancy following a diagnosis of coeliac disease or dermatitis herpetiformis: a cohort study. <i>Alimentary Pharmacology and Therapeutics</i> , 2012 , 35, 730-9	6.1	52
135	No increase in risk of fracture, malignancy or mortality in dermatitis herpetiformis: a cohort study. <i>Alimentary Pharmacology and Therapeutics</i> , 2008 , 27, 1140-7	6.1	52
134	Impact of risk factors on the timing of first postpartum venous thromboembolism: a population-based cohort study from England. <i>Blood</i> , 2014 , 124, 2872-80	2.2	50
133	Recall of informed consent information by healthy volunteers in clinical trials. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2008 , 101, 625-9	2.7	50
132	Does influenza vaccination increase consultations, corticosteroid prescriptions, or exacerbations in subjects with asthma or chronic obstructive pulmonary disease?. <i>Thorax</i> , 2003 , 58, 835-9	7.3	50
131	Diagnosis of liver cirrhosis in England, a cohort study, 1998-2009: a comparison with cancer. <i>American Journal of Gastroenterology</i> , 2014 , 109, 190-8	0.7	48
130	Causes of death in people with celiac disease spanning the pre- and post-serology era: a population-based cohort study from Derby, UK. <i>American Journal of Gastroenterology</i> , 2011 , 106, 933-9	0.7	48
129	Impact of socioeconomic deprivation on maternal perinatal mental illnesses presenting to UK general practice. <i>British Journal of General Practice</i> , 2012 , 62, e671-8	1.6	47
128	Celiac disease and its complications: a time traveller's perspective. <i>Gastroenterology</i> , 2009 , 136, 32-4	13.3	47
127	First trimester exposure to anxiolytic and hypnotic drugs and the risks of major congenital anomalies: a United Kingdom population-based cohort study. <i>PLoS ONE</i> , 2014 , 9, e100996	3.7	46

126	Cause-specific mortality of people with Barrett's esophagus compared with the general population: a population-based cohort study. <i>Gastroenterology</i> , 2013 , 144, 1375-83, 1383.e1	13.3	45
125	Association between perinatal depression in mothers and the risk of childhood infections in offspring: a population-based cohort study. <i>BMC Public Health</i> , 2010 , 10, 799	4.1	45
124	Independent risk factors for injury in pre-school children: three population-based nested case-control studies using routine primary care data. <i>PLoS ONE</i> , 2012 , 7, e35193	3.7	44
123	Risk of cardiovascular and cerebrovascular events in primary biliary cirrhosis: a population-based cohort study. <i>American Journal of Gastroenterology</i> , 2008 , 103, 2784-8	0.7	44
122	Fertility rates in women with asthma, eczema, and hay fever: a general population-based cohort study. <i>American Journal of Epidemiology</i> , 2007 , 165, 1023-30	3.8	40
121	Causes of death in people with coeliac disease in England compared with the general population: a competing risk analysis. <i>Gut</i> , 2015 , 64, 1220-6	19.2	39
120	Risk of acute appendicitis in and around pregnancy: a population-based cohort study from England. <i>Annals of Surgery</i> , 2015 , 261, 332-7	7.8	39
119	The incidence of first venous thromboembolism in and around pregnancy using linked primary and secondary care data: a population based cohort study from England and comparative meta-analysis. <i>PLoS ONE</i> , 2013 , 8, e70310	3.7	38
118	Risk of schizophrenia in people with coeliac disease, ulcerative colitis and Crohn's disease: a general population-based study. <i>Alimentary Pharmacology and Therapeutics</i> , 2006 , 23, 71-4	6.1	38
117	Bupropion and the risk of sudden death: a self-controlled case-series analysis using The Health Improvement Network. <i>Thorax</i> , 2005 , 60, 848-50	7.3	38
116	Live and non-live pregnancy outcomes among women with depression and anxiety: a population-based study. <i>PLoS ONE</i> , 2012 , 7, e43462	3.7	36
115	Risk of hepatocellular carcinoma among individuals with different aetiologies of cirrhosis: a population-based cohort study. <i>Alimentary Pharmacology and Therapeutics</i> , 2017 , 45, 983-990	6.1	35
114	An increased risk of urinary tract infection precedes development of primary biliary cirrhosis. <i>BMC Gastroenterology</i> , 2011 , 11, 95	3	35
113	No difference in mortality in undetected coeliac disease compared with the general population: a UK cohort study. <i>Alimentary Pharmacology and Therapeutics</i> , 2011 , 34, 1012-9	6.1	34
112	Upper gastrointestinal haemorrhage and deprivation: a nationwide cohort study of health inequality in hospital admissions. <i>Gut</i> , 2012 , 61, 514-20	19.2	34
111	A population-based study of acute medical conditions associated with bullous pemphigoid. <i>British Journal of Dermatology</i> , 2009 , 161, 1149-52	4	33
110	Is an internal comparison better than using national data when estimating mortality in longitudinal studies?. <i>Journal of Epidemiology and Community Health</i> , 2006 , 60, 819-21	5.1	33
109	Socioeconomic variation in the incidence of childhood coeliac disease in the UK. <i>Archives of Disease in Childhood</i> , 2015 , 100, 466-73	2.2	30

108	Risk of stroke in 28,000 patients with celiac disease: a nationwide cohort study in Sweden. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2012 , 21, 860-7	2.8	30
107	Injury among children and young adults with epilepsy. <i>Pediatrics</i> , 2014 , 133, 827-35	7.4	29
106	Reduced risk of breast, endometrial and ovarian cancer in women with celiac disease. <i>International Journal of Cancer</i> , 2012 , 131, E244-50	7.5	29
105	The incidence of other gastroenterological disease following diagnosis of irritable bowel syndrome in the UK: a cohort study. <i>PLoS ONE</i> , 2014 , 9, e106478	3.7	27
104	The iceberg of celiac disease: what is below the waterline?. <i>Clinical Gastroenterology and Hepatology</i> , 2007 , 5, 59-62	6.9	27
103	Persistence of health inequalities in childhood injury in the UK: a population-based cohort study of children under 5. <i>PLoS ONE</i> , 2014 , 9, e111631	3.7	25
102	The risk of community-acquired pneumonia among 9803 patients with coeliac disease compared to the general population: a cohort study. <i>Alimentary Pharmacology and Therapeutics</i> , 2016 , 44, 57-67	6.1	25
101	Calculating Total Health Service Utilisation and Costs from Routinely Collected Electronic Health Records Using the Example of Patients with Irritable Bowel Syndrome Before and After Their First Gastroenterology Appointment. <i>Pharmacoeconomics</i> , 2016 , 34, 181-94	4.4	24
100	Risk of extra-oesophageal malignancies and colorectal cancer in Barrett's oesophagus and gastro-oesophageal reflux. <i>Scandinavian Journal of Gastroenterology</i> , 2004 , 39, 680-5	2.4	24
99	Use of libraries and electronic information resources by primary care staff: outcomes from a survey. <i>Health Information and Libraries Journal</i> , 2005 , 22, 182-8	2.9	24
98	Loss of vision in one eye following scoliosis surgery. <i>British Journal of Ophthalmology</i> , 1990 , 74, 243-4	5.5	24
97	Meta-analysis of operative experiences of general surgery trainees during training. <i>British Journal of Surgery</i> , 2017 , 104, 22-33	5.3	24
96	Adverse Pregnancy Outcomes Among Women with Inflammatory Bowel Disease: A Population-Based Study from England. <i>Inflammatory Bowel Diseases</i> , 2016 , 22, 1621-30	4.5	23
95	Variation in the risk of venous thromboembolism in people with colorectal cancer: a population-based cohort study from England. <i>Journal of Thrombosis and Haemostasis</i> , 2014 , 12, 641-9	15.4	23
94	Venous thromboembolism in children with cancer - a population-based cohort study. <i>Thrombosis Research</i> , 2014 , 133, 340-4	8.2	23
93	Women with celiac disease present with fertility problems no more often than women in the general population. <i>Gastroenterology</i> , 2014 , 147, 1267-74.e1; quiz e13-4	13.3	23
92	The epidemiology of haemochromatosis: a population-based study. <i>Alimentary Pharmacology and Therapeutics</i> , 2009 , 29, 183-92	6.1	23
91	Hip fracture risk in patients with alcoholic cirrhosis: A population-based study using English and Danish data. <i>Journal of Hepatology</i> , 2018 , 69, 697-704	13.4	22

90	Defining upper gastrointestinal bleeding from linked primary and secondary care data and the effect on occurrence and 28 day mortality. <i>BMC Health Services Research</i> , 2012 , 12, 392	2.9	22
89	Excess long-term mortality following non-variceal upper gastrointestinal bleeding: a population-based cohort study. <i>PLoS Medicine</i> , 2013 , 10, e1001437	11.6	22
88	Population-based study of presentation and adverse outcomes after femoral hernia surgery. <i>British Journal of Surgery</i> , 2013 , 100, 1827-32	5.3	22
87	Fracture risk of women with primary biliary cirrhosis: no increase compared with general population controls. <i>Alimentary Pharmacology and Therapeutics</i> , 2004 , 20, 551-7	6.1	22
86	Coeliac disease and risk of tuberculosis: A population-based cohort study. <i>Thorax</i> , 2007 , 62, 1-2	7.3	21
85	Change in Quality of Life for Patients with Irritable Bowel Syndrome following Referral to a Gastroenterologist: A Cohort Study. <i>PLoS ONE</i> , 2015 , 10, e0139389	3.7	20
84	An excess of prior irritable bowel syndrome diagnoses or treatments in Celiac disease: evidence of diagnostic delay. <i>Scandinavian Journal of Gastroenterology</i> , 2013 , 48, 801-7	2.4	19
83	Occurrence of fertility problems presenting to primary care: population-level estimates of clinical burden and socioeconomic inequalities across the UK. <i>Human Reproduction</i> , 2013 , 28, 960-8	5.7	19
82	Liver cirrhosis in England-an observational study: are we measuring its burden occurrence correctly?. <i>BMJ Open</i> , 2017 , 7, e013752	3	18
81	Defining venous thromboembolism and measuring its incidence using Swedish health registries: a nationwide pregnancy cohort study. <i>BMJ Open</i> , 2015 , 5, e008864	3	16
80	Abnormal liver tests in people aged 75 and above: prevalence and association with mortality. <i>Alimentary Pharmacology and Therapeutics</i> , 2011 , 34, 324-34	6.1	16
79	Incidence and distribution of coeliac disease in Campania (Italy): 2011-2013. <i>United European Gastroenterology Journal</i> , 2015 , 3, 182-9	5.3	15
78	Incidence, prevalence and mortality of autoimmune hepatitis in England 1997-2015. A population-based cohort study. <i>Liver International</i> , 2020 , 40, 1634-1644	7.9	15
77	Narrowband ultraviolet B treatment for psoriasis is highly economical and causes significant savings in cost for topical treatments. <i>British Journal of Dermatology</i> , 2018 , 179, 1148-1156	4	14
76	Mortality in people with coeliac disease: Long-term follow-up from a Scottish cohort. <i>United European Gastroenterology Journal</i> , 2019 , 7, 377-387	5.3	12
75	Hospital costs of colorectal cancer care. <i>Clinical Medicine Oncology</i> , 2009 , 3, 27-37		12
74	How often is a positive faecal occult blood test the result of coeliac disease?. <i>European Journal of Gastroenterology and Hepatology</i> , 2003 , 15, 1097-100	2.2	12
73	Changing Autonomy in Operative Experience Through UK General Surgery Training: A National Cohort Study. <i>Annals of Surgery</i> , 2019 , 269, 399-406	7.8	11

72	Risk of symptomatic venous thromboembolism following emergency appendicectomy in adults. <i>British Journal of Surgery</i> , 2016 , 103, 443-50	5.3	11
71	Sex and age differences in the early identification and treatment of alcohol use: a population-based study of patients with alcoholic cirrhosis. <i>Addiction</i> , 2015 , 110, 1932-40	4.6	11
70	Methotrexate in psoriasis under real-world conditions: long-term efficacy and tolerability. <i>British Journal of Dermatology</i> , 2016 , 174, 1407-10	4	10
69	Injury among children and young people with and without attention-deficit hyperactivity disorder in the community: The risk of fractures, thermal injuries, and poisonings. <i>Child: Care, Health and Development</i> , 2018 , 44, 871-878	2.8	10
68	Pregnancy complications and adverse birth outcomes among women with celiac disease: a population-based study from England. <i>American Journal of Gastroenterology</i> , 2014 , 109, 1653-61	0.7	10
67	Variation in the risk of venous thromboembolism following colectomy. <i>British Journal of Surgery</i> , 2015 , 102, 1629-38	5.3	9
66	IgA-antitissue transglutaminase: validation of a commercial assay for diagnosing coeliac disease. <i>Clinical Laboratory</i> , 2002 , 48, 241-6	2	9
65	Rate of venous thromboembolism by cancer type compared to the general population using multiple linked databases. <i>Thrombosis Research</i> , 2012 , 129, S155-S156	8.2	8
64	Neutral risk of lung cancer in adults with celiac disease--nationwide cohort study. <i>Lung Cancer</i> , 2012 , 78, 179-84	5.9	8
63	Alcohol-attributable healthcare attendances up to 10 years prior to diagnosis of alcoholic cirrhosis: a population based case-control study. <i>Liver International</i> , 2016 , 36, 538-46	7.9	8
62	Attention-deficit/hyperactivity disorder: variation by socioeconomic deprivation. <i>Archives of Disease in Childhood</i> , 2019 , 104, 802-805	2.2	8
61	Risk of venous thromboembolism in children after general surgery. <i>Journal of Pediatric Surgery</i> , 2015 , 50, 1870-3	2.6	7
60	Risk of hepatocellular carcinoma in Danish outpatients with alcohol-related cirrhosis. <i>Journal of Hepatology</i> , 2020 , 73, 1030-1036	13.4	7
59	Duration and magnitude of postoperative risk of venous thromboembolism after planned inguinal hernia repair in men: a population-based cohort study. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2018 , 22, 447-453	3.2	7
58	The communication of a secondary care diagnosis of autoimmune hepatitis to primary care practitioners: a population-based study. <i>BMC Health Services Research</i> , 2013 , 13, 161	2.9	6
57	Treating occult coeliac disease with a gluten-free diet is associated with a significant improvement in quality of life. <i>Gut</i> , 2011 , 60, A1-A2	19.2	6
56	Analysis of the absolute risks in coeliac disease indicates the importance of the prevention of osteoporosis. <i>Gut</i> , 2007 , 56, 310; author reply 310-1	19.2	6
55	Primary biliary cirrhosis does not increase the risk of UTIs following diagnosis compared to other chronic liver diseases?. <i>Liver International</i> , 2013 , 33, 384-8	7.9	5

54	Limited risks of major congenital anomalies in children of mothers with coeliac disease: a population-based cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2015 , 122, 1833-41	3.7	5
53	Hospital admission database or specialist national audits for monitoring gastrointestinal bleeding? both are vital to monitoring our clinical practice. <i>Gut</i> , 2011 , 60, A187-A188	19.2	5
52	The Use of a Bayesian Hierarchy to Develop and Validate a Co-Morbidity Score to Predict Mortality for Linked Primary and Secondary Care Data from the NHS in England. <i>PLoS ONE</i> , 2016 , 11, e0165507	3.7	5
51	Changes in Testing for and Incidence of Celiac Disease in the United Kingdom: A Population-based Cohort Study. <i>Epidemiology</i> , 2019 , 30, e23-e24	3.1	5
50	The risk of venous thromboembolism after surgery for esophagogastric malignancy and the impact of chemotherapy: a population-based cohort study. <i>Ecological Management and Restoration</i> , 2020 , 33,	3	5
49	Angiotensin converting enzyme inhibitors and hepatocellular carcinoma incidence in the General Practice Research Database. <i>Cancer Causes and Control</i> , 2011 , 22, 1743-7	2.8	4
48	We need stronger evidence for (or against) hepatocellular carcinoma surveillance. <i>Journal of Hepatology</i> , 2021 , 74, 1234-1239	13.4	4
47	Time Out of General Surgery Specialty Training in the UK: A National Database Study. <i>Journal of Surgical Education</i> , 2019 , 76, 55-64	3.4	4
46	Risk and Outcome of Venous and Arterial Thrombosis in Patients With Cirrhosis: A Danish Nation-wide Cohort Study. <i>Hepatology</i> , 2021 , 74, 2725-2734	11.2	4
45	Chest Radiograph Scoring Alone or Combined with Other Risk Scores for Predicting Outcomes in COVID-19. <i>Radiology</i> , 2021 , 210986	20.5	4
44	Mortality After Extrahepatic Gastrointestinal and Abdominal Wall Surgery in Patients With Alcoholic Liver Disease: A Systematic Review and Meta-Analysis. <i>Alcohol and Alcoholism</i> , 2020 , 55, 497-511	3.5	3
43	Pulse oximeters measurements vary across ethnic groups: An observational study in patients with Covid-19 infection.. <i>European Respiratory Journal</i> , 2022 ,	13.6	3
42	External validation of a model to predict women most at risk of postpartum venous thromboembolism: Maternity clot risk. <i>Thrombosis Research</i> , 2021 ,	8.2	3
41	Duration and Magnitude of Postoperative Risk of Venous Thromboembolism after Cholecystectomy: A Population-Based Cohort Study. <i>Digestive Surgery</i> , 2020 , 37, 32-38	2.5	3
40	How to critically read the GI epidemiology literature. <i>Gastroenterology</i> , 2013 , 145, 496-9	13.3	2
39	* Vascular risk profile in incident coeliac disease and change with gluten-free diet. <i>Gut</i> , 2011 , 60, A87-A88	9.2	2
38	Risk of fracture in coeliac disease. <i>Gut</i> , 2003 , 52, 1532	19.2	2
37	Trends in diagnosis rate and clinical presentation of adult celiac disease: A 25 year prospective study. <i>Gastroenterology</i> , 2001 , 120, A394-A394	13.3	2

36	A validation study of the CirCom comorbidity score in an English cirrhosis population using the Clinical Practice Research Datalink. <i>Clinical Epidemiology</i> , 2018 , 10, 107-120	5.9	2
35	Socioeconomic inequalities in the incidence of alcohol-related liver disease: A nationwide Danish study. <i>Lancet Regional Health - Europe, The</i> , 2021 , 8, 100172		2
34	Healthcare Utilisation, Morbidities and Alcohol Use Monitoring Prior to Alcoholic Psychosis Diagnosis. <i>Alcohol and Alcoholism</i> , 2019 , 54, 131-138	3.5	1
33	PTU-151 Risk of community-acquired pneumonia among patients with coeliac disease compared to the general population: a population based cohort study. <i>Gut</i> , 2015 , 64, A129.2-A130	19.2	1
32	Letter: the burden of co-morbidity in the population contributes more to upper gastrointestinal bleeding than aspirin. <i>Alimentary Pharmacology and Therapeutics</i> , 2013 , 37, 1115	6.1	1
31	Is variceal bleeding increasing within the UK population?. <i>Gut</i> , 2011 , 60, A9-A10	19.2	1
30	Disease activity and venous thromboembolism in inflammatory bowel disease [Authors Reply]. <i>Lancet, The</i> , 2010 , 375, 1690-1691	4.0	1
29	Commentary: Does the presence of asthma increase the incidence of coronary heart disease?. <i>International Journal of Epidemiology</i> , 2004 , 33, 749-50	7.8	1
28	Mortality Following Appendicectomy in Patients with Liver Cirrhosis: A Systematic Review and Meta-Analysis.. <i>World Journal of Surgery</i> , 2022 , 46, 531	3.3	1
27	Health related quality of life in individuals at high risk of chronic liver disease: Impact of a community diagnostic pathway. <i>Public Health in Practice</i> , 2020 , 1, 100033	2.6	1
26	Reply to: "Hip fracture risk in patients with alcoholic cirrhosis: Do comorbidities and complications matter?". <i>Journal of Hepatology</i> , 2019 , 70, 213-214	13.4	1
25	Long-term health-related quality of life following colorectal cancer surgery: patient-reported outcomes in a remote follow-up population. <i>Colorectal Disease</i> , 2021 , 23, 213-225	2.1	1
24	Epidemiology of Cirrhosis and Hepatocellular Carcinoma	344-356	1
23	PTH-101 Mild enteropathy (Marsh 1 and 2) coeliac disease: a comparison with more severe disease using a population-based cohort. <i>Gut</i> , 2010 , 59, A164.2-A165	19.2	0
22	A validation study of the identification of haemophagocytic lymphohistiocytosis in England using population-based health data. <i>British Journal of Haematology</i> , 2021 , 194, 1039-1044	4.5	0
21	Mortality following elective and emergency colectomy in patients with cirrhosis: a population-based cohort study from England. <i>International Journal of Colorectal Disease</i> , 2021 , 37, 607	3	0
20	Age modifies both the maximal temperature and inflammatory response in patients with SARS-CoV-2 infection.. <i>Clinical Medicine</i> , 2022 , 22, 192-196	1.9	0
19	355 The risk of injuries in children with Attention deficit-hyperactivity disorder (ADHD) in England. <i>Injury Prevention</i> , 2016 , 22, A130.1-A130	3.2	

18	Reply to: Validation of database search strategies for the epidemiological study of pemphigus and pemphigoid. <i>British Journal of Dermatology</i> , 2016 , 174, 696-7	4
17	PP02 Opportunities to prevent alcohol misuse in UK primary healthcare settings: a retrospective study of individuals with a diagnosis of alcohol-induced cirrhosis. <i>Journal of Epidemiology and Community Health</i> , 2014 , 68, A47.3-A48	5.1
16	Reply: To PMID 23470619. <i>Gastroenterology</i> , 2013 , 145, 1496	13.3
15	Development and Validation of Risk Prediction Model for Venous Thromboembolism in Postpartum Women: Multinational Cohort Study. <i>Obstetric Anesthesia Digest</i> , 2017 , 37, 205-206	0.2
14	PTU-153 Diagnosis of coeliac disease among children whose mothers have coeliac disease: a united kingdom general population-based cohort. <i>Gut</i> , 2015 , 64, A130.2-A130	19.2
13	How to read a case-control study 2014 , 30-38	
12	Response to van Zanten. <i>American Journal of Gastroenterology</i> , 2014 , 109, 1953	0.7
11	Commentary: comparisons of upper gastrointestinal bleeding mortality by admission time. <i>Alimentary Pharmacology and Therapeutics</i> , 2012 , 36, 681-2	6.1
10	OP69 Occurrence of Liver Cirrhosis in England, A Cohort Study, 1998-2009: A Comparison with Cancer. <i>Journal of Epidemiology and Community Health</i> , 2013 , 67, A33.1-A33	5.1
9	P2-346 The risk of venous thromboembolism in and around pregnancy: a population-based cohort study. <i>Journal of Epidemiology and Community Health</i> , 2011 , 65, A318-A318	5.1
8	Is deprivation associated with hospitalisation for upper gastrointestinal haemorrhage? a nationwide study of hospital admissions. <i>Gut</i> , 2011 , 60, A10-A11	19.2
7	Treated Colorectal Cancer: What is the Cost to Primary Care?. <i>Clinical Medicine Oncology</i> , 2008 , 3, 1-7	
6	OP95 Risk Factors for First Venous Thromboembolism in and around Pregnancy: A Population Based Cohort Study from the United Kingdom. <i>Journal of Epidemiology and Community Health</i> , 2012 , 66, A37.2-A37	5.1
5	PTH-092 Reproductive and hormonal risk factors for breast cancer among women with coeliac disease: a population-based questionnaire study. <i>Gut</i> , 2010 , 59, A160.3-A161	19.2
4	PTH-091 Is the diagnosis of coeliac disease associated with socio-economic status? A population-based study. <i>Gut</i> , 2010 , 59, A160.2-A160	19.2
3	How to Find and Apply Large Databases for Epidemiologic Research 83-97	
2	Reply to: Inaccuracy of pulse oximetry in darker-skinned patients is unchanged across 32 years.. <i>European Respiratory Journal</i> , 2022 ,	13.6
1	Silent hypoxia is not an identifiable characteristic in patients with COVID-19 infection.. <i>Respiratory Medicine</i> , 2022 , 197, 106858	4.6

