

Joe West

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2938877/joe-west-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

197
papers

10,309
citations

56
h-index

98
g-index

227
ext. papers

12,029
ext. citations

6.7
avg, IF

6.41
L-index

#	Paper	IF	Citations
197	Mortality Following Appendicectomy in Patients with Liver Cirrhosis: A Systematic Review and Meta-Analysis.. <i>World Journal of Surgery</i> , 2022 , 46, 531	3.3	1
196	Pulse oximeters measurements vary across ethnic groups: An observational study in patients with Covid-19 infection.. <i>European Respiratory Journal</i> , 2022 ,	13.6	3
195	Reply to: Inaccuracy of pulse oximetry in darker-skinned patients is unchanged across 32 years.. <i>European Respiratory Journal</i> , 2022 ,	13.6	
194	Silent hypoxia is not an identifiable characteristic in patients with COVID-19 infection.. <i>Respiratory Medicine</i> , 2022 , 197, 106858	4.6	
193	Age modifies both the maximal temperature and inflammatory response in patients with SARS-CoV-2 infection.. <i>Clinical Medicine</i> , 2022 , 22, 192-196	1.9	0
192	We need stronger evidence for (or against) hepatocellular carcinoma surveillance. <i>Journal of Hepatology</i> , 2021 , 74, 1234-1239	13.4	4
191	External validation of a model to predict women most at risk of postpartum venous thromboembolism: Maternity clot risk. <i>Thrombosis Research</i> , 2021 ,	8.2	3
190	Long-term health-related quality of life following colorectal cancer surgery: patient-reported outcomes in a remote follow-up population. <i>Colorectal Disease</i> , 2021 , 23, 213-225	2.1	1
189	A validation study of the identification of haemophagocytic lymphohistiocytosis in England using population-based health data. <i>British Journal of Haematology</i> , 2021 , 194, 1039-1044	4.5	0
188	Risk and Outcome of Venous and Arterial Thrombosis in Patients With Cirrhosis: A Danish Nation-wide Cohort Study. <i>Hepatology</i> , 2021 , 74, 2725-2734	11.2	4
187	Socioeconomic inequalities in the incidence of alcohol-related liver disease: A nationwide Danish study. <i>Lancet Regional Health - Europe, The</i> , 2021 , 8, 100172		2
186	Chest Radiograph Scoring Alone or Combined with Other Risk Scores for Predicting Outcomes in COVID-19. <i>Radiology</i> , 2021 , 210986	20.5	4
185	Mortality following elective and emergency colectomy in patients with cirrhosis: a population-based cohort study from England. <i>International Journal of Colorectal Disease</i> , 2021 , 37, 607	3	0
184	Risk of hepatocellular carcinoma in Danish outpatients with alcohol-related cirrhosis. <i>Journal of Hepatology</i> , 2020 , 73, 1030-1036	13.4	7
183	Mortality After Extrahepatic Gastrointestinal and Abdominal Wall Surgery in Patients With Alcoholic Liver Disease: A Systematic Review and Meta-Analysis. <i>Alcohol and Alcoholism</i> , 2020 , 55, 497-515	11.5	3
182	Health related quality of life in individuals at high risk of chronic liver disease: Impact of a community diagnostic pathway. <i>Public Health in Practice</i> , 2020 , 1, 100033	2.6	1
181	COVID-19-associated hyperinflammation and escalation of patient care: a retrospective longitudinal cohort study. <i>Lancet Rheumatology, The</i> , 2020 , 2, e594-e602	14.2	141

180	Duration and Magnitude of Postoperative Risk of Venous Thromboembolism after Cholecystectomy: A Population-Based Cohort Study. <i>Digestive Surgery</i> , 2020 , 37, 32-38	2.5	3
179	The risk of venous thromboembolism after surgery for esophagogastric malignancy and the impact of chemotherapy: a population-based cohort study. <i>Ecological Management and Restoration</i> , 2020 , 33,	3	5
178	Incidence, prevalence and mortality of autoimmune hepatitis in England 1997-2015. A population-based cohort study. <i>Liver International</i> , 2020 , 40, 1634-1644	7.9	15
177	Healthcare Utilisation, Morbidities and Alcohol Use Monitoring Prior to Alcoholic Psychosis Diagnosis. <i>Alcohol and Alcoholism</i> , 2019 , 54, 131-138	3.5	1
176	Mortality in people with coeliac disease: Long-term follow-up from a Scottish cohort. <i>United European Gastroenterology Journal</i> , 2019 , 7, 377-387	5.3	12
175	Changing Autonomy in Operative Experience Through UK General Surgery Training: A National Cohort Study. <i>Annals of Surgery</i> , 2019 , 269, 399-406	7.8	11
174	Changes in Testing for and Incidence of Celiac Disease in the United Kingdom: A Population-based Cohort Study. <i>Epidemiology</i> , 2019 , 30, e23-e24	3.1	5
173	Time Out of General Surgery Specialty Training in the UK: A National Database Study. <i>Journal of Surgical Education</i> , 2019 , 76, 55-64	3.4	4
172	Reply to: "Hip fracture risk in patients with alcoholic cirrhosis: Do comorbidities and complications matter?". <i>Journal of Hepatology</i> , 2019 , 70, 213-214	13.4	1
171	Attention-deficit/hyperactivity disorder: variation by socioeconomic deprivation. <i>Archives of Disease in Childhood</i> , 2019 , 104, 802-805	2.2	8
170	Hip fracture risk in patients with alcoholic cirrhosis: A population-based study using English and Danish data. <i>Journal of Hepatology</i> , 2018 , 69, 697-704	13.4	22
169	Duration and magnitude of postoperative risk of venous thromboembolism after planned inguinal hernia repair in men: a population-based cohort study. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2018 , 22, 447-453	3.2	7
168	Injury among children and young people with and without attention-deficit hyperactivity disorder in the community: The risk of fractures, thermal injuries, and poisonings. <i>Child: Care, Health and Development</i> , 2018 , 44, 871-878	2.8	10
167	Narrowband ultraviolet B treatment for psoriasis is highly economical and causes significant savings in cost for topical treatments. <i>British Journal of Dermatology</i> , 2018 , 179, 1148-1156	4	14
166	A validation study of the CirCom comorbidity score in an English cirrhosis population using the Clinical Practice Research Datalink. <i>Clinical Epidemiology</i> , 2018 , 10, 107-120	5.9	2
165	Risk of hepatocellular carcinoma among individuals with different aetiologies of cirrhosis: a population-based cohort study. <i>Alimentary Pharmacology and Therapeutics</i> , 2017 , 45, 983-990	6.1	35
164	Liver cirrhosis in England-an observational study: are we measuring its burden occurrence correctly?. <i>BMJ Open</i> , 2017 , 7, e013752	3	18
163	Development and Validation of Risk Prediction Model for Venous Thromboembolism in Postpartum Women: Multinational Cohort Study. <i>Obstetric Anesthesia Digest</i> , 2017 , 37, 205-206	0.2	

162	Meta-analysis of operative experiences of general surgery trainees during training. <i>British Journal of Surgery</i> , 2017 , 104, 22-33	5.3	24
161	Development and validation of risk prediction model for venous thromboembolism in postpartum women: multinational cohort study. <i>BMJ, The</i> , 2016 , 355, i6253	5.9	64
160	355 The risk of injuries in children with Attention deficit-hyperactivity disorder (ADHD) in England. <i>Injury Prevention</i> , 2016 , 22, A130.1-A130	3.2	
159	Adverse Pregnancy Outcomes Among Women with Inflammatory Bowel Disease: A Population-Based Study from England. <i>Inflammatory Bowel Diseases</i> , 2016 , 22, 1621-30	4.5	23
158	Risk of symptomatic venous thromboembolism following emergency appendicectomy in adults. <i>British Journal of Surgery</i> , 2016 , 103, 443-50	5.3	11
157	Methotrexate in psoriasis under real-world conditions: long-term efficacy and tolerability. <i>British Journal of Dermatology</i> , 2016 , 174, 1407-10	4	10
156	Reply to: Validation of database search strategies for the epidemiological study of pemphigus and pemphigoid. <i>British Journal of Dermatology</i> , 2016 , 174, 696-7	4	
155	Calculating Total Health Service Utilisation and Costs from Routinely Collected Electronic Health Records Using the Example of Patients with Irritable Bowel Syndrome Before and After Their First Gastroenterology Appointment. <i>Pharmacoeconomics</i> , 2016 , 34, 181-94	4.4	24
154	The Use of a Bayesian Hierarchy to Develop and Validate a Co-Morbidity Score to Predict Mortality for Linked Primary and Secondary Care Data from the NHS in England. <i>PLoS ONE</i> , 2016 , 11, e0165507	3.7	5
153	Alcohol-attributable healthcare attendances up to 10 years prior to diagnosis of alcoholic cirrhosis: a population based case-control study. <i>Liver International</i> , 2016 , 36, 538-46	7.9	8
152	The risk of community-acquired pneumonia among 9803 patients with coeliac disease compared to the general population: a cohort study. <i>Alimentary Pharmacology and Therapeutics</i> , 2016 , 44, 57-67	6.1	25
151	When are breast cancer patients at highest risk of venous thromboembolism? A cohort study using English health care data. <i>Blood</i> , 2016 , 127, 849-57; quiz 953	2.2	66
150	Causes of death in people with coeliac disease in England compared with the general population: a competing risk analysis. <i>Gut</i> , 2015 , 64, 1220-6	19.2	39
149	Causes of death in people with liver cirrhosis in England compared with the general population: a population-based cohort study. <i>American Journal of Gastroenterology</i> , 2015 , 110, 1149-58	0.7	57
148	Socioeconomic variation in the incidence of childhood coeliac disease in the UK. <i>Archives of Disease in Childhood</i> , 2015 , 100, 466-73	2.2	30
147	Risk of acute appendicitis in and around pregnancy: a population-based cohort study from England. <i>Annals of Surgery</i> , 2015 , 261, 332-7	7.8	39
146	Risk of venous thromboembolism in children after general surgery. <i>Journal of Pediatric Surgery</i> , 2015 , 50, 1870-3	2.6	7
145	Defining venous thromboembolism and measuring its incidence using Swedish health registries: a nationwide pregnancy cohort study. <i>BMJ Open</i> , 2015 , 5, e008864	3	16

144	A comparison of the recording of comorbidity in primary and secondary care by using the Charlson Index to predict short-term and long-term survival in a routine linked data cohort. <i>BMJ Open</i> , 2015 , 5, e007974	3	53
143	Limited risks of major congenital anomalies in children of mothers with coeliac disease: a population-based cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2015 , 122, 1833-41	3.7	5
142	Sex and age differences in the early identification and treatment of alcohol use: a population-based study of patients with alcoholic cirrhosis. <i>Addiction</i> , 2015 , 110, 1932-40	4.6	11
141	PTU-153 Diagnosis of coeliac disease among children whose mothers have coeliac disease: a united kingdom general population-based cohort. <i>Gut</i> , 2015 , 64, A130.2-A130	19.2	
140	PTU-151 Risk of community-acquired pneumonia among patients with coeliac disease compared to the general population: a population based cohort study. <i>Gut</i> , 2015 , 64, A129.2-A130	19.2	1
139	Variation in the risk of venous thromboembolism following colectomy. <i>British Journal of Surgery</i> , 2015 , 102, 1629-38	5.3	9
138	Incidence and distribution of coeliac disease in Campania (Italy): 2011-2013. <i>United European Gastroenterology Journal</i> , 2015 , 3, 182-9	5.3	15
137	Change in Quality of Life for Patients with Irritable Bowel Syndrome following Referral to a Gastroenterologist: A Cohort Study. <i>PLoS ONE</i> , 2015 , 10, e0139389	3.7	20
136	Variation in the risk of venous thromboembolism in people with colorectal cancer: a population-based cohort study from England. <i>Journal of Thrombosis and Haemostasis</i> , 2014 , 12, 641-9	15.4	23
135	Pregnancy complications and adverse birth outcomes among women with celiac disease: a population-based study from England. <i>American Journal of Gastroenterology</i> , 2014 , 109, 1653-61	0.7	10
134	Incidence and prevalence of celiac disease and dermatitis herpetiformis in the UK over two decades: population-based study. <i>American Journal of Gastroenterology</i> , 2014 , 109, 757-68	0.7	178
133	Diagnosis of liver cirrhosis in England, a cohort study, 1998-2009: a comparison with cancer. <i>American Journal of Gastroenterology</i> , 2014 , 109, 190-8	0.7	48
132	Injury among children and young adults with epilepsy. <i>Pediatrics</i> , 2014 , 133, 827-35	7.4	29
131	Venous thromboembolism in children with cancer - a population-based cohort study. <i>Thrombosis Research</i> , 2014 , 133, 340-4	8.2	23
130	Impact of risk factors on the timing of first postpartum venous thromboembolism: a population-based cohort study from England. <i>Blood</i> , 2014 , 124, 2872-80	2.2	50
129	PP02 Opportunities to prevent alcohol misuse in UK primary healthcare settings: a retrospective study of individuals with a diagnosis of alcohol-induced cirrhosis. <i>Journal of Epidemiology and Community Health</i> , 2014 , 68, A47.3-A48	5.1	
128	The incidence of other gastroenterological disease following diagnosis of irritable bowel syndrome in the UK: a cohort study. <i>PLoS ONE</i> , 2014 , 9, e106478	3.7	27
127	Persistence of health inequalities in childhood injury in the UK: a population-based cohort study of children under 5. <i>PLoS ONE</i> , 2014 , 9, e111631	3.7	25

126 How to read a case-control study **2014**, 30-38

125 Response to van Zanten. *American Journal of Gastroenterology*, **2014**, 109, 1953

0.7

124 Women with celiac disease present with fertility problems no more often than women in the general population. *Gastroenterology*, **2014**, 147, 1267-74.e1; quiz e13-4

13.3 23

123 Review article: the economic impact of the irritable bowel syndrome. *Alimentary Pharmacology and Therapeutics*, **2014**, 40, 1023-34

6.1 231

122 Maternal depression, antidepressant prescriptions, and congenital anomaly risk in offspring: a population-based cohort study. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2014**, 121, 1471-81

3.7 63

121 The epidemiology of irritable bowel syndrome. *Clinical Epidemiology*, **2014**, 6, 71-80

5.9 440

120 First trimester exposure to anxiolytic and hypnotic drugs and the risks of major congenital anomalies: a United Kingdom population-based cohort study. *PLoS ONE*, **2014**, 9, e100996

3.7 46

119 1 and 5 year survival estimates for people with cirrhosis of the liver in England, 1998-2009: a large population study. *Journal of Hepatology*, **2014**, 60, 282-9

13.4 82

118 The communication of a secondary care diagnosis of autoimmune hepatitis to primary care practitioners: a population-based study. *BMC Health Services Research*, **2013**, 13, 161

2.9 6

117 Reply: To PMID 23470619. *Gastroenterology*, **2013**, 145, 1496

13.3

116 Primary biliary cirrhosis does not increase the risk of UTIs following diagnosis compared to other chronic liver diseases?. *Liver International*, **2013**, 33, 384-8

7.9 5

115 An excess of prior irritable bowel syndrome diagnoses or treatments in Celiac disease: evidence of diagnostic delay. *Scandinavian Journal of Gastroenterology*, **2013**, 48, 801-7

2.4 19

114 How to critically read the GI epidemiology literature. *Gastroenterology*, **2013**, 145, 496-9

13.3 2

113 Cause-specific mortality of people with Barrett's esophagus compared with the general population: a population-based cohort study. *Gastroenterology*, **2013**, 144, 1375-83, 1383.e1

13.3 45

112 Incidence of venous thromboembolism in patients with cancer - a cohort study using linked United Kingdom databases. *European Journal of Cancer*, **2013**, 49, 1404-13

7.5 267

111 Comorbidities affect risk of nonvariceal upper gastrointestinal bleeding. *Gastroenterology*, **2013**, 144, 1384-93, 1393.e1-2; quiz e18-9

13.3 68

110 Occurrence of fertility problems presenting to primary care: population-level estimates of clinical burden and socioeconomic inequalities across the UK. *Human Reproduction*, **2013**, 28, 960-8

5.7 19

109 Risk of first venous thromboembolism in pregnant women in hospital: population based cohort study from England. *BMJ, The*, **2013**, 347, f6099

5.9 57

108	Excess long-term mortality following non-variceal upper gastrointestinal bleeding: a population-based cohort study. <i>PLoS Medicine</i> , 2013 , 10, e1001437	11.6	22
107	Population-based study of presentation and adverse outcomes after femoral hernia surgery. <i>British Journal of Surgery</i> , 2013 , 100, 1827-32	5.3	22
106	Letter: the burden of co-morbidity in the population contributes more to upper gastrointestinal bleeding than aspirin. <i>Alimentary Pharmacology and Therapeutics</i> , 2013 , 37, 1115	6.1	1
105	Risk factors for first venous thromboembolism around pregnancy: a population-based cohort study from the United Kingdom. <i>Blood</i> , 2013 , 121, 3953-61	2.2	138
104	OP69 Occurrence of Liver Cirrhosis in England, A Cohort Study, 1998-2009: A Comparison with Cancer. <i>Journal of Epidemiology and Community Health</i> , 2013 , 67, A33.1-A33	5.1	
103	The incidence of first venous thromboembolism in and around pregnancy using linked primary and secondary care data: a population based cohort study from England and comparative meta-analysis. <i>PLoS ONE</i> , 2013 , 8, e70310	3.7	38
102	Commentary: comparisons of upper gastrointestinal bleeding mortality by admission time. <i>Alimentary Pharmacology and Therapeutics</i> , 2012 , 36, 681-2	6.1	
101	Rate of venous thromboembolism by cancer type compared to the general population using multiple linked databases. <i>Thrombosis Research</i> , 2012 , 129, S155-S156	8.2	8
100	Risk of stroke in 28,000 patients with celiac disease: a nationwide cohort study in Sweden. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2012 , 21, 860-7	2.8	30
99	Role of acute diverticulitis in the development of complicated colonic diverticular disease and 1-year mortality after diagnosis in the UK: population-based cohort study. <i>Gut</i> , 2012 , 61, 95-100	19.2	55
98	Defining upper gastrointestinal bleeding from linked primary and secondary care data and the effect on occurrence and 28 day mortality. <i>BMC Health Services Research</i> , 2012 , 12, 392	2.9	22
97	Neutral risk of lung cancer in adults with celiac disease--nationwide cohort study. <i>Lung Cancer</i> , 2012 , 78, 179-84	5.9	8
96	Independent risk factors for injury in pre-school children: three population-based nested case-control studies using routine primary care data. <i>PLoS ONE</i> , 2012 , 7, e35193	3.7	44
95	Live and non-live pregnancy outcomes among women with depression and anxiety: a population-based study. <i>PLoS ONE</i> , 2012 , 7, e43462	3.7	36
94	Reduced risk of breast, endometrial and ovarian cancer in women with celiac disease. <i>International Journal of Cancer</i> , 2012 , 131, E244-50	7.5	29
93	All-cause mortality in people with cirrhosis compared with the general population: a population-based cohort study. <i>Liver International</i> , 2012 , 32, 79-84	7.9	89
92	Risk of first venous thromboembolism in and around pregnancy: a population-based cohort study. <i>British Journal of Haematology</i> , 2012 , 156, 366-73	4.5	133
91	The long-term risk of malignancy following a diagnosis of coeliac disease or dermatitis herpetiformis: a cohort study. <i>Alimentary Pharmacology and Therapeutics</i> , 2012 , 35, 730-9	6.1	52

90	Risk of venous thromboembolism in patients with cancer: a systematic review and meta-analysis. <i>PLoS Medicine</i> , 2012 , 9, e1001275	11.6	303
89	Upper gastrointestinal haemorrhage and deprivation: a nationwide cohort study of health inequality in hospital admissions. <i>Gut</i> , 2012 , 61, 514-20	19.2	34
88	OP95 Risk Factors for First Venous Thromboembolism in and around Pregnancy: A Population Based Cohort Study from the United Kingdom. <i>Journal of Epidemiology and Community Health</i> , 2012 , 66, A37.2-A37	5.1	
87	Impact of socioeconomic deprivation on maternal perinatal mental illnesses presenting to UK general practice. <i>British Journal of General Practice</i> , 2012 , 62, e671-8	1.6	47
86	Reductions in 28-day mortality following hospital admission for upper gastrointestinal hemorrhage. <i>Gastroenterology</i> , 2011 , 141, 62-70	13.3	71
85	The relationship between neurological disease and bullous pemphigoid: a population-based case-control study. <i>Journal of Investigative Dermatology</i> , 2011 , 131, 631-6	4.3	137
84	Is variceal bleeding increasing within the UK population?. <i>Gut</i> , 2011 , 60, A9-A10	19.2	1
83	P2-346 The risk of venous thromboembolism in and around pregnancy: a population-based cohort study. <i>Journal of Epidemiology and Community Health</i> , 2011 , 65, A318-A318	5.1	
82	Hospital admission database or specialist national audits for monitoring gastrointestinal bleeding? both are vital to monitoring our clinical practice. <i>Gut</i> , 2011 , 60, A187-A188	19.2	5
81	Is deprivation associated with hospitalisation for upper gastrointestinal haemorrhage? a nationwide study of hospital admissions. <i>Gut</i> , 2011 , 60, A10-A11	19.2	
80	* Vascular risk profile in incident coeliac disease and change with gluten-free diet. <i>Gut</i> , 2011 , 60, A87-A88	19.2	2
79	Abnormal liver tests in people aged 75 and above: prevalence and association with mortality. <i>Alimentary Pharmacology and Therapeutics</i> , 2011 , 34, 324-34	6.1	16
78	No difference in mortality in undetected coeliac disease compared with the general population: a UK cohort study. <i>Alimentary Pharmacology and Therapeutics</i> , 2011 , 34, 1012-9	6.1	34
77	Angiotensin converting enzyme inhibitors and hepatocellular carcinoma incidence in the General Practice Research Database. <i>Cancer Causes and Control</i> , 2011 , 22, 1743-7	2.8	4
76	An increased risk of urinary tract infection precedes development of primary biliary cirrhosis. <i>BMC Gastroenterology</i> , 2011 , 11, 95	3	35
75	Concurrent drug use and the risk of perforated colonic diverticular disease: a population-based case-control study. <i>Gut</i> , 2011 , 60, 219-24	19.2	91
74	Treating occult coeliac disease with a gluten-free diet is associated with a significant improvement in quality of life. <i>Gut</i> , 2011 , 60, A1-A2	19.2	6
73	The rising incidence of idiopathic pulmonary fibrosis in the U.K. <i>Thorax</i> , 2011 , 66, 462-7	7.3	311

72	Causes of death in people with celiac disease spanning the pre- and post-serology era: a population-based cohort study from Derby, UK. <i>American Journal of Gastroenterology</i> , 2011 , 106, 933-9	0.7	48
71	Increased risk of atrial fibrillation in patients with coeliac disease: a nationwide cohort study. <i>European Heart Journal</i> , 2011 , 32, 2430-7	9.5	65
70	The rate of decompensation and clinical progression of disease in people with cirrhosis: a cohort study. <i>Alimentary Pharmacology and Therapeutics</i> , 2010 , 32, 1343-50	6.1	75
69	Association between perinatal depression in mothers and the risk of childhood infections in offspring: a population-based cohort study. <i>BMC Public Health</i> , 2010 , 10, 799	4.1	45
68	Risk of cancer in inflammatory bowel disease treated with azathioprine: a UK population-based case-control study. <i>American Journal of Gastroenterology</i> , 2010 , 105, 1604-9	0.7	115
67	Reduced mortality rates following elective percutaneous liver biopsies. <i>Gastroenterology</i> , 2010 , 139, 1230-7	13.3	129
66	Venous thromboembolism during active disease and remission in inflammatory bowel disease: a cohort study. <i>Lancet, The</i> , 2010 , 375, 657-63	4.0	455
65	Disease activity and venous thromboembolism in inflammatory bowel disease [Authors' Reply]. <i>Lancet, The</i> , 2010 , 375, 1690-1691	4.0	1
64	PTH-092 Reproductive and hormonal risk factors for breast cancer among women with coeliac disease: a population-based questionnaire study. <i>Gut</i> , 2010 , 59, A160.3-A161	19.2	
63	PTH-091 Is the diagnosis of coeliac disease associated with socio-economic status? A population-based study. <i>Gut</i> , 2010 , 59, A160.2-A160	19.2	
62	PTH-101 Mild enteropathy (Marsh 1 and 2) coeliac disease: a comparison with more severe disease using a population-based cohort. <i>Gut</i> , 2010 , 59, A164.2-A165	19.2	0
61	The antecedents of biliary cancer: a primary care case-control study in the United Kingdom. <i>British Journal of Cancer</i> , 2009 , 100, 178-80	8.7	60
60	The epidemiology of haemochromatosis: a population-based study. <i>Alimentary Pharmacology and Therapeutics</i> , 2009 , 29, 183-92	6.1	23
59	Patient perceptions of the burden of coeliac disease and its treatment in the UK. <i>Alimentary Pharmacology and Therapeutics</i> , 2009 , 29, 1131-6	6.1	88
58	A population-based study of acute medical conditions associated with bullous pemphigoid. <i>British Journal of Dermatology</i> , 2009 , 161, 1149-52	4	33
57	Celiac disease and its complications: a time traveller's perspective. <i>Gastroenterology</i> , 2009 , 136, 32-4	13.3	47
56	A population-based study of perforated diverticular disease incidence and associated mortality. <i>Gastroenterology</i> , 2009 , 136, 1198-205	13.3	68
55	Cholesterol profile in people with newly diagnosed coeliac disease: a comparison with the general population and changes following treatment. <i>British Journal of Nutrition</i> , 2009 , 102, 509-13	3.6	55

54	Hospital costs of colorectal cancer care. <i>Clinical Medicine Oncology</i> , 2009 , 3, 27-37		12
53	Treated Colorectal Cancer: What is the Cost to Primary Care?. <i>Clinical Medicine Oncology</i> , 2008 , 3, 1-7		
52	No increase in risk of fracture, malignancy or mortality in dermatitis herpetiformis: a cohort study. <i>Alimentary Pharmacology and Therapeutics</i> , 2008 , 27, 1140-7	6.1	52
51	Incidence and mortality of primary sclerosing cholangitis in the UK: a population-based cohort study. <i>Journal of Hepatology</i> , 2008 , 48, 939-44	13.4	99
50	Incidence and prevalence of cirrhosis in the United Kingdom, 1992-2001: a general population-based study. <i>Journal of Hepatology</i> , 2008 , 49, 732-8	13.4	128
49	Recall of informed consent information by healthy volunteers in clinical trials. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2008 , 101, 625-9	2.7	50
48	Risk of cardiovascular and cerebrovascular events in primary biliary cirrhosis: a population-based cohort study. <i>American Journal of Gastroenterology</i> , 2008 , 103, 2784-8	0.7	44
47	Bullous pemphigoid and pemphigus vulgaris--incidence and mortality in the UK: population based cohort study. <i>BMJ, The</i> , 2008 , 337, a180	5.9	382
46	The iceberg of celiac disease: what is below the waterline?. <i>Clinical Gastroenterology and Hepatology</i> , 2007 , 5, 59-62	6.9	27
45	Influence of ursodeoxycholic acid on the mortality and malignancy associated with primary biliary cirrhosis: a population-based cohort study. <i>Hepatology</i> , 2007 , 46, 1131-7	11.2	63
44	Long-term mortality in people with celiac disease diagnosed in childhood compared with adulthood: a population-based cohort study. <i>American Journal of Gastroenterology</i> , 2007 , 102, 864-70	0.7	57
43	Coeliac disease and risk of tuberculosis: A population-based cohort study. <i>Thorax</i> , 2007 , 62, 1-2	7.3	21
42	A comprehensive analysis of adverse obstetric and pediatric complications in women with asthma. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2007 , 175, 991-7	10.2	71
41	Extrinsic allergic alveolitis: incidence and mortality in the general population. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2007 , 100, 233-7	2.7	66
40	Analysis of the absolute risks in coeliac disease indicates the importance of the prevention of osteoporosis. <i>Gut</i> , 2007 , 56, 310; author reply 310-1	19.2	6
39	Fertility rates in women with asthma, eczema, and hay fever: a general population-based cohort study. <i>American Journal of Epidemiology</i> , 2007 , 165, 1023-30	3.8	40
38	The incidence of cancer in patients with idiopathic pulmonary fibrosis and sarcoidosis in the UK. <i>Respiratory Medicine</i> , 2007 , 101, 2534-40	4.6	211
37	Elevated serum alanine transaminase in patients with type 1 or type 2 diabetes mellitus. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2006 , 99, 871-6	2.7	61

36	Is an internal comparison better than using national data when estimating mortality in longitudinal studies?. <i>Journal of Epidemiology and Community Health</i> , 2006 , 60, 819-21	5.1	33
35	Oral and inhaled corticosteroids and adrenal insufficiency: a case-control study. <i>Thorax</i> , 2006 , 61, 405-8	7.3	56
34	Incidence and mortality of idiopathic pulmonary fibrosis and sarcoidosis in the UK. <i>Thorax</i> , 2006 , 61, 980-5	7.3	360
33	Trends in the incidence of primary liver and biliary tract cancers in England and Wales 1971-2001. <i>British Journal of Cancer</i> , 2006 , 94, 1751-8	8.7	186
32	Recent advances in coeliac disease. <i>Gut</i> , 2006 , 55, 1037-46	19.2	210
31	Fracture risk in people with primary biliary cirrhosis: a population-based cohort study. <i>Gastroenterology</i> , 2006 , 131, 1752-7	13.3	71
30	Use of inhaled corticosteroids and the risk of fracture. <i>Chest</i> , 2006 , 130, 1082-8	5.3	71
29	Risk of schizophrenia in people with coeliac disease, ulcerative colitis and Crohn's disease: a general population-based study. <i>Alimentary Pharmacology and Therapeutics</i> , 2006 , 23, 71-4	6.1	38
28	General population based study of the impact of tricyclic and selective serotonin reuptake inhibitor antidepressants on the risk of acute myocardial infarction. <i>Heart</i> , 2005 , 91, 465-71	5.1	109
27	Fertility and pregnancy-related events in women with celiac disease: a population-based cohort study. <i>Gastroenterology</i> , 2005 , 128, 849-55	13.3	100
26	Use of libraries and electronic information resources by primary care staff: outcomes from a survey. <i>Health Information and Libraries Journal</i> , 2005 , 22, 182-8	2.9	24
25	Autoimmune cholestatic liver disease in people with coeliac disease: a population-based study of their association. <i>Alimentary Pharmacology and Therapeutics</i> , 2005 , 21, 401-5	6.1	56
24	Does concurrent prescription of selective serotonin reuptake inhibitors and non-steroidal anti-inflammatory drugs substantially increase the risk of upper gastrointestinal bleeding?. <i>Alimentary Pharmacology and Therapeutics</i> , 2005 , 22, 175-81	6.1	67
23	Mortality associated with Barrett's esophagus and gastroesophageal reflux disease diagnoses-a population-based cohort study. <i>American Journal of Gastroenterology</i> , 2005 , 100, 2616-21	0.7	58
22	Bupropion and the risk of sudden death: a self-controlled case-series analysis using The Health Improvement Network. <i>Thorax</i> , 2005 , 60, 848-50	7.3	38
21	Commentary: Does the presence of asthma increase the incidence of coronary heart disease?. <i>International Journal of Epidemiology</i> , 2004 , 33, 749-50	7.8	1
20	Malignancy and mortality in people with coeliac disease: population based cohort study. <i>BMJ</i> , 2004 , 329, 716-9	5.9	236
19	Risk of oesophageal cancer in Barrett's esophagus and gastro-oesophageal reflux. <i>Gut</i> , 2004 , 53, 1070-4	9.2	208

18	Hip fractures in patients with inflammatory bowel disease and their relationship to corticosteroid use: a population based cohort study. <i>Gut</i> , 2004 , 53, 251-5	19.2	112
17	Risk of vascular disease in adults with diagnosed coeliac disease: a population-based study. <i>Alimentary Pharmacology and Therapeutics</i> , 2004 , 20, 73-9	6.1	93
16	Fracture risk of women with primary biliary cirrhosis: no increase compared with general population controls. <i>Alimentary Pharmacology and Therapeutics</i> , 2004 , 20, 551-7	6.1	22
15	Risk of malignancy in diagnosed coeliac disease: a 24-year prospective, population-based, cohort study. <i>Alimentary Pharmacology and Therapeutics</i> , 2004 , 20, 769-75	6.1	80
14	Risk of extra-oesophageal malignancies and colorectal cancer in Barrett's oesophagus and gastro-oesophageal reflux. <i>Scandinavian Journal of Gastroenterology</i> , 2004 , 39, 680-5	2.4	24
13	Do rates of hospital admission for falls and hip fracture in elderly people vary by socio-economic status?. <i>Public Health</i> , 2004 , 118, 576-81	4	54
12	How often is a positive faecal occult blood test the result of coeliac disease?. <i>European Journal of Gastroenterology and Hepatology</i> , 2003 , 15, 1097-100	2.2	12
11	Fracture risk in people with celiac disease: a population-based cohort study. <i>Gastroenterology</i> , 2003 , 125, 429-36	13.3	146
10	Risk of fracture in coeliac disease. <i>Gut</i> , 2003 , 52, 1532	19.2	2
9	Does influenza vaccination increase consultations, corticosteroid prescriptions, or exacerbations in subjects with asthma or chronic obstructive pulmonary disease?. <i>Thorax</i> , 2003 , 58, 835-9	7.3	50
8	Fracture experience of patients with coeliac disease: a population based survey. <i>Gut</i> , 2003 , 52, 518-22	19.2	84
7	Seroprevalence, correlates, and characteristics of undetected coeliac disease in England. <i>Gut</i> , 2003 , 52, 960-5	19.2	359
6	IgA-antitissue transglutaminase: validation of a commercial assay for diagnosing coeliac disease. <i>Clinical Laboratory</i> , 2002 , 48, 241-6	2	9
5	Trends in diagnosis rate and clinical presentation of adult celiac disease: A 25 year prospective study. <i>Gastroenterology</i> , 2001 , 120, A394-A394	13.3	2
4	Loss of vision in one eye following scoliosis surgery. <i>British Journal of Ophthalmology</i> , 1990 , 74, 243-4	5.5	24
3	Human physiology at extreme altitudes on Mount Everest. <i>Science</i> , 1984 , 223, 784-8	33.3	84
2	How to Find and Apply Large Databases for Epidemiologic Research	83-97	
1	Epidemiology of Cirrhosis and Hepatocellular Carcinoma	344-356	1

