

Xi-Tao Wang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2939998/xi-tao-wang-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

154
papers

2,871
citations

31
h-index

46
g-index

159
ext. papers

3,514
ext. citations

3.8
avg, IF

5.42
L-index

#	Paper	IF	Citations
154	Enhanced thermal conductivity in copper matrix composites reinforced with titanium-coated diamond particles. <i>Scripta Materialia</i> , 2011 , 65, 1097-1100	5.6	178
153	A comparative study on Johnson-Cook, modified Johnson-Cook and Arrhenius-type constitutive models to predict the high temperature flow stress in 20CrMo alloy steel. <i>Materials & Design</i> , 2013 , 52, 677-685		148
152	High thermal conductivity through interfacial layer optimization in diamond particles dispersed Zr-alloyed Cu matrix composites. <i>Scripta Materialia</i> , 2015 , 109, 72-75	5.6	98
151	Microstructure and thermal conductivity of Cu/diamond composites with Ti-coated diamond particles produced by gas pressure infiltration. <i>Journal of Alloys and Compounds</i> , 2015 , 647, 941-946	5.7	72
150	Microstructure evolution and impact fracture behaviors of Z3CN20-09M stainless steels after long-term thermal aging. <i>Journal of Nuclear Materials</i> , 2013 , 433, 41-49	3.3	71
149	Mechanical and thermal properties of carbon nanotube/aluminum composites consolidated by spark plasma sintering. <i>Materials & Design</i> , 2012 , 41, 344-348		68
148	Effects of ion irradiation on microstructure and properties of zirconium alloys—a review. <i>Nuclear Engineering and Technology</i> , 2015 , 47, 323-331	2.6	60
147	Effect of Ti interlayer on interfacial thermal conductance between Cu and diamond. <i>Acta Materialia</i> , 2018 , 160, 235-246	8.4	57
146	Optimized thermal properties in diamond particles reinforced copper-titanium matrix composites produced by gas pressure infiltration. <i>Composites Part A: Applied Science and Manufacturing</i> , 2016 , 91, 189-194	8.4	55
145	A physically-based constitutive model for a nitrogen alloyed ultralow carbon stainless steel. <i>Computational Materials Science</i> , 2015 , 98, 64-69	3.2	54
144	G-phase precipitation in duplex stainless steels after long-term thermal aging: A high-resolution transmission electron microscopy study. <i>Journal of Nuclear Materials</i> , 2014 , 452, 382-388	3.3	54
143	Effect of copper content on the thermal conductivity and thermal expansion of Al-Cu/diamond composites. <i>Materials & Design</i> , 2012 , 39, 87-92		54
142	Investigation on the 1000, 1150 and 1400 °C isothermal section of the Ti-Al-Nb system. <i>Intermetallics</i> , 1996 , 4, 13-22	3.5	54
141	Annealing induced recovery of long-term thermal aging embrittlement in a duplex stainless steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 564, 85-91	5.3	53
140	Microstructures and mechanical properties of cast austenite stainless steels after long-term thermal aging at low temperature. <i>Materials & Design</i> , 2013 , 50, 886-892		52
139	High thermal conductivity of Cu-B/diamond composites prepared by gas pressure infiltration. <i>Journal of Alloys and Compounds</i> , 2018 , 735, 1648-1653	5.7	52
138	Thermal conductivity of Cu-Zr/diamond composites produced by high temperature-high pressure method. <i>Composites Part B: Engineering</i> , 2015 , 68, 22-26	10	49

137	A modified Zerilli-Armstrong constitutive model to predict hot deformation behavior of 20CrMo alloy steel. <i>Materials & Design</i> , 2014 , 56, 122-127		46
136	Combining Cr pre-coating and Cr alloying to improve the thermal conductivity of diamond particles reinforced Cu matrix composites. <i>Journal of Alloys and Compounds</i> , 2018 , 749, 1098-1105	5.7	45
135	Enhanced thermal conductivity in Cu/diamond composites by tailoring the thickness of interfacial TiC layer. <i>Composites Part A: Applied Science and Manufacturing</i> , 2018 , 113, 76-82	8.4	42
134	Grain morphology and crystal structure of pre-transition oxides formed on Zircaloy-4. <i>Corrosion Science</i> , 2013 , 74, 323-331	6.8	38
133	Effect of sigma phase precipitation on the mechanical and wear properties of Z3CN20.09M cast duplex stainless steel. <i>Nuclear Engineering and Design</i> , 2013 , 259, 1-7	1.8	37
132	Interfacial structure evolution of Ti-coated diamond particle reinforced Al matrix composite produced by gas pressure infiltration. <i>Composites Part B: Engineering</i> , 2017 , 113, 285-290	10	36
131	Tailoring interface structure and enhancing thermal conductivity of Cu/diamond composites by alloying boron to the Cu matrix. <i>Materials Characterization</i> , 2019 , 152, 265-275	3.9	36
130	The role of alloying elements in the initiation of nanoscale porosity in oxide films formed on zirconium alloys. <i>Corrosion Science</i> , 2013 , 77, 391-396	6.8	35
129	Optimisation of high thermal conductivity Al/diamond composites produced by gas pressure infiltration by controlling infiltration temperature and pressure. <i>Journal of Materials Science</i> , 2015 , 50, 688-696	4.3	33
128	Effect of metalloid silicon addition on densification, microstructure and thermal physical properties of Al/diamond composites consolidated by spark plasma sintering. <i>Materials & Design</i> , 2014 , 63, 838-847		32
127	Effects of Co additions on electromigration behaviors in Sn ₃ .0 Ag ₀ .5 Cu-based solder joint. <i>Journal of Materials Science</i> , 2011 , 46, 4896-4905	4.3	32
126	Effects of ferrite content on the mechanical properties of thermal aged duplex stainless steels. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 625, 186-193	5.3	31
125	Interfacial characteristic and thermal conductivity of Al/diamond composites produced by gas pressure infiltration in a nitrogen atmosphere. <i>Materials and Design</i> , 2016 , 92, 643-648	8.1	31
124	Non-uniform phase separation in ferrite of a duplex stainless steel. <i>Acta Materialia</i> , 2017 , 140, 388-397	8.4	31
123	Nucleation and growth mechanisms of interfacial Al ₄ C ₃ in Al/diamond composites. <i>Journal of Alloys and Compounds</i> , 2016 , 657, 81-89	5.7	30
122	Modified arrhenius-type constitutive model and artificial neural network-based model for constitutive relationship of 316LN stainless steel during hot deformation. <i>Journal of Iron and Steel Research International</i> , 2015 , 22, 721-729	1.2	28
121	Positron annihilation study of proton-irradiated reactor pressure vessel steels. <i>Radiation Physics and Chemistry</i> , 2012 , 81, 1586-1592	2.5	28
120	Microstructure, Mechanical Properties and In Vitro Degradation Behavior of a Novel Biodegradable Mg ₀ .5Zn ₀ .6Zr ₀ .2Sc Alloy. <i>Journal of Materials Science and Technology</i> , 2015 , 31, 744-750	9.1	27

119	Mechanical properties of diamond/Al composites with Ti-coated diamond particles produced by gas-assisted pressure infiltration. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 626, 362-368	5.3	27
118	Effect of boron addition on interface microstructure and thermal conductivity of Cu/diamond composites produced by high temperature high pressure method. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2014 , 211, 587-594	1.6	27
117	The role of Ti coating in enhancing tensile strength of Al/diamond composites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 565, 33-37	5.3	25
116	Retarding the electromigration effects to the eutectic SnBi solder joints by micro-sized Ni-particles reinforcement approach. <i>Journal of Alloys and Compounds</i> , 2011 , 509, 878-884	5.7	25
115	Electromigration in Sn-Bi Modified with Polyhedral Oligomeric Silsesquioxane. <i>Journal of Electronic Materials</i> , 2010 , 39, 2513-2521	1.9	25
114	Experimental and theoretical characterization of electrical contact in anisotropically conductive adhesive. <i>IEEE Transactions on Advanced Packaging</i> , 2000 , 23, 15-21		25
113	Interfacial structure evolution and thermal conductivity of Cu-Zr/diamond composites prepared by gas pressure infiltration. <i>Journal of Alloys and Compounds</i> , 2019 , 781, 800-809	5.7	25
112	Evaluation of hardening behaviors in ion-irradiated Fe ₃ Cr and Fe ₂ O ₃ Cr alloys by nanoindentation technique. <i>Journal of Nuclear Materials</i> , 2016 , 478, 50-55	3.3	24
111	Regulated Interfacial Thermal Conductance between Cu and Diamond by a TiC Interlayer for Thermal Management Applications. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 26507-26517	9.5	24
110	Effects of scandium addition on biocompatibility of biodegradable Mg _{1.5} Zn _{0.6} Zr alloy. <i>Materials Letters</i> , 2018 , 215, 200-202	3.3	22
109	Influence of albumin on in vitro degradation behavior of biodegradable Mg-1.5Zn-0.6Zr-0.2Sc alloy. <i>Materials Letters</i> , 2018 , 217, 227-230	3.3	22
108	The coupling effects of thermal cycling and high current density on Sn58Bi solder joints. <i>Journal of Materials Science</i> , 2013 , 48, 2318-2325	4.3	22
107	Effect of Metal Matrix Alloying on Mechanical Strength of Diamond Particle-Reinforced Aluminum Composites. <i>Journal of Materials Engineering and Performance</i> , 2015 , 24, 2556-2562	1.6	22
106	Microstructural evolution in 316LN austenitic stainless steel during solidification process under different cooling rates. <i>Journal of Materials Science</i> , 2016 , 51, 2529-2539	4.3	20
105	Microstructure, mechanical property and in vitro biocorrosion behavior of single-phase biodegradable Mg _{1.5} Zn _{0.6} Zr alloy. <i>Journal of Magnesium and Alloys</i> , 2014 , 2, 181-189	8.8	20
104	Evolution of the microstructure in aged G115 steels with the different concentration of tungsten. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 729, 161-169	5.3	20
103	The formation of atomic-level interfacial layer and its effect on thermal conductivity of W-coated diamond particles reinforced Al matrix composites. <i>Composites Part A: Applied Science and Manufacturing</i> , 2018 , 107, 164-170	8.4	19
102	The failure models of Sn-based solder joints under coupling effects of electromigration and thermal cycling. <i>Journal of Applied Physics</i> , 2013 , 113, 044904	2.5	16

101	Effects of electromigration on resistance changes in eutectic SnBi solder joints. <i>Journal of Materials Science</i> , 2011 , 46, 3544-3549	4.3	16
100	Effect of Zr Content on Mechanical Properties of Diamond/Cu-Zr Composites Produced by Gas Pressure Infiltration. <i>Journal of Materials Engineering and Performance</i> , 2018 , 27, 714-720	1.6	16
99	The 1400°C isothermal section of the Ti-Al-Nb ternary system. <i>Journal of Phase Equilibria and Diffusion</i> , 1998 , 19, 200-205		15
98	Effect of diamond surface chemistry and structure on the interfacial microstructure and properties of Al/diamond composites. <i>RSC Advances</i> , 2016 , 6, 67252-67259	3.7	15
97	Effects of prior solution treatment on thermal aging behavior of duplex stainless steels. <i>Journal of Nuclear Materials</i> , 2013 , 441, 337-342	3.3	14
96	Electrical characterization of isotropic conductive adhesive under mechanical loading. <i>Journal of Electronic Materials</i> , 2002 , 31, 916-920	1.9	14
95	Interfacial products and thermal conductivity of diamond/Al composites reinforced with ZrC-coated diamond particles. <i>Diamond and Related Materials</i> , 2019 , 100, 107565	3.5	14
94	Investigation of the microstructure and strength in G115 steel with the different concentration of tungsten during creep test. <i>Materials Characterization</i> , 2019 , 149, 95-104	3.9	13
93	Recrystallization behavior of cold-rolled Zr-Nb alloy. <i>Journal of Nuclear Materials</i> , 2015 , 456, 321-328	3.3	13
92	Effects of long-term thermal aging on the stress corrosion cracking behavior of cast austenitic stainless steels in simulated PWR primary water. <i>Journal of Nuclear Materials</i> , 2016 , 469, 262-268	3.3	13
91	Proton-irradiation-induced damage in Fe-0.3 wt.%Cu alloys characterized by positron annihilation and nanoindentation. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2013 , 307, 545-551	1.2	13
90	Effect of Precipitated Phases on the Pitting Corrosion of Z3CN20.09M Cast Duplex Stainless Steel. <i>Materials Transactions</i> , 2013 , 54, 839-843	1.3	13
89	Thermo-Physical Properties of Ti-Coated Diamond/Al Composites Prepared by Pressure Infiltration. <i>Materials Science Forum</i> , 2010 , 654-656, 2572-2575	0.4	13
88	Partial phase diagram of the Ti-Al binary system. <i>Journal of Phase Equilibria and Diffusion</i> , 1996 , 17, 117-120		13
87	Strengthening of δ phase in a Fe20Cr9Ni cast austenite stainless steel. <i>Materials Characterization</i> , 2013 , 84, 120-125	3.9	12
86	Probabilistic fracture mechanics analysis of thermally aged nuclear piping in a pressurized water reactor. <i>Nuclear Engineering and Design</i> , 2013 , 265, 611-618	1.8	12
85	Study of Static Recrystallization Behavior of a Nitrogen-Alloyed Ultralow Carbon Austenitic Stainless Steel by Experiment and Simulation. <i>Journal of Materials Engineering and Performance</i> , 2015 , 24, 4346-4357	1.6	11
84	Effect of boron on G115 martensitic heat resistant steel during aging at 650°C. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 787, 139529	5.3	11

83	The role of Cr interlayer in determining interfacial thermal conductance between Cu and diamond. <i>Applied Surface Science</i> , 2020 , 515, 146046	6.7	11
82	Investigation of hardening behavior in Xe ion-irradiated Zr-Nb. <i>Journal of Nuclear Materials</i> , 2016 , 473, 256-263	3.3	11
81	Reply to the Comment on Investigation on the 1000, 1150 and 1400 °C isothermal section of the Ti-Al-Nb system Part I. Ordering of Nb in TiAl and β phase. <i>Intermetallics</i> , 1998 , 6, 323-327	3.5	11
80	Effect of Xe ²⁶⁺ ion irradiation on the microstructural evolution and mechanical properties of Zr-Nb at room and high temperature. <i>Journal of Nuclear Materials</i> , 2015 , 461, 78-84	3.3	10
79	Interface characterization of a Cu-Ti-coated diamond system. <i>Surface and Coatings Technology</i> , 2015 , 278, 163-170	4.4	10
78	Effect of milling duration on hydrogen storage thermodynamics and kinetics of ball-milled Ce-Mg-Ni-based alloy powders. <i>Journal of Iron and Steel Research International</i> , 2018 , 25, 746-754	1.2	10
77	Tensile behaviour of 316LN stainless steel at elevated temperatures. <i>Materials at High Temperatures</i> , 2014 , 31, 198-203	1.1	10
76	Calculation of Jackson factor of Mg ₂ Si in Mg melt using coordination polyhedron. <i>Journal of Alloys and Compounds</i> , 2013 , 581, 494-497	5.7	10
75	Effects of Ni content on the microstructures, mechanical properties and thermal aging embrittlement behaviors of Fe ₂₀ Cr _x Ni alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 639, 640-646	5.3	10
74	Quantitative estimate of the characteristics of conductive particles in ACA by using nano-indenter. <i>IEEE Transactions on Components and Packaging Technologies</i> , 1998 , 21, 248-251		10
73	Phase-field simulation of multi-phase interactions in Fe-C peritectic solidification. <i>Computational Materials Science</i> , 2020 , 171, 109220	3.2	10
72	Tunable coefficient of thermal expansion of Cu-B/diamond composites prepared by gas pressure infiltration. <i>Journal of Alloys and Compounds</i> , 2019 , 794, 473-481	5.7	9
71	Mo-interlayer-mediated thermal conductance at Cu/diamond interface measured by time-domain thermoreflectance. <i>Composites Part A: Applied Science and Manufacturing</i> , 2020 , 135, 105921	8.4	9
70	Effects of scandium addition on the in vitro degradation behavior of biodegradable Mg _{0.5} Zn _{0.6} Zr alloy. <i>Journal of Materials Science</i> , 2018 , 53, 14075-14086	4.3	9
69	Investigation of ion irradiation hardening behaviors of tempered and long-term thermal aged T92 steel. <i>Journal of Nuclear Materials</i> , 2018 , 511, 191-199	3.3	9
68	Effect of thermal aging on the fatigue crack growth behavior of cast duplex stainless steels. <i>International Journal of Minerals, Metallurgy and Materials</i> , 2015 , 22, 1163-1170	3.1	8
67	Hot-Rolled TRIP Steels Based on Dynamic Transformation of Undercooled Austenite. <i>Materials Science Forum</i> , 2010 , 654-656, 250-253	0.4	8
66	A brittle fracture mechanism in thermally aged duplex stainless steels revealed by in situ high-energy X-ray diffraction. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 739, 264-271	5.3	8

65	Improved corrosion resistance of Mg alloy by a green phosphating: insights into pre-activation, temperature, and growth mechanism. <i>Journal of Materials Science</i> , 2021 , 56, 828-843	4.3	8
64	Effects of Ball Milling Processing Conditions and Alloy Components on the Synthesis of Cu-Nb and Cu-Mo Alloys. <i>Materials</i> , 2019 , 12,	3.5	7
63	Effects of long term thermal aging on high temperature tensile deformation behaviours of duplex stainless steels. <i>Materials at High Temperatures</i> , 2015 , 32, 524-529	1.1	7
62	Effect of thermal aging on the leak-before-break analysis of nuclear primary pipes. <i>Nuclear Engineering and Design</i> , 2014 , 280, 493-500	1.8	7
61	The influence of silicon content on the thermal conductivity of Al-Si/diamond composites 2009 ,		7
60	Highly ameliorated gaseous and electrochemical hydrogen storage dynamics of nanocrystalline and amorphous LaMg ₁₂ -type alloys prepared by mechanical milling. <i>Journal of Iron and Steel Research International</i> , 2017 , 24, 50-58	1.2	6
59	In Situ Observation of the Deformation and Fracture Behaviors of Long-Term Thermally Aged Cast Duplex Stainless Steels. <i>Metals</i> , 2019 , 9, 258	2.3	6
58	Enhanced mechanical properties in Al/diamond composites by Si addition. <i>Rare Metals</i> , 2016 , 35, 701-704	3.5	6
57	Investigation of Stress Evolution Induced by Electromigration in Sn-Ag-Cu Solder Joints Based on an X-Ray Diffraction Technique. <i>Journal of Electronic Materials</i> , 2012 , 41, 425-430	1.9	6
56	Effect of yttrium addition on microstructure and orientation of hydride precipitation in Zr-1Nb alloy. <i>International Journal of Hydrogen Energy</i> , 2014 , 39, 21116-21126	6.7	6
55	Creep behaviour of a novel CoNi-base single-crystal superalloy at high temperature and low stress. <i>Materials Letters</i> , 2020 , 262, 127042	3.3	6
54	Phase-field model of graphene aerogel formation by ice template method. <i>Applied Physics Letters</i> , 2019 , 115, 111901	3.4	5
53	Influence of Initial Microstructures on Deformation Behavior of 316LN Austenitic Steels at 400-900 °C. <i>Journal of Materials Engineering and Performance</i> , 2015 , 24, 694-699	1.6	5
52	Aluminum carbide hydrolysis induced degradation of thermal conductivity and tensile strength in diamond/aluminum composite. <i>Journal of Composite Materials</i> , 2018 , 52, 2709-2717	2.7	5
51	Effect of tempering temperatures on microstructures and properties of 0.28C0.22Ti wear-resistant steel. <i>Materials Science and Technology</i> , 2018 , 34, 86-94	1.5	5
50	Microstructural modelling of dynamic recrystallisation in Nb microalloyed steels. <i>Materials Science and Technology</i> , 2012 , 28, 778-782	1.5	5
49	Proton irradiation induced defects in T92 steels: An investigation by TEM and positron annihilation spectroscopy. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2019 , 442, 59-66	1.2	4
48	Fe-C peritectic solidification of polycrystalline ferrite by phase-field method. <i>Computational Materials Science</i> , 2020 , 178, 109626	3.2	4

47	Hot deformation behavior of a heat-resistant alloy without δ -phase. <i>Journal of Iron and Steel Research International</i> , 2020 , 27, 820-833	1.2	4
46	Characterization of Impact Deformation Behavior of a Thermally Aged Duplex Stainless Steel by EBSD. <i>Acta Metallurgica Sinica (English Letters)</i> , 2018 , 31, 798-806	2.5	4
45	Nano-Deformation Behavior of a Thermally Aged Duplex Stainless Steel Investigated by Nanoindentation, FIB and TEM. <i>Journal of Materials Engineering and Performance</i> , 2018 , 27, 4714-4721	1.6	4
44	Corrosion behavior of ZrNbCr cladding alloys. <i>Rare Metals</i> , 2013 , 32, 480-485	5.5	4
43	Effects of thermal aging temperature and Cr content on phase separation kinetics in Fe-Cr alloys simulated by the phase field method. <i>International Journal of Minerals, Metallurgy and Materials</i> , 2013 , 20, 1067-1075	3.1	4
42	MICROSTRUCTURE CONTROL OF HOT ROLLED TRIP STEEL BASED ON DYNAMIC TRANSFORMATION OF UNDERCOOLED AUSTENITE I. Prior Austenite Grain Size. <i>Jinshu Xuebao/Acta Metallurgica Sinica</i> , 2010 , 2010, 155-160		4
41	PRECIPITATION BEHAVIOR OF THE INTERMETALLIC PHASES IN Z3CN20.09M STAINLESS STEEL FOR PRIMARY COOLANT PIPES OF NUCLEAR POWER PLANT. <i>Jinshu Xuebao/Acta Metallurgica Sinica</i> , 2013 , 49, 415		4
40	Formation behavior of long needle-like M ₂₃ C ₆ carbides in a nickel-based alloy without δ phase during long time aging. <i>Journal of Alloys and Compounds</i> , 2020 , 821, 153259	5.7	4
39	Comparison of the effects of pre-activators on morphology and corrosion resistance of phosphate conversion coating on magnesium alloy. <i>Journal of Magnesium and Alloys</i> , 2021 ,	8.8	4
38	A physically based dynamic recrystallization model considering orientation effects for a nitrogen alloyed ultralow carbon stainless steel during hot forging. <i>Journal of Iron and Steel Research International</i> , 2016 , 23, 364-371	1.2	4
37	Multiphase-field approach with parabolic approximation scheme. <i>Computational Materials Science</i> , 2020 , 172, 109322	3.2	4
36	Improved wear resistance of biodegradable Mg _{0.5} Zn _{0.6} Zr alloy by Sc addition. <i>Rare Metals</i> , 2021 , 40, 2206-2212	5.5	4
35	Effects of Tempering Temperature on the Microstructure and Mechanical Properties of T92 Heat-Resistant Steel. <i>Metals</i> , 2019 , 9, 194	2.3	3
34	Flow Behavior Modeling of a Nitrogen-Alloyed Ultralow Carbon Stainless Steel During Hot Deformation: A Comparative Study of Constitutive Models. <i>Journal of Materials Engineering and Performance</i> , 2015 , 24, 4106-4118	1.6	3
33	Carbide dissolution and grain growth behavior of a nickel-based alloy without δ phase during solid solution. <i>Journal of Alloys and Compounds</i> , 2020 , 825, 154106	5.7	3
32	Mechanical Properties of Cu-B/Diamond Composites Prepared by Gas Pressure Infiltration. <i>Journal of Materials Engineering and Performance</i> , 2020 , 29, 3107-3119	1.6	3
31	Effect of cooling rate on microstructure, hardness, and residual stress of 0.28C _{0.22} Ti wear-resistant steel. <i>Journal of Iron and Steel Research International</i> , 2019 , 26, 866-874	1.2	3
30	Influence of Mo Additions on the Mechanical Properties of Cast Duplex Stainless Steels before and after Thermal Aging. <i>Metals</i> , 2019 , 9, 295	2.3	3

29	Leak-before-break analysis of thermally aged nuclear pipe under different bending moments. <i>Nuclear Engineering and Technology</i> , 2015 , 47, 712-718	2.6	3
28	EFFECT OF LONG TERM AGING ON THE MICROSTRUCTURE AND MECHANICAL PROPERTIES OF CAST AUSTENITIC STAINLESS STEELS. <i>Jinshu Xuebao/Acta Metallurgica Sinica</i> , 2011 , 46, 1186-1191		3
27	Characterization of Plastic Deformation Behavior of a Thermally Aged Duplex Stainless Steel. <i>Journal of Materials Engineering and Performance</i> , 2017 , 26, 2814-2825	1.6	2
26	Effects of Thermal Aging on the Low Cycle Fatigue Behaviors of Cast Duplex Stainless Steels. <i>Metals</i> , 2019 , 9, 378	2.3	2
25	Microstructure and properties of 1100 MPa grade low-carbon hot-rolled steel by laser welding. <i>Journal of Iron and Steel Research International</i> , 2018 , 25, 228-234	1.2	2
24	Retarding electromigration on the Sn-Ag-Cu solder joints by micro-sized metal-particle reinforcement 2011 ,		2
23	Microstructure and mechanical property of biodegradable Mg _{0.5} Zn _{0.6} Zr alloy with varying contents of scandium. <i>Materials Letters</i> , 2018 , 229, 60-63	3.3	2
22	Reinforcement size effect on thermal conductivity in Cu-B/diamond composite. <i>Journal of Materials Science and Technology</i> , 2021 , 91, 1-4	9.1	2
21	The Pitting Corrosion Behavior of the Austenitic Stainless Steel 308L-316L Welded Joint. <i>Metals</i> , 2020 , 10, 1258	2.3	1
20	Microstructure and creep strength evolution in G115 steel during creep at 650 °C. <i>Materials Research Express</i> , 2020 , 7, 016528	1.7	1
19	The microstructural evolution and mechanical property in G115 steels during long-term aging at 650 °C. <i>Materials Research Express</i> , 2019 , 6, 116527	1.7	1
18	Microstructural Evolution of Rheo-Diecast AZ91D Magnesium Alloy with Gadolinium Addition. <i>Materials Science Forum</i> , 2010 , 654-656, 667-670	0.4	1
17	Thermal Aging Embrittlement Evaluation of Nuclear Primary Pipe Steel by Ductile to Brittle Transition Test. <i>Advanced Materials Research</i> , 2010 , 97-101, 797-800	0.5	1
16	Properties of two new medium temperature solders. <i>Soldering and Surface Mount Technology</i> , 2009 , 21, 4-8	1.4	1
15	Heat transfer in high density electronics packaging. <i>Central South University</i> , 2001 , 8, 278-282		1
14	Recent Work on Environmental Embrittlement in Silicides. <i>Materials Research Society Symposia Proceedings</i> , 1996 , 460, 575		1
13	MICROSTRUCTURE CONTROL OF HOT ROLLED TRIP STEEL BASED ON DYNAMIC TRANSFORMATION OF UNDERCOOLED AUSTENITE II. Cooling Rate After Dynamic Transformation of Undercooled Austenite. <i>Jinshu Xuebao/Acta Metallurgica Sinica</i> , 2010 , 2010, 161-166		1
12	Effect of thermal aging on the mechanical, intergranular corrosion and corrosion fatigue properties of Z3CN20.09M cast duplex stainless steel. <i>Nuclear Engineering and Technology</i> , 2021 ,	2.6	1

11	Unveiling interfacial structure and improving thermal conductivity of Cu/diamond composites reinforced with Zr-coated diamond particles. <i>Vacuum</i> , 2022 , 202, 111133	3.7	1
10	On the temperature-dependent diffusion growth of γ -Mg ₅ Al ₂ Zn ₂ ternary intermetallic compound in the Mg-Al-Zn system. <i>Journal of Materials Science</i> , 2021 , 56, 3488-3497	4.3	0
9	Microstructural evolution of sandwiched Cr interlayer in Cu/Cr/diamond subjected to heat treatment. <i>Thin Solid Films</i> , 2021 , 736, 138911	2.2	0
8	Effect of Graphite Content on the Conductivity, Wear Behavior, and Corrosion Resistance of the Organic Layer on Magnesium Alloy MAO Coatings. <i>Coatings</i> , 2022 , 12, 434	2.9	0
7	Influence of manufacturing processes on ϵ phase precipitates and corrosion properties of Zr-1Nb alloys. <i>Journal of Nuclear Materials</i> , 2022 , 567, 153831	3.3	0
6	Interface tailoring and thermal conductivity enhancement in diamond particles reinforced metal matrix composites 2020 , 473-493		
5	Study on LBB Behavior of Nuclear Primary Pipes after Long-Term Thermal Aging 2015 , 501-508		
4	Hot Tensile Deformation and Fracture Behavior of a Nitrogen Alloyed Ultralow Carbon Austenitic Stainless Steel. <i>Materials Transactions</i> , 2015 , 56, 1984-1991	1.3	
3	Thermal Aging of Primary Circuit Piping Materials in PWR Nuclear Power Plant. <i>Materials Research Society Symposia Proceedings</i> , 2009 , 1215, 1		
2	Study on LBB Behavior of Nuclear Primary Pipes After Long-Term Thermal Aging 2014 , 501-508		
1	A Method to Prepare TEM Specimens by Focused Ion Beam Milling for Cu/diamond Composites. <i>Microscopy and Microanalysis</i> , 2018 , 24, 838-839	0.5	