

# Fabio Mantellini

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2941070/publications.pdf>

Version: 2024-02-01

99  
papers

1,868  
citations

257450  
24  
h-index

315739  
38  
g-index

141  
all docs

141  
docs citations

141  
times ranked

1380  
citing authors

#	ARTICLE	IF	CITATIONS
1	A facile protocol for the preparation of 2-carboxylated thieno [2,3- <i>b</i> ] indoles: a <i>de novo</i> access to alkaloid thienodolin. <i>Organic and Biomolecular Chemistry</i> , 2022, 20, 4167-4175.	2.8	5
2	Easy Access to Indole-Based Bisulfurylate-Heterocyclic Scaffolds. <i>Asian Journal of Organic Chemistry</i> , 2022, 11, .	2.7	2
3	FeCl <sub>3</sub> -catalyzed formal [3 + 2] cycloaddition of 4-carbonyl-1,2-diazole-1,3-dienes. <i>European Journal of Organic Chemistry</i> , 2021, 2021, 5202.	2.4	3
4	Experimental and Theoretical DFT Investigations in the [2,3]-Wittig-Type Rearrangement of Propargyl/Allyl-Oxy-Pyrazolones. <i>Molecules</i> , 2021, 26, 6557.	3.8	3
5	Synthesis of Azacarbolines via PhIO <sub>2</sub> -Promoted Intramolecular Oxidative Cyclization of $\pm$ -Indolylhydrazones. <i>Journal of Organic Chemistry</i> , 2021, 86, 17918-17929.	3.2	9
6	Construction of Unusual Indole-Based Heterocycles from Tetrahydro-1H-pyridazino[3,4- <i>b</i> ]indoles. <i>Molecules</i> , 2020, 25, 4124.	3.8	1
7	Metal and Oxidant Free Construction of Substituted and/or Polycyclic Indoles: A Useful Alternative to Bischler and Related Syntheses. <i>European Journal of Organic Chemistry</i> , 2020, 2020, 5411-5424.	2.4	7
8	Synthesis of Polycyclic Fused Indoline Scaffolds through a Substrate-Guided Reactivity Switch. <i>Journal of Organic Chemistry</i> , 2020, 85, 11409-11425.	3.2	17
9	Synthesis of new dihydroberberine and tetrahydroberberine analogues and evaluation of their antiproliferative activity on NCI-H1975 cells. <i>Beilstein Journal of Organic Chemistry</i> , 2020, 16, 1606-1616.	2.2	9
10	Metal and Oxidant-Free Brønsted Acid-Mediated Cascade Reaction to Substituted Benzofurans. <i>Journal of Organic Chemistry</i> , 2019, 84, 10814-10824.	3.2	7
11	Sequential MCR via Staudinger/Aza-Wittig versus Cycloaddition Reaction to Access Diversely Functionalized 1-Amino-1H-imidazole-2(3H)-Thiones. <i>Molecules</i> , 2019, 24, 3785.	3.8	7
12	A practical and effective method for the N=C bond cleavage of N-amino-heterocycles. <i>Organic Chemistry Frontiers</i> , 2019, 6, 3408-3414.	4.5	8
13	Zn(II)-Catalyzed Addition of Aromatic/Heteroaromatic C(sp <sup>2</sup> )-H to Azoalkenes: A Polarity-Reversed Arylation of Carbonyl Compounds. <i>Organic Letters</i> , 2019, 21, 4388-4391.	4.6	15
14	5-Methylene N-acyl dihydropyridazinium ions as novel Mannich-type acceptors in 1,4 additions of nucleophiles. <i>Organic Chemistry Frontiers</i> , 2018, 5, 1308-1311.	4.5	5
15	Synthesis and study of three hydroxypyrazole-based ligands: A ratiometric fluorescent sensor for Zn(II). <i>Journal of Luminescence</i> , 2018, 195, 193-200.	3.1	16
16	1,2-Diazole-3,4-diene-Based Multicomponent Reactions in Sequential Protocols to Synthesize Arylamino-5-hydrazonothiophene-3-carboxylates. <i>European Journal of Organic Chemistry</i> , 2018, 2018, 6548-6556.	2.4	13
17	Synthesis and biological evaluation of novel heteroring-annulated pyrrolino-tetrahydroberberine analogues as antioxidant agents. <i>Bioorganic and Medicinal Chemistry</i> , 2018, 26, 5037-5044.	3.0	12
18	Assembly of fully substituted 2,5-dihydrothiophenes <i>via</i> a novel sequential multicomponent reaction. <i>Organic Chemistry Frontiers</i> , 2018, 5, 2108-2114.	4.5	31

#	ARTICLE	IF	CITATIONS
19	Polycyclic Indolines by an Acid-Mediated Intramolecular Dearomative Strategy: Reversing Indole Reactivity in the Pictet-Spengler-Type Reaction. <i>Advanced Synthesis and Catalysis</i> , 2018, 360, 4060-4067.	4.3	14
20	Palladium(II)-Catalyzed Intramolecular Oxidative C-H/C-H Cross-Coupling Reaction of C3,N-Linked Biheterocycles: Rapid Access to Polycyclic Nitrogen Heterocycles. <i>Organic Letters</i> , 2017, 19, 608-611.	4.6	35
21	Heteroring-Annulated Pyrrolino-Tetrahydroberberine Analogues. <i>Asian Journal of Organic Chemistry</i> , 2017, 6, 720-727.	2.7	9
22	Divergent Approach to Thiazolylidene Derivatives: A Perspective on the Synthesis of a Heterocyclic Skeleton from I <sup>2</sup> -Amidothioamides Reactivity. <i>Journal of Organic Chemistry</i> , 2017, 82, 9773-9778.	3.2	16
23	Unexpected Synthesis of 2,3,5,6-Tetrahydro-1 <i>H</i> -pyrrolo[3,4- <i>c</i> ]pyridine-1,3,6-triones by a Double Michael Addition/CS <sub>2</sub> Extrusion/Double Cyclization Sequence. <i>European Journal of Organic Chemistry</i> , 2017, 2017, 6291-6298.	2.4	8
24	N-heterocyclic linkers from 1,2-diaza-1,3-dienes for dye-sensitized solar cells: DFT calculations, synthesis and photovoltaic performance. <i>Dyes and Pigments</i> , 2017, 145, 246-255.	3.7	9
25	One-Pot Synthesis of Biheterocycles Based on Indole and Azole Scaffolds Using Tryptamines and 1,2-Diaza-1,3-dienes as Building Blocks. <i>European Journal of Organic Chemistry</i> , 2016, 2016, 3193-3199.	2.4	25
26	Reactivity of 1,2-Diaza-1,3-dienes with Azomethine Ylides: [3+4] versus [3+2] Cycloadditions. <i>European Journal of Organic Chemistry</i> , 2016, 2016, 4144-4151.	2.4	10
27	Facile, Odourless, Quantitative Synthesis of 3-Hydroxy-3,4-dihydro-1,4-thiazines. <i>Asian Journal of Organic Chemistry</i> , 2016, 5, 705-709.	2.7	15
28	Regioselective [1N+2C+2C] Assembly of Fully Decorated Pyrroles from Primary Amines, 1,2-Diaza-1,3-dienes, and 2,3-Alkenoates. <i>European Journal of Organic Chemistry</i> , 2015, 2015, 7154-7159.	2.4	16
29	Double Michael addition/aza-cyclization: a valuable sequence for the construction of symmetrical and unsymmetrical spirobarbiturate-pyridines. <i>Tetrahedron</i> , 2015, 71, 7282-7292.	1.9	17
30	Regioselective Formation of 5-Methylene-6-methoxy-1,4,5,6-tetrahydropyridazines from the [4+2]-Cycloaddition Reaction of In Situ Generated 1,2-Diaza-1,3-dienes with Methoxyallene. <i>Synlett</i> , 2015, 26, 193-196.	1.8	18
31	Divergent Construction of Pyrazoles via Michael Addition of <i>N</i> -Arylhydrazones to 1,2-Diaza-1,3-dienes. <i>Organic Letters</i> , 2015, 17, 2014-2017.	4.6	37
32	Synthesis of novel symmetrical 2-oxo-spiro[indole-3,4-pyridines] by a reaction of oxindoles with 1,2-diaza-1,3-dienes. <i>Organic and Biomolecular Chemistry</i> , 2015, 13, 277-282.	2.8	18
33	Interceptive [4 + 1] Annulation of in Situ Generated 1,2-Diaza-1,3-dienes with Diazo Esters: Direct Access to Substituted Mono-, Bi-, and Tricyclic 4,5-Dihydropyrazoles. <i>Journal of Organic Chemistry</i> , 2014, 79, 8331-8338.	3.2	71
34	Synthesis of Densely Functionalized 3a,4-Dihydro-1 <i>H</i> -Pyrrolo[1,2- <i>b</i> ]Pyrazoles via Base Mediated Domino Reaction of Vinyl Malononitriles with 1,2-Diaza-1,3-dienes. <i>Organic Letters</i> , 2013, 15, 2624-2627.	4.6	37
35	A Novel Solvent-Free Approach to Imidazole Containing Nitrogen-Bridgehead Heterocycles. <i>Organic Letters</i> , 2013, 15, 3646-3649.	4.6	55
36	Novel Tetrahydropyridazines by Unusual Aza-Diels-Alder Reaction of Electron-poor 1,2-Diaza-1,3-dienes with Electron-poor Alkenes Under Solvent Free Conditions. <i>Current Organic Synthesis</i> , 2013, 10, 631-639.	1.3	14

#	ARTICLE	IF	CITATIONS
37	Divergent Behavior of the Reactions Between 1,2-Diaza-1,3-dienes and 2,5-Dioxoimidazolidin-4-ylidene-succinates. <i>Current Organic Synthesis</i> , 2013, 10, 472-480.	1.3	2
38	Synthesis of Tetrahydropyridazine Amino Acid Derivatives by a Formal [4+2] Cycloaddition Reaction of 1,2-Diaza-1,3-dienes with Dehydroalanine Esters.. <i>Current Organic Synthesis</i> , 2013, 10, 803-811.	1.3	3
39	Synthesis of Highly Functionalized 1,3-Oxathioles via an Unusual [4+1] Annulation of 1,1'-Dioxothione with 1,2-Diaza-1,3-dienes. <i>Synlett</i> , 2012, 23, 2947-2950.	1.8	7
40	Divergent Regioselective Synthesis of 2,5,6,7-Tetrahydro-1 <i>H</i> -1,4-diazepin-2-ones and 5 <i>H</i> -1,4-Benzodiazepines. <i>Journal of Organic Chemistry</i> , 2011, 76, 8320-8328.	3.2	20
41	Synthesis of Functionalized Pyrroles via Catalyst- and Solvent-Free Sequential Three-Component Enamine~Azoene Annulation. <i>Journal of Organic Chemistry</i> , 2011, 76, 2860-2866.	3.2	72
42	Zinc(II) Triflate~Catalyzed Divergent Synthesis of Polyfunctionalized Pyrroles. <i>Advanced Synthesis and Catalysis</i> , 2011, 353, 595-605.	4.3	30
43	A Novel Assembly of Substituted Pyrroles by Acid~Catalyzed Sequential Three~Component Reaction of Amines, Alkynoates, and 1,2~Diaza~1,3~dienes. <i>Advanced Synthesis and Catalysis</i> , 2011, 353, 1519-1524.	4.3	32
44	Phospha~Michael~Type Reactions between 1,2~Diaza~1,3~dienes and Bidentate Nucleophiles: Formation of New Mono~and Diylides and their Elaboration to Heterocycles. <i>European Journal of Organic Chemistry</i> , 2011, 2011, 1326-1334.	2.4	6
45	Easy One~Pot Synthesis of Fused Heterocycles from 1,2~Diaza~1,3~dienes. <i>European Journal of Organic Chemistry</i> , 2011, 2011, 2924-2927.	2.4	3
46	Study of the nucleophilic behaviour of N-phenylbenzamidine towards 1,2-diaza-1,3-dienes: domino reactions for imidazole scaffolds. <i>Tetrahedron</i> , 2010, 66, 5121-5129.	1.9	11
47	Divergent base-induced reactivity of cycloalkenyl-1-diazenes. <i>Tetrahedron</i> , 2010, 66, 6832-6841.	1.9	5
48	Organocatalyzed synthesis of chiral non-racemic 1,4-dihydropyridazines. <i>Tetrahedron: Asymmetry</i> , 2010, 21, 617-622.	1.8	20
49	Unusual [4+2]-Cycloaddition Reaction between Electron-Poor 1,2-Diaza-1,3-dienes and Electron-Poor Alkenes: Useful Entry to Novel Tetrahydropyridazines. <i>Synlett</i> , 2010, 2010, 1363-1366.	1.8	10
50	Copper(II)/Copper(I)-Catalyzed Aza-Michael Addition/Click Reaction of in Situ Generated 1~Azidohydrazones: Synthesis of Novel Pyrazolone~Triazole Framework. <i>Organic Letters</i> , 2010, 12, 468-471.	4.6	62
51	Domino Reaction for the Construction of New 2-Oxo[1,2,4]triazolo[5,1-c][1,4]thiazines. <i>Synlett</i> , 2009, 2009, 735-738.	1.8	2
52	Synthesis of Selenium-Substituted Pyrroles and Pyrazol-3-ones. <i>Synlett</i> , 2009, 2009, 1118-1122.	1.8	10
53	Lewis Acid~Catalyzed Synthesis of Functionalized Pyrroles. <i>Advanced Synthesis and Catalysis</i> , 2009, 351, 715-719.	4.3	25
54	Cultivating the Passion to Build Heterocycles from 1,2~Diaza~1,3~dienes: the Force of Imagination. <i>European Journal of Organic Chemistry</i> , 2009, 2009, 3109-3127.	2.4	139

#	ARTICLE	IF	CITATIONS
55	Synthesis of new cycloalkenyliden-pyrroles by domino reaction. <i>Tetrahedron</i> , 2009, 65, 2290-2297.	1.9	5
56	Regioselective synthesis of spiro-cyclopropanated 1-aminopyrrol-2-ones by Bi(OTf) <sub>3</sub> -catalyzed one-pot Mukaiyama-Michael addition/cyclization/ring-contraction™ reactions of 1,2-bis(trimethylsilyloxy)cyclobutene with 1,2-diaza-1,3-butadienes. <i>Tetrahedron</i> , 2009, 65, 5456-5461.	1.9	13
57	An Efficient One-Pot, Three-Component Synthesis of 5-Hydrazinoalkylidene Rhodanines from 1,2-Diaza-1,3-dienes. <i>Organic Letters</i> , 2009, 11, 2265-2268.	4.6	61
58	±-Aminoester-Derived Imidazoles by 1,5-Electrocyclization of Azavinyl Azomethine Ylides. <i>Organic Letters</i> , 2009, 11, 2840-2843.	4.6	28
59	Unusual Reactions Between Aromatic Carbon Supernucleophiles and 1,2-Diazabuta-1,3-dienes: Useful Routes to New Pyrazolone and Cinnoline Derivatives. <i>European Journal of Organic Chemistry</i> , 2008, 2008, 4357-4366.	2.4	7
60	Reaction of 1,2-Diaza-1,3-butadienes with Aminophosphorus Nucleophiles: A Practical Access to New Phosphorylated Pyrazolones. <i>European Journal of Organic Chemistry</i> , 2008, 2008, 5965-5973.	2.4	10
61	Diversity-Oriented Synthesis of Functionalized 1-Aminopyrroles by Regioselective Zinc Chloride-Catalyzed, One-Pot Conjugate Addition/Cyclization™ Reactions of 1,3-Bis(silyl enol ethers) with 1,2-Diaza-1,3-butadienes. <i>Advanced Synthesis and Catalysis</i> , 2008, 350, 1331-1336.	1.3	22
62	Synthesis of new polyazines by 1,4 photochemical or anionic polymerization of 1,2-diaza-1,3-butadienes. <i>European Polymer Journal</i> , 2008, 44, 2545-2550.	5.4	0
63	Simple construction of fused and spiro nitrogen/sulfur containing heterocycles by addition of thioamides or thioureas on cycloalkenyl-diazenes: examples of click chemistry. <i>Tetrahedron</i> , 2008, 64, 3837-3858.	1.9	19
64	Carbon-phosphorus bond formation and transformation in the reaction of 1,2-diaza-1,3-butadienes with alkyl phenylphosphonites. <i>Tetrahedron</i> , 2008, 64, 6724-6732.	1.9	8
65	Reactions of 1,2-diaza-1,3-dienes with thiol derivatives: a versatile construction of nitrogen/sulfur containing heterocycles. <i>Tetrahedron</i> , 2008, 64, 9264-9274.	1.9	14
66	Flexible Protocol for the Chemo- and Regioselective Building of Pyrroles and Pyrazoles by Reactions of Danishefsky's Dienes with 1,2-Diaza-1,3-butadienes. <i>Organic Letters</i> , 2008, 10, 1983-1986.	4.6	41
67	Regioselective Synthesis of New 1-Aminopyrroles and 1-Amino-4,5,6,7-tetrahydroindoles by One-Pot Conjugate Addition/Cyclization™ Reactions of 1,3-Bis(silyl enol ethers) with 1,2-Diaza-1,3-butadienes. <i>Synlett</i> , 2007, 2007, 2965-2968.	1.8	1
68	Improved Synthesis of Pyrroles and Indoles via Lewis Acid-Catalyzed Mukaiyama-Michael-Type Addition/Heterocyclization of Enolsilyl Derivatives on 1,2-Diaza-1,3-Butadienes. Role of the Catalyst in the Reaction Mechanism. <i>Advanced Synthesis and Catalysis</i> , 2007, 349, 907-915.	4.3	33
69	Unexpected regioselectivity in the reaction between cycloalkenyl-1-diazenes and thioamides: useful entry to fused cycloalkyl-thiazoline and cycloalkyl-thiazoline-pyrazole systems. <i>Tetrahedron Letters</i> , 2007, 48, 2449-2451.	1.4	19
70	Straightforward Access to Pyrazines, Piperazinones, and Quinoxalines by Reactions of 1,2-Diaza-1,3-butadienes with 1,2-Diamines under Solution, Solvent-Free, or Solid-Phase Conditions. <i>Journal of Organic Chemistry</i> , 2006, 71, 5897-5905.	3.2	109
71	An Alternative Route to Pyrrolotriazoles and other N-Bridgehead Heterocycles. <i>Synlett</i> , 2006, 2006, 1734-1738.	1.8	0
72	Unusual Peptidomimetic Reaction of 1,2-Diaza-1,3-butadienes: Straightforward Entry to 2,3,6-Triazabicyclo[3.2.1]oct-3-enes, 5-Oxo-4,5-dihydro-2-pyrazines, and 2-Carbonyl-2-oxopropylaminoacetates. <i>Synlett</i> , 2006, 2006, 2403-2406.	1.8	0

#	ARTICLE	IF	CITATIONS
73	Unexpected Ring Closure between Hydrazono and Nitro Groups: A Useful Synthesis of Substituted Pyrazole N-Oxides. <i>Synlett</i> , 2006, 2006, 2731-2734.	1.8	0
74	Facile Synthesis of New Substituted Tetrahydro-1H-indoles. <i>Synlett</i> , 2006, 2006, 2735-2738.	1.8	1
75	Different Behavior of the Reaction between 1,2-Diaza-1,3-butadienes and 1,2-Diamines under Solvent or Solvent-Free Conditions. <i>Synlett</i> , 2005, 2005, 1474-1476.	1.8	1
76	Solvent-Free Reaction of Some 1,2-Diaza-1,3-butadienes with Phosphites: An Environmentally Friendly Access to New Diazaphospholes and E-Hydrazonophosphonates. <i>Journal of Organic Chemistry</i> , 2005, 70, 4033-4037.	3.2	29
77	Efficient Synthesis and Environmentally Friendly Reactions of PEG-Supported 1,2-Diaza-1,3-butadiene. <i>Organic Letters</i> , 2005, 7, 2469-2471.	4.6	26
78	Expedition Synthesis of 1,2-Diaminoimidazoles under Solvent-Free Conditions. <i>Synlett</i> , 2004, 2004, 549-551.	1.8	0
79	Access to New 2-Oxofuro[2,3-b]pyrroles and 2-Methylenepyrroles through the Reaction of 1,2-Diaza-1,3-butadienes and $\beta$ -Ketoesters. <i>Journal of Organic Chemistry</i> , 2004, 69, 2686-2692.	3.2	20
80	Expedition Synthesis of New 1,2,3-Thiadiazoles and 1,2,3-Selenadiazoles from 1,2-Diaza-1,3-butadienes via Hurd-Mori-Type Reactions. <i>Journal of Organic Chemistry</i> , 2003, 68, 1947-1953.	3.2	28
81	Straightforward Entry into 5-Hydroxy-1-aminopyrrolines and the Corresponding Pyrroles from 1,2-Diaza-1,3-butadienes. <i>ChemInform</i> , 2003, 34, no.	0.0	0
82	Improved Synthesis of Substituted Quinoxalines from New N=N-Polymer-bound 1,2-Diaza-1,3-butadienes. <i>Synlett</i> , 2003, 2003, 1183-1185.	1.8	6
83	Eclectic 1-Aryl-1,2-diazabuta-1,3-dienes: Valuable Tools for the Preparation of Pyrrol-2-ones, 1-Arylpyrazoles, 2-(3-Oxopyrazol-4-yl)malonates and 4-(2-Oxopyrrol-3-yl)pyrazol-3-ones. <i>Synthesis</i> , 2002, 2002, 1546-1552.	2.3	2
84	Straightforward Entry into 5-Hydroxy-1-aminopyrrolines and the Corresponding Pyrroles from 1,2-Diaza-1,3-butadienes. <i>Journal of Organic Chemistry</i> , 2002, 67, 8178-8181.	3.2	31
85	Double 1,4-addition of malonate to 1,2-diaza-1,3-butadienes: a useful route to previously unknown symmetric and unsymmetric 1,6-dioxo-2,7-diazaspiro[4.4]nona-3,8-dienes. <i>New Journal of Chemistry</i> , 2001, 25, 534-537.	2.8	4
86	'Inverse-Electron-Demand' Diels-Alder Reactions of (E)-3-Diazenylbut-2-enes in Water. <i>Helvetica Chimica Acta</i> , 2001, 84, 513-525.	1.6	49
87	A New Convenient Liquid- and Solid-Phase Synthesis of Quinoxalines from (E)-3-Diazenylbut-2-enes. <i>Helvetica Chimica Acta</i> , 2001, 84, 2379-2386.	1.6	23
88	Solid-phase synthesis of 4-triphenylphosphoranylidene-4,5-dihydropyrazol-5-ones, 4-aminocarbonyl-pyrroles, 4-methoxy-1H-pyrazol-5(2H)-ones and 2-thiazolin-4-ones from polymer-bound 1,2-diaza-1,3-butadienes. <i>Tetrahedron</i> , 2001, 57, 5855-5863.	1.9	27
89	Regioselective Synthesis of Stable 2-(Trifluoromethyl)-2,3-dihydro-1H-pyrrol-2-ols and Derived Fluorinated Heterocycles. <i>Synthesis</i> , 2001, 2001, 1837-1845.	2.3	16
90	Straightforward Entry to New 4-Substituted-1,2,3-thiadiazoles from 1,2-Diaza-1,3-butadienes via Hurd-Mori reaction. <i>Synlett</i> , 2001, 2001, 0557-0559.	1.8	6

#	ARTICLE	IF	CITATIONS
91	Reaction between Conjugated Azoalkenes and Pyrazolinones: A Precious Entry to New Conjugated Azodiene and Asymmetric 4,4â€²-Bipyrzole Derivatives. <i>Chemistry Letters</i> , 2000, 29, 984-985.	1.3	5
92	2-Oxohydrazones, 4-Hydrazono-1H-pyrazol-5-ones, and Derived Products by Air Oxidation of 1,2-Hydrazino-hydrazones. <i>Journal of Organic Chemistry</i> , 2000, 65, 2820-2823.	3.2	17
93	Aspects of the chemistry of functionalized 1-phenylpyrazoles available from 1,2-diaza-1,3-butadienes and 2-phenylazo-1,3-dicarbonyl compounds. <i>Tetrahedron Letters</i> , 1999, 40, 3891-3894.	1.4	21
94	First preparation and reaction of polymer-bound 1,2-diaza-1,3-butadienes. A convenient entry to 4-triphenylphosphoranylidene-4,5-dihydropyrazol-5-ones. <i>Tetrahedron Letters</i> , 1999, 40, 9277-9280.	1.4	23
95	Easy Access to (E,Z)-Î²-Nitro-Î±,Î²-olefinated Hydrazones, 6-Oxo-1,6-dihydropyridazines, and 4-Chloro-1-aminopyrroles by Domino Reactions of 1,2-Diaza-1,3-butadienes with Halogen-Coactivated Methylene or Methine Compounds. <i>Journal of Organic Chemistry</i> , 1999, 64, 9653-9657.	3.2	20
96	Chemo, regio, and stereoselectivity in olefination of hydrazone 1,4-adducts between conjugated azoalkenes and sulphur co-activated methylene compounds. <i>Tetrahedron</i> , 1998, 54, 7581-7594.	1.9	9
97	Reaction of Some 1,2-Diaza-1,3-butadienes with Activated Methine Compounds. A Straightforward Entry to 1,4-Dihydropyridazine, Pyridazine, and 4,5(4H,5H)-Cyclopropylpyrazole Derivatives. <i>Journal of Organic Chemistry</i> , 1998, 63, 9880-9887.	3.2	45
98	Novel and Convenient Synthesis of 1,4-Dihydropyridazines and Pyridazines from Aminocarbonylazoalkenes. <i>Synlett</i> , 1997, 12, 1361-1362.	1.8	10
99	1-Amino-2-chloromethylene-2,3-dihydropyrroles by unusual reaction of conjugated azoalkenes with 2-chloro-1,3-dicarbonyl compounds. <i>Tetrahedron Letters</i> , 1997, 38, 873-874.	1.4	4