

Jos Angel Prez-Alvarez

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2942501/jose-angel-perez-alvarez-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

171
papers

10,141
citations

56
h-index

98
g-index

177
ext. papers

11,648
ext. citations

5
avg, IF

6.36
L-index

#	Paper	IF	Citations
171	Biological, Nutritive, Functional and Healthy Potential of Date Palm Fruit (<i>Phoenix dactylifera</i> L.): Current Research and Future Prospects. <i>Agronomy</i> , 2022 , 12, 876	3.6	3
170	Improving the lipid profile of beef burgers added with chia oil (<i>Salvia hispanica</i> L.) or hemp oil (<i>Cannabis sativa</i> L.) gelled emulsions as partial animal fat replacers. <i>LWT - Food Science and Technology</i> , 2022 , 161, 113416	5.4	1
169	Development of Healthier and Functional Dry Fermented Sausages: Present and Future.. <i>Foods</i> , 2022 , 11,	4.9	3
168	Meat Snacks Consumption: Aspects That the Consumer Looks for to Consider Them a Healthy Food. <i>Proceedings (mdpi)</i> , 2021 , 70, 82	0.3	1
167	Chia Oleogel as a Potential New Ingredient for Healthy Cooked Meat Sausages. <i>Proceedings (mdpi)</i> , 2021 , 70, 76	0.3	
166	Application of Chia Seed Coproduct in Dry-Cured Sausages: Effect Upon Its Physicochemical Properties. <i>Proceedings (mdpi)</i> , 2021 , 70, 87	0.3	
165	Gelled Emulsions Based on Amaranth Flour with Hemp and Sesame Oils. <i>Proceedings (mdpi)</i> , 2021 , 70, 98	0.3	1
164	A Preliminary Study on the Incorporation of Quinoa Flour in Organic Pumpkin Creams: Effect on the Physicochemical Properties. <i>Proceedings (mdpi)</i> , 2021 , 70, 71	0.3	1
163	Edible Mushrooms as a Natural Source of Food Ingredient/Additive Replacer. <i>Foods</i> , 2021 , 10,	4.9	7
162	Cocoa Coproducts-Based and Walnut Oil Gelled Emulsion as Animal Fat Replacer and Healthy Bioactive Source in Beef Burgers. <i>Foods</i> , 2021 , 10,	4.9	2
161	Assessment of Chemical, Physico-Chemical and Sensorial Properties of Frankfurter-Type Sausages Added with Roselle (<i>Hibiscus sabdariffa</i> L.), Extracts. <i>Proceedings (mdpi)</i> , 2021 , 70, 73	0.3	0
160	Persimmon Flour Co-Products as Novel Ingredients in the Reformulation of Pork Liver PEF. <i>Proceedings (mdpi)</i> , 2021 , 70, 72	0.3	1
159	Techno-Functional Properties of New Andean Ingredients: Maca (<i>Lepidium meyenii</i>) and Amaranth (<i>Amaranthus caudatus</i>). <i>Proceedings (mdpi)</i> , 2021 , 70, 74	0.3	2
158	Bioactive compounds and techno-functional properties of high-fiber co-products of the cacao agro-industrial chain. <i>Heliyon</i> , 2021 , 7, e06799	3.6	2
157	Pork Liver PEF Enriched with Persimmon Coproducts: Effect of In Vitro Gastrointestinal Digestion on Its Fatty Acid and Polyphenol Profile Stability. <i>Nutrients</i> , 2021 , 13,	6.7	3
156	Survey of Phenolic Acids, Flavonoids and In Vitro Antioxidant Potency Between Fig Peels and Pulps: Chemical and Chemometric Approach. <i>Molecules</i> , 2021 , 26,	4.8	8
155	Valorization of Citrus Co-Products: Recovery of Bioactive Compounds and Application in Meat and Meat Products. <i>Plants</i> , 2021 , 10,	4.5	11

154	Cacao Pod Husk Flour as an Ingredient for Reformulating Frankfurters: Effects on Quality Properties. <i>Foods</i> , 2021 , 10,	4.9	3
153	Assessment of Chemical, Physicochemical, and Lipid Stability Properties of Gelled Emulsions Elaborated with Different Oils Chia (L.) or Hemp (L.) and Pseudocereals. <i>Foods</i> , 2021 , 10,	4.9	4
152	Quinoa and chia products as ingredients for healthier processed meat products: technological strategies for their application and effects on the final product. <i>Current Opinion in Food Science</i> , 2021 , 40, 26-32	9.8	29
151	Evaluation of polyphenol bioaccessibility and kinetic of starch digestion of spaghetti with persimmon (<i>Diospyros kaki</i>) flours coproducts during in vitro gastrointestinal digestion. <i>Food Chemistry</i> , 2021 , 338, 128142	8.5	12
150	Assessment of chemical composition and antioxidant properties of defatted flours obtained from several edible insects. <i>Food Science and Technology International</i> , 2021 , 27, 383-391	2.6	10
149	Ghanaian Cocoa (<i>Theobroma cacao</i> L.) Bean Shells Coproducts: Effect of Particle Size on Chemical Composition, Bioactive Compound Content and Antioxidant Activity. <i>Agronomy</i> , 2021 , 11, 401	3.6	7
148	Total and Partial Fat Replacement by Gelled Emulsion (Hemp Oil and Buckwheat Flour) and Its Impact on the Chemical, Technological and Sensory Properties of Frankfurters. <i>Foods</i> , 2021 , 10,	4.9	2
147	Roselle (<i>Hibiscus sabdariffa</i> L.) extracts added to Frankfurt-type sausages: Effects on chemical, physicochemical, and sensorial properties. <i>Journal of Food Processing and Preservation</i> , 2021 , 45, e15782 ^{2.1}		0
146	Tropical Fruits and Their Co-Products as Bioactive Compounds and Their Health Effects: A Review. <i>Foods</i> , 2021 , 10,	4.9	9
145	Effect of Different Black Quinoa Fractions (Seed, Flour and Wet-Milling Coproducts) upon Quality of Meat Patties during Freezing Storage.. <i>Foods</i> , 2021 , 10,	4.9	1
144	Vegetable Soups and Creams: Raw Materials, Processing, Health Benefits, and Innovation Trends. <i>Plants</i> , 2020 , 9,	4.5	5
143	Coproducts as Source of Bioactive Compounds: Assessment of Chemical, Physico-Chemical, Techno-Functional and Antioxidant Properties. <i>Foods</i> , 2020 , 9,	4.9	2
142	Effects of Black Quinoa Wet-Milling Coproducts on the Quality Properties of Bologna-Type Sausages During Cold Storage. <i>Foods</i> , 2020 , 9,	4.9	8
141	Effect of Date (L.) Pits on the Shelf Life of Beef Burgers. <i>Foods</i> , 2020 , 9,	4.9	18
140	Persimmon flours as functional ingredients in spaghetti: chemical, physico-chemical and cooking quality. <i>Journal of Food Measurement and Characterization</i> , 2020 , 14, 1634-1644	2.8	4
139	Quality Properties of Chicken Emulsion-Type Sausages Formulated with Chicken Fatty Byproducts. <i>Foods</i> , 2020 , 9,	4.9	5
138	Passion fruit 2020 , 581-594		
137	Assessment of emulsion gels formulated with chestnut (<i>Castanea sativa</i> M.) flour and chia (<i>Salvia hispanica</i> L) oil as partial fat replacers in pork burger formulation. <i>Journal of the Science of Food and Agriculture</i> , 2020 , 100, 1265-1273	4.3	26

136	Chemical and technological properties of bologna-type sausages with added black quinoa wet-milling coproducts as binder replacer. <i>Food Chemistry</i> , 2020 , 310, 125936	8.5	20
135	Chia, Quinoa, and Their Coproducts as Potential Antioxidants for the Meat Industry. <i>Plants</i> , 2020 , 9,	4.5	4
134	Quality of Chicken Fat by-Products: Lipid Profile and Colour Properties. <i>Foods</i> , 2020 , 9,	4.9	14
133	Effects of hazelnut skin addition on the cooking, antioxidant and sensory properties of chicken burgers. <i>Journal of Food Science and Technology</i> , 2019 , 56, 3329-3336	3.3	9
132	Chia (<i>Salvia hispanica</i> L.) products as ingredients for reformulating frankfurters: Effects on quality properties and shelf-life. <i>Meat Science</i> , 2019 , 156, 139-145	6.4	35
131	Effect of drying processes in the chemical, physico-chemical, techno-functional and antioxidant properties of flours obtained from house cricket (<i>Acheta domesticus</i>). <i>European Food Research and Technology</i> , 2019 , 245, 1451-1458	3.4	9
130	Persimmon (<i>Diospyros kaki</i> Thunb.) coproducts as a new ingredient in pork liver pâté influence on quality properties. <i>International Journal of Food Science and Technology</i> , 2019 , 54, 1232-1239	3.8	10
129	Changes in bioaccessibility, polyphenol profile and antioxidant potential of flours obtained from persimmon fruit (<i>Diospyros kaki</i>) co-products during in vitro gastrointestinal digestion. <i>Food Chemistry</i> , 2018 , 256, 252-258	8.5	61
128	In vitro digestion models suitable for foods: Opportunities for new fields of application and challenges. <i>Food Research International</i> , 2018 , 107, 423-436	7	87
127	Chia Oil Extraction Coproduct as a Potential New Ingredient for the Food Industry: Chemical, Physicochemical, Techno-Functional and Antioxidant Properties. <i>Plant Foods for Human Nutrition</i> , 2018 , 73, 130-136	3.9	16
126	Effect of particle size on phytochemical composition and antioxidant properties of two persimmon flours from <i>Diospyros kaki</i> Thunb. vars. 'Rojo Brillante' and 'Triumph' co-products. <i>Journal of the Science of Food and Agriculture</i> , 2018 , 98, 504-510	4.3	20
125	Chemical, fatty acid, polyphenolic profile, techno-functional and antioxidant properties of flours obtained from quinoa (<i>Chenopodium quinoa</i> Willd) seeds. <i>Industrial Crops and Products</i> , 2018 , 111, 38-46	5.9	99
124	Bioaccessibility of Phenolic Compounds and Antioxidant Capacity of Chia (<i>Salvia hispanica</i> L.) Seeds. <i>Plant Foods for Human Nutrition</i> , 2018 , 73, 47-53	3.9	29
123	Evaluation of Particle Size Influence on Proximate Composition, Physicochemical, Techno-Functional and Physio-Functional Properties of Flours Obtained from Persimmon (<i>Diospyros kaki</i> Trumb.) Coproducts. <i>Plant Foods for Human Nutrition</i> , 2017 , 72, 67-73	3.9	19
122	The Effect of Natural Ingredients (Amaranth and Pumpkin Seeds) on the Quality Properties of Chicken Burgers. <i>Food and Bioprocess Technology</i> , 2017 , 10, 2060-2068	5.1	14
121	Bioaccessibility of polyphenolic compounds of six quinoa seeds during in vitro gastrointestinal digestion. <i>Journal of Functional Foods</i> , 2017 , 38, 77-88	5.1	41
120	Assessment of Antioxidant and Antibacterial Properties on Meat Homogenates of Essential Oils Obtained from Four Thymus Species Achieved from Organic Growth. <i>Foods</i> , 2017 , 6,	4.9	29
119	Physicochemical and Sensory Characteristics of Spreadable Liver Pâtés with Annatto Extract (<i>Bixa orellana</i> L.) and Date Palm Co-Products (<i>Phoenix dactylifera</i> L.). <i>Foods</i> , 2017 , 6,	4.9	7

118	Antioxidant potential and quality characteristics of Mediterranean fruit-based extruded snacks. <i>International Journal of Food Science and Technology</i> , 2016 , 51, 2674-2681	3.8	4
117	Sub-lethal concentrations of Colombian <i>Austroeupeatorium inulifolium</i> (H.B.K.) essential oil and its effect on fungal growth and the production of enzymes. <i>Industrial Crops and Products</i> , 2016 , 87, 315-323	5.9	17
116	Assessment of polyphenolic profile and antibacterial activity of pomegranate peel (<i>Punica granatum</i>) flour obtained from co-product of juice extraction. <i>Food Control</i> , 2016 , 59, 94-98	6.2	105
115	Determination of polyphenolic profile, antioxidant activity and antibacterial properties of maqui [<i>Aristotelia chilensis</i> (Molina) Stuntz] a Chilean blackberry. <i>Journal of the Science of Food and Agriculture</i> , 2016 , 96, 4235-42	4.3	70
114	Assessment of polyphenolic profile stability and changes in the antioxidant potential of maqui berry (<i>Aristotelia chilensis</i> (Molina) Stuntz) during in vitro gastrointestinal digestion. <i>Industrial Crops and Products</i> , 2016 , 94, 774-782	5.9	76
113	Evaluation of the antibacterial and antioxidant activities of chitosan edible films incorporated with organic essential oils obtained from four species. <i>Journal of Food Science and Technology</i> , 2016 , 53, 3374-3379	3.3	21
112	Assessment of chemical, physico-chemical, techno-functional and antioxidant properties of fig (<i>Ficus carica</i> L.) powder co-products. <i>Industrial Crops and Products</i> , 2015 , 69, 472-479	5.9	47
111	Valorization of Pomace Powder Obtained from Native Mexican Apple (<i>Malus domestica</i> var. rayada): Chemical, Techno-functional and Antioxidant Properties. <i>Plant Foods for Human Nutrition</i> , 2015 , 70, 310-6	3.9	20
110	Properties of Dietary Fibers from Agroindustrial Coproducts as Source for Fiber-Enriched Foods. <i>Food and Bioprocess Technology</i> , 2015 , 8, 2400-2408	5.1	52
109	In vitro gastrointestinal digestion of pomegranate peel (<i>Punica granatum</i>) flour obtained from co-products: Changes in the antioxidant potential and bioactive compounds stability. <i>Journal of Functional Foods</i> , 2015 , 19, 617-628	5.1	94
108	Effects of various fibre-rich extracts on cholesterol binding capacity during in vitro digestion of pork patties. <i>Food and Function</i> , 2015 , 6, 3473-8	6.1	7
107	Assessment of antioxidant and antibacterial potential of borojo fruit (<i>Borojoa patinoi</i> Cuatrecasas) from the rainforests of South America. <i>Industrial Crops and Products</i> , 2015 , 63, 79-86	5.9	14
106	Development of frankfurter-type sausages with healthy lipid formulation and their nutritional, sensory and stability properties. <i>European Journal of Lipid Science and Technology</i> , 2015 , 117, 122-131	3	9
105	Fig (<i>Ficus carica</i>) Liquid Co-Products as New Potential Functional Ingredient: Physico-Chemical and In Vitro Antioxidant Properties. <i>Natural Product Communications</i> , 2015 , 10, 1934578X1501000	0.9	
104	Bioaccessibility, changes in the antioxidant potential and colonic fermentation of date pits and apple bagasse flours obtained from co-products during simulated in vitro gastrointestinal digestion. <i>Food Research International</i> , 2015 , 78, 169-176	7	40
103	Resistant Starch as Functional Ingredient 2015 , 1911-1931		9
102	Characterization of novel intermediate food products from Spanish date palm (<i>Phoenix dactylifera</i> L., cv. Confitera) co-products for industrial use. <i>Food Chemistry</i> , 2014 , 154, 269-75	8.5	14
101	Quality characteristics of pork burger added with albedo-fiber powder obtained from yellow passion fruit (<i>Passiflora edulis</i> var. <i>flavicarpa</i>) co-products. <i>Meat Science</i> , 2014 , 97, 270-6	6.4	58

100	Chemical, physicochemical, technological, antibacterial and antioxidant properties of rich-fibre powder extract obtained from tamarind (<i>Tamarindus indica</i> L.). <i>Industrial Crops and Products</i> , 2014 , 55, 155-162	5.9	25
99	Phytochemicals in date co-products and their antioxidant activity. <i>Food Chemistry</i> , 2014 , 158, 513-20	8.5	33
98	Influence of fresh date palm co-products on the ripening of a paprika added dry-cured sausage model system. <i>Meat Science</i> , 2014 , 97, 130-6	6.4	5
97	Tomato and tomato byproducts. Human health benefits of lycopene and its application to meat products: a review. <i>Critical Reviews in Food Science and Nutrition</i> , 2014 , 54, 1032-49	11.5	98
96	IN VITRO ANTIOXIDANT PROPERTIES OF POMEGRANATE (<i>PUNICA GRANATUM</i>) PEEL POWDER EXTRACT OBTAINED AS COPRODUCT IN THE JUICE EXTRACTION PROCESS. <i>Journal of Food Processing and Preservation</i> , 2013 , 37, 772-776	2.1	18
95	In vitro evaluation of açorçata co-products as carbon source for probiotic bacteria growth. <i>Food and Bioprocess Technology</i> , 2013 , 91, 279-286	4.9	15
94	Effect of tiger nut fibre addition on the quality and safety of a dry-cured pork sausage ("Chorizo") during the dry-curing process. <i>Meat Science</i> , 2013 , 95, 562-8	6.4	22
93	Chemical composition and in vitro antibacterial properties of essential oils of four <i>Thymus</i> species from organic growth. <i>Industrial Crops and Products</i> , 2013 , 50, 304-311	5.9	60
92	In vitro antibacterial and antioxidant properties of chitosan edible films incorporated with <i>Thymus moroderi</i> or <i>Thymus piperella</i> essential oils. <i>Food Control</i> , 2013 , 30, 386-392	6.2	192
91	Chemical composition and in vitro antimicrobial, antifungal and antioxidant properties of essential oils obtained from some herbs widely used in Portugal. <i>Food Control</i> , 2013 , 32, 371-378	6.2	99
90	Date palm by-products as a new ingredient for the meat industry: application to pork liver pâté. <i>Meat Science</i> , 2013 , 93, 880-7	6.4	25
89	Chemical, physico-chemical, technological, antibacterial and antioxidant properties of dietary fiber powder obtained from yellow passion fruit (<i>Passiflora edulis</i> var. <i>flavicarpa</i>) co-products. <i>Food Research International</i> , 2013 , 51, 756-763	7	124
88	Food ingredients as anti-obesity agents: a review. <i>Critical Reviews in Food Science and Nutrition</i> , 2013 , 53, 929-42	11.5	92
87	Evaluation of the Effect of Tiger Nut Fibre as a Carrier of Unsaturated Fatty Acids Rich Oil on the Quality of Dry-Cured Sausages. <i>Food and Bioprocess Technology</i> , 2013 , 6, 1181-1190	5.1	29
86	In vitro antioxidant and antifungal properties of essential oils obtained from aromatic herbs endemic to the southeast of Spain. <i>Journal of Food Protection</i> , 2013 , 76, 1218-25	2.5	14
85	Effects of tiger nut (<i>Cyperus esculentus</i>) milk liquid co-products on the quality of pork burgers. <i>International Journal of Food Science and Technology</i> , 2012 , 47, 2198-2204	3.8	8
84	Tiger Nut (<i>Cyperus esculentus</i>) Commercialization: Health Aspects, Composition, Properties, and Food Applications. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2012 , 11, 366-377	16.4	108
83	Chemical, physico-chemical and functional properties of pomegranate (<i>Punica granatum</i> L.) bagasses powder co-product. <i>Journal of Food Engineering</i> , 2012 , 110, 220-224	6	70

82	In vitro Antioxidant and Antibacterial Activities of Extracts from Annatto (<i>Bixa orellana</i> L.) Leaves and Seeds. <i>Journal of Food Safety</i> , 2012 , 32, 399-406	2	21
81	Use of date (<i>Phoenix dactylifera</i> L.) blanching water for reconstituting milk powder: Yogurt manufacture. <i>Food and Bioproducts Processing</i> , 2012 , 90, 506-514	4.9	15
80	Chemical, technological and in vitro antioxidant properties of cocoa (<i>Theobroma cacao</i> L.) co-products. <i>Food Research International</i> , 2012 , 49, 39-45	7	89
79	Chemical characterization and antibacterial activity of <i>Thymus moroderi</i> and <i>Thymus piperella</i> essential oils, two <i>Thymus</i> endemic species from southeast of Spain. <i>Food Control</i> , 2012 , 27, 294-299	6.2	39
78	Combined use of a probiotic culture and citrus fiber in a traditional sausage "longaniza de Pascua" <i>Food Control</i> , 2012 , 27, 343-350	6.2	34
77	Chemical, technological and in vitro antioxidant properties of mango, guava, pineapple and passion fruit dietary fibre concentrate. <i>Food Chemistry</i> , 2012 , 135, 1520-6	8.5	239
76	Chemical and Biochemical Aspects of Color in Muscle Foods 2012 , 1-24		
75	Chemical Characterization and Antibacterial Activity of Two Aromatic Herbs (<i>Santolina chamaecyparissus</i> and <i>Sideritis angustifolia</i>) Widely Used in the Folk Medicine. <i>Journal of Food Safety</i> , 2012 , 32, 426-434	2	7
74	Chemical and Biochemical Aspects of Color in Muscle-Based Foods 2012 , 317-330		1
73	Reclaim of the By-Products from "orchata" Elaboration Process. <i>Food and Bioprocess Technology</i> , 2012 , 5, 954-963	5.1	13
72	Role of Oregano (<i>Origanum vulgare</i>) essential oil as a surface fungus inhibitor on fermented sausages: evaluation of its effect on microbial and physicochemical characteristics. <i>Journal of Food Protection</i> , 2012 , 75, 104-11	2.5	30
71	Substitution of saturated fat in processed meat products: a review. <i>Critical Reviews in Food Science and Nutrition</i> , 2012 , 52, 113-22	11.5	53
70	Effects of tuna p ^h thickness and background on CIEL*a*b* color parameters and reflectance spectra. <i>Food Control</i> , 2011 , 22, 1226-1232	6.2	18
69	In vitro antioxidant and antibacterial activities of essentials oils obtained from Egyptian aromatic plants. <i>Food Control</i> , 2011 , 22, 1715-1722	6.2	161
68	Technological properties of date paste obtained from date by-products and its effect on the quality of a cooked meat product. <i>Food Research International</i> , 2011 , 44, 2401-2407	7	48
67	Antioxidant properties of pomegranate (<i>Punica granatum</i> L.) bagasses obtained as co-product in the juice extraction. <i>Food Research International</i> , 2011 , 44, 1217-1223	7	68
66	Production of low-fat yogurt with quince (<i>Cydonia oblonga</i> Mill.) scalding water. <i>LWT - Food Science and Technology</i> , 2011 , 44, 1388-1395	5.4	30
65	Effect of the molecular weight and concentration of chitosan in pork model burgers. <i>Meat Science</i> , 2011 , 88, 740-9	6.4	42

64	Lipolysis, proteolysis and sensory characteristics of a Spanish fermented dry-cured meat product (salchichón) with oregano essential oil used as surface mold inhibitor. <i>Meat Science</i> , 2011 , 89, 35-44	6.4	59
63	PHYSICOCHEMICAL CHARACTERIZATION OF THE ORANGE JUICE WASTE WATER OF A CITRUS BY-PRODUCT. <i>Journal of Food Processing and Preservation</i> , 2011 , 35, 264-271	2.1	16
62	Resistant starch as prebiotic: A review. <i>Starch/Staerke</i> , 2011 , 63, 406-415	2.3	257
61	Spices as functional foods. <i>Critical Reviews in Food Science and Nutrition</i> , 2011 , 51, 13-28	11.5	115
60	Antioxidant Activity of Artisanal Honey From Tabasco, Mexico. <i>International Journal of Food Properties</i> , 2011 , 14, 459-470	3	20
59	Identification of Flavonoid Content and Chemical Composition of the Essential Oils of Moroccan Herbs: Myrtle (<i>Myrtus communis</i> L.), Rockrose (<i>Cistus ladanifer</i> L.) and Montpellier cistus (<i>Cistus monspeliensis</i> L.). <i>Journal of Essential Oil Research</i> , 2011 , 23, 1-9	2.3	56
58	DESCRIPTIVE STUDY OF REFLECTANCE SPECTRA OF HAKE (<i>MERLUCCIIUS AUSTRALIS</i>), SALMON (<i>SALMO SALAR</i>) AND LIGHT AND DARK MUSCLE FROM TUNA (<i>THUNNUS THYNNUS</i>). <i>Journal of Food Quality</i> , 2010 , 33, 391-403	2.7	6
57	Aroma profile and physico-chemical properties of artisanal honey from Tabasco, Mexico. <i>International Journal of Food Science and Technology</i> , 2010 , 45, 1111-1118	3.8	34
56	Chemical composition and antioxidant and anti-Listeria activities of essential oils obtained from some Egyptian plants. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 9063-70	5.7	105
55	Viscoelastic properties of orange fiber enriched yogurt as a function of fiber dose, size and thermal treatment. <i>LWT - Food Science and Technology</i> , 2010 , 43, 708-714	5.4	80
54	Effect of adding citrus fibre washing water and rosemary essential oil on the quality characteristics of a bologna sausage. <i>LWT - Food Science and Technology</i> , 2010 , 43, 958-963	5.4	29
53	Development of combinations of chemically modified vegetable oils as pork backfat substitutes in sausages formulation. <i>Meat Science</i> , 2010 , 84, 491-7	6.4	44
52	Effect of tiger nut fibre on quality characteristics of pork burger. <i>Meat Science</i> , 2010 , 85, 70-6	6.4	95
51	Effect of added citrus fibre and spice essential oils on quality characteristics and shelf-life of mortadella. <i>Meat Science</i> , 2010 , 85, 568-76	6.4	118
50	Effect of orange dietary fibre, oregano essential oil and packaging conditions on shelf-life of bologna sausages. <i>Food Control</i> , 2010 , 21, 436-443	6.2	94
49	Resistant starch as functional ingredient: A review. <i>Food Research International</i> , 2010 , 43, 931-942	7	537
48	Food Formulation to Increase Probiotic Bacteria Action or Population 2010 , 335-351		1
47	Antioxidant activity and total phenolic compounds of myrtle extracts Actividad antioxidante y contenido de compuestos fenólicos totales en extractos de myrtus. <i>CYTA - Journal of Food</i> , 2010 , 8, 95-101 ^{2,3}		27

46	Antioxidant activity and chemical content of methanol and ethanol extracts from leaves of rockrose (<i>Cistus ladaniferus</i>). <i>Plant Foods for Human Nutrition</i> , 2010 , 65, 170-8	3.9	28
45	Role of Fiber in Cardiovascular Diseases: A Review. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2010 , 9, 240-258	16.4	131
44	Pomegranate and its Many Functional Components as Related to Human Health: A Review. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2010 , 9, 635-654	16.4	383
43	Antioxidant activity of essential oils of five spice plants widely used in a Mediterranean diet. <i>Flavour and Fragrance Journal</i> , 2010 , 25, 13-19	2.5	198
42	Total Phenolic Content and Antioxidant Activity of Myrtle (<i>Myrtus communis</i>) Extracts. <i>Natural Product Communications</i> , 2009 , 4, 1934578X0900400	0.9	20
41	Alternatives for Efficient and Sustainable Production of Surimi: A Review. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2009 , 8, 359-374	16.4	60
40	Storage stability of a high dietary fibre powder from orange by-products. <i>International Journal of Food Science and Technology</i> , 2009 , 44, 748-756	3.8	71
39	Citrus co-products as technological strategy to reduce residual nitrite content in meat products. <i>Journal of Food Science</i> , 2009 , 74, R93-R100	3.4	40
38	Chemical Composition of Mandarin (<i>C. reticulata</i> L.), Grapefruit (<i>C. paradisi</i> L.), Lemon (<i>C. limon</i> L.) and Orange (<i>C. sinensis</i> L.) Essential Oils. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2009 , 12, 236-243	1.7	42
37	Preparation of dietary fiber powder from tiger nut (<i>Cyperus esculentus</i>) milk ("Horchata") byproducts and its physicochemical properties. <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 7719-7725	5.7	62
36	Effect of adding citrus waste water, thyme and oregano essential oil on the chemical, physical and sensory characteristics of a bologna sausage. <i>Innovative Food Science and Emerging Technologies</i> , 2009 , 10, 655-660	6.8	48
35	Total phenolic content and antioxidant activity of myrtle (<i>Myrtus communis</i>) extracts. <i>Natural Product Communications</i> , 2009 , 4, 819-24	0.9	34
34	Functional properties of honey, propolis, and royal jelly. <i>Journal of Food Science</i> , 2008 , 73, R117-24	3.4	466
33	Incorporation of citrus fibers in fermented milk containing probiotic bacteria. <i>Food Microbiology</i> , 2008 , 25, 13-21	6	347
32	Effect of packaging conditions on shelf-life of ostrich steaks. <i>Meat Science</i> , 2008 , 78, 143-52	6.4	61
31	Physico-chemical and microbiological profiles of "salchichón" (Spanish dry-fermented sausage) enriched with orange fiber. <i>Meat Science</i> , 2008 , 80, 410-7	6.4	138
30	Antifungal activity of lemon (<i>Citrus lemon</i> L.), mandarin (<i>Citrus reticulata</i> L.), grapefruit (<i>Citrus paradisi</i> L.) and orange (<i>Citrus sinensis</i> L.) essential oils. <i>Food Control</i> , 2008 , 19, 1130-1138	6.2	259
29	Antibacterial activity of different essential oils obtained from spices widely used in Mediterranean diet. <i>International Journal of Food Science and Technology</i> , 2008 , 43, 526-531	3.8	90

28	ANTIBACTERIAL ACTIVITY OF LEMON (CITRUS LEMON L.), MANDARIN (CITRUS RETICULATA L.), GRAPEFRUIT (CITRUS PARADISI L.) AND ORANGE (CITRUS SINENSIS L.) ESSENTIAL OILS. <i>Journal of Food Safety</i> , 2008 , 28, 567-576	2	67
27	By-products from different citrus processes as a source of customized functional fibres. <i>Food Chemistry</i> , 2007 , 100, 736-741	8.5	327
26	ANTIFUNGAL ACTIVITIES OF THYME, CLOVE AND OREGANO ESSENTIAL OILS. <i>Journal of Food Safety</i> , 2007 , 27, 91	2	88
25	Orange fibre as potential functional ingredient for dry-cured sausages. <i>European Food Research and Technology</i> , 2007 , 226, 1-6	3.4	78
24	Quality characteristics of ostrich (<i>Struthio camelus</i>) burgers. <i>Meat Science</i> , 2006 , 73, 295-303	6.4	50
23	Shelf life of ostrich (<i>Struthio camelus</i>) liver stored under different packaging conditions. <i>Journal of Food Protection</i> , 2006 , 69, 1920-7	2.5	18
22	GELLING AND COLOR PROPERTIES OF OSTRICH (<i>STRUTHIO CAMELUS</i>) EGG WHITE. <i>Journal of Food Quality</i> , 2006 , 29, 171-183	2.7	21
21	Isoflavones as functional food components. <i>Studies in Natural Products Chemistry</i> , 2005 , 32, 1177-1207	1.5	9
20	Characteristics of beef burger as influenced by various types of lemon albedo. <i>Innovative Food Science and Emerging Technologies</i> , 2005 , 6, 247-255	6.8	100
19	Antioxidant and antibacterial activities of natural extracts: application in beef meatballs. <i>Meat Science</i> , 2005 , 69, 371-80	6.4	323
18	Functional and Sensory Effects of Fibre-rich Ingredients on Breakfast Fresh Sausages Manufacture. <i>Food Science and Technology International</i> , 2005 , 11, 89-97	2.6	53
17	Meat Products as Functional Foods: A Review. <i>Journal of Food Science</i> , 2005 , 70, R37-R43	3.4	194
16	Effect of orange fiber addition on yogurt color during fermentation and cold storage. <i>Color Research and Application</i> , 2005 , 30, 457-463	1.3	80
15	Effect of sodium chloride, sodium tripolyphosphate and pH on color properties of pork meat. <i>Color Research and Application</i> , 2004 , 29, 67-74	1.3	33
14	Quality characteristics of a non-fermented dry-cured sausage formulated with lemon albedo. <i>Journal of the Science of Food and Agriculture</i> , 2004 , 84, 2077-2084	4.3	35
13	Application of functional citrus by-products to meat products. <i>Trends in Food Science and Technology</i> , 2004 , 15, 176-185	15.3	172
12	Preparation of high dietary fiber powder from lemon juice by-products ¹ . <i>Innovative Food Science and Emerging Technologies</i> , 2004 , 5, 113-117	6.8	146
11	Lemon albedo as a new source of dietary fiber: Application to bologna sausages. <i>Meat Science</i> , 2004 , 67, 7-13	6.4	151

10	Flavonoids as nutraceuticals: Structural related antioxidant properties and their role on ascorbic acid preservation. <i>Studies in Natural Products Chemistry</i> , 2002 , 741-778	1.5	25
9	Physicochemical characteristics of Spanish-type dry-cured sausage. <i>Food Research International</i> , 1999 , 32, 599-607	7	103
8	Thiobarbituric acid test for monitoring lipid oxidation in meat. <i>Food Chemistry</i> , 1997 , 59, 345-353	8.5	397
7	TBA test by an extractive method applied to 'pat'. <i>Meat Science</i> , 1996 , 42, 103-10	6.4	123
6	Chemical and Biochemical Aspects of Color in Muscle Foods25-44		0
5	Chemistry and Biochemistry of Color in Muscle Foods337-350		12
4	Nonmeat Ingredients101-123		
3	Mechanical Deboning: Principles and Equipment59-72		0
2	Poultry Flavor: General Aspects and Applications339-357		10
1	Mechanical Deboning: Applications and Product Types73-80		2