

Lucas J Szalwinski

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2943163/lucas-j-szalwinski-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

15
papers

87
citations

7
h-index

9
g-index

15
ext. papers

112
ext. citations

5.8
avg, IF

2.9
L-index

#	Paper	IF	Citations
15	Simultaneous and Sequential MS/MS Scan Combinations and Permutations in a Linear Quadrupole Ion Trap. <i>Analytical Chemistry</i> , 2017 , 89, 11053-11060	7.8	12
14	Two-dimensional MS/MS scans on a linear ion trap mass analyzer: Identification of V-series chemical warfare agents. <i>International Journal of Mass Spectrometry</i> , 2019 , 444, 116171	1.9	12
13	Implementation of Precursor and Neutral Loss Scans on a Miniature Ion Trap Mass Spectrometer and Performance Comparison to a Benchtop Linear Ion Trap. <i>Journal of the American Society for Mass Spectrometry</i> , 2018 , 29, 1355-1364	3.5	11
12	Precursor and Neutral Loss Scans in an RF Scanning Linear Quadrupole Ion Trap. <i>Journal of the American Society for Mass Spectrometry</i> , 2018 , 29, 1345-1354	3.5	9
11	Two-Dimensional Tandem Mass Spectrometry in a Single Scan on a Linear Quadrupole Ion Trap. <i>Analytical Chemistry</i> , 2019 , 91, 13752-13762	7.8	9
10	Logical MS/MS scans: a new set of operations for tandem mass spectrometry. <i>Analyst, The</i> , 2018 , 143, 5438-5452	5	8
9	2D MS/MS Spectra Recorded in the Time Domain Using Repetitive Frequency Sweeps in Linear Quadrupole Ion Traps. <i>Analytical Chemistry</i> , 2020 , 92, 10016-10023	7.8	7
8	Spin-Spin Coupling Between Two meta-Benzyne Moieties In a Quinolinium Tetraradical Cation Increases Their Reactivities. <i>Chemistry - A European Journal</i> , 2019 , 25, 4472-4477	4.8	5
7	Quinoline Triradicals: A Reactivity Study. <i>Journal of the American Chemical Society</i> , 2019 , 141, 6672-6679	16.4	4
6	Complex mixture analysis by two-dimensional mass spectrometry using a miniature ion trap. <i>Talanta Open</i> , 2021 , 3, 100028	5.6	4
5	Triple Resonance Methods to Improve Performance of Ion Trap Precursor and Neutral Loss Scans. <i>Journal of the American Society for Mass Spectrometry</i> , 2020 , 31, 1123-1131	3.5	2
4	Novel Ion Trap Scan Modes to Develop Criteria for On-Site Detection of Sulfonamide Antibiotics. <i>Analytical Chemistry</i> , 2021 , 93, 13904-13911	7.8	2
3	Bacterial growth monitored by two-dimensional tandem mass spectrometry.. <i>Analyst, The</i> , 2022 ,	5	1
2	Immediate and sensitive detection of sporulated by microwave release and tandem mass spectrometry of dipicolinic acid. <i>Analyst, The</i> , 2021 , 146, 7104-7108	5	1
1	Selective Gas-Phase Mass Tagging via Ion/Molecule Reactions Combined with Single Analyzer Neutral Loss Scans to Probe Pharmaceutical Mixtures. <i>Journal of the American Society for Mass Spectrometry</i> , 2019 , 30, 1092-1101	3.5	