

Kelvin Sze-Yin Leung

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2943883/kelvin-sze-yin-leung-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

98
papers

2,636
citations

29
h-index

45
g-index

99
ext. papers

3,058
ext. citations

5.7
avg, IF

5.41
L-index

#	Paper	IF	Citations
98	An integrated ICP-MS-based analytical approach to fractionate and characterize ionic and nanoparticulate Ce species.. <i>Analytical and Bioanalytical Chemistry</i> , 2022 , 1	4.4	1
97	Dual-elemental analysis of single particles using quadrupole-based inductively coupled plasma-mass spectrometry.. <i>Analytica Chimica Acta</i> , 2022 , 1192, 339389	6.6	3
96	Organic UV filters mixture exposure and childhood adiposity: A prospective follow-up study in China. <i>Environment International</i> , 2021 , 158, 106912	12.9	1
95	Risks of organic UV filters: a review of environmental and human health concern studies. <i>Science of the Total Environment</i> , 2021 , 755, 142486	10.2	27
94	Degradation of acesulfame in UV/monochloramine process: Kinetics, transformation pathways and toxicity assessment. <i>Journal of Hazardous Materials</i> , 2021 , 403, 123935	12.8	7
93	The crucial role of heavy metals on the interaction of engineered nanoparticles with polystyrene microplastics. <i>Water Research</i> , 2021 , 201, 117317	12.5	5
92	Acesulfame aerobic biodegradation by enriched consortia and <i>Chelatococcus</i> spp.: Kinetics, transformation products, and genomic characterization. <i>Water Research</i> , 2021 , 202, 117454	12.5	3
91	Comparative physicochemical properties and toxicity of organic UV filters and their photocatalytic transformation products. <i>Environmental Pollution</i> , 2021 , 286, 117551	9.3	1
90	Current applications and future perspectives on elemental analysis of non-invasive samples for human biomonitoring. <i>Talanta</i> , 2021 , 234, 122683	6.2	4
89	Single particle ICP-MS combined with internal standardization for accurate characterization of polydisperse nanoparticles in complex matrices. <i>Journal of Analytical Atomic Spectrometry</i> , 2020 , 35, 2148-2155	3.7	10
88	Organic UV filter exposure and pubertal development: A prospective follow-up study of urban Chinese adolescents. <i>Environment International</i> , 2020 , 143, 105961	12.9	7
87	Effects of Weathering on the Sorption Behavior and Toxicity of Polystyrene Microplastics in Multi-solute Systems. <i>Water Research</i> , 2020 , 187, 116419	12.5	18
86	Sorption and desorption of organic UV filters onto microplastics in single and multi-solute systems. <i>Environmental Pollution</i> , 2019 , 254, 113066	9.3	20
85	Removing acesulfame with the peroxone process: Transformation products, pathways and toxicity. <i>Chemosphere</i> , 2019 , 221, 647-655	8.4	18
84	Fate of UV filter Ethylhexyl methoxycinnamate in rat model and human urine: Metabolism, exposure and demographic associations. <i>Science of the Total Environment</i> , 2019 , 686, 729-736	10.2	6
83	Quantifying silver nanoparticle association and elemental content in single cells using dual mass mode in quadrupole-based inductively coupled plasma-mass spectrometry. <i>Analytica Chimica Acta</i> , 2019 , 1061, 50-59	6.6	11
82	Transformations of organic micropollutants undergoing permanganate/bisulfite treatment: Kinetics, pathways and toxicity. <i>Chemosphere</i> , 2019 , 237, 124524	8.4	6

81	Integration of sub-organ quantitative imaging LA-ICP-MS and fractionation reveals differences in translocation and transformation of CeO and Ce in mice. <i>Analytica Chimica Acta</i> , 2019 , 1082, 18-29	6.6	7
80	Redox mediators and irradiation improve fenton degradation of acesulfame. <i>Chemosphere</i> , 2019 , 217, 374-382	8.4	9
79	Joint Effects of Multiple UV Filters on Zebrafish Embryo Development. <i>Environmental Science & Technology</i> , 2018 , 52, 9460-9467	10.3	22
78	Dense thiol arrays for metalorganic frameworks: boiling water stability, Hg removal beyond 2 ppb and facile crosslinking. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 14566-14570	13	29
77	Angiosuppressive properties of marine-derived compounds-a mini review. <i>Environmental Science and Pollution Research</i> , 2017 , 24, 8990-9001	5.1	3
76	Influence of livestock activities on residue antibiotic levels of rivers in Hong Kong. <i>Environmental Science and Pollution Research</i> , 2017 , 24, 9058-9066	5.1	25
75	Environmental behavior of 12 UV filters and photocatalytic profile of ethyl-4-aminobenzoate. <i>Journal of Hazardous Materials</i> , 2017 , 337, 115-125	12.8	18
74	Transformation of acesulfame in chlorination: Kinetics study, identification of byproducts, and toxicity assessment. <i>Water Research</i> , 2017 , 117, 157-166	12.5	39
73	Current trends in atomic mass spectrometry for the speciation and imaging of metal-based nanomaterials. <i>Journal of Analytical Atomic Spectrometry</i> , 2017 , 32, 2127-2139	3.7	7
72	Glucuronide and Sulfate Conjugates of Bisphenol A: Chemical Synthesis and Correlation Between Their Urinary Levels and Plasma Bisphenol A Content in Voluntary Human Donors. <i>Archives of Environmental Contamination and Toxicology</i> , 2017 , 73, 410-420	3.2	17
71	Occurrence of phthalate esters in over-the-counter medicines from China and its implications for human exposure. <i>Environment International</i> , 2017 , 98, 137-142	12.9	21
70	Glucuronide and sulfate conjugates of tetrabromobisphenol A (TBBPA): Chemical synthesis and correlation between their urinary levels and plasma TBBPA content in voluntary human donors. <i>Environment International</i> , 2017 , 98, 46-53	12.9	29
69	Elemental Analysis of Chinese Black Inks on Xuan Paper by ArF Laser-Excited Plume Fluorescence. <i>Analytical Chemistry</i> , 2016 , 88, 10971-10978	7.8	14
68	Photocatalytic transformation of acesulfame: Transformation products identification and embryotoxicity study. <i>Water Research</i> , 2016 , 89, 68-75	12.5	47
67	Therapeutic drug monitoring using LA-ICP-MS: Initial studies with metallodrugs in mouse whiskers. <i>Microchemical Journal</i> , 2016 , 127, 94-101	4.8	6
66	Strategies to overcome spectral interference in ICP-MS detection. <i>Journal of Analytical Atomic Spectrometry</i> , 2016 , 31, 1078-1088	3.7	44
65	Environmental occurrence and ecological risk assessment of organic UV filters in marine organisms from Hong Kong coastal waters. <i>Science of the Total Environment</i> , 2016 , 566-567, 489-498	10.2	67
64	Elemental bioimaging of platinum in mouse tissues by laser ablation-inductively coupled plasma-mass spectrometry for the study of localization behavior of structurally similar complexes. <i>International Journal of Mass Spectrometry</i> , 2016 , 404, 40-47	1.9	16

63	The mechanism of ArF laser-induced fluorescence of dense plume matter. <i>Journal of Analytical Atomic Spectrometry</i> , 2016 , 31, 2363-2374	3.7	16
62	LC-MS/MS in the routine clinical laboratory: has its time come?. <i>Analytical and Bioanalytical Chemistry</i> , 2014 , 406, 2289-301	4.4	52
61	Current developments in clinical sample preconcentration prior to elemental analysis by atomic spectrometry: a comprehensive literature review. <i>Journal of Analytical Atomic Spectrometry</i> , 2014 , 29, 234-241	3.7	13
60	The evaluation on embryotoxicity of Dipsaci Radix with mice and embryonic stem cells. <i>Journal of Ethnopharmacology</i> , 2014 , 151, 114-22	5	12
59	Evaluating the environmental impact of artificial sweeteners: a study of their distributions, photodegradation and toxicities. <i>Water Research</i> , 2014 , 52, 260-74	12.5	103
58	Development, optimization, and use of an APCI source with temperature-controlled vaporization of solid and liquid samples. <i>Analytical and Bioanalytical Chemistry</i> , 2013 , 405, 1373-81	4.4	16
57	Ionic-liquid-based dispersive liquid-liquid microextraction for high-throughput multiple food contaminant screening. <i>Journal of Separation Science</i> , 2013 , 36, 3791-8	3.4	23
56	CODEX-compliant eleven organophosphorus pesticides screening in multiple commodities using headspace-solid phase microextraction-gas chromatography-mass spectrometry. <i>Food Chemistry</i> , 2013 , 136, 710-7	8.5	29
55	Current evidence for the hepatoprotective activities of the medicinal mushroom <i>Antrodia cinnamomea</i> . <i>Chinese Medicine</i> , 2013 , 8, 21	4.7	19
54	Degradation of tetracycline and sulfadiazine during continuous thermophilic composting of pig manure and sawdust. <i>Environmental Technology (United Kingdom)</i> , 2013 , 34, 2433-41	2.6	41
53	Forensic analysis of laser printed ink by X-ray fluorescence and laser-excited plume fluorescence. <i>Analytical Chemistry</i> , 2013 , 85, 4311-5	7.8	30
52	Highly sensitive and selective organophosphate screening in twelve commodities of fruits, vegetables and herbal medicines by dispersive liquid-liquid microextraction. <i>Analytica Chimica Acta</i> , 2013 , 775, 58-66	6.6	48
51	Determination of plasma cholesterol sulfate by LC-APCI-MS/MS in the context of pediatric autism. <i>Talanta</i> , 2013 , 116, 115-21	6.2	12
50	Preliminary occurrence studies of antibiotic residues in Hong Kong and Pearl River Delta. <i>Environmental Monitoring and Assessment</i> , 2013 , 185, 745-54	3.1	17
49	Study of the cytotoxicity of reactive dyeing effluent treated by Fenton oxidation. <i>Coloration Technology</i> , 2013 , 129, 398-402	2	5
48	An indirubin derivative, E804, exhibits potent angiosuppressive activity. <i>Biochemical Pharmacology</i> , 2012 , 83, 598-607	6	24
47	Synthesis and characterization of bromophenol glucuronide and sulfate conjugates for their direct LC-MS/MS quantification in human urine as potential exposure markers for polybrominated diphenyl ethers. <i>Analytical Chemistry</i> , 2012 , 84, 9881-8	7.8	20
46	Quantification of acylglycines in human urine by HPLC electrospray ionization-tandem mass spectrometry and the establishment of pediatric reference interval in local Chinese. <i>Talanta</i> , 2012 , 88, 193-200	6.2	12

45	Selective recognition of arsenic by tailoring ion-imprinted polymer for ICP-MS quantification. <i>Talanta</i> , 2012 , 89, 162-8	6.2	54
44	Measurement of yunaconitine and crassicauline A in small-volume blood serum samples by LC-MS/MS: tracing of aconite poisoning in clinical diagnosis. <i>Talanta</i> , 2012 , 97, 491-8	6.2	6
43	Review of biological and pharmacological activities of the endemic Taiwanese bitter medicinal mushroom, <i>Antrodia camphorata</i> (M. Zang et C. H. Su) Sh. H. Wu et al. (higher Basidiomycetes). <i>International Journal of Medicinal Mushrooms</i> , 2012 , 14, 241-56	1.3	30
42	The effects of <i>Boehmeria nivea</i> (L.) Gaud. on embryonic development: in vivo and in vitro studies. <i>Journal of Ethnopharmacology</i> , 2011 , 134, 393-8	5	17
41	Development and validation of a high-throughput double solid phase extraction-liquid chromatography-tandem mass spectrometry method for the determination of tetrodotoxin in human urine and plasma. <i>Talanta</i> , 2011 , 83, 1030-6	6.2	29
40	Analytical challenges: determination of tetrodotoxin in human urine and plasma by LC-MS/MS. <i>Marine Drugs</i> , 2011 , 9, 2291-303	6	46
39	Toward the use of surface modified activated carbon in speciation: selective preconcentration of selenite and selenate in environmental waters. <i>Journal of Chromatography A</i> , 2011 , 1218, 2160-4	4.5	21
38	Toxicity assessment of nine types of decoction pieces from the daughter root of <i>Aconitum carmichaeli</i> (Fuzi) based on the chemical analysis of their diester diterpenoid alkaloids. <i>Planta Medica</i> , 2010 , 76, 825-30	3.1	65
37	Simultaneous determination of seven elemental species in estuarine waters by LC-ICP-DRC-MS. <i>Journal of Analytical Atomic Spectrometry</i> , 2010 , 25, 880	3.7	14
36	Rapid speciation of methylated and ethylated mercury in urine using headspace solid phase microextraction coupled to LC-ICP-MS. <i>Journal of Analytical Atomic Spectrometry</i> , 2010 , 25, 1758	3.7	25
35	Improved liquid chromatography-tandem mass spectrometry method in clinical utility for the diagnosis of Cushing's syndrome. <i>Analytical and Bioanalytical Chemistry</i> , 2010 , 396, 783-90	4.4	25
34	Development of a LC-MS/MS method for the determination of antrodin B and antrodin C from <i>Antrodia camphorata</i> extract in rat plasma for pharmacokinetic study. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010 , 53, 781-4	3.5	7
33	Quality evaluation of mycelial <i>Antrodia camphorata</i> using high-performance liquid chromatography (HPLC) coupled with diode array detector and mass spectrometry (DAD-MS). <i>Chinese Medicine</i> , 2010 , 5, 4	4.7	12
32	Improved chromatographic assessment of Chinese medicinal products by multi-chemical classes analysis. <i>Planta Medica</i> , 2009 , 75, 1171-9	3.1	1
31	Simultaneous quantification of eight bioactive components of <i>Houttuynia cordata</i> and related Saururaceae medicinal plants by on-line high performance liquid chromatography-diode array detector-electrospray mass spectrometry. <i>Phytotherapy Research</i> , 2009 , 80, 468-74	3.2	23
30	Improved quality assessment of proprietary Chinese medicines based on multi-chemical class fingerprinting. <i>Journal of Separation Science</i> , 2009 , 32, 2892-902	3.4	7
29	Improved chromatographic fingerprints for facile differentiation of two <i>Ganoderma</i> spp. <i>Biomedical Chromatography</i> , 2009 , 23, 280-8	1.7	13
28	Antitumor activity of diethynylfluorene derivatives of gold(I). <i>Bioorganic and Medicinal Chemistry</i> , 2009 , 17, 7872-7	3.4	56

27	Harmonization of monographic standards is needed to ensure the quality of Chinese medicinal materials. <i>Chinese Medicine</i> , 2009 , 4, 18	4.7	13
26	Optimization and validation of a chromatographic method for the simultaneous quantification of six bioactive compounds in Rhizoma et Radix Polygoni Cuspidati. <i>Journal of Pharmacy and Pharmacology</i> , 2008 , 60, 107-13	4.8	17
25	Comparative study on the aristolochic acid I content of Herba Asarifor safe use. <i>Phytomedicine</i> , 2008 , 15, 741-8	6.5	22
24	Differentiation of Asian ginseng, American ginseng and Notoginseng by Fourier transform infrared spectroscopy combined with two-dimensional correlation infrared spectroscopy. <i>Journal of Molecular Structure</i> , 2008 , 883-884, 91-98	3.4	45
23	Qualitative and quantitative analyses of nucleosides and nucleobases in Ganoderma spp. by HPLC-DAD-MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007 , 44, 807-11	3.5	64
22	Application of atmospheric pressure chemical ionisation mass spectrometry in the identification and differentiation of Panax species. <i>Phytochemical Analysis</i> , 2007 , 18, 146-50	3.4	31
21	Identification and determination of the major constituents in traditional Chinese medicinal plant Polygonum multiflorum thunb by HPLC coupled with PAD and ESI/MS. <i>Phytochemical Analysis</i> , 2007 , 18, 181-7	3.4	56
20	Quality assessment of Rhizoma et Radix Notopterygii by HPTLC and HPLC fingerprinting and HPLC quantitative analysis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007 , 44, 812-7	3.5	45
19	Comparative analysis of Ligusticum chuanxiong and related umbelliferous medicinal plants by high performance liquid chromatography-electrospray ionization mass spectrometry. <i>Planta Medica</i> , 2007 , 73, 392-8	3.1	34
18	Distinguishing the medicinal herb Oldenlandia diffusa from similar species of the same genus using fluorescence microscopy. <i>Microscopy Research and Technique</i> , 2006 , 69, 277-82	2.8	28
17	Determination of paralytic shellfish toxins in dinoflagellate Alexandrium tamarense by using isotachopheresis/capillary electrophoresis. <i>Journal of Separation Science</i> , 2006 , 29, 399-404	3.4	19
16	Authentication is fundamental for standardization of Chinese medicines. <i>Planta Medica</i> , 2006 , 72, 865-74	3.1	92
15	Determination of iridoid glucosides for quality assessment of Herba Oldenlandiae by high-performance liquid chromatography. <i>Chemical and Pharmaceutical Bulletin</i> , 2006 , 54, 1131-7	1.9	15
14	Differentiation of rhizoma et radix polygoni cuspidati from closely related herbs by HPLC fingerprinting. <i>Chemical and Pharmaceutical Bulletin</i> , 2006 , 54, 1179-86	1.9	20
13	Simultaneous qualitative and quantitative analyses of the major constituents in the rhizome of Ligusticum Chuanxiong using HPLC-DAD-MS. <i>Chemical and Pharmaceutical Bulletin</i> , 2006 , 54, 255-9	1.9	47
12	Simultaneous determination of naphthoquinone derivatives in Boraginaceous herbs by high-performance liquid chromatography. <i>Analytica Chimica Acta</i> , 2006 , 577, 26-31	6.6	61
11	Identification and comparative determination of senkyunolide A in traditional Chinese medicinal plants Ligusticum chuanxiong and Angelica sinensis by HPLC coupled with DAD and ESI-MS. <i>Chemical and Pharmaceutical Bulletin</i> , 2005 , 53, 1480-3	1.9	30
10	Establishment of HPLC-DAD-MS fingerprint of fresh Houttuynia cordata. <i>Chemical and Pharmaceutical Bulletin</i> , 2005 , 53, 1604-9	1.9	22

9	Establishment of GC-MS fingerprint of fresh <i>Houttuynia cordata</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2005 , 53, 1484-9	1.9	22
8	Determination of patchoulic alcohol in <i>Herba Pogostemonis</i> by GC-MS-MS. <i>Chemical and Pharmaceutical Bulletin</i> , 2005 , 53, 856-60	1.9	28
7	Development of high-performance liquid chromatographic fingerprints for distinguishing Chinese <i>Angelica</i> from related umbelliferae herbs. <i>Journal of Chromatography A</i> , 2005 , 1073, 383-92	4.5	158
6	Assay of free ferulic acid and total ferulic acid for quality assessment of <i>Angelica sinensis</i> . <i>Journal of Chromatography A</i> , 2005 , 1068, 209-19	4.5	70
5	Measurement uncertainty for total ash and acid-insoluble ash determination of Chinese materia medica. <i>Accreditation and Quality Assurance</i> , 2005 , 10, 289-294	0.7	2
4	Quantification of zeaxanthin dipalmitate and total carotenoids in <i>Lycium</i> fruits (<i>Fructus Lycii</i>). <i>Plant Foods for Human Nutrition</i> , 2005 , 60, 161-4	3.9	103
3	Systematic evaluation of organochlorine pesticide residues in Chinese materia medica. <i>Phytotherapy Research</i> , 2005 , 19, 514-8	6.7	46
2	Quantification of ligustilides in the roots of <i>Angelica sinensis</i> and related umbelliferous medicinal plants by high-performance liquid chromatography and liquid chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2004 , 1046, 101-7	4.5	30
1	Synthesis, Structural Characterization, Electrochemistry, and Reactivities of Heptaosmium Carbonyl Clusters Bearing Thioxane Ligands [Crystal and Molecular Structures of $[\text{Os}_7(\text{CO})_{16}\{\text{E}(\text{CH}_2)_2\text{OCH}_2\text{CH}_2\}_2]$, $[\text{Os}_7(\text{CO})_{17}\{\text{E}(\text{CH}_2)_2\text{OCH}_2\text{CH}_2\}\{\text{S}(\text{CH}_2)_2\text{OCH}_2\text{CH}_2\}]$, and $[\text{Os}_7(\text{CO})_{18}\{\text{E}(\text{CH}_2)_2\text{OCH}_2\text{CH}_2\}]$. <i>European Journal of Inorganic Chemistry</i> , 1999 , 1999, 1757-1763	2.3	4