

# Dick R Næssel

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2944463/publications.pdf>

Version: 2024-02-01

174  
papers

11,528  
citations

16451

64  
h-index

38395

95  
g-index

192  
all docs

192  
docs citations

192  
times ranked

5181  
citing authors

#	ARTICLE	IF	CITATIONS
1	Cholecystokinin/sulfakinin peptide signaling: conserved roles at the intersection between feeding, mating and aggression. <i>Cellular and Molecular Life Sciences</i> , 2022, 79, 188.	5.4	16
2	Impact of high-fat diet on lifespan, metabolism, fecundity and behavioral senescence in <i>Drosophila</i> . <i>Insect Biochemistry and Molecular Biology</i> , 2021, 133, 103495.	2.7	35
3	Leucokinins: Multifunctional Neuropeptides and Hormones in Insects and Other Invertebrates. <i>International Journal of Molecular Sciences</i> , 2021, 22, 1531.	4.1	6
4	Leucokinin and Associated Neuropeptides Regulate Multiple Aspects of Physiology and Behavior in <i>Drosophila</i> . <i>International Journal of Molecular Sciences</i> , 2021, 22, 1940.	4.1	8
5	A neuroendocrine pathway modulating osmotic stress in <i>Drosophila</i> . <i>PLoS Genetics</i> , 2021, 17, e1009425.	3.5	31
6	Cholecystokinin-like peptide mediates satiety by inhibiting sugar attraction. <i>PLoS Genetics</i> , 2021, 17, e1009724.	3.5	9
7	<i>Drosophila</i> Insulin-Like Peptide 8 (DILP8) in Ovarian Follicle Cells Regulates Ovulation and Metabolism. <i>Frontiers in Endocrinology</i> , 2020, 11, 461.	3.5	21
8	Hormonal axes in <i>Drosophila</i> : regulation of hormone release and multiplicity of actions. <i>Cell and Tissue Research</i> , 2020, 382, 233-266.	2.9	54
9	Regulatory Roles of <i>Drosophila</i> Insulin-Like Peptide 1 (DILP1) in Metabolism Differ in Pupal and Adult Stages. <i>Frontiers in Endocrinology</i> , 2020, 11, 180.	3.5	11
10	Recent advances in neuropeptide signaling in <i>Drosophila</i> , from genes to physiology and behavior. <i>Progress in Neurobiology</i> , 2019, 179, 101607.	5.7	243
11	Neuropeptides in modulation of <i>Drosophila</i> behavior: how to get a grip on their pleiotropic actions. <i>Current Opinion in Insect Science</i> , 2019, 36, 1-8.	4.4	49
12	A single pair of leucokinin neurons are modulated by feeding state and regulate sleepâ€“metabolism interactions. <i>PLoS Biology</i> , 2019, 17, e2006409.	5.6	71
13	Tachykinins: Neuropeptides That Are Ancient, Diverse, Widespread and Functionally Pleiotropic. <i>Frontiers in Neuroscience</i> , 2019, 13, 1262.	2.8	82
14	<i>Drosophila</i> insulinâ€“like peptide <i>dilp1</i> increases lifespan and glucagonâ€“like Akh expression epistatic to <i>dilp2</i> . <i>Aging Cell</i> , 2019, 18, e12863.	6.7	51
15	Characterization of a set of abdominal neuroendocrine cells that regulate stress physiology using colocalized diuretic peptides in <i>Drosophila</i> . <i>Cellular and Molecular Life Sciences</i> , 2018, 75, 1099-1115.	5.4	46
16	Modulation of <i>Drosophila</i> post-feeding physiology and behavior by the neuropeptide leucokinin. <i>PLoS Genetics</i> , 2018, 14, e1007767.	3.5	60
17	Substrates for Neuronal Cotransmission With Neuropeptides and Small Molecule Neurotransmitters in <i>Drosophila</i> . <i>Frontiers in Cellular Neuroscience</i> , 2018, 12, 83.	3.7	81
18	The thirsty fly: Ion transport peptide (ITP) is a novel endocrine regulator of water homeostasis in <i>Drosophila</i> . <i>PLoS Genetics</i> , 2018, 14, e1007618.	3.5	57

#	ARTICLE	IF	CITATIONS
19	Adaptation to fluctuating environments in a selection experiment with <i>Drosophila melanogaster</i> . <i>Ecology and Evolution</i> , 2017, 7, 3796-3807.	1.9	13
20	Behavioral Senescence and Aging-Related Changes in Motor Neurons and Brain Neuromodulator Levels Are Ameliorated by Lifespan-Extending Reproductive Dormancy in <i>Drosophila</i> . <i>Frontiers in Cellular Neuroscience</i> , 2017, 11, 111.	3.7	28
21	Transcriptional Reorganization of <i>Drosophila</i> Motor Neurons and Their Muscular Junctions toward a Neuroendocrine Phenotype by the bHLH Protein Dimmed. <i>Frontiers in Molecular Neuroscience</i> , 2017, 10, 260.	2.9	4
22	DINer: Database for Insect Neuropeptide Research. <i>Insect Biochemistry and Molecular Biology</i> , 2017, 86, 9-19.	2.7	95
23	The <i>Drosophila</i> Transcription Factor Dimmed Affects Neuronal Growth and Differentiation in Multiple Ways Depending on Neuron Type and Developmental Stage. <i>Frontiers in Molecular Neuroscience</i> , 2016, 9, 97.	2.9	13
24	Characterization of Reproductive Dormancy in Male <i>Drosophila melanogaster</i> . <i>Frontiers in Physiology</i> , 2016, 7, 572.	2.8	43
25	<i>Drosophila</i> insulin-like peptide 1 (DILP1) is transiently expressed during non-feeding stages and reproductive dormancy. <i>Scientific Reports</i> , 2016, 6, 26620.	3.3	86
26	Systemic corazonin signalling modulates stress responses and metabolism in <i>Drosophila</i> . <i>Open Biology</i> , 2016, 6, 160152.	3.6	104
27	Slowed aging during reproductive dormancy is reflected in genome-wide transcriptome changes in <i>Drosophila melanogaster</i> . <i>BMC Genomics</i> , 2016, 17, 50.	2.8	95
28	Insulin/IGF signaling in <i>Drosophila</i> and other insects: factors that regulate production, release and post-release action of the insulin-like peptides. <i>Cellular and Molecular Life Sciences</i> , 2016, 73, 271-290.	5.4	269
29	Feeding regulates sex pheromone attraction and courtship in <i>Drosophila</i> females. <i>Scientific Reports</i> , 2015, 5, 13132.	3.3	66
30	Insulin/IGF signaling and its regulation in <i>Drosophila</i> . <i>General and Comparative Endocrinology</i> , 2015, 221, 255-266.	1.8	167
31	The Neuropeptide Allatostatin A Regulates Metabolism and Feeding Decisions in <i>Drosophila</i> . <i>Scientific Reports</i> , 2015, 5, 11680.	3.3	121
32	Serotonin and insulin-like peptides modulate leucokinin-producing neurons that affect feeding and water homeostasis in <i>Drosophila</i> . <i>Journal of Comparative Neurology</i> , 2015, 523, 1840-1863.	1.6	68
33	Food odors trigger an endocrine response that affects food ingestion and metabolism. <i>Cellular and Molecular Life Sciences</i> , 2015, 72, 3143-3155.	5.4	55
34	The Sleeping Beauty: How Reproductive Diapause Affects Hormone Signaling, Metabolism, Immune Response and Somatic Maintenance in <i>Drosophila melanogaster</i> . <i>PLoS ONE</i> , 2014, 9, e113051.	2.5	150
35	Cholecystokinin-Like Peptide (DSK) in <i>Drosophila</i> , Not Only for Satiety Signaling. <i>Frontiers in Endocrinology</i> , 2014, 5, 219.	3.5	35
36	<i>Drosophila</i> Insulin-Producing Cells Are Differentially Modulated by Serotonin and Octopamine Receptors and Affect Social Behavior. <i>PLoS ONE</i> , 2014, 9, e99732.	2.5	80

#	ARTICLE	IF	CITATIONS
37	Neuropeptides and Peptide Hormones. , 2013, , 213-237.		13
38	Distribution of short neuropeptide F and its receptor in neuronal circuits related to feeding in larval <i>Drosophila</i> . <i>Cell and Tissue Research</i> , 2013, 353, 511-523.	2.9	27
39	GABAB receptors play an essential role in maintaining sleep during the second half of the night in <i>Drosophila melanogaster</i> . <i>Journal of Experimental Biology</i> , 2013, 216, 3837-3843.	1.7	52
40	Factors that regulate insulin producing cells and their output in <i>Drosophila</i> . <i>Frontiers in Physiology</i> , 2013, 4, 252.	2.8	211
41	Insulin/IGF-Regulated Size Scaling of Neuroendocrine Cells Expressing the bHLH Transcription Factor Dimmed in <i>Drosophila</i> . <i>PLoS Genetics</i> , 2013, 9, e1004052.	3.5	35
42	Organization of the Olfactory System of Nymphalidae Butterflies. <i>Chemical Senses</i> , 2013, 38, 355-367.	2.0	29
43	Short Neuropeptide F Acts as a Functional Neuromodulator for Olfactory Memory in Kenyon Cells of <i>Drosophila</i> Mushroom Bodies. <i>Journal of Neuroscience</i> , 2013, 33, 5340-5345.	3.6	41
44	Tachykinin Peptides. , 2013, , 315-320.		0
45	Insulin-Producing Cells in the <i>Drosophila</i> Brain also Express Satiety-Inducing Cholecystokinin-Like Peptide, Drosulfakinin. <i>Frontiers in Endocrinology</i> , 2012, 3, 109.	3.5	120
46	Insulin-producing cells and their regulation in physiology and behavior of <i>Drosophila</i> <sup>1</sup> This review is part of a virtual symposium on recent advances in understanding a variety of complex regulatory processes in insect physiology and endocrinology, including development, metabolism, cold hardiness, food intake and digestion, and diuresis, through the use of omics technologies in the postgenomic era.. <i>Canadian Journal of Zoology</i> , 2012, 90, 476-488.	1.0	29
47	Distribution of metabotropic receptors of serotonin, dopamine, GABA, glutamate, and short neuropeptide F in the central complex of <i>Drosophila</i> . <i>Neuroscience</i> , 2012, 208, 11-26.	2.3	61
48	Identified peptidergic neurons in the <i>Drosophila</i> brain regulate insulin-producing cells, stress responses and metabolism by coexpressed short neuropeptide F and corazonin. <i>Cellular and Molecular Life Sciences</i> , 2012, 69, 4051-4066.	5.4	111
49	Insulin-producing cells in the brain of adult <i>Drosophila</i> are regulated by the serotonin 5-HT1A receptor. <i>Cellular and Molecular Life Sciences</i> , 2012, 69, 471-484.	5.4	100
50	Biostable multi-Aib analogs of tachykinin-related peptides demonstrate potent oral aphicidal activity in the pea aphid <i>Acyrtosiphon pisum</i> (Hemiptera: Aphidae). <i>Peptides</i> , 2011, 32, 587-594.	2.4	33
51	A comparative review of short and long neuropeptide F signaling in invertebrates: Any similarities to vertebrate neuropeptide Y signaling?. <i>Peptides</i> , 2011, 32, 1335-1355.	2.4	271
52	The Serotonin 5-HT7Dro Receptor Is Expressed in the Brain of <i>Drosophila</i> , and Is Essential for Normal Courtship and Mating. <i>PLoS ONE</i> , 2011, 6, e20800.	2.5	96
53	A novel wide-field neuron with branches in the lamina of the <i>Drosophila</i> visual system expresses myoinhibitory peptide and may be associated with the clock. <i>Cell and Tissue Research</i> , 2011, 343, 357-369.	2.9	21
54	Myoinhibitory peptide (MIP) immunoreactivity in the visual system of the blowfly <i>Calliphora vomitoria</i> in relation to putative clock neurons and serotonergic neurons. <i>Cell and Tissue Research</i> , 2011, 345, 125-135.	2.9	11

#	ARTICLE	IF	CITATIONS
55	Regulation of insulin-producing cells in the adult <i>Drosophila</i> brain via the tachykinin peptide receptor DTKR. <i>Journal of Experimental Biology</i> , 2011, 214, 4201-4208.	1.7	82
56	Insulin Production and Signaling in Renal Tubules of <i>Drosophila</i> Is under Control of Tachykinin-Related Peptide and Regulates Stress Resistance. <i>PLoS ONE</i> , 2011, 6, e19866.	2.5	75
57	Multiple neuropeptides in the <i>Drosophila</i> antennal lobe suggest complex modulatory circuits. <i>Journal of Comparative Neurology</i> , 2010, 518, 3359-3380.	1.6	119
58	Metabolic Stress Responses in <i>Drosophila</i> Are Modulated by Brain Neurosecretory Cells That Produce Multiple Neuropeptides. <i>PLoS ONE</i> , 2010, 5, e11480.	2.5	81
59	<i>Drosophila</i> neuropeptides in regulation of physiology and behavior. <i>Progress in Neurobiology</i> , 2010, 92, 42-104.	5.7	442
60	Neuropeptide Signaling in Insects. <i>Advances in Experimental Medicine and Biology</i> , 2010, 692, 155-165.	1.6	69
61	Insulin Signaling, Lifespan and Stress Resistance Are Modulated by Metabotropic GABA Receptors on Insulin Producing Cells in the Brain of <i>Drosophila</i> . <i>PLoS ONE</i> , 2010, 5, e15780.	2.5	73
62	Presynaptic peptidergic modulation of olfactory receptor neurons in <i>Drosophila</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 13070-13075.	7.1	160
63	Peptidergic clock neurons in <i>Drosophila</i> : Ion transport peptide and short neuropeptide F in subsets of dorsal and ventral lateral neurons. <i>Journal of Comparative Neurology</i> , 2009, 516, 59-73.	1.6	181
64	PICK1 expression in the <i>Drosophila</i> central nervous system primarily occurs in the neuroendocrine system. <i>Journal of Comparative Neurology</i> , 2009, 517, 313-332.	1.6	19
65	Neuropeptide signaling near and far: how localized and timed is the action of neuropeptides in brain circuits?. <i>Invertebrate Neuroscience</i> , 2009, 9, 57-75.	1.8	91
66	Characterization and distribution of NKD, a receptor for <i>Drosophila</i> tachykinin-related peptide 6. <i>Peptides</i> , 2009, 30, 545-556.	2.4	78
67	Intrinsic neurons of <i>Drosophila</i> mushroom bodies express short neuropeptide F: Relations to extrinsic neurons expressing different neurotransmitters. <i>Journal of Comparative Neurology</i> , 2008, 507, 1479-1496.	1.6	101
68	Ion transport peptide splice forms in central and peripheral neurons throughout postembryogenesis of <i>Drosophila melanogaster</i> . <i>Journal of Comparative Neurology</i> , 2008, 509, 23-41.	1.6	75
69	A large population of diverse neurons in the <i>Drosophila</i> central nervous system expresses short neuropeptide F, suggesting multiple distributed peptide functions. <i>BMC Neuroscience</i> , 2008, 9, 90.	1.9	136
70	A Presynaptic Gain Control Mechanism Fine-Tunes Olfactory Behavior. <i>Neuron</i> , 2008, 59, 311-321.	8.1	309
71	Glutamate, GABA and Acetylcholine Signaling Components in the Lamina of the <i>Drosophila</i> Visual System. <i>PLoS ONE</i> , 2008, 3, e2110.	2.5	107
72	Single-Cell Peptidomics of <i>Drosophila melanogaster</i> Neurons Identified by Gal4-Driven Fluorescence. <i>Analytical Chemistry</i> , 2007, 79, 3690-3694.	6.5	52

#	ARTICLE	IF	CITATIONS
73	Neuroarchitecture of Peptidergic Systems in the Larval Ventral Ganglion of <i>Drosophila melanogaster</i> . PLoS ONE, 2007, 2, e695.	2.5	58
74	Glutamate and its metabotropic receptor in <i>Drosophila</i> clock neuron circuits. Journal of Comparative Neurology, 2007, 505, 32-45.	1.6	87
75	γ-Aminobutyric acid (GABA) signaling components in <i>Drosophila</i> : Immunocytochemical localization of GABA <sub>B</sub> receptors in relation to the GABA <sub>A</sub> receptor subunit RDL and a vesicular GABA transporter. Journal of Comparative Neurology, 2007, 505, 18-31.	1.6	95
76	Insect neuroendocrinology in the post-genomic era. General and Comparative Endocrinology, 2007, 153, 57-58.	1.8	0
77	Neuropeptides in interneurons of the insect brain. Cell and Tissue Research, 2006, 326, 1-24.	2.9	164
78	Widely distributed <i>Drosophila</i> G-protein-coupled receptor (CG7887) is activated by endogenous tachykinin-related peptides. Journal of Neurobiology, 2006, 66, 33-46.	3.6	89
79	Mapping of serotonin, dopamine, and histamine in relation to different clock neurons in the brain of <i>Drosophila</i> . Journal of Comparative Neurology, 2006, 494, 314-330.	1.6	81
80	Tachykinins and Tachykinin-Related Peptides in Invertebrates. , 2006, , 171-176.		0
81	Tachykinin-related peptide precursors in two cockroach species. FEBS Journal, 2005, 272, 3365-3375.	4.7	45
82	GABA modulates <i>Drosophila</i> circadian clock neurons via GABAB receptors and decreases in calcium. Journal of Neurobiology, 2005, 65, 225-240.	3.6	76
83	Acetylcholine Increases Intracellular Ca <sup>2+</sup> Via Nicotinic Receptors in Cultured PDF-Containing Clock Neurons of <i>Drosophila</i> . Journal of Neurophysiology, 2004, 91, 912-923.	1.8	80
84	Proctolin in the post-genomic era: new insights and challenges. Invertebrate Neuroscience, 2004, 5, 51-64.	1.8	39
85	Identification of a proctolin preprohormone gene (Proct) of <i>Drosophila melanogaster</i> : Expression and predicted prohormone processing. Journal of Neurobiology, 2004, 58, 379-391.	3.6	47
86	Identification and localization of a neprilysin-like activity that degrades tachykinin-related peptides in the brain of the cockroach, <i>Leucophaea maderae</i> , and locust, <i>Locusta migratoria</i> . Journal of Comparative Neurology, 2003, 457, 57-66.	1.6	17
87	Neuronal expression of tachykinin-related peptides and gene transcript during postembryonic development of <i>Drosophila</i> . Journal of Comparative Neurology, 2003, 464, 180-196.	1.6	74
88	Diuretic action of the peptide locust tachykinin I: cellular localisation and effects on fluid secretion in Malpighian tubules of locusts. Peptides, 2003, 24, 1571-1579.	2.4	33
89	Identification and characterization of a G protein-coupled receptor for the neuropeptide proctolin in <i>Drosophila melanogaster</i> . Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 6198-6203.	7.1	75
90	Identification of <i>Drosophila</i> Neuropeptide Receptors by G Protein-coupled Receptors-β <sup>2</sup> -Arrestin2 Interactions. Journal of Biological Chemistry, 2003, 278, 52172-52178.	3.4	117

#	ARTICLE	IF	CITATIONS
91	Neuropeptides in the nervous system of <i>Drosophila</i> and other insects: multiple roles as neuromodulators and neurohormones. <i>Progress in Neurobiology</i> , 2002, 68, 1-84.	5.7	429
92	Inactivation of a tachykinin-related peptide: identification of four neuropeptide-degrading enzymes in neuronal membranes of insects from four different orders. <i>Peptides</i> , 2002, 23, 725-733.	2.4	33
93	Common design in a unique midline neuropil in the brains of arthropods. <i>Arthropod Structure and Development</i> , 2002, 31, 77-91.	1.4	142
94	Neuronal co-localization of different isoforms of tachykinin-related peptides (LemTRPs) in the cockroach brain. <i>Cell and Tissue Research</i> , 2002, 308, 225-239.	2.9	11
95	Molecular Cloning, Genomic Organization, and Expression of a B-Type (Cricket-Type) Allatostatin Preprohormone from <i>Drosophila melanogaster</i> . <i>Biochemical and Biophysical Research Communications</i> , 2001, 281, 544-550.	2.1	103
96	Molecular Cloning, Genomic Organization, and Expression of a C-Type ( <i>Manduca sexta</i> -Type) Allatostatin Preprohormone from <i>Drosophila melanogaster</i> . <i>Biochemical and Biophysical Research Communications</i> , 2001, 282, 124-130.	2.1	89
97	The distribution of a kinin-like peptide and its co-localization with a CRF-like peptide in the blood-feeding bug, <i>Rhodnius prolixus</i> . <i>Peptides</i> , 2001, 22, 161-173.	2.4	52
98	Cardioacceleratory action of tachykinin-related neuropeptides and proctolin in two coleopteran insect species. <i>Peptides</i> , 2001, 22, 209-217.	2.4	32
99	Primary commissure pioneer neurons in the brain of the grasshopper <i>Schistocerca gregaria</i> : Development, ultrastructure, and neuropeptide expression. <i>Journal of Comparative Neurology</i> , 2001, 430, 118-130.	1.6	29
100	Pigment-dispersing factor in the locust abdominal ganglia may have roles as circulating neurohormone and central neuromodulator. <i>Journal of Neurobiology</i> , 2001, 48, 19-41.	3.6	49
101	A putative tachykinin receptor in the cockroach brain: molecular cloning and analysis of expression by means of antisera to portions of the receptor protein. <i>Brain Research</i> , 2001, 919, 94-105.	2.2	26
102	Proline-specific dipeptidyl peptidase activity in the cockroach brain and intestine: Partial characterization, distribution, and inactivation of tachykinin-related peptides. , 2000, 418, 81-92.		22
103	Baratin, a nonamidated neurostimulating neuropeptide, isolated from cockroach brain: Distribution and actions in the cockroach and locust nervous systems. , 2000, 422, 267-286.		16
104	Allatotropin-like neuropeptide in the cockroach abdominal nervous system: Myotropic actions, sexually dimorphic distribution and colocalization with serotonin. <i>Journal of Comparative Neurology</i> , 2000, 428, 159-173.	1.6	57
105	Functional roles of neuropeptides in the insect central nervous system. <i>Die Naturwissenschaften</i> , 2000, 87, 439-449.	1.6	52
106	Tachykinin-Related Peptide and GABA-Mediated Presynaptic Inhibition of Crayfish Photoreceptors. <i>Journal of Neuroscience</i> , 2000, 20, 1780-1790.	3.6	52
107	Peptide-Induced Ca <sup>2+</sup> Movements in a Tonic Insect Muscle: Effects of Proctolin and Periviscerokinin-2. <i>Journal of Neurophysiology</i> , 2000, 84, 3056-3066.	1.8	35
108	Expression and Functional Characterization of a <i>Drosophila</i> Neuropeptide Precursor with Homology to Mammalian Preprotachykinin A. <i>Journal of Biological Chemistry</i> , 2000, 275, 23273-23280.	3.4	139

#	ARTICLE	IF	CITATIONS
109	Baratin, a nonamidated neurostimulating neuropeptide, isolated from cockroach brain: distribution and actions in the cockroach and locust nervous systems. <i>Journal of Comparative Neurology</i> , 2000, 422, 267-86.	1.6	6
110	Several Isoforms of Locustatachykinins May Be Involved in Cyclic AMP-Mediated Release of Adipokinetic Hormones from the Locust <i>Corpora cardiaca</i> . <i>General and Comparative Endocrinology</i> , 1999, 113, 401-412.	1.8	27
111	Pigment-dispersing hormone-like immunoreactive neurons in the central nervous system of the gastropods, <i>Helix pomatia</i> and <i>Lymnaea stagnalis</i> . <i>Cell and Tissue Research</i> , 1999, 295, 339-348.	2.9	13
112	Tachykinin-related neuropeptide in the crayfish olfactory midbrain. <i>Cell and Tissue Research</i> , 1999, 296, 405-415.	2.9	16
113	Neuropeptides in insect sensory neurones: tachykinin-, FMRFamide- and allatotropin-related peptides in terminals of locust thoracic sensory afferents. <i>Brain Research</i> , 1999, 816, 131-141.	2.2	26
114	Differential distribution of isoforms of <i>Leucophaea</i> tachykinin-related peptides (LemTRPs) in endocrine cells and neuronal processes of the cockroach midgut. <i>Journal of Comparative Neurology</i> , 1999, 406, 15-28.	1.6	21
115	Histamine in the brain of insects: a review. <i>Microscopy Research and Technique</i> , 1999, 44, 121-136.	2.2	123
116	Tachykinin-related peptides in invertebrates: a review. <i>Peptides</i> , 1999, 20, 141-158.	2.4	170
117	Locustatachykinin isoforms in the locust: distribution and quantification in the central nervous system and action on the oviduct muscle. <i>Peptides</i> , 1999, 20, 687-694.	2.4	30
118	Structure, distribution, and biological activity of novel members of the allatostatin family in the crayfish <i>Orconectes limosus</i> . <i>Peptides</i> , 1999, 20, 695-712.	2.4	87
119	Differential distribution of isoforms of <i>Leucophaea</i> tachykinin-related peptides (LemTRPs) in endocrine cells and neuronal processes of the cockroach midgut. <i>Journal of Comparative Neurology</i> , 1999, 406, 15-28.	1.6	3
120	A possible role of SchistoFLRFamide in inhibition of adipokinetic hormone release from locust <i>corpora cardiaca</i> . <i>Journal of Neurocytology</i> , 1998, 27, 901-913.	1.5	41
121	Distribution of tachykinin-related neuropeptide in the developing central nervous system of the moth <i>Spodoptera litur a</i> . <i>Cell and Tissue Research</i> , 1998, 294, 351-365.	2.9	39
122	An aminoisobutyric acid-containing analogue of the cockroach tachykinin-related peptide, LemTRP-1, with potent bioactivity and resistance to an insect angiotensin-converting enzyme. <i>Regulatory Peptides</i> , 1998, 74, 61-66.	1.9	14
123	Characterization of Actions of <i>Leucophaea</i> Tachykinin-Related Peptides (LemTRPs) and Proctolin on Cockroach Hindgut Contractions. <i>Peptides</i> , 1998, 19, 445-458.	2.4	41
124	TER94, a <i>Drosophila</i> homolog of the membrane fusion protein CDC48/p97, is accumulated in nonproliferating cells: in the reproductive organs and in the brain of the imago. <i>Insect Biochemistry and Molecular Biology</i> , 1998, 28, 91-98.	2.7	38
125	Species-specific action and distribution of tachykinin-related peptides in the foregut of the cockroaches <i>Leucophaea maderae</i> and <i>Periplaneta americana</i> . <i>Journal of Experimental Biology</i> , 1998, 201, 1615-26.	1.7	25
126	Detection of Neuropeptides by Immunocytochemistry. , 1997, 72, 71-102.		10



#	ARTICLE	IF	CITATIONS
127	Novel Tachykinin-related Peptides in the Cockroach Nervous System and Intestine.. Annals of the New York Academy of Sciences, 1997, 814, 312-314.	3.8	1
128	Peptidergic activation of locust dorsal unpaired median neurons: Depolarization induced by locustatachykinins may be mediated by cyclic AMP. , 1997, 33, 297-315.		46
129	Insect tachykinin-related neuropeptides: Developmental changes in expression of callitachykinin isoforms in the central nervous system and intestine of the blowfly, Calliphora vomitoria. Archives of Insect Biochemistry and Physiology, 1997, 34, 475-491.	1.5	7
130	Isolation of five tachykinin-related peptides from the midgut of the cockroach Leucophaea maderae: existence of N-terminally extended isoforms. Regulatory Peptides, 1996, 65, 185-196.	1.9	64
131	Peptidergic neurohormonal control systems in invertebrates. Current Opinion in Neurobiology, 1996, 6, 842-850.	4.2	39
132	Radioimmunoassay determination of tachykinin-related peptide in different portions of the central nervous system and intestine of the cockroach Leucophaea maderae. Brain Research, 1996, 739, 314-321.	2.2	25
133	Advances in the immunocytochemical localization of neuroactive substances in the insect nervous system. Journal of Neuroscience Methods, 1996, 69, 3-23.	2.5	28
134	Multiple Members of the Leucokinin Neuropeptide Family are Present in Cerebral and Abdominal Neurohemal Organs in the Cockroach Leucophaea maderae. Journal of Neuroendocrinology, 1996, 8, 785-792.	2.6	13
135	Isolation of five tachykinin-related peptides from the midgut of the cockroach Leucophaea maderae: existence of N-terminally extended isoforms. Regulatory Peptides, 1996, 65, 185-196.	1.9	3
136	Migration of neurons between ganglia in the metamorphosing insect nervous system. Roux's Archives of Developmental Biology, 1995, 205, 10-20.	1.2	4
137	Evidence that locustatachykinin I is involved in release of adipokinetic hormone from locust corpora cardiaca. Regulatory Peptides, 1995, 57, 297-310.	1.9	80
138	Locustatachykinin immunoreactivity in the blowfly central nervous system and intestine. Journal of Comparative Neurology, 1994, 341, 225-240.	1.6	68
139	Postembryonic development of corazonin-containing neurons and neurosecretory cells in the blowfly, Phormia terraenovae. Journal of Comparative Neurology, 1994, 350, 559-572.	1.6	53
140	Tachykinin-related neuropeptides in the central nervous system of the snail Helix pomatia: an immunocytochemical study. Brain Research, 1994, 661, 223-236.	2.2	19
141	Callitachykinin I and II, two novel myotropic peptides isolated from the blowfly, Calliphora vomitoria, that have resemblances to tachykinins. Peptides, 1994, 15, 761-768.	2.4	55
142	Pigment-dispersing hormone-like peptide in the nervous system of the flies Phormia and Drosophila: Immunocytochemistry and partial characterization. Journal of Comparative Neurology, 1993, 331, 183-198.	1.6	125
143	Neuropeptides in the insect brain: a review. Cell and Tissue Research, 1993, 273, 1-29.	2.9	164
144	Insect myotropic peptides: differential distribution of locustatachykinin- and leucokinin-like immunoreactive neurons in the locust brain. Cell and Tissue Research, 1993, 274, 27-40.	2.9	99

#	ARTICLE	IF	CITATIONS
145	Tachykinin- and leucokinin-related peptides in the nervous system of the blowfly: Immunocytochemical and chromatographical diversity. <i>Peptides</i> , 1993, 14, 651-663.	2.4	20
146	Autoradiographic localization of <sup>125</sup> I-galanin binding sites in the blowfly brain. <i>Regulatory Peptides</i> , 1992, 42, 123-134.	1.9	9
147	Galanin Message-Associated Peptide-Like Immunoreactivity in the Nervous System of the Blowfly: Distribution and Chromatographic Characterization. <i>Journal of Neuroendocrinology</i> , 1992, 4, 605-616.	2.6	9
148	Segmental peptidergic innervation of abdominal targets in larval and adult dipteran insects revealed with an antiserum against leucokinin I. <i>Cell and Tissue Research</i> , 1992, 269, 459-471.	2.9	124
149	Postembryonic development of leucokinin I-immunoreactive neurons innervating a neurohemal organ in the turnip moth <i>Agrotis segetum</i> . <i>Cell and Tissue Research</i> , 1992, 269, 65-77.	2.9	39
150	Neurons in the cockroach nervous system reacting with antisera to the neuropeptide leucokinin I. <i>Journal of Comparative Neurology</i> , 1992, 322, 45-67.	1.6	106
151	Insect tachykinin-like peptide: Distribution of leucokinin immunoreactive neurons in the cockroach and blowfly brains. <i>Neuroscience Letters</i> , 1991, 130, 225-228.	2.1	50
152	Pigment-dispersing hormone-immunoreactive neurons and their relation to serotonergic neurons in the blowfly and cockroach visual system. <i>Cell and Tissue Research</i> , 1991, 266, 511-523.	2.9	99
153	Galanin immunoreactivity in the blowfly nervous system: Localization and chromatographic analysis. <i>Journal of Comparative Neurology</i> , 1991, 312, 77-96.	1.6	30
154	Substance P-, FMRFamide-, and gastrin/cholecystokinin-like immunoreactive neurons in the thoraco-abdominal ganglia of the flies <i>Drosophila</i> and <i>Calliphora</i> . <i>Journal of Comparative Neurology</i> , 1990, 294, 161-178.	1.6	82
155	Histaminelike immunoreactive neurons innervating putative neurohaemal areas and central neuropil in the thoraco-abdominal ganglia of the flies <i>Drosophila</i> and <i>Calliphora</i> . <i>Journal of Comparative Neurology</i> , 1990, 297, 525-536.	1.6	36
156	Substance P-like immunoreactive neurons in the nervous system of <i>Drosophila</i> . <i>Brain Research</i> , 1990, 507, 225-233.	2.2	38
157	Vasopressin- and proctolin-like immunoreactive efferent neurons in blowfly abdominal ganglia: Development and ultrastructure. <i>Journal of Comparative Neurology</i> , 1989, 283, 450-463.	1.6	29
158	Metamorphosis of identified neurons innervating thoracic neurohemal organs in the blowfly: Transformation of cholecystokininlike immunoreactive neurons. <i>Journal of Comparative Neurology</i> , 1988, 267, 343-356.	1.6	62
159	Proctolin-like immunoreactive neurons in the blowfly central nervous system. <i>Journal of Comparative Neurology</i> , 1987, 265, 437-454.	1.6	67
160	Mapping and ultrastructure of serotonin-immunoreactive neurons in the optic lobes of three insect species. <i>Journal of Comparative Neurology</i> , 1985, 232, 190-204.	1.6	75
161	Antennal receptors in the blowfly <i>Calliphora erythrocephala</i> . I. The gigantic central projection of the pedicellar campaniform sensillum. <i>Journal of Morphology</i> , 1984, 180, 159-169.	1.2	22
162	Antennal receptors in the blowfly <i>Calliphora erythrocephala</i> : II. Fine structure of the large pedicellar campaniform sensillum. <i>Journal of Morphology</i> , 1984, 182, 115-123.	1.2	6

#	ARTICLE	IF	CITATIONS
163	Ultrastructural demonstration of serotonin-immunoreactivity in the nervous system of an insect ( <i>Calliphora erythrocephala</i> ). <i>Neuroscience Letters</i> , 1984, 48, 203-210.	2.1	68
164	Neuronal organization in fly optic lobes altered by laser ablations early in development or by mutations of the eye. <i>Journal of Comparative Neurology</i> , 1983, 217, 86-102.	1.6	16
165	A new, possibly serotonergic, neuron in the lamina of the blowfly optic lobe: an immunocytochemical and Golgi-EM study. <i>Brain Research</i> , 1983, 280, 361-367.	2.2	28
166	Transneuronal uptake of horseradish peroxidase in the central nervous system of dipterous insects. <i>Cell and Tissue Research</i> , 1982, 225, 639-62.	2.9	21
167	Visual processing of moving single objects and wide-field patterns in flies: Behavioural analysis after laser-surgical removal of interneurons. <i>Biological Cybernetics</i> , 1982, 44, 141-149.	1.3	51
168	Visual orientation behaviour of flies after selective laser beam ablation of interneurons. <i>Nature</i> , 1981, 293, 398-399.	27.8	92
169	Massive diurnally modulated photoreceptor membrane turnover in crab light and dark adaptation. <i>Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology</i> , 1979, 131, 205-216.	1.6	116
170	Crustacean eyes and polarization sensitivity. <i>Vision Research</i> , 1977, 17, 1239-1240.	1.4	7
171	A catecholaminergic neuron connecting the first two optic neuropiles (Lamina ganglionaris and Tj ETQq1 1 0.784314 rgBT / Overlock	2.9	23
172	Types and arrangements of neurons in the crayfish optic lamina. <i>Cell and Tissue Research</i> , 1977, 179, 45-75.	2.9	51
173	The Fine Structure of Photoreceptor Terminals in the Compound Eye of <i>Pandalus borealis</i> (Crustacea). <i>Acta Zoologica</i> , 1976, 57, 153-160.	0.8	8
174	Neuropeptides regulating <i>Drosophila</i> behavior. , 0, , 20-36.		2