

# Dong Xie

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2945912/publications.pdf>

Version: 2024-02-01

118  
papers

8,619  
citations

34016

52  
h-index

46693

89  
g-index

121  
all docs

121  
docs citations

121  
times ranked

13567  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Targeting of tumour-infiltrating macrophages via CCL2/CCR2 signalling as a therapeutic strategy against hepatocellular carcinoma. <i>Gut</i> , 2017, 66, 157-167.   | 6.1 | 495       |
| 2  | TGF- $\beta$ 2-miR-34a-CCL22 Signaling-Induced Treg Cell Recruitment Promotes Venous Metastases of HBV-Positive Hepatocellular Carcinoma. <i>Cancer Cell</i> , 2012, 22, 291-303.                                       | 7.7 | 466       |
| 3  | Genome-wide association study of esophageal squamous cell carcinoma in Chinese subjects identifies a susceptibility locus at PLCE1. <i>Nature Genetics</i> , 2010, 42, 759-763.   | 9.4 | 383       |
| 4  | miR-126 and miR-126* repress recruitment of mesenchymal stem cells and inflammatory monocytes to inhibit breast cancer metastasis. <i>Nature Cell Biology</i> , 2013, 15, 284-294.                                      | 4.6 | 312       |
| 5  | Loss of ferroportin induces memory impairment by promoting ferroptosis in Alzheimer's disease. <i>Cell Death and Differentiation</i> , 2021, 28, 1548-1562.   | 5.0 | 275       |
| 6  | Meta-analysis of vitamin D, calcium and the prevention of breast cancer. <i>Breast Cancer Research and Treatment</i> , 2010, 121, 469-477.  | 1.1 | 248       |
| 7  | Melatonin-stimulated MSC-derived exosomes improve diabetic wound healing through regulating macrophage M1 and M2 polarization by targeting the PTEN/AKT pathway. <i>Stem Cell Research and Therapy</i> , 2020, 11, 259. | 2.4 | 221       |
| 8  | Iron Metabolism Regulates p53 Signaling through Direct Heme-p53 Interaction and Modulation of p53 Localization, Stability, and Function. <i>Cell Reports</i> , 2014, 7, 180-193.  | 2.9 | 170       |
| 9  | Levels of Expression of CYR61 and CTGF Are Prognostic for Tumor Progression and Survival of Individuals with Gliomas. <i>Clinical Cancer Research</i> , 2004, 10, 2072-2081.  | 3.2 | 168       |
| 10 | The lncRNA H19 mediates breast cancer cell plasticity during EMT and MET plasticity by differentially sponging miR-200b/c and let-7b. <i>Science Signaling</i> , 2017, 10, .  | 1.6 | 167       |
| 11 | Cyr61 Is Overexpressed in Gliomas and Involved in Integrin-Linked Kinase-Mediated Akt and $\beta$ -Catenin-TCF/Lef Signaling Pathways. <i>Cancer Research</i> , 2004, 64, 1987-1996.                                    | 0.4 | 162       |
| 12 | Joint analysis of three genome-wide association studies of esophageal squamous cell carcinoma in Chinese populations. <i>Nature Genetics</i> , 2014, 46, 1001-1006.   | 9.4 | 148       |
| 13 | MicroRNA-135a contributes to the development of portal vein tumor thrombus by promoting metastasis in hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2012, 56, 389-396.                                       | 1.8 | 146       |
| 14 | Sex-Dependent Effects of Cadmium Exposure in Early Life on Gut Microbiota and Fat Accumulation in Mice. <i>Environmental Health Perspectives</i> , 2017, 125, 437-446.  | 2.8 | 146       |
| 15 | RACK1, a versatile hub in cancer. <i>Oncogene</i> , 2015, 34, 1890-1898.  | 2.6 | 134       |
| 16 | Breast Cancer. <i>Journal of Biological Chemistry</i> , 2001, 276, 14187-14194.   | 1.6 | 132       |
| 17 | A Crucial Role for RACK1 in the Regulation of Glucose-Stimulated IRE1 $\alpha$ Activation in Pancreatic $\beta$ Cells. <i>Science Signaling</i> , 2010, 3, ra7.   | 1.6 | 130       |
| 18 | Expression of Cyr61, CTGF, and WISP-1 Correlates with Clinical Features of Lung Cancer. <i>PLoS ONE</i> , 2007, 2, e534.  | 1.1 | 122       |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Cyr61, a Member of CCN Family, Is a Tumor Suppressor in Non-Small Cell Lung Cancer. <i>Journal of Biological Chemistry</i> , 2001, 276, 47709-47714.   | 1.6 | 118       |
| 20 | A targetable LIFR $\beta$ -NF $\kappa$ B $\beta$ -LCN2 axis controls liver tumorigenesis and vulnerability to ferroptosis. <i>Nature Communications</i> , 2021, 12, 7333.  | 5.8 | 117       |
| 21 | A Combined Proteomics and Metabolomics Profiling of Gastric Cardia Cancer Reveals Characteristic Dysregulations in Glucose Metabolism. <i>Molecular and Cellular Proteomics</i> , 2010, 9, 2617-2628.  | 2.5 | 116       |
| 22 | Anti-obesity effects of conjugated linoleic acid, docosahexaenoic acid, and eicosapentaenoic acid. <i>Molecular Nutrition and Food Research</i> , 2008, 52, 631-645.   | 1.5 | 113       |
| 23 | Connective Tissue Growth Factor Is Overexpressed in Esophageal Squamous Cell Carcinoma and Promotes Tumorigenicity through $\beta$ -Catenin-T-cell Factor/Lef Signaling. <i>Journal of Biological Chemistry</i> , 2007, 282, 36571-36581.                            | 1.6 | 112       |
| 24 | <i>Review:</i> The Impacts of Circulating 25-Hydroxyvitamin D Levels on Cancer Patient Outcomes: A Systematic Review and Meta-Analysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 2327-2336.   | 1.8 | 107       |
| 25 | Tumor Initiating Cells in Esophageal Squamous Cell Carcinomas Express High Levels of CD44. <i>PLoS ONE</i> , 2011, 6, e21419.  | 1.1 | 102       |
| 26 | Cutting Edge: CTLA-4 $\beta$ B7 Interaction Suppresses Th17 Cell Differentiation. <i>Journal of Immunology</i> , 2010, 185, 1375-1378.   | 0.4 | 100       |
| 27 | EphB3 Is Overexpressed in Non-Small-Cell Lung Cancer and Promotes Tumor Metastasis by Enhancing Cell Survival and Migration. <i>Cancer Research</i> , 2011, 71, 1156-1166.   | 0.4 | 100       |
| 28 | EphB3 suppresses non-small-cell lung cancer metastasis via a PP2A/RACK1/Akt signalling complex. <i>Nature Communications</i> , 2012, 3, 667.   | 5.8 | 100       |
| 29 | Sorafenib suppresses postsurgical recurrence and metastasis of hepatocellular carcinoma in an orthotopic mouse model. <i>Hepatology</i> , 2011, 53, 483-492.   | 3.6 | 97        |
| 30 | Cyclin G1-mediated epithelial-mesenchymal transition via phosphoinositide 3-kinase/Akt signaling facilitates liver cancer progression. <i>Hepatology</i> , 2012, 55, 1787-1798.  | 3.6 | 95        |
| 31 | Recruitment of Phosphatase PP2A by RACK1 Adaptor Protein Deactivates Transcription Factor IRF3 and Limits Type I Interferon Signaling. <i>Immunity</i> , 2014, 40, 515-529.  | 6.6 | 94        |
| 32 | An Eastern Hepatobiliary Surgery Hospital/Portal Vein Tumor Thrombus Scoring System as an Aid to Decision Making on Hepatectomy for Hepatocellular Carcinoma Patients With Portal Vein Tumor Thrombus: A Multicenter Study. <i>Hepatology</i> , 2019, 69, 2076-2090. | 3.6 | 89        |
| 33 | RACK1 Suppresses Gastric Tumorigenesis by Stabilizing the $\beta$ -Catenin Destruction Complex. <i>Gastroenterology</i> , 2012, 142, 812-823.e15.  | 0.6 | 87        |
| 34 | Cyr61 suppresses the growth of non-small-cell lung cancer cells via the $\beta$ -catenin-c-myc-p53 pathway. <i>Oncogene</i> , 2004, 23, 4847-4855.   | 2.6 | 84        |
| 35 | Involvement of IFN Regulatory Factor (IRF)-1 and IRF-2 in the Formation and Progression of Human Esophageal Cancers. <i>Cancer Research</i> , 2007, 67, 2535-2543.   | 0.4 | 84        |
| 36 | All-trans retinoic acid potentiates the chemotherapeutic effect of cisplatin by inducing differentiation of tumor initiating cells in liver cancer. <i>Journal of Hepatology</i> , 2013, 59, 1255-1263.  | 1.8 | 81        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Ovarian Carcinomas: CCN Genes Are Aberrantly Expressed and CCN1 Promotes Proliferation of these Cells. <i>Clinical Cancer Research</i> , 2005, 11, 7243-7254.  | 3.2 | 80        |
| 38 | Involvement of Cyr61 in growth, migration, and metastasis of prostate cancer cells. <i>British Journal of Cancer</i> , 2008, 99, 1656-1667.  | 2.9 | 80        |
| 39 | DLK1: increased expression in gliomas and associated with oncogenic activities. <i>Oncogene</i> , 2006, 25, 1852-1861.   | 2.6 | 79        |
| 40 | RACK1 Promotes Non-small-cell Lung Cancer Tumorigenicity through Activating Sonic Hedgehog Signaling Pathway. <i>Journal of Biological Chemistry</i> , 2012, 287, 7845-7858.   | 1.6 | 79        |
| 41 | Chromatin remodeling factor ARID2 suppresses hepatocellular carcinoma metastasis via DNMT1-Snail axis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 4770-4780.          | 3.3 | 76        |
| 42 | Effects of Benzo[ <i>a</i> ]pyrene Exposure on Human Hepatocellular Carcinoma Cell Angiogenesis, Metastasis, and NF- $\kappa$ B Signaling. <i>Environmental Health Perspectives</i> , 2015, 123, 246-254.                      | 2.8 | 72        |
| 43 | T-type Ca <sup>2+</sup> channel expression in human esophageal carcinomas: A functional role in proliferation. <i>Cell Calcium</i> , 2008, 43, 49-58.  | 1.1 | 69        |
| 44 | Involvement of CYR61 and CTGF in the Fascin-Mediated Proliferation and Invasiveness of Esophageal Squamous Cell Carcinomas Cells. <i>American Journal of Pathology</i> , 2010, 176, 939-951.                                   | 1.9 | 65        |
| 45 | SETDB1 accelerates tumourigenesis by regulating the WNT signalling pathway. <i>Journal of Pathology</i> , 2015, 235, 559-570.  | 2.1 | 64        |
| 46 | AIM-2: A Novel Tumor Antigen is Expressed and Presented by Human Glioma Cells. <i>Journal of Immunotherapy</i> , 2004, 27, 220-226.  | 1.2 | 62        |
| 47 | Chemerin suppresses hepatocellular carcinoma metastasis through CMKLR1-PTEN-Akt axis. <i>British Journal of Cancer</i> , 2018, 118, 1337-1348.   | 2.9 | 62        |
| 48 | Cilia loss sensitizes cells to transformation by activating the mevalonate pathway. <i>Journal of Experimental Medicine</i> , 2018, 215, 177-195.  | 4.2 | 62        |
| 49 | EphrinA5 acts as a tumor suppressor in glioma by negative regulation of epidermal growth factor receptor. <i>Oncogene</i> , 2009, 28, 1759-1768.   | 2.6 | 58        |
| 50 | Genotypic variants at 2q33 and risk of esophageal squamous cell carcinoma in China: a meta-analysis of genome-wide association studies. <i>Human Molecular Genetics</i> , 2012, 21, 2132-2141.                                 | 1.4 | 58        |
| 51 | Overexpressed let-7a-3 is associated with poor outcome in acute myeloid leukemia. <i>Leukemia Research</i> , 2013, 37, 1642-1647.  | 0.4 | 57        |
| 52 | Postoperative adjuvant sorafenib improves survival outcomes in hepatocellular carcinoma patients with microvascular invasion after R0 liver resection: a propensity score matching analysis. <i>Hpb</i> , 2019, 21, 1687-1696. | 0.1 | 57        |
| 53 | SOX7 is down-regulated in lung cancer. <i>Journal of Experimental and Clinical Cancer Research</i> , 2013, 32, 17.   | 3.5 | 56        |
| 54 | FABP4 suppresses proliferation and invasion of hepatocellular carcinoma cells and predicts a poor prognosis for hepatocellular carcinoma. <i>Cancer Medicine</i> , 2018, 7, 2629-2640.   | 1.3 | 55        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Sorafenib enriches epithelial cell adhesion molecule- $\alpha$ positive tumor initiating cells and exacerbates a subtype of hepatocellular carcinoma through TSC2- $\beta$ -AKT cascade. <i>Hepatology</i> , 2015, 62, 1791-1803.   | 3.6 | 54        |
| 56 | PRMT1 promotes pancreatic cancer growth and predicts poor prognosis. <i>Cellular Oncology (Dordrecht)</i> , 2020, 43, 51-62.  | 2.1 | 54        |
| 57 | Association of Tmprss6 polymorphisms with ferritin, hemoglobin, and type 2 diabetes risk in a Chinese Han population. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 626-632.  | 2.2 | 53        |
| 58 | Higher Blood 25(OH)D Level May Reduce the Breast Cancer Risk: Evidence from a Chinese Population Based Case-Control Study and Meta-Analysis of the Observational Studies. <i>PLoS ONE</i> , 2013, 8, e49312.  | 1.1 | 53        |
| 59 | Connective tissue growth factor associated with oncogenic activities and drug resistance in glioblastoma multiforme. <i>International Journal of Cancer</i> , 2010, 127, 2257-2267.   | 2.3 | 52        |
| 60 | Down-regulated desmocollin-2 promotes cell aggressiveness through redistributing adherens junctions and activating beta-catenin signalling in oesophageal squamous cell carcinoma. <i>Journal of Pathology</i> , 2013, 231, 257-270.  | 2.1 | 51        |
| 61 | Methylation, expression, and mutation analysis of the cell cycle control genes in human brain tumors. <i>Oncogene</i> , 2002, 21, 8372-8378.  | 2.6 | 48        |
| 62 | DNA repair gene O6-methylguanine-DNA methyltransferase: Promoter hypermethylation associated with decreased expression and G:C to A:T mutations of p53 in brain tumors. <i>Molecular Carcinogenesis</i> , 2003, 36, 23-31.  | 1.3 | 47        |
| 63 | Dual role for inositol-requiring enzyme 1 $\alpha$ in promoting the development of hepatocellular carcinoma during diet-induced obesity in mice. <i>Hepatology</i> , 2018, 68, 533-546.   | 3.6 | 47        |
| 64 | An Eastern Hepatobiliary Surgery Hospital Microvascular Invasion Scoring System in Predicting Prognosis of Patients with Hepatocellular Carcinoma and Microvascular Invasion After R0 Liver Resection: A Large-Scale, Multicenter Study. <i>Oncologist</i> , 2019, 24, e1476-e1488. | 1.9 | 46        |
| 65 | Triosephosphate isomerase 1 suppresses growth, migration and invasion of hepatocellular carcinoma cells. <i>Biochemical and Biophysical Research Communications</i> , 2017, 482, 1048-1053.   | 1.0 | 44        |
| 66 | Critical Roles of p53 in Epithelial-Mesenchymal Transition and Metastasis of Hepatocellular Carcinoma Cells. <i>PLoS ONE</i> , 2013, 8, e72846.   | 1.1 | 43        |
| 67 | Liver cancer: EphrinA2 promotes tumorigenicity through Rac1/Akt/NF- $\kappa$ B signaling pathway. <i>Hepatology</i> , 2010, 51, 535-544.  | 3.6 | 42        |
| 68 | RACK1 modulates NF- $\kappa$ B activation by interfering with the interaction between TRAF2 and the IKK complex. <i>Cell Research</i> , 2014, 24, 359-371.  | 5.7 | 42        |
| 69 | Implantable PEKK/tantalum microparticles composite with improved surface performances for regulating cell behaviors, promoting bone formation and osseointegration. <i>Bioactive Materials</i> , 2021, 6, 928-940.  | 8.6 | 42        |
| 70 | Negative Feedback Regulation of IFN- $\gamma$ Pathway by IFN Regulatory Factor 2 in Esophageal Cancers. <i>Cancer Research</i> , 2008, 68, 1136-1143.   | 0.4 | 41        |
| 71 | A crucial role for bone morphogenetic protein-Smad1 signalling in the DNA damage response. <i>Nature Communications</i> , 2012, 3, 836.   | 5.8 | 41        |
| 72 | Association of Common <i>PALB2</i> Polymorphisms with Breast Cancer Risk: A Case-Control Study. <i>Clinical Cancer Research</i> , 2008, 14, 5931-5937.  | 3.2 | 38        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | hPCL3s Promotes Hepatocellular Carcinoma Metastasis by Activating $\beta$ -Catenin Signaling. <i>Cancer Research</i> , 2018, 78, 2536-2549.   | 0.4 | 34        |
| 74 | Deep Learning for Prediction of N2 Metastasis and Survival for Clinical Stage I Non-Small Cell Lung Cancer. <i>Radiology</i> , 2022, 302, 200-211.  | 3.6 | 34        |
| 75 | Cleavage of focal adhesion kinase (FAK) is essential in adipocyte differentiation. <i>Biochemical and Biophysical Research Communications</i> , 2007, 357, 648-654.   | 1.0 | 33        |
| 76 | PRMT1 Promoted HCC Growth and Metastasis In Vitro and In Vivo via Activating the STAT3 Signalling Pathway. <i>Cellular Physiology and Biochemistry</i> , 2018, 47, 1643-1654.   | 1.1 | 33        |
| 77 | CHML promotes liver cancer metastasis by facilitating Rab14 recycle. <i>Nature Communications</i> , 2019, 10, 2510.   | 5.8 | 32        |
| 78 | IRF-2 is over-expressed in pancreatic cancer and promotes the growth of pancreatic cancer cells. <i>Tumor Biology</i> , 2012, 33, 247-255.  | 0.8 | 30        |
| 79 | Dysregulation of miR-124-1 predicts favorable prognosis in acute myeloid leukemia. <i>Clinical Biochemistry</i> , 2014, 47, 63-66.  | 0.8 | 29        |
| 80 | Expression of the chemokine receptor CXCR4 in human hepatocellular carcinoma and its role in portal vein tumor thrombus. <i>Journal of Experimental and Clinical Cancer Research</i> , 2010, 29, 156.   | 3.5 | 27        |
| 81 | Hepatic Deletion of Smad7 in Mouse Leads to Spontaneous Liver Dysfunction and Aggravates Alcoholic Liver Injury. <i>PLoS ONE</i> , 2011, 6, e17415.   | 1.1 | 27        |
| 82 | Specificity protein 1 regulates fascin expression in esophageal squamous cell carcinoma as the result of the epidermal growth factor/extracellular signal-regulated kinase signaling pathway activation. <i>Cellular and Molecular Life Sciences</i> , 2010, 67, 3313-3329. | 2.4 | 26        |
| 83 | Identification of 5-Iodotubercidin as a Genotoxic Drug with Anti-Cancer Potential. <i>PLoS ONE</i> , 2013, 8, e62527.   | 1.1 | 26        |
| 84 | Exosomal long non-coding RNA DLX6-AS1 as a potential diagnostic biomarker for non-small cell lung cancer. <i>Oncology Letters</i> , 2019, 18, 5197-5204.  | 0.8 | 26        |
| 85 | Ephrin-A1 is a negative regulator in glioma through down-regulation of EphA2 and FAK. <i>International Journal of Oncology</i> , 2007, 30, 865-71.  | 1.4 | 24        |
| 86 | Chronic Low-Dose Cadmium Exposure Impairs Cutaneous Wound Healing With Defective Early Inflammatory Responses After Skin Injury. <i>Toxicological Sciences</i> , 2017, 159, 327-338.  | 1.4 | 23        |
| 87 | Iron overload in hereditary tyrosinemia type 1 induces liver injury through the Sp1/Tfr2/hepcidin axis. <i>Journal of Hepatology</i> , 2016, 65, 137-145.   | 1.8 | 22        |
| 88 | EphB3 Stimulates Cell Migration and Metastasis in a Kinase-dependent Manner through Vav2-Rho GTPase Axis in Papillary Thyroid Cancer. <i>Journal of Biological Chemistry</i> , 2017, 292, 11112-11121.  | 1.6 | 21        |
| 89 | A microporous surface containing Si3N4/Ta microparticles of PEKK exhibits both antibacterial and osteogenic activity for inducing cellular response and improving osseointegration. <i>Bioactive Materials</i> , 2021, 6, 3136-3149.  | 8.6 | 21        |
| 90 | Discovery of over-expressed genes and genetic alterations in breast cancer cells using a combination of suppression subtractive hybridization, multiplex FISH and comparative genomic hybridization. <i>International Journal of Oncology</i> , 2002, 21, 499.              | 1.4 | 20        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | BMP10 suppresses hepatocellular carcinoma progression via PTPRSâ€“STAT3 axis. <i>Oncogene</i> , 2019, 38, 7281-7293.   | 2.6 | 19        |
| 92  | Liver cancer: WISP3 suppresses hepatocellular carcinoma progression by negative regulation of Î²â€“catenin/TCF/LEF signalling. <i>Cell Proliferation</i> , 2019, 52, e12583.   | 2.4 | 18        |
| 93  | PPDPF alleviates hepatic steatosis through inhibition of mTOR signaling. <i>Nature Communications</i> , 2021, 12, 3059.  | 5.8 | 18        |
| 94  | SF3B4 is decreased in pancreatic cancer and inhibits the growth and migration of cancer cells. <i>Tumor Biology</i> , 2017, 39, 101042831769591.   | 0.8 | 17        |
| 95  | Discovery of over-expressed genes and genetic alterations in breast cancer cells using a combination of suppression subtractive hybridization, multiplex FISH and comparative genomic hybridization. <i>International Journal of Oncology</i> , 2002, 21, 499-507. | 1.4 | 17        |
| 96  | Targeting USP9Xâ€“AMPK Axis in ARID1A-Deficient Hepatocellular Carcinoma. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2022, 14, 101-127.   | 2.3 | 17        |
| 97  | CCN1 promotes tumorigenicity through Rac1/Akt/NF-Î² signaling pathway in pancreatic cancer. <i>Tumor Biology</i> , 2012, 33, 1745-1758.  | 0.8 | 15        |
| 98  | Fabrication of Submicro-Nano Structures on Polyetheretherketone Surface by Femtosecond Laser for Exciting Cellular Responses of MC3T3-E1 Cells/Gingival Epithelial Cells. <i>International Journal of Nanomedicine</i> , 2021, Volume 16, 3201-3216.               | 3.3 | 15        |
| 99  | The roles and therapeutic potentials of Ephs and ephrins in lung cancer. <i>Experimental Cell Research</i> , 2013, 319, 152-159.   | 1.2 | 14        |
| 100 | Roles of Fibroblast Growth Factor-inducible 14 in Hepatocellular Carcinoma. <i>Asian Pacific Journal of Cancer Prevention</i> , 2013, 14, 3509-3514.   | 0.5 | 14        |
| 101 | Overexpression of degenerative spermatocyte homolog 1 upâ€“regulates the expression of cyclin D1 and enhances metastatic efficiency in esophageal carcinoma Eca109 cells. <i>Molecular Carcinogenesis</i> , 2009, 48, 886-894.                                     | 1.3 | 13        |
| 102 | Ochratoxin A Induces Steatosis via PPARÎ³-CD36 Axis. <i>Toxins</i> , 2021, 13, 802.  | 1.5 | 12        |
| 103 | Antifungal agent Terbinafine restrains tumor growth in preclinical models of hepatocellular carcinoma via AMPK-mTOR axis. <i>Oncogene</i> , 2021, 40, 5302-5313.   | 2.6 | 11        |
| 104 | Epithelial Vâ€“like antigen 1 promotes hepatocellular carcinoma growth and metastasis via the ERBBâ€“PI3Kâ€“AKT pathway. <i>Cancer Science</i> , 2020, 111, 1500-1513.   | 1.7 | 11        |
| 105 | Ephrin-A1 is a negative regulator in glioma through down-reguation of EphA2 and FAK. <i>International Journal of Oncology</i> , 2007, 30, 865.   | 1.4 | 10        |
| 106 | TMEM229A suppresses nonâ€“small cell lung cancer progression via inactivating the ERK pathway. <i>Oncology Reports</i> , 2021, 46, .   | 1.2 | 10        |
| 107 | The hemeâ€“p53 interaction: Linking iron metabolism to p53 signaling and tumorigenesis. <i>Molecular and Cellular Oncology</i> , 2016, 3, e965642.   | 0.3 | 9         |
| 108 | NADE (p75NTR-associated cell death executor) suppresses cellular growth in vivo. <i>International Journal of Oncology</i> , 2003, 22, 1357.  | 1.4 | 7         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Proteomics in gastric cancer research: Benefits and challenges. <i>Proteomics - Clinical Applications</i> , 2009, 3, 185-196.   | 0.8 | 7         |
| 110 | NET1 promotes HCC growth and metastasis in vitro and in vivo via activating the Akt signaling pathway. <i>Aging</i> , 2021, 13, 10672-10687.  | 1.4 | 5         |
| 111 | Expression levels of EPHB4, EFNB2 and caspase-8 are associated with clinicopathological features and progression of esophageal squamous cell cancer. <i>Oncology Letters</i> , 2020, 19, 917-929.               | 0.8 | 5         |
| 112 | Imprinting status of DLK1 gene in brain tumors and lymphomas. <i>International Journal of Oncology</i> , 2004, 24, 1011.  | 1.4 | 4         |
| 113 | Scinderin suppresses cell proliferation and predicts the poor prognosis of hepatocellular carcinoma. <i>Oncology Letters</i> , 2020, 19, 2011-2020.   | 0.8 | 4         |
| 114 | Discovery of stage-related proteins in esophageal squamous cell carcinoma using proteomic analysis. <i>Proteomics - Clinical Applications</i> , 2007, 1, 312-320.   | 0.8 | 2         |
| 115 | Research Advances at the Institute for Nutritional Sciences at Shanghai, China. <i>Advances in Nutrition</i> , 2011, 2, 428-439.  | 2.9 | 2         |
| 116 | INTS6 promotes colorectal cancer progression by activating of AKT and ERK signaling. <i>Experimental Cell Research</i> , 2021, 407, 112826.   | 1.2 | 1         |
| 117 | Autophagy Induced by NGAL Protein in Esophageal Carcinoma Cells*. <i>Progress in Biochemistry and Biophysics</i> , 2009, 36, 978-986.   | 0.3 | 0         |
| 118 | Establishment and characterization of a human hepatocellular carcinoma cell line CSQT-1 derived from portal vein tumor thrombus. <i>Academic Journal of Second Military Medical University</i> , 2010, 29, 1-4. | 0.0 | 0         |