

# Hanus Seiner

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2946330/publications.pdf>

Version: 2024-02-01

129  
papers

2,596  
citations

236833

25  
h-index

243529

44  
g-index

129  
all docs

129  
docs citations

129  
times ranked

1544  
citing authors

#	ARTICLE	IF	CITATIONS
1	Highly mobile twinned interface in 10M modulated Niâ€“Mnâ€“Ga martensite: Analysis beyond the tetragonal approximation of lattice. <i>Acta Materialia</i> , 2011, 59, 7450-7463.	3.8	183
2	On the coupling between martensitic transformation and plasticity in NiTi: Experiments and continuum based modelling. <i>Progress in Materials Science</i> , 2018, 98, 249-298.	16.0	125
3	Elastic constants of bcc austenite and 2H orthorhombic martensite in CuAlNi shape memory alloy. <i>Acta Materialia</i> , 2005, 53, 3643-3661.	3.8	108
4	Determination of All 21 Independent Elastic Coefficients of Generally Anisotropic Solids by Resonant Ultrasound Spectroscopy: Benchmark Examples. <i>Experimental Mechanics</i> , 2014, 54, 1073-1085.	1.1	90
5	Beyond the strain recoverability of martensitic transformation in NiTi. <i>International Journal of Plasticity</i> , 2019, 116, 232-264.	4.1	89
6	A microstructural model of motion of macro-twin interfaces in Niâ€“Mnâ€“Ga 10M martensite. <i>Journal of the Mechanics and Physics of Solids</i> , 2014, 64, 198-211.	2.3	88
7	Temperature dependence of twinning stress of Type I and Type II twins in 10M modulated Niâ€“Mnâ€“Ga martensite. <i>Scripta Materialia</i> , 2012, 67, 25-28.	2.6	84
8	Different microstructures of mobile twin boundaries in 10 M modulated Niâ€“Mnâ€“Ga martensite. <i>Acta Materialia</i> , 2013, 61, 622-631.	3.8	81
9	On the plastic deformation accompanying cyclic martensitic transformation in thermomechanically loaded NiTi. <i>International Journal of Plasticity</i> , 2018, 111, 53-71.	4.1	75
10	Modal resonant ultrasound spectroscopy for ferroelastics. <i>Applied Physics A: Materials Science and Processing</i> , 2009, 96, 557-567.	1.1	55
11	The relationships between sputter deposition conditions, grain size, and phase transformation temperatures in NiTi thin films. <i>Acta Materialia</i> , 2014, 70, 79-91.	3.8	50
12	The effect of athermal and isothermal $\beta$ phase particles on elasticity of $\beta$ -Ti single crystals. <i>Acta Materialia</i> , 2016, 110, 185-191.	3.8	46
13	Nucleation and growth of hierarchical martensite in epitaxial shape memory films. <i>Acta Materialia</i> , 2017, 132, 327-334.	3.8	46
14	Evolution of macroscopic elastic moduli of martensitic polycrystalline NiTi and NiTiCu shape memory alloys with pseudoplastic straining. <i>Acta Materialia</i> , 2017, 123, 146-156.	3.8	46
15	Application of ultrasonic methods to determine elastic anisotropy of polycrystalline copper processed by equal-channel angular pressing. <i>Acta Materialia</i> , 2010, 58, 235-247.	3.8	44
16	Evolution of martensitic microstructures in nanocrystalline NiTi wires deformed in tension. <i>Acta Materialia</i> , 2021, 218, 117166.	3.8	42
17	Young's moduli of sputter-deposited NiTi films determined by resonant ultrasound spectroscopy: Austenite, R-phase, and martensite. <i>Scripta Materialia</i> , 2015, 101, 24-27.	2.6	41
18	Anisotropic elastic moduli and internal friction of graphene nanoplatelets/silicon nitride composites. <i>Composites Science and Technology</i> , 2013, 75, 93-97.	3.8	40

#	ARTICLE	IF	CITATIONS
19	Elastic properties of silicon nitride ceramics reinforced with graphene nanofillers. <i>Materials and Design</i> , 2015, 87, 675-680.	3.3	37
20	Temperature dependence of elastic properties in austenite and martensite of Ni-Mn-Ga epitaxial films. <i>Acta Materialia</i> , 2018, 145, 298-305.	3.8	37
21	2019, 171, 107703.	3.3	37
22	Thermomechanical model for NiTi-based shape memory alloys covering macroscopic localization of martensitic transformation. <i>International Journal of Solids and Structures</i> , 2021, 221, 117-129.	1.3	36
23	Combined effect of structural softening and magneto-elastic coupling on elastic coefficients of Ni Mn Ga austenite. <i>Journal of Alloys and Compounds</i> , 2013, 577, S131-S135.	2.8	30
24	Elastic moduli and elastic anisotropy of cold sprayed metallic coatings. <i>Surface and Coatings Technology</i> , 2016, 291, 342-347.	2.2	30
25	Building Hierarchical Martensite. <i>Advanced Functional Materials</i> , 2021, 31, 2005715.	7.8	30
26	Ultrasonic bandgaps in 3D-printed periodic ceramic microlattices. <i>Ultrasonics</i> , 2018, 82, 91-100.	2.1	27
27	Microstructure, martensitic transformation and anomalies in $\epsilon$ -softening in Co-Ni-Al ferromagnetic shape memory alloys. <i>Acta Materialia</i> , 2013, 61, 5869-5876.	3.8	26
28	Microhardness and microstructure evolution of ultra-fine grained Ti-15Mo and TIMETAL LCB alloys prepared by high pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017, 682, 220-228.	2.6	26
29	The effect of antiphase boundaries on the elastic properties of Ni-Mn-Ga austenite and premartensite. <i>Journal of Physics Condensed Matter</i> , 2013, 25, 425402.	0.7	25
30	Shape recovery mechanism observed in single crystals of Cu-Al-Ni shape memory alloy. <i>Phase Transitions</i> , 2008, 81, 537-551.	0.6	24
31	Nucleation of austenite in mechanically stabilized martensite by localized heating. <i>Journal of Alloys and Compounds</i> , 2013, 577, S37-S42.	2.8	24
32	Elasticity and magnetism of Ni <sub>2</sub> MnGa premartensitic tweed. <i>Physica Status Solidi (B): Basic Research</i> , 2014, 251, 2097-2103.	0.7	24
33	The relation between lattice parameters and very low twinning stress in Ni <sub>50</sub> Mn <sub>25</sub> Ga <sub>25</sub> magnetic shape memory alloys. <i>Smart Materials and Structures</i> , 2016, 25, 025001.	1.8	23
34	Sub-surface measurements of the austenite microstructure in response to martensitic phase transformation. <i>Acta Materialia</i> , 2019, 179, 273-286.	3.8	23
35	Forward and inverse problems for surface acoustic waves in anisotropic media: A Ritz-Rayleigh method based approach. <i>Ultrasonics</i> , 2015, 56, 381-389.	2.1	21
36	Anomalous lattice softening of Ni <sub>2</sub> MnGa austenite due to magnetoelastic coupling. <i>Journal of Applied Physics</i> , 2012, 111, .	1.1	20

#	ARTICLE	IF	CITATIONS
37	Phase stabilization in plasma sprayed BaTiO <sub>3</sub> . <i>Ceramics International</i> , 2013, 39, 5039-5048.	2.3	20
38	Elastic constants of $\hat{\Gamma}$ -Ti <sub>15</sub> Mo. <i>Journal of Alloys and Compounds</i> , 2019, 792, 960-967.	2.8	20
39	Temperature dependence of elastic properties of cubic and orthorhombic phases in Cu-Al-Ni shape memory alloy near their stability limits. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007, 462, 320-324.	2.6	19
40	Non-classical austenite-martensite interfaces observed in single crystals of Cu-Al-Ni. <i>Phase Transitions</i> , 2009, 82, 793-807.	0.6	19
41	Differently mobile twin boundaries and magnetic shape memory effect in 10M martensite of Ni-Mn-Ga. <i>Materials Research Bulletin</i> , 2013, 48, 5105-5109.	2.7	19
42	Evolution of soft-phonon modes in Fe-Pd shape memory alloy under large elastic-like strains. <i>Acta Materialia</i> , 2016, 105, 182-188.	3.8	19
43	Achieving high strength and low elastic modulus in interstitial biomedical Ti-Nb-Zr-O alloys through compositional optimization. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2022, 839, 142833.	2.6	19
44	Application of resonant ultrasound spectroscopy to determine elastic constants of plasma-sprayed coatings with high internal friction. <i>Surface and Coatings Technology</i> , 2013, 232, 747-757.	2.2	18
45	Elastic constants of non-modulated Ni-Mn-Ga martensite. <i>Scripta Materialia</i> , 2017, 136, 20-23.	2.6	18
46	Laser-Ultrasonic Characterization of Strongly Anisotropic Materials by Transient Grating Spectroscopy. <i>Experimental Mechanics</i> , 2021, 61, 663-676.	1.1	18
47	Evolution of elastic constants of the NiTi shape memory alloy during a stress-induced martensitic transformation. <i>Acta Materialia</i> , 2021, 208, 116718.	3.8	18
48	Measurement of mechanical and fatigue properties using unified, simple-geometry specimens: Cold spray additively manufactured pure metals. <i>Surface and Coatings Technology</i> , 2021, 412, 126929.	2.2	18
49	<i>In situ</i> characterization of local elastic properties of thin shape memory films by surface acoustic waves. <i>Smart Materials and Structures</i> , 2016, 25, 127002.	1.8	17
50	Linearized forward and inverse problems of the resonant ultrasound spectroscopy for the evaluation of thin surface layers. <i>Journal of the Acoustical Society of America</i> , 2010, 128, 3426-3437.	0.5	16
51	A finite element analysis of the morphology of the twinned-to-detwinned interface observed in microstructure of the Cu-Al-Ni shape memory alloy. <i>International Journal of Solids and Structures</i> , 2011, 48, 2005-2014.	1.3	16
52	Sensitivity of the resonant ultrasound spectroscopy to weak gradients of elastic properties. <i>Journal of the Acoustical Society of America</i> , 2012, 131, 3775-3785.	0.5	16
53	Anisotropic elasticity of DyScO <sub>3</sub> substrates. <i>Journal of Physics Condensed Matter</i> , 2012, 24, 385404.	0.7	16
54	Orthorhombic intermediate phase originating from {110} nanotwinning in Ni <sub>50.0</sub> Mn <sub>28.7</sub> Ga <sub>21.3</sub> modulated martensite. <i>Acta Materialia</i> , 2017, 132, 335-344.	3.8	16

#	ARTICLE	IF	CITATIONS
55	Magneto-elastic attenuation in austenitic phase of Ni-Mn-Ga alloy investigated by ultrasonic methods. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009, 521-522, 205-208.	2.6	15
56	Mobile Interfacial Microstructures in Single Crystals of Cu-Al-Ni Shape Memory Alloy. <i>Shape Memory and Superelasticity</i> , 2015, 1, 268-274.	1.1	15
57	Branching of twins in shape memory alloys revisited. <i>Journal of the Mechanics and Physics of Solids</i> , 2020, 141, 103961.	2.3	15
58	Interfacial Microstructures in Martensitic Transitions: From Optical Observations to Mathematical Modeling. <i>International Journal for Multiscale Computational Engineering</i> , 2009, 7, 445-456.	0.8	15
59	Acoustic metamaterial behavior of three-dimensional periodic architectures assembled by robocasting. <i>Applied Physics Letters</i> , 2014, 105, 211904.	1.5	14
60	B2-Mn <sup>2+</sup> -B19 <sup>2+</sup> -B2T Martensitic Transformation as a Mechanism of Plastic Deformation of NiTi. <i>Shape Memory and Superelasticity</i> , 2019, 5, 383-396.	1.1	14
61	Resonant ultrasound spectroscopy – a tool to probe magneto-elastic properties of ferromagnetic shape memory alloys. <i>European Physical Journal B</i> , 2013, 86, 1.	0.6	13
62	An ultrasonic internal friction study of ultrafine-grained AZ31 magnesium alloy. <i>Journal of Materials Science</i> , 2015, 50, 808-818.	1.7	13
63	On the complementarity between resistivity measurement and ultrasonic measurement for in-situ characterization of phase transitions in Ti-alloys. <i>Journal of Alloys and Compounds</i> , 2018, 762, 868-872.	2.8	12
64	On the relation between microstructure and elastic constants of tungsten/steel composites fabricated by spark plasma sintering. <i>Fusion Engineering and Design</i> , 2018, 133, 51-58.	1.0	12
65	Effect of electron localization in theoretical design of Ni-Mn-Ga based magnetic shape memory alloys. <i>Materials and Design</i> , 2021, 209, 109917.	3.3	12
66	Switching the soft shearing mode orientation in Ni-Mn-Ga non-modulated martensite by Co and Cu doping. <i>Smart Materials and Structures</i> , 2020, 29, 045022.	1.8	12
67	The effects of microstructure on crackling noise during martensitic transformation in Cu-Al-Ni. <i>Applied Physics Letters</i> , 2015, 107, 171601.	1.5	11
68	Magnetic Domains and Twin Microstructure of Single Crystal Ni-Mn-Ga Exhibiting Magnetic Shape Memory Effect. <i>IEEE Transactions on Magnetics</i> , 2015, 51, 1-4.	1.2	11
69	Temperature dependence of twinning stress – Analogy between Cu-Ni-Al and Ni-Mn-Ga shape memory single crystals. <i>Philosophical Magazine</i> , 2017, 97, 1479-1497.	0.7	11
70	Non-conventional twins in five-layer modulated Ni-Mn-Ga martensite. <i>Scripta Materialia</i> , 2019, 162, 497-502.	2.6	11
71	Transformation Pathway upon Heating of Metastable $\beta^2$ Titanium Alloy Ti-15Mo Investigated by Neutron Diffraction. <i>Materials</i> , 2019, 12, 3570.	1.3	11
72	Flexible and Tough Superelastic Co-Cr Alloys for Biomedical Applications. <i>Advanced Materials</i> , 2022, 34, e2202305.	11.1	11

#	ARTICLE	IF	CITATIONS
73	Multifunctional 3D-Printed Cellular MAX-Phase Architectures. <i>Advanced Materials Technologies</i> , 2019, 4, 1900375.	3.0	10
74	Softening of Shear Elastic Coefficients in Shape Memory Alloys Near the Martensitic Transition: A Study by Laser-Based Resonant Ultrasound Spectroscopy. <i>Metals</i> , 2020, 10, 1383.	1.0	10
75	Characterization of bonding quality of a cold-sprayed deposit by laser resonant ultrasound spectroscopy. <i>Ultrasonics</i> , 2020, 106, 106140.	2.1	10
76	Application of the Ritz-Rayleigh method for Lamb waves in extremely anisotropic media. <i>Wave Motion</i> , 2020, 96, 102567.	1.0	10
77	Hysteretic structural changes within five-layered modulated 10M martensite of Ni-Mn-Ga(Fe). <i>Journal of Physics Condensed Matter</i> , 2021, 33, 265404.	0.7	10
78	On the evaluation of temperature dependence of elastic constants of martensitic phases in shape memory alloys from resonant ultrasound spectroscopy studies. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008, 481-482, 567-573.	2.6	9
79	Incommensurateness in nanotwinning models of modulated martensites. <i>Physical Review B</i> , 2015, 92, .	1.1	9
80	Elasticity and internal friction of magnesium alloys at room and elevated temperatures. <i>Journal of Materials Science</i> , 2018, 53, 8545-8553.	1.7	9
81	Crack growth in Fe-Si (2wt%) single crystals on macroscopic and atomistic level. <i>Results in Physics</i> , 2019, 14, 102450.	2.0	9
82	&lt;em>&lt;/em>Ab Initio&lt;/em> Study of Martensitic Transition in Ni <sub>2</sub> MnGa. <i>Acta Physica Polonica A</i> , 2018, 134, 804-806.	0.2	9
83	Frequency-dependent acoustic energy focusing in hexagonal ceramic micro-scaffolds. <i>Wave Motion</i> , 2020, 92, 102417.	1.0	7
84	The effect of grain and pore sizes on the mechanical behavior of thin Al films deposited under different conditions. <i>Acta Materialia</i> , 2015, 87, 321-331.	3.8	6
85	Ultrasonic detection of ductile-to-brittle transitions in free-cutting aluminum alloys. <i>NDT and E International</i> , 2015, 69, 40-47.	1.7	6
86	Mechanical and magnetic properties of semi-Heusler/light-metal composites consolidated by spark plasma sintering. <i>Materials and Design</i> , 2017, 126, 351-357.	3.3	6
87	3D spatial reconstruction of macroscopic austenite-martensite transition zones in NiTi wires induced by tension and twisting using diffraction/scattering computed tomography. <i>International Journal of Solids and Structures</i> , 2021, 228, 111122.	1.3	6
88	Anisotropic Elastic and Acoustic Properties of Bulk Graphene Nanoplatelets Consolidated by Spark Plasma Sintering. <i>Acta Physica Polonica A</i> , 2015, 128, 670-674.	0.2	6
89	Evolution of Elastic Properties of Cold Sprayed Metal Coatings at Elevated Temperatures. <i>Acta Physica Polonica A</i> , 2018, 134, 794-798.	0.2	6
90	Sensitivity analysis of an inverse procedure for determination of elastic coefficients for strong anisotropy. <i>Ultrasonics</i> , 2005, 43, 253-263.	2.1	5

#	ARTICLE	IF	CITATIONS
91	Elastic constants of nanoporous III-V semiconductors. <i>Journal Physics D: Applied Physics</i> , 2015, 48, 245102.	1.3	5
92	Selective laser melting of iron: Multiscale characterization of mechanical properties. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021, 800, 140316.	2.6	5
93	Mechanical Stabilization of Martensite: Comparison of Ni-Mn-Ga and Cu-Ni-Al Shape Memory Single Crystals. <i>Acta Physica Polonica A</i> , 2018, 134, 627-630.	0.2	5
94	Non-linear elastic behavior of Ni-Fe-Ga(Co) shape memory alloy and Landau-energy landscape reconstruction. <i>Acta Materialia</i> , 2021, 224, 117530.	3.8	5
95	Experimental Observations versus First-Principles Calculations for Ni-Mn-Ga Ferromagnetic Shape Memory Alloys: A Review. <i>Physica Status Solidi - Rapid Research Letters</i> , 2022, 16, .	1.2	5
96	Finite Elements Modeling of Mechanical and Acoustic Properties of a Ceramic Metamaterial Assembled by Robocasting. <i>Applied Mechanics and Materials</i> , 0, 821, 364-371.	0.2	4
97	Large Non-ergodic Magnetoelastic Damping in Ni-Mn-Ga Austenite. <i>Shape Memory and Superelasticity</i> , 2020, 6, 89-96.	1.1	4
98	Propagation of an austenite-martensite interface in a thermal gradient; 218-225. <i>Proceedings of the Estonian Academy of Sciences: Physics, Mathematics</i> , 2007, 56, 218.	0.3	4
99	Structural characterization of semi-heusler/light metal composites prepared by spark plasma sintering. <i>Scientific Reports</i> , 2018, 8, 11133.	1.6	3
100	Two-dimensional laminates in monoclinic-II modulated martensites. <i>International Journal of Solids and Structures</i> , 2021, 221, 92-102.	1.3	3
101	Transient Grating Spectroscopy for Complete Elastic Anisotropy: Beyond the Measurement of Surface Acoustic Waves. , 2021, , .		3
102	Determination of elastic coefficients of bone and composite materials by acoustic immersion technique. <i>Technology and Health Care</i> , 2006, 14, 219-232.	0.5	2
103	Thermomechanical properties of single crystals evaluated by impulsive stimulated thermal scattering technique. <i>Journal of Physics: Conference Series</i> , 2011, 278, 012023.	0.3	2
104	Ceramic phononic crystals with MHz-range frequency band gaps. <i>Proceedings of Meetings on Acoustics</i> , 2017, , .	0.3	2
105	Architected Multi-Metallic Structures Prepared by Cold Dynamic Spray Deposition. <i>Key Engineering Materials</i> , 0, 810, 107-112.	0.4	2
106	Numerical analysis of geometrically induced hardening in planar architected materials. <i>Composite Structures</i> , 2020, 233, 111633.	3.1	2
107	An Analysis of Non-Classical Austenite-Martensite Interfaces in CuAlNi. , 0, , 383-390.		2
108	FEM Modeling of Elastically Strained Interfacial Microstructures in Cu-Al-Ni Single Crystals. , 2009, , .		2

#	ARTICLE	IF	CITATIONS
109	Anisotropic Elasticity of Ceramic Micro-Scaffolds Fabricated by Robocasting. Acta Physica Polonica A, 2018, 134, 799-803.	0.2	2
110	Resonant ultrasound spectroscopy for investigation of thin surface coatings. WIT Transactions on Engineering Sciences, 2009, , .	0.0	2
111	&lt;i>In Situ &lt;/i>Experimental Methods for Characterization of Deformation Processes in SMAs. Advances in Science and Technology, 0, , .	0.2	1
112	&lt;i>In Situ&lt;/i> Detection of Surface Micro-Cracking in Ultrafine-Grained AZ31 Magnesium Alloy by Resonant Ultrasound Spectroscopy. Key Engineering Materials, 0, 606, 87-90.	0.4	1
113	Detection of Phase Transition in Free-Cutting Al-Mg-Si Alloys by Resonant Ultrasound Spectroscopy. Materials Science Forum, 0, 794-796, 21-26.	0.3	1
114	An ultrasonic study of relaxation processes in pure and mechanically alloyed tungsten. International Journal of Refractory Metals and Hard Materials, 2020, 90, 105233.	1.7	1
115	Non-Contact Characterization of Acoustoelastic Parameters of Advanced Materials by Laser-Ultrasound. Acta Physica Polonica A, 2018, 134, 807-810.	0.2	1
116	Elastic constants of Ti-15Mo single crystals and their evolution with thermal treatment. MATEC Web of Conferences, 2020, 321, 12012.	0.1	1
117	Differential geometry of ray surfaces in anisotropic solids and its contribution to NDE: Modelling and experiment. Ultrasonics, 2006, 44, e801-e806.	2.1	0
118	PS-17 Improvement of the Inversion Procedure in Resonant Ultrasound Spectroscopy for Generally Oriented, High Anisotropic Crystals. , 2006, , .		0
119	Novel approach to material evaluation of thin surface layers by resonant ultrasound spectroscopy. Journal of Physics: Conference Series, 2010, 214, 012045.	0.3	0
120	Determination of elastic properties of surface layers and coatings by resonant ultrasound spectroscopy. Journal of Physics: Conference Series, 2011, 278, 012004.	0.3	0
121	Xenon Focused Ion Beam in the Shape Memory Alloys Investigation - The Case of NiTi and CoNiAl. Microscopy and Microanalysis, 2014, 20, 334-335.	0.2	0
122	Magnetic domains and twin microstructure of single crystal Ni-Mn-Ga exhibiting magnetic shape memory effect. , 2015, , .		0
123	Highly mobile interfaces in shape memory alloys. MATEC Web of Conferences, 2015, 33, 01002.	0.1	0
124	Application of Laser-Ultrasound for Characterization of Plasma-Sprayed Ceramics. Defect and Diffusion Forum, 2016, 368, 69-72.	0.4	0
125	In-situ characterization of growth of isothermal $\beta$ phase in metastable $\beta$ -Ti alloy TIMETAL LCB. MATEC Web of Conferences, 2020, 321, 11037.	0.1	0
126	Ultrasonic Characterization of Nanoparticle-Based Ceramics Fabricated by Spark-Plasma Sintering. Ceramics, 2021, 4, 135-147.	1.0	0



#	ARTICLE	IF	CITATIONS
127	&lt;em>In Situ&/em> Characterization of the Elasticity and Stress-Induced Phase Transformation of NiTi Shape-Memory Alloy. Acta Physica Polonica A, 2018, 134, 811-814.	0.2	0
128	Modeling of the Formation of Stress-Induced $\beta$ Phase in Metastable $\beta_2$ Titanium Alloys. Acta Physica Polonica A, 2018, 134, 769-773.	0.2	0
129	Application of Simplified Ray Method for the Determination of the Cortical Bone Elastic Coefficients by the Ultrasonic Wave Inversion. , 2007, , 304-307.		0