Carla Quintaneiro

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2946374/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	UV-B Filter Octylmethoxycinnamate Is a Modulator of the Serotonin and Histamine Receptors in Human Umbilical Arteries. Biomedicines, 2022, 10, 1054.	3.2	2
2	Effects of ultraviolet radiation to Solea senegalensis during early development. Science of the Total Environment, 2021, 764, 142899.	8.0	6
3	UV-B Filter Octylmethoxycinnamate Alters the Vascular Contractility Patterns in Pregnant Women with Hypothyroidism. Biomedicines, 2021, 9, 115.	3.2	7
4	UV-B filter octylmethoxycinnamate impaired the main vasorelaxant mechanism of human umbilical artery. Chemosphere, 2021, 277, 130302.	8.2	13
5	Effects of triclosan on early development of Solea senegalensis: from biochemical to individual level. Chemosphere, 2019, 235, 885-899.	8.2	24
6	UV-B Filter Octylmethoxycinnamate Induces Vasorelaxation by Ca2+ Channel Inhibition and Guanylyl Cyclase Activation in Human Umbilical Arteries. International Journal of Molecular Sciences, 2019, 20, 1376.	4.1	12
7	Effects of PCB-77 in adult zebrafish after exposure during early life stages. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2019, 54, 478-483.	1.7	9
8	Toxicity effects of the organic UV-filter 4-Methylbenzylidene camphor in zebrafish embryos. Chemosphere, 2019, 218, 273-281.	8.2	37
9	Kleptoplasts photoacclimation state modulates the photobehaviour of the solar-powered sea slug <i>Elysia viridis</i> . Journal of Experimental Biology, 2018, 221, .	1.7	21
10	Effects of the herbicides linuron and S-metolachlor on Perez's frog embryos. Chemosphere, 2018, 194, 595-601.	8.2	17
11	Endocrine and physiological effects of linuron and S-metolachlor in zebrafish developing embryos. Science of the Total Environment, 2017, 586, 390-400.	8.0	58
12	Effects of 4-MBC and triclosan in embryos of the frog Pelophylax perezi. Chemosphere, 2017, 178, 325-332.	8.2	40
13	Energetic costs and biochemical biomarkers associated with esfenvalerate exposure in Sericostoma vittatum. Chemosphere, 2017, 189, 445-453.	8.2	24
14	Toxicity of organic UV-filters to the aquatic midge Chironomus riparius. Ecotoxicology and Environmental Safety, 2017, 143, 210-216.	6.0	54
15	Exposure to chlorantraniliprole affects the energy metabolism of the caddisfly <i>Sericostoma vittatum</i> . Environmental Toxicology and Chemistry, 2017, 36, 1584-1591.	4.3	29
16	Physiological effects of essential metals on two detritivores: Atyaephyra desmarestii (Millet) and Echinogammarus meridionalis (Pinkster). Environmental Toxicology and Chemistry, 2016, 35, 1442-1448.	4.3	3
17	Responses of the aquatic midge Chironomus riparius to DEET exposure. Aquatic Toxicology, 2016, 172, 80-85.	4.0	44
18	Are insect repellents toxic to freshwater insects? A case study using caddisflies exposed to DEET. Chemosphere, 2016, 149, 177-182.	8.2	26

CARLA QUINTANEIRO

#	Article	IF	CITATIONS
19	Life history and biochemical effects of chlorantraniliprole on Chironomus riparius. Science of the Total Environment, 2015, 508, 506-513.	8.0	83
20	Effects of the essential metals copper and zinc in two freshwater detritivores species: Biochemical approach. Ecotoxicology and Environmental Safety, 2015, 118, 37-46.	6.0	22
21	Sub-lethal toxicity of environmentally relevant concentrations of esfenvalerate to Chironomus riparius. Environmental Pollution, 2015, 207, 273-279.	7.5	36
22	Cholinesterase activity on Echinogammarus meridionalis (Pinkster) and Atyaephyra desmarestii (Millet): characterisation and in vivo effects of copper and zinc. Ecotoxicology, 2014, 23, 449-458.	2.4	9
23	Feeding preferences of two detritivores related to size and metal content of leaves: the crustaceans Atyaephyra desmarestii (Millet) and Echinogammarus meridionalis (Pinkster). Environmental Science and Pollution Research, 2014, 21, 12325-12335.	5.3	3
24	Characterization of cholinesterases in Chironomus riparius and the effects of three herbicides on chlorpyrifos toxicity. Aquatic Toxicology, 2013, 144-145, 296-302.	4.0	34
25	Transport and acclimation conditions for the use of an estuarine fish (Pomatoschistus microps) in ecotoxicity bioassays: Effects on enzymatic biomarkers. Chemosphere, 2008, 71, 1803-1808.	8.2	13
26	Impact of chemical exposure on the fish Pomatoschistus microps KrÃyer (1838) in estuaries of the Portuguese Northwest coast. Chemosphere, 2007, 66, 514-522.	8.2	60
27	Acute effects of 3,4-dichloroaniline on biomarkers and spleen histology of the common goby Pomatoschistus microps. Chemosphere, 2006, 62, 1333-1339.	8.2	44
28	Environmental pollution and natural populations: A biomarkers case study from the Iberian Atlantic coast. Marine Pollution Bulletin, 2006, 52, 1406-1413.	5.0	35
29	Vertical distribution and trophic structure of the macrozooplankton in a shallow temperate estuary (Ria de Aveiro, Portugal). Scientia Marina, 2006, 70, 177-188.	0.6	7
30	Characterization of the cholinesterases present in head tissues of the estuarine fish Pomatoschistus microps: Application to biomonitoring. Ecotoxicology and Environmental Safety, 2005, 62, 341-347.	6.0	60
31	Histochemistry and histology in planktonic ecophysiological processes determination in a temperate estuary (Mondego River estuary, Portugal). Acta Oecologica, 2003, 24, S235-S243.	1.1	5
32	Distribution and patterns of emergence of suprabenthic and pelagic crustaceans in a shallow temperate estuary (Ria de Aveiro, Portugal). Acta Oecologica, 2003, 24, S205-S217.	1.1	8