

Birgit Burkhardt

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2946381/publications.pdf>

Version: 2024-02-01

134
papers

16,192
citations

50244

46
h-index

17580

121
g-index

142
all docs

142
docs citations

142
times ranked

26960
citing authors

#	ARTICLE	IF	CITATIONS
1	Signatures of mutational processes in human cancer. <i>Nature</i> , 2013, 500, 415-421.	13.7	8,060
2	The landscape of genomic alterations across childhood cancers. <i>Nature</i> , 2018, 555, 321-327.	13.7	1,068
3	Recurrent mutation of the ID3 gene in Burkitt lymphoma identified by integrated genome, exome and transcriptome sequencing. <i>Nature Genetics</i> , 2012, 44, 1316-1320.	9.4	389
4	The impact of the methotrexate administration schedule and dose in the treatment of children and adolescents with B-cell neoplasms: a report of the BFM Group Study NHL-BFM95. <i>Blood</i> , 2004, 105, 948-958.	0.6	304
5	Translocations activating IRF4 identify a subtype of germinal center-derived B-cell lymphoma affecting predominantly children and young adults. <i>Blood</i> , 2011, 118, 139-147.	0.6	281
6	The impact of age and gender on biology, clinical features and treatment outcome of non-Hodgkin lymphoma in childhood and adolescence. <i>British Journal of Haematology</i> , 2005, 131, 39-49.	1.2	278
7	Next-generation personalised medicine for high-risk paediatric cancer patients – The INFORM pilot study. <i>European Journal of Cancer</i> , 2016, 65, 91-101.	1.3	262
8	Non-Hodgkin Lymphoma in Children and Adolescents: Progress Through Effective Collaboration, Current Knowledge, and Challenges Ahead. <i>Journal of Clinical Oncology</i> , 2015, 33, 2963-2974.	0.8	202
9	Childhood cancer predisposition syndromes – A concise review and recommendations by the Cancer Predisposition Working Group of the Society for Pediatric Oncology and Hematology. <i>American Journal of Medical Genetics, Part A</i> , 2017, 173, 1017-1037.	0.7	200
10	A recurrent 11q aberration pattern characterizes a subset of MYC-negative high-grade B-cell lymphomas resembling Burkitt lymphoma. <i>Blood</i> , 2014, 123, 1187-1198.	0.6	185
11	Phase II Window Study on Rituximab in Newly Diagnosed Pediatric Mature B-Cell Non-Hodgkin's Lymphoma and Burkitt Leukemia. <i>Journal of Clinical Oncology</i> , 2010, 28, 3115-3121.	0.8	170
12	Diffuse large B-cell lymphoma in pediatric patients belongs predominantly to the germinal-center type B-cell lymphomas: a clinicopathologic analysis of cases included in the German BFM (Berlin-Frankfurt-Münster) Multicenter Trial. <i>Blood</i> , 2006, 107, 4047-4052.	0.6	163
13	Patient age at diagnosis is associated with the molecular characteristics of diffuse large B-cell lymphoma. <i>Blood</i> , 2012, 119, 1882-1887.	0.6	163
14	Total Body Irradiation or Chemotherapy Conditioning in Childhood ALL: A Multinational, Randomized, Noninferiority Phase III Study. <i>Journal of Clinical Oncology</i> , 2021, 39, 295-307.	0.8	163
15	Poor Outcome for Children and Adolescents With Progressive Disease or Relapse of Lymphoblastic Lymphoma: A Report From the Berlin-Frankfurt-Muenster Group. <i>Journal of Clinical Oncology</i> , 2009, 27, 3363-3369.	0.8	147
16	Impact of Cranial Radiotherapy on Central Nervous System Prophylaxis in Children and Adolescents With Central Nervous System – Negative Stage III or IV Lymphoblastic Lymphoma. <i>Journal of Clinical Oncology</i> , 2006, 24, 491-499.	0.8	146
17	Genomic profiling reveals different genetic aberrations in systemic ALK-positive and ALK-negative anaplastic large cell lymphomas. <i>British Journal of Haematology</i> , 2008, 140, 516-526.	1.2	145
18	Prognostic significance of circulating tumor cells in bone marrow or peripheral blood as detected by qualitative and quantitative PCR in pediatric NPM-ALK-positive anaplastic large-cell lymphoma. <i>Blood</i> , 2007, 110, 670-677.	0.6	130

#	ARTICLE	IF	CITATIONS
19	Allogeneic haematopoietic stem cell transplantation in relapsed or refractory anaplastic large cell lymphoma of children and adolescents - a Berlin-Frankfurt-Munster group report. <i>British Journal of Haematology</i> , 2006, 133, 176-182.	1.2	119
20	DNA methylome analysis in Burkitt and follicular lymphomas identifies differentially methylated regions linked to somatic mutation and transcriptional control. <i>Nature Genetics</i> , 2015, 47, 1316-1325.	9.4	119
21	Molecular profiling of pediatric mature B-cell lymphoma treated in population-based prospective clinical trials. <i>Blood</i> , 2008, 112, 1374-1381.	0.6	112
22	Correlation of the autoantibody response to the ALK oncoantigen in pediatric anaplastic lymphoma kinase-positive anaplastic large cell lymphoma with tumor dissemination and relapse risk. <i>Blood</i> , 2010, 115, 3314-3319.	0.6	111
23	The Pediatric Precision Oncology INFORM Registry: Clinical Outcome and Benefit for Patients with Very High-Evidence Targets. <i>Cancer Discovery</i> , 2021, 11, 2764-2779.	7.7	110
24	Pediatric follicular lymphoma - a clinico-pathological study of a population-based series of patients treated within the Non-Hodgkin's Lymphoma - Berlin-Frankfurt-Munster (NHL-BFM) multicenter trials. <i>Haematologica</i> , 2010, 95, 253-259.	1.7	107
25	Incidence and prognostic relevance of genetic variations in T-cell lymphoblastic lymphoma in childhood and adolescence. <i>Blood</i> , 2013, 121, 3153-3160.	0.6	105
26	Relapsed or Refractory Anaplastic Large-Cell Lymphoma in Children and Adolescents After Berlin-Frankfurt-Muenster (BFM) Type First-Line Therapy: A BFM-Group Study. <i>Journal of Clinical Oncology</i> , 2011, 29, 3065-3071.	0.8	101
27	Prevalence, Clinical Pattern, and Outcome of CNS Involvement in Childhood and Adolescent Non-Hodgkin's Lymphoma Differ by Non-Hodgkin's Lymphoma Subtype: A Berlin-Frankfurt-Munster Group Report. <i>Journal of Clinical Oncology</i> , 2007, 25, 3915-3922.	0.8	99
28	Genomic and transcriptomic changes complement each other in the pathogenesis of sporadic Burkitt lymphoma. <i>Nature Communications</i> , 2019, 10, 1459.	5.8	99
29	Clinical, pathological and genetic features of primary mediastinal large B-cell lymphomas and mediastinal gray zone lymphomas in children. <i>Haematologica</i> , 2011, 96, 262-268.	1.7	92
30	MINCR is a MYC-induced lncRNA able to modulate MYC's transcriptional network in Burkitt lymphoma cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E5261-70.	3.3	91
31	The minimum required level of donor chimerism in hereditary hemophagocytic lymphohistiocytosis. <i>Blood</i> , 2016, 127, 3281-3290.	0.6	83
32	Clinical evolution, genetic landscape and trajectories of clonal hematopoiesis in SAMD9/SAMD9L syndromes. <i>Nature Medicine</i> , 2021, 27, 1806-1817.	15.2	79
33	Detection of genomic aberrations in molecularly defined Burkitt's lymphoma by array-based, high resolution, single nucleotide polymorphism analysis. <i>Haematologica</i> , 2010, 95, 2047-2055.	1.7	70
34	The mutational landscape of Burkitt-like lymphoma with 11q aberration is distinct from that of Burkitt lymphoma. <i>Blood</i> , 2019, 133, 962-966.	0.6	69
35	Paediatric lymphoblastic T-cell leukaemia and lymphoma: one or two diseases?. <i>British Journal of Haematology</i> , 2010, 149, 653-668.	1.2	68
36	Children and adolescents with follicular lymphoma have an excellent prognosis with either limited chemotherapy or with a "watch and wait" strategy after complete resection. <i>Annals of Hematology</i> , 2013, 92, 1537-1541.	0.8	65

#	ARTICLE	IF	CITATIONS
37	Recurrent loss of heterozygosity in 1p36 associated with TNFRSF14 mutations in IRF4 translocation negative pediatric follicular lymphomas. <i>Haematologica</i> , 2013, 98, 1237-1241.	1.7	65
38	Lymphoblastic lymphoma in children and adolescents: review of current challenges and future opportunities. <i>British Journal of Haematology</i> , 2019, 185, 1158-1170.	1.2	60
39	Sex differences in oncogenic mutational processes. <i>Nature Communications</i> , 2020, 11, 4330.	5.8	60
40	Non-Hodgkin lymphoma and pre-existing conditions: spectrum, clinical characteristics and outcome in 213 children and adolescents. <i>Haematologica</i> , 2016, 101, 1581-1591.	1.7	58
41	Pediatric precursor T lymphoblastic leukemia and lymphoblastic lymphoma: Differences in the common regions with loss of heterozygosity at chromosome 6q and their prognostic impact. <i>Leukemia and Lymphoma</i> , 2008, 49, 451-461.	0.6	56
42	Results and conclusions of the European Intergroup EURO-LB02 trial in children and adolescents with lymphoblastic lymphoma. <i>Haematologica</i> , 2017, 102, 2086-2096.	1.7	56
43	Diagnosis and Immunophenotype of 188 Pediatric Lymphoblastic Lymphomas Treated Within a Randomized Prospective Trial. <i>American Journal of Surgical Pathology</i> , 2011, 35, 836-844.	2.1	54
44	The genomic and transcriptional landscape of primary central nervous system lymphoma. <i>Nature Communications</i> , 2022, 13, 2558.	5.8	52
45	Promising therapy results for lymphoid malignancies in children with chromosomal breakage syndromes (Ataxia teleangiectasia or Nijmegen breakage syndrome): a retrospective survey. <i>British Journal of Haematology</i> , 2011, 155, 468-476.	1.2	51
46	Recurrent <i>RHOA</i> mutations in pediatric Burkitt lymphoma treated according to the NHL-BFM protocols. <i>Genes Chromosomes and Cancer</i> , 2014, 53, 911-916.	1.5	51
47	Tumor Necrosis Factor and Lymphotoxin Alfa Genetic Polymorphisms and Outcome in Pediatric Patients With Non-Hodgkin's Lymphoma: Results From Berlin-Frankfurt-Münster Trial NHL-BFM 95. <i>Journal of Clinical Oncology</i> , 2005, 23, 8414-8421.	0.8	50
48	IG-MYC+ neoplasms with precursor B-cell phenotype are molecularly distinct from Burkitt lymphomas. <i>Blood</i> , 2018, 132, 2280-2285.	0.6	50
49	Relevance of ID3-TCF3-CCND3 pathway mutations in pediatric aggressive B-cell lymphoma treated according to the non-Hodgkin Lymphoma Berlin-Frankfurt-Münster protocols. <i>Haematologica</i> , 2017, 102, 1091-1098.	1.7	47
50	Experience with provisional WHO entities large B-cell lymphoma with <i>IRF4</i> rearrangement and Burkitt-like lymphoma with 11q aberration in paediatric patients of the NHL-BFM group. <i>British Journal of Haematology</i> , 2020, 190, 753-763.	1.2	46
51	Immunoreconstitution and Infectious Complications After Rituximab Treatment in Children and Adolescents: What Do We Know and What Can We Learn from Adults?. <i>Cancers</i> , 2015, 7, 305-328.	1.7	45
52	Current status and future directions of T-cell lymphoblastic lymphoma in children and adolescents. <i>British Journal of Haematology</i> , 2016, 173, 545-559.	1.2	44
53	Alterations of microRNA and microRNA-regulated messenger RNA expression in germinal center B-cell lymphomas determined by integrative sequencing analysis. <i>Haematologica</i> , 2016, 101, 1380-1389.	1.7	43
54	Non-anaplastic peripheral T-cell lymphoma in children and adolescents – a retrospective analysis of the NHL-BFM study group. <i>British Journal of Haematology</i> , 2015, 168, 835-844.	1.2	42

#	ARTICLE	IF	CITATIONS
55	ACCELERATE and European Medicine Agency Paediatric Strategy Forum for medicinal product development for mature B-cell malignancies in children. <i>European Journal of Cancer</i> , 2019, 110, 74-85.	1.3	39
56	Prognostic Factors in Childhood Anaplastic Large Cell Lymphoma: Long Term Results of the International ALCL99 Trial. <i>Cancers</i> , 2020, 12, 2747.	1.7	38
57	Sequential karyotyping in Burkitt lymphoma reveals a linear clonal evolution with increase in karyotype complexity and a high frequency of recurrent secondary aberrations. <i>British Journal of Haematology</i> , 2015, 170, 814-825.	1.2	36
58	Control of Multidrug-Resistant <i>Pseudomonas aeruginosa</i> in Allogeneic Hematopoietic Stem Cell Transplant Recipients by a Novel Bundle Including Remodeling of Sanitary and Water Supply Systems. <i>Clinical Infectious Diseases</i> , 2017, 65, 935-942.	2.9	34
59	Frequency and clinical relevance of DNA microsatellite alterations of the CDKN2A/B, ATM and p53 gene loci: a comparison between pediatric precursor T-cell lymphoblastic lymphoma and T-cell lymphoblastic leukemia. <i>Haematologica</i> , 2010, 95, 158-162.	1.7	32
60	Rare non-Hodgkin lymphoma of childhood and adolescence: A consensus diagnostic and therapeutic approach to pediatric-type follicular lymphoma, marginal zone lymphoma, and nonanaplastic peripheral T-cell lymphoma. <i>Pediatric Blood and Cancer</i> , 2020, 67, e28416.	0.8	32
61	Lymphoblastic Lymphoma in Childhood and Adolescence. <i>Pediatric Hematology and Oncology</i> , 2013, 30, 484-508.	0.3	31
62	Integrative genomic analysis of pediatric T-cell lymphoblastic lymphoma reveals candidates of clinical significance. <i>Blood</i> , 2021, 137, 2347-2359.	0.6	31
63	High resolution copy number analysis of <i>IRF4</i> translocation-positive diffuse large B-cell and follicular lymphomas. <i>Genes Chromosomes and Cancer</i> , 2013, 52, 150-155.	1.5	30
64	Whole exome sequencing hints at a unique mutational profile of paediatric T-cell lymphoblastic lymphoma. <i>British Journal of Haematology</i> , 2015, 168, 308-313.	1.2	30
65	Outcome of patients with Fanconi anemia developing myelodysplasia and acute leukemia who received allogeneic hematopoietic stem cell transplantation: A retrospective analysis on behalf of EBMT group. <i>American Journal of Hematology</i> , 2020, 95, 809-816.	2.0	30
66	Primary central nervous system lymphoma in children and adolescents: low relapse rate after treatment according to Non-Hodgkin-Lymphoma Berlin-Frankfurt-Munster protocols for systemic lymphoma. <i>Haematologica</i> , 2014, 99, e238-e241.	1.7	29
67	The <i>PCBP1</i> gene encoding poly(rC) binding protein 1 is recurrently mutated in Burkitt lymphoma. <i>Genes Chromosomes and Cancer</i> , 2015, 54, 555-564.	1.5	29
68	Clinical relevance of molecular characteristics in Burkitt lymphoma differs according to age. <i>Nature Communications</i> , 2022, 13, .	5.8	28
69	Favorable outcomes of hematopoietic stem cell transplantation in children and adolescents with Diamond-Blackfan anemia. <i>Blood Advances</i> , 2020, 4, 1760-1769.	2.5	27
70	Clinical characteristics and treatment outcome of infants with non-Hodgkin lymphoma. <i>British Journal of Haematology</i> , 2007, 139, 070916051811006-???	1.2	26
71	Mature B-Cell Lymphoma and Leukemia in Children and Adolescents—Review of Standard Chemotherapy Regimen and Perspectives. <i>Pediatric Hematology and Oncology</i> , 2013, 30, 465-483.	0.3	26
72	Neurotoxic side effects in children with refractory or relapsed T-cell malignancies treated with nelarabine based therapy. <i>British Journal of Haematology</i> , 2017, 179, 272-283.	1.2	25

#	ARTICLE	IF	CITATIONS
73	Progressive or Relapsed Burkitt Lymphoma or Leukemia in Children and Adolescents after BFM-type First-line Therapy. <i>Blood</i> , 2020, 135, 1124-1132.	0.6	25
74	Cryptic insertion of <i>MYC</i> exons 2 and 3 into the immunoglobulin heavy chain locus detected by whole genome sequencing in a case of <i>MYC</i> -negative Burkitt lymphoma. <i>Haematologica</i> , 2020, 105, e202-e205.	1.7	24
75	Clinical and pathological features of Burkitt lymphoma showing expression of <i>BCL2</i> an analysis including gene expression in formalin-fixed paraffin-embedded tissue. <i>British Journal of Haematology</i> , 2015, 171, 501-508.	1.2	23
76	Cell-of-origin classification by gene expression and <i>MYC</i> -rearrangements in diffuse large B-cell lymphoma of children and adolescents. <i>British Journal of Haematology</i> , 2017, 179, 116-119.	1.2	23
77	Treatment and Outcome Analysis of 639 Relapsed Non-Hodgkin Lymphomas in Children and Adolescents and Resulting Treatment Recommendations. <i>Cancers</i> , 2021, 13, 2075.	1.7	23
78	MDM4 Is Targeted by 1q Gain and Drives Disease in Burkitt Lymphoma. <i>Cancer Research</i> , 2019, 79, 3125-3138.	0.4	19
79	Hematopoietic stem cell transplantation for children with acute myeloid leukemia—results of the AML SCT-BFM 2007 trial. <i>Leukemia</i> , 2020, 34, 613-624.	3.3	19
80	The <i>CBFA2T3/ACSF3</i> locus is recurrently involved in <i>IGH</i> chromosomal translocation t(14;16)(q32;q24) in pediatric B-cell lymphoma with germinal center phenotype. <i>Genes Chromosomes and Cancer</i> , 2012, 51, 338-343.	1.5	18
81	Children and adolescents with marginal zone lymphoma have an excellent prognosis with limited chemotherapy or a watch-and-wait strategy after complete resection. <i>Pediatric Blood and Cancer</i> , 2018, 65, e26932.	0.8	18
82	Advanced patient age at diagnosis of diffuse large B-cell lymphoma is associated with molecular characteristics including ABC-subtype and high expression of MYC. <i>Leukemia and Lymphoma</i> , 2018, 59, 1213-1221.	0.6	18
83	Pre-clinical evaluation of second generation PIM inhibitors for the treatment of T-cell acute lymphoblastic leukemia and lymphoma. <i>Haematologica</i> , 2019, 104, e17-e20.	1.7	18
84	Treosulfan-fludarabine-thiotepa-based conditioning treatment before allogeneic hematopoietic stem cell transplantation for pediatric patients with hematological malignancies. <i>Bone Marrow Transplantation</i> , 2020, 55, 1996-2007.	1.3	18
85	Epstein-Barr virus status of sporadic Burkitt lymphoma is associated with patient age and mutational features. <i>British Journal of Haematology</i> , 2022, 196, 681-689.	1.2	18
86	Primary central nervous system lymphoma: initial features, outcome, and late effects in 75 children and adolescents. <i>Blood Advances</i> , 2019, 3, 4291-4297.	2.5	17
87	Impact of Fc gamma-receptor polymorphisms on the response to rituximab treatment in children and adolescents with mature B cell lymphoma/leukemia. <i>Annals of Hematology</i> , 2016, 95, 1503-1512.	0.8	16
88	Reconstructing clonal evolution in relapsed and non-relapsed Burkitt lymphoma. <i>Leukemia</i> , 2021, 35, 639-643.	3.3	16
89	Epidemiology, utilisation of healthcare resources and outcome of invasive fungal diseases following paediatric allogeneic haematopoietic stem cell transplantation. <i>Mycoses</i> , 2020, 63, 172-180.	1.8	15
90	Novel oncogene amplifications in tumors from a family with Li-Fraumeni syndrome. <i>Genes Chromosomes and Cancer</i> , 2009, 48, 558-568.	1.5	13

#	ARTICLE	IF	CITATIONS
91	Excellent outcome with limited treatment in paediatric patients with marginal zone lymphoma. British Journal of Haematology, 2018, 182, 735-739.	1.2	12
92	Primary post-transplant lymphoproliferative disorder of the central nervous system: characteristics, management and outcome in 25 paediatric patients. British Journal of Haematology, 2021, 193, 1178-1184.	1.2	11
93	Second malignant neoplasms after treatment of non-Hodgkin's lymphoma—a retrospective multinational study of 189 children and adolescents. Leukemia, 2021, 35, 534-549.	3.3	10
94	Cell cycle regulatory molecular profiles of pediatric T-cell lymphoblastic leukemia and lymphoma. Leukemia and Lymphoma, 2012, 53, 557-568.	0.6	9
95	Childhood acute lymphoblastic leukemia-associated risk-loci KZF1, ARID5B and CEBPE and risk of pediatric non-Hodgkin lymphoma: a report from the Berlin-Frankfurt-Münster Study Group. Leukemia and Lymphoma, 2015, 56, 814-816.	0.6	9
96	Epidemiology and management burden of invasive fungal infections after autologous hematopoietic stem cell transplantation: 10-year experience at a European Pediatric Cancer Center. Mycoses, 2019, 62, 954-960.	1.8	9
97	Solid organ transplantation after hematopoietic stem cell transplantation in childhood: A multicentric retrospective survey. American Journal of Transplantation, 2019, 19, 1798-1805.	2.6	9
98	Ibrutinib plus CIT for R/R mature B-NHL in children (SPARKLE trial): initial safety, pharmacokinetics, and efficacy. Leukemia, 2020, 34, 2271-2275.	3.3	9
99	Risk factors for mixed chimerism in children with hemophagocytic lymphohistiocytosis after reduced toxicity conditioning. Pediatric Blood and Cancer, 2020, 67, e28523.	0.8	8
100	Dose-adjusted EPOCH-rituximab or intensified B-NHL therapy for pediatric primary mediastinal large B-cell lymphoma. Haematologica, 2021, 106, 3232-3235.	1.7	8
101	Secondary Neoplasms Subsequent to Berlin-Frankfurt-Muenster (BFM) Therapy of Non-Hodgkin Lymphoma of Childhood: Significantly Higher Risk for Patients with Lymphoblastic Lymphoma Compared to Other NHL-Subtypes. Blood, 2005, 106, 232-232.	0.6	8
102	Treatment of Adolescents with Aggressive B-Cell Malignancies: The Pediatric Experience. Current Hematologic Malignancy Reports, 2013, 8, 226-235.	1.2	7
103	Non-leukemic pediatric mixed phenotype acute leukemia/lymphoma: Genomic characterization and clinical outcome in a prospective trial for pediatric lymphoblastic lymphoma. Genes Chromosomes and Cancer, 2019, 58, 365-372.	1.5	6
104	Molecular features of non-anaplastic peripheral T-cell lymphoma in children and adolescents. Pediatric Blood and Cancer, 2021, 68, e29285.	0.8	6
105	Complex MLL rearrangement in non-infiltrated bone marrow in an infant with stage II precursor B-lymphoblastic lymphoma. European Journal of Haematology, 2014, 93, 349-353.	1.1	5
106	Treatment and outcome of IG-MYC+ neoplasms with precursor B-cell phenotype in childhood and adolescence. Leukemia, 2020, 34, 942-946.	3.3	5
107	CopyDetective: Detection threshold-aware copy number variant calling in whole-exome sequencing data. GigaScience, 2020, 9, .	3.3	5
108	Second malignancies after treatment of childhood non-Hodgkin lymphoma: a report of the Berlin-Frankfurt-Muenster study group. Haematologica, 2021, 106, 1390-1400.	1.7	5

#	ARTICLE	IF	CITATIONS
109	Other (Non-CNS/Testicular) Extramedullary Localizations of Childhood Relapsed Acute Lymphoblastic Leukemia and Lymphoblastic Lymphomaâ€”A Report from the ALL-REZ Study Group. <i>Journal of Clinical Medicine</i> , 2021, 10, 5292.	1.0	5
110	Multiplex ligation-dependent probe amplification validates LOH6q analyses and enhances insight into chromosome 6q aberrations in pediatric T-cell lymphoblastic leukemia and lymphoma. <i>Leukemia and Lymphoma</i> , 2015, 56, 1884-1887.	0.6	4
111	Mature aggressive B-cell lymphoma across age groups â€” molecular advances and therapeutic implications. <i>Expert Review of Hematology</i> , 2017, 10, 123-135.	1.0	4
112	Durable control of hepatitis C through interferonâ€”free antiviral combination therapy immediately prior to allogeneic haematopoietic stem cell transplantation. <i>Journal of Viral Hepatitis</i> , 2019, 26, 454-458.	1.0	3
113	Patient parameters and response after administration of rituximab in pediatric mature Bâ€”cell nonâ€”Hodgkin lymphoma. <i>Pediatric Blood and Cancer</i> , 2022, 69, e29514.	0.8	3
114	Immunohistochemical detection of inhibitor of DNA binding 3 mutational variants in mature aggressive B-cell lymphoma. <i>Haematologica</i> , 2016, 101, e259-e261.	1.7	2
115	Malignant Lymphomas in Childhood. , 2018, , 1330-1342.e5.		2
116	Relapsed or Refractory Burkitt Lymphoma in Children and Adolescents after BFM-Type First-Line Therapy - a BFM Group Report. <i>Blood</i> , 2014, 124, 1738-1738.	0.6	2
117	Design of a targeted nextâ€”generation DNA sequencing panel for pediatric Tâ€”cell lymphoblastic lymphoma to unravel biology and optimize treatment. <i>Genes Chromosomes and Cancer</i> , 2022, 61, 459-470.	1.5	2
118	XI. Management of paediatric and adult nonâ€”Hodgkin lymphoma: what lessons can each teach the other?. <i>Hematological Oncology</i> , 2015, 33, 62-66.	0.8	1
119	CD38 is not expressed in pediatric ALKâ€”positive anaplastic large cell lymphoma. <i>Pediatric Blood and Cancer</i> , 2019, 66, e27541.	0.8	1
120	Pediatric T-Cell Lymphoblastic Leukemia and T-Cell Lymphoblastic Lymphoma: Differences in the Common Deleted Region and the Prognostic Impact of Chromosome 6q Deletions.. <i>Blood</i> , 2006, 108, 294-294.	0.6	1
121	Proposal of a Genetic Classifier for Risk Group Stratification in Pediatric T-Cell Lymphoblastic Lymphoma Reveals Significant Differences to T-Cell Lymphoblastic Leukemia. <i>Blood</i> , 2014, 124, 2398-2398.	0.6	1
122	Clinical Heterogeneity in RUNX1-Associated Familial Myelodysplastic Syndrome - Report of Two Novel Pedigrees with Childhoodleukemia. <i>Blood</i> , 2016, 128, 5509-5509.	0.6	1
123	The EHA Research Roadmap: Malignant Lymphoid Diseases. <i>HemaSphere</i> , 2022, 6, e726.	1.2	1
124	Characterization of IG-MYC-breakpoints and their application for quantitative minimal disease monitoring in high-risk pediatric Burkitt-lymphoma and -leukemia. <i>Leukemia</i> , 0, , .	3.3	1
125	Lymphoblastic Lymphoma. , 2019, , 153-164.		0
126	Marginal Zone Lymphoma. , 2019, , 221-227.		0

#	ARTICLE	IF	CITATIONS
127	Circulating Antibodies to ALK Inversely Correlat with Relapse Risk and Circulating Tumor Cells in Children and Adolescents with ALK-Positive Anaplastic Large Cell Lymphoma. Blood, 2008, 112, 2831-2831.	0.6	0
128	Poor Outcome for Children and Adolescents with Progressive Disease or Relapse of Lymphoblastic Lymphoma - a Report of the BFM Group. Blood, 2008, 112, 3589-3589.	0.6	0
129	Prognostic Impact of Fc Gamma-Receptor Polymorphisms and Efficacy of Rituximab in Children and Adolescents with Mature Aggressive B-NHL. Blood, 2012, 120, 1547-1547.	0.6	0
130	Abstract 3092: PTEN mutations correlate with relapse risk in pediatric T-cell lymphoblastic lymphoma patients: Validation of whole exome sequencing results. , 2014, , .		0
131	New Insights into Potential Driver Mutations in Pediatric Burkitt Lymphoma. Blood, 2014, 124, 2980-2980.	0.6	0
132	Stem Cell Transplantation for Pediatric Patients with Non-Anaplastic Peripheral T-Cell Lymphoma on Behalf of the EBMT-Pediatric Diseases Working Party. Blood, 2018, 132, 5787-5787.	0.6	0
133	Prospective Clinical Phase II Results on Treosulfan-Based Conditioning Treatment of 70 Paediatric Patients with Haematological Malignancies. Blood, 2018, 132, 3354-3354.	0.6	0
134	Aggressive Lymphoma in Children and Adolescents. Mechanical Engineering Series, 2019, , 245-282.	0.1	0