Magnus Simrn

List of Publications by Citations

Source: https://exaly.com/author-pdf/2947943/magnus-simren-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 335
 17,416
 68
 122

 papers
 citations
 h-index
 g-index

 360
 21,362
 5.8
 6.95

 ext. papers
 ext. citations
 avg, IF
 L-index

#	Paper	IF	Citations
335	Bowel Disorders. <i>Gastroenterology</i> , 2016 ,	13.3	1260
334	Intestinal microbiota in functional bowel disorders: a Rome foundation report. <i>Gut</i> , 2013 , 62, 159-76	19.2	607
333	An irritable bowel syndrome subtype defined by species-specific alterations in faecal microbiota. <i>Gut</i> , 2012 , 61, 997-1006	19.2	564
332	European consensus conference on faecal microbiota transplantation in clinical practice. <i>Gut</i> , 2017 , 66, 569-580	19.2	520
331	Irritable bowel syndrome. <i>Nature Reviews Disease Primers</i> , 2016 , 2, 16014	51.1	429
330	Pathogenesis of IBS: role of inflammation, immunity and neuroimmune interactions. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2010 , 7, 163-73	24.2	419
329	Small intestinal bacterial overgrowth in patients with irritable bowel syndrome. <i>Gut</i> , 2007 , 56, 802-8	19.2	371
328	Quality of life in inflammatory bowel disease in remission: the impact of IBS-like symptoms and associated psychological factors. <i>American Journal of Gastroenterology</i> , 2002 , 97, 389-96	0.7	366
327	Food-related gastrointestinal symptoms in the irritable bowel syndrome. <i>Digestion</i> , 2001 , 63, 108-15	3.6	364
326	Diet low in FODMAPs reduces symptoms of irritable bowel syndrome as well as traditional dietary advice: a randomized controlled trial. <i>Gastroenterology</i> , 2015 , 149, 1399-1407.e2	13.3	337
325	Self-reported food-related gastrointestinal symptoms in IBS are common and associated with more severe symptoms and reduced quality of life. <i>American Journal of Gastroenterology</i> , 2013 , 108, 634-41	0.7	330
324	Identification of an Intestinal Microbiota Signature Associated With Severity of Irritable Bowel Syndrome. <i>Gastroenterology</i> , 2017 , 152, 111-123.e8	13.3	303
323	Use and abuse of hydrogen breath tests. <i>Gut</i> , 2006 , 55, 297-303	19.2	295
322	Worldwide Prevalence and Burden of Functional Gastrointestinal Disorders, Results of Rome Foundation Global Study. <i>Gastroenterology</i> , 2021 , 160, 99-114.e3	13.3	285
321	Evaluation of gastrointestinal transit in clinical practice: position paper of the American and European Neurogastroenterology and Motility, 2011 , 23, 8-23	4	259
320	Physical activity improves symptoms in irritable bowel syndrome: a randomized controlled trial. <i>American Journal of Gastroenterology</i> , 2011 , 106, 915-22	0.7	242
319	Altered visceral perceptual and neuroendocrine response in patients with irritable bowel syndrome during mental stress. <i>Gut</i> , 2004 , 53, 1102-8	19.2	214

318	Relevance of ineffective oesophageal motility during oesophageal acid clearance. <i>Gut</i> , 2003 , 52, 784-90	19.2	195
317	Altered rectal perception in irritable bowel syndrome is associated with symptom severity. <i>Gastroenterology</i> , 2007 , 133, 1113-23	13.3	188
316	Diagnosis and treatment of chronic constipationa European perspective. <i>Neurogastroenterology and Motility</i> , 2011 , 23, 697-710	4	185
315	Deviations in human gut microbiota: a novel diagnostic test for determining dysbiosis in patients with IBS or IBD. <i>Alimentary Pharmacology and Therapeutics</i> , 2015 , 42, 71-83	6.1	167
314	An exaggerated sensory component of the gastrocolonic response in patients with irritable bowel syndrome. <i>Gut</i> , 2001 , 48, 20-7	19.2	155
313	Quality of life in patients with irritable bowel syndrome seen in referral centers versus primary care: the impact of gender and predominant bowel pattern. <i>Scandinavian Journal of Gastroenterology</i> , 2001 , 36, 545-52	2.4	134
312	Increased colonic bile acid exposure: a relevant factor for symptoms and treatment in IBS. <i>Gut</i> , 2015 , 64, 84-92	19.2	132
311	Small intestinal motility disturbances and bacterial overgrowth in patients with liver cirrhosis and portal hypertension. <i>American Journal of Gastroenterology</i> , 2003 , 98, 1362-70	0.7	129
310	T-cell activation in patients with irritable bowel syndrome. <i>American Journal of Gastroenterology</i> , 2009 , 104, 1205-12	0.7	122
309	The AST/ALT ratio as an indicator of cirrhosis in patients with PBC. Liver International, 2006, 26, 840-5	7.9	122
309	The AST/ALT ratio as an indicator of cirrhosis in patients with PBC. <i>Liver International</i> , 2006 , 26, 840-5 Discontinuation of proton pump inhibitors in patients on long-term therapy: a double-blind, placebo-controlled trial. <i>Alimentary Pharmacology and Therapeutics</i> , 2006 , 24, 945-54	7.9 6.1	122
	Discontinuation of proton pump inhibitors in patients on long-term therapy: a double-blind,		
308	Discontinuation of proton pump inhibitors in patients on long-term therapy: a double-blind, placebo-controlled trial. <i>Alimentary Pharmacology and Therapeutics</i> , 2006 , 24, 945-54 Update on Rome IV Criteria for Colorectal Disorders: Implications for Clinical Practice. <i>Current</i>	6.1	120
308	Discontinuation of proton pump inhibitors in patients on long-term therapy: a double-blind, placebo-controlled trial. <i>Alimentary Pharmacology and Therapeutics</i> , 2006 , 24, 945-54 Update on Rome IV Criteria for Colorectal Disorders: Implications for Clinical Practice. <i>Current Gastroenterology Reports</i> , 2017 , 19, 15 Colonic transit time and IBS symptoms: what's the link?. <i>American Journal of Gastroenterology</i> , 2012	6.1	120
308 307 306	Discontinuation of proton pump inhibitors in patients on long-term therapy: a double-blind, placebo-controlled trial. <i>Alimentary Pharmacology and Therapeutics</i> , 2006 , 24, 945-54 Update on Rome IV Criteria for Colorectal Disorders: Implications for Clinical Practice. <i>Current Gastroenterology Reports</i> , 2017 , 19, 15 Colonic transit time and IBS symptoms: what's the link?. <i>American Journal of Gastroenterology</i> , 2012 , 107, 754-60 Crosstalk at the mucosal border: importance of the gut microenvironment in IBS. <i>Nature Reviews</i>	6.1 5 0.7	120 116 116
308 307 306 305	Discontinuation of proton pump inhibitors in patients on long-term therapy: a double-blind, placebo-controlled trial. <i>Alimentary Pharmacology and Therapeutics</i> , 2006 , 24, 945-54 Update on Rome IV Criteria for Colorectal Disorders: Implications for Clinical Practice. <i>Current Gastroenterology Reports</i> , 2017 , 19, 15 Colonic transit time and IBS symptoms: what's the link?. <i>American Journal of Gastroenterology</i> , 2012 , 107, 754-60 Crosstalk at the mucosal border: importance of the gut microenvironment in IBS. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2015 , 12, 36-49 Visceral hypersensitivity is associated with GI symptom severity in functional GI disorders:	6.1 5 0.7 24.2	120 116 116
308 307 306 305 304	Discontinuation of proton pump inhibitors in patients on long-term therapy: a double-blind, placebo-controlled trial. <i>Alimentary Pharmacology and Therapeutics</i> , 2006 , 24, 945-54 Update on Rome IV Criteria for Colorectal Disorders: Implications for Clinical Practice. <i>Current Gastroenterology Reports</i> , 2017 , 19, 15 Colonic transit time and IBS symptoms: what's the link?. <i>American Journal of Gastroenterology</i> , 2012 , 107, 754-60 Crosstalk at the mucosal border: importance of the gut microenvironment in IBS. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2015 , 12, 36-49 Visceral hypersensitivity is associated with GI symptom severity in functional GI disorders: consistent findings from five different patient cohorts. <i>Gut</i> , 2018 , 67, 255-262 Epidemiology, clinical characteristics, and associations for symptom-based Rome IV functional dyspepsia in adults in the USA, Canada, and the UK: a cross-sectional population-based study. <i>The</i>	6.1 5 0.7 24.2	120 116 116 115

300	Randomised clinical trial: the efficacy of a transient receptor potential vanilloid 1 antagonist AZD1386 in human oesophageal pain. <i>Alimentary Pharmacology and Therapeutics</i> , 2011 , 33, 1113-22	6.1	110
299	A small particle size diet reduces upper gastrointestinal symptoms in patients with diabetic gastroparesis: a randomized controlled trial. <i>American Journal of Gastroenterology</i> , 2014 , 109, 375-85	0.7	108
298	Chronic constipation. <i>Nature Reviews Disease Primers</i> , 2017 , 3, 17095	51.1	106
297	Gastrointestinal-specific anxiety: an important factor for severity of GI symptoms and quality of life in IBS. <i>Neurogastroenterology and Motility</i> , 2010 , 22, 646-e179	4	106
296	A global perspective on irritable bowel syndrome: a consensus statement of the World Gastroenterology Organisation Summit Task Force on irritable bowel syndrome. <i>Journal of Clinical Gastroenterology</i> , 2012 , 46, 356-66	3	106
295	New insights into the pathogenesis and pathophysiology of irritable bowel syndrome. <i>Digestive and Liver Disease</i> , 2007 , 39, 201-15	3.3	106
294	Cytokine imbalance in irritable bowel syndrome: a systematic review and meta-analysis. <i>Neurogastroenterology and Motility</i> , 2014 , 26, 1036-48	4	99
293	Association of TNFSF15 polymorphism with irritable bowel syndrome. <i>Gut</i> , 2011 , 60, 1671-1677	19.2	97
292	Clinical trial: the effects of a fermented milk containing three probiotic bacteria in patients with irritable bowel syndrome - a randomized, double-blind, controlled study. <i>Alimentary Pharmacology and Therapeutics</i> , 2010 , 31, 218-27	6.1	93
291	Gastrointestinal symptoms in patients with liver cirrhosis: associations with nutritional status and health-related quality of life. <i>Scandinavian Journal of Gastroenterology</i> , 2006 , 41, 1464-72	2.4	93
290	The prevalence of gastrointestinal symptoms in patients with chronic renal failure is increased and associated with impaired psychological general well-being. <i>Nephrology Dialysis Transplantation</i> , 2002 , 17, 1434-9	4.3	92
289	Intestinal microbiota and its role in irritable bowel syndrome (IBS). <i>Current Gastroenterology Reports</i> , 2013 , 15, 323	5	91
288	Gut microbiota as potential orchestrators of irritable bowel syndrome. <i>Gut and Liver</i> , 2015 , 9, 318-31	4.8	86
287	Randomised clinical trial: The ileal bile acid transporter inhibitor A3309 vs. placebo in patients with chronic idiopathic constipationa double-blind study. <i>Alimentary Pharmacology and Therapeutics</i> , 2011 , 34, 41-50	6.1	86
286	The microbiota link to irritable bowel syndrome: an emerging story. <i>Gut Microbes</i> , 2012 , 3, 572-6	8.8	85
285	Health-related quality of life in patients attending a gastroenterology outpatient clinic: functional disorders versus organic diseases. <i>Clinical Gastroenterology and Hepatology</i> , 2006 , 4, 187-95	6.9	81
284	Centrally Mediated Disorders of Gastrointestinal Pain. Gastroenterology, 2016,	13.3	81
283	The Prevalence and Impact of Overlapping Rome IV-Diagnosed Functional Gastrointestinal Disorders on Somatization, Quality of Life, and Healthcare Utilization: A Cross-Sectional General Population Study in Three Countries. <i>American Journal of Gastroenterology</i> , 2018 , 113, 86-96	0.7	80

(2007-2018)

282	Functional variants in the sucrase-isomaltase gene associate with increased risk of irritable bowel syndrome. <i>Gut</i> , 2018 , 67, 263-270	19.2	79
281	Exploring the genetics of irritable bowel syndrome: a GWA study in the general population and replication in multinational case-control cohorts. <i>Gut</i> , 2015 , 64, 1774-82	19.2	78
280	In functional dyspepsia, hypersensitivity to postprandial distention correlates with meal-related symptom severity. <i>Gastroenterology</i> , 2013 , 145, 566-73	13.3	77
279	Patients with chronic renal failure have abnormal small intestinal motility and a high prevalence of small intestinal bacterial overgrowth. <i>Digestion</i> , 2003 , 67, 129-37	3.6	77
278	A controlled study of colonic immune activity and beta7+ blood T lymphocytes in patients with irritable bowel syndrome. <i>Clinical Gastroenterology and Hepatology</i> , 2005 , 3, 980-6	6.9	76
277	Fatigue in patients with primary sclerosing cholangitis. <i>Scandinavian Journal of Gastroenterology</i> , 2004 , 39, 961-8	2.4	76
276	Treatment with hypnotherapy reduces the sensory and motor component of the gastrocolonic response in irritable bowel syndrome. <i>Psychosomatic Medicine</i> , 2004 , 66, 233-8	3.7	74
275	Colonic immune cells in irritable bowel syndrome: A systematic review and meta-analysis. <i>Neurogastroenterology and Motility</i> , 2018 , 30, e13192	4	73
274	Effects of gut-directed hypnotherapy on IBS in different clinical settings-results from two randomized, controlled trials. <i>American Journal of Gastroenterology</i> , 2012 , 107, 276-85	0.7	73
273	Nutrient-dependent enhancement of rectal sensitivity in irritable bowel syndrome (IBS). <i>Neurogastroenterology and Motility</i> , 2007 , 19, 20-9	4	73
272	Review article: bile acid diarrhoea - pathogenesis, diagnosis and management. <i>Alimentary Pharmacology and Therapeutics</i> , 2016 , 43, 884-898	6.1	70
271	New treatments and therapeutic targets for IBS and other functional bowel disorders. <i>Nature</i>		
	Reviews Gastroenterology and Hepatology, 2018 , 15, 589-605	24.2	68
270	Reviews Gastroenterology and Hepatology, 2018, 15, 589-605 Internet-Delivered Cognitive Behavior Therapy for Adolescents With Irritable Bowel Syndrome: A Randomized Controlled Trial. American Journal of Gastroenterology, 2017, 112, 152-162	24.2 0.7	68
270 269	Internet-Delivered Cognitive Behavior Therapy for Adolescents With Irritable Bowel Syndrome: A		
	Internet-Delivered Cognitive Behavior Therapy for Adolescents With Irritable Bowel Syndrome: A Randomized Controlled Trial. <i>American Journal of Gastroenterology</i> , 2017 , 112, 152-162 Delay in gastric emptying in patients with chronic renal failure. <i>Scandinavian Journal of</i>	0.7	68
269	Internet-Delivered Cognitive Behavior Therapy for Adolescents With Irritable Bowel Syndrome: A Randomized Controlled Trial. <i>American Journal of Gastroenterology</i> , 2017 , 112, 152-162 Delay in gastric emptying in patients with chronic renal failure. <i>Scandinavian Journal of Gastroenterology</i> , 2004 , 39, 516-20 Abnormal propagation pattern of duodenal pressure waves in the irritable bowel syndrome (IBS)	0.7	68 68
269 268	Internet-Delivered Cognitive Behavior Therapy for Adolescents With Irritable Bowel Syndrome: A Randomized Controlled Trial. <i>American Journal of Gastroenterology</i> , 2017 , 112, 152-162 Delay in gastric emptying in patients with chronic renal failure. <i>Scandinavian Journal of Gastroenterology</i> , 2004 , 39, 516-20 Abnormal propagation pattern of duodenal pressure waves in the irritable bowel syndrome (IBS) [correction of (IBD)]. <i>Digestive Diseases and Sciences</i> , 2000 , 45, 2151-61 Effects of long-term treatment with oxytocin in chronic constipation; a double blind,	0.7	68 68 68

264	Subtyping the irritable bowel syndrome by predominant bowel habit: Rome II versus Rome III. <i>Alimentary Pharmacology and Therapeutics</i> , 2007 , 26, 953-61	6.1	60
263	Physical activity and the gastrointestinal tract. <i>European Journal of Gastroenterology and Hepatology</i> , 2002 , 14, 1053-6	2.2	60
262	Structured patient education is superior to written information in the management of patients with irritable bowel syndrome: a randomized controlled study. <i>European Journal of Gastroenterology and Hepatology</i> , 2010 , 22, 420-8	2.2	59
261	Gastrointestinal transit abnormalities are frequently detected in patients with unexplained GI symptoms at a tertiary centre. <i>Neurogastroenterology and Motility</i> , 2008 , 20, 197-205	4	59
260	IBS-like Symptoms in Patients with Ulcerative Colitis in Deep Remission Are Associated with Increased Levels of Serum Cytokines and Poor Psychological Well-being. <i>Inflammatory Bowel Diseases</i> , 2016 , 22, 2630-2640	4.5	58
259	Evidence for an association of gut microbial Clostridia with brain functional connectivity and gastrointestinal sensorimotor function in patients with irritable bowel syndrome, based on tripartite network analysis. <i>Microbiome</i> , 2019 , 7, 45	16.6	57
258	Definition, diagnosis and treatment strategies for opioid-induced bowel dysfunction-Recommendations of the Nordic Working Group. <i>Scandinavian Journal of Pain</i> , 2016 , 11, 111-122	1.9	57
257	Depression and Somatization Are Associated With Increased Postprandial Symptoms in Patients With Irritable Bowell Syndrome. <i>Gastroenterology</i> , 2016 , 150, 866-74	13.3	56
256	Nutrient intake in patients with irritable bowel syndrome compared with the general population. Neurogastroenterology and Motility, 2013 , 25, 23-30.e1	4	56
255	Global Cytokine Profiles and Association With Clinical Characteristics in Patients With Irritable Bowel Syndrome. <i>American Journal of Gastroenterology</i> , 2016 , 111, 1165-76	0.7	54
254	Work Productivity and Activity Impairment in Irritable Bowel Syndrome (IBS): A Multifaceted Problem. <i>American Journal of Gastroenterology</i> , 2018 , 113, 1540-1549	0.7	54
253	Characterization of IBS-like symptoms in patients with ulcerative colitis in clinical remission. <i>Neurogastroenterology and Motility</i> , 2013 , 25, 756-e578	4	53
252	Overuse of acid suppressant drugs in patients with chronic renal failure. <i>Nephrology Dialysis Transplantation</i> , 2003 , 18, 570-5	4.3	52
251	Functional findings in irritable bowel syndrome. World Journal of Gastroenterology, 2006, 12, 2830-8	5.6	52
250	Cumulative Effects of Psychologic Distress, Visceral Hypersensitivity, and Abnormal Transit on Patient-reported Outcomes in Irritable Bowel Syndrome. <i>Gastroenterology</i> , 2019 , 157, 391-402.e2	13.3	50
249	Why do subjects with irritable bowel syndrome seek health care for their symptoms?. <i>Scandinavian Journal of Gastroenterology</i> , 2007 , 42, 1194-203	2.4	50
248	Intestinal permeability and bacterial growth of the small bowel in patients with primary sclerosing cholangitis. <i>Scandinavian Journal of Gastroenterology</i> , 2005 , 40, 1090-4	2.4	50
247	How the Change in IBS Criteria From Rome III to Rome IV Impacts on Clinical Characteristics and Key Pathophysiological Factors. <i>American Journal of Gastroenterology</i> , 2018 , 113, 1017-1025	0.7	49

(2017-2013)

246	Randomized clinical trial: inhibition of the TRPV1 system in patients with nonerosive gastroesophageal reflux disease and a partial response to PPI treatment is not associated with analgesia to esophageal experimental pain. <i>Scandinavian Journal of Gastroenterology</i> , 2013 , 48, 274-84	2.4	49
245	The relationship between symptoms, body mass index, gastrointestinal transit and stool frequency in patients with irritable bowel syndrome. <i>European Journal of Gastroenterology and Hepatology</i> , 2010 , 22, 102-8	2.2	49
244	Review article: endpoints used in functional dyspepsia drug therapy trials. <i>Alimentary Pharmacology and Therapeutics</i> , 2011 , 33, 634-49	6.1	48
243	Detection of inflammatory markers in stools from patients with irritable bowel syndrome and collagenous colitis. <i>Scandinavian Journal of Gastroenterology</i> , 2006 , 41, 54-9	2.4	48
242	Epidemiology, Clinical Characteristics, and Associations for Rome IV Functional Nausea and Vomiting Disorders in Adults. <i>Clinical Gastroenterology and Hepatology</i> , 2019 , 17, 878-886	6.9	47
241	Altered levels of fecal chromogranins and secretogranins in IBS: relevance for pathophysiology and symptoms?. <i>American Journal of Gastroenterology</i> , 2012 , 107, 440-7	0.7	47
240	Altered bile acid metabolism in patients with constipation-predominant irritable bowel syndrome and functional constipation. <i>Scandinavian Journal of Gastroenterology</i> , 2008 , 43, 1483-8	2.4	47
239	Short-term stability of subtypes in the irritable bowel syndrome: prospective evaluation using the Rome III classification. <i>Alimentary Pharmacology and Therapeutics</i> , 2012 , 35, 350-9	6.1	46
238	European society of neurogastroenterology and motility guidelines on functional constipation in adults. <i>Neurogastroenterology and Motility</i> , 2020 , 32, e13762	4	46
237	Fecal calprotectin levels predict the clinical course in patients with new onset of ulcerative colitis. <i>Inflammatory Bowel Diseases</i> , 2013 , 19, 576-81	4.5	44
236	Unsuppressed postprandial phasic contractility in the proximal stomach in functional dyspepsia: relevance to symptoms. <i>American Journal of Gastroenterology</i> , 2003 , 98, 2169-75	0.7	44
235	On-demand treatment in patients with oesophagitis and reflux symptoms: comparison of lansoprazole and omeprazole. <i>Scandinavian Journal of Gastroenterology</i> , 2002 , 37, 642-7	2.4	43
234	An approach to the diagnosis and management of Rome IV functional disorders of chronic constipation. <i>Expert Review of Gastroenterology and Hepatology</i> , 2020 , 14, 39-46	4.2	43
233	Altered expression of Butyrophilin () and BTN-like () genes in intestinal inflammation and colon cancer. <i>Immunity, Inflammation and Disease</i> , 2016 , 4, 191-200	2.4	43
232	Genetic variants in CDC42 and NXPH1 as susceptibility factors for constipation and diarrhoea predominant irritable bowel syndrome. <i>Gut</i> , 2014 , 63, 1103-11	19.2	42
231	Randomised clinical trial: symptoms of the irritable bowel syndrome are improved by a psycho-education group intervention. <i>Alimentary Pharmacology and Therapeutics</i> , 2013 , 37, 304-15	6.1	41
230	Fatigue is not a specific symptom in patients with primary biliary cirrhosis. <i>European Journal of Gastroenterology and Hepatology</i> , 2005 , 17, 351-7	2.2	39
229	Management of the multiple symptoms of irritable bowel syndrome. <i>The Lancet Gastroenterology and Hepatology</i> , 2017 , 2, 112-122	18.8	38

228	Diabetic autonomic neuropathy affects symptom generation and brain-gut axis. <i>Diabetes Care</i> , 2013 , 36, 3698-705	14.6	38
227	Increased Prevalence of Rare Sucrase-isomaltase Pathogenic[Variants in Irritable Bowel Syndrome Patients. <i>Clinical Gastroenterology and Hepatology</i> , 2018 , 16, 1673-1676	6.9	37
226	A randomized, double-blind, placebo-controlled trial to evaluate the efficacy, safety, and tolerability of long-term treatment with prucalopride. <i>Neurogastroenterology and Motility</i> , 2015 , 27, 80)5 ⁴ 15	37
225	Oxytocin stimulates colonic motor activity in healthy women. <i>Neurogastroenterology and Motility</i> , 2004 , 16, 233-40	4	37
224	Effect of heavy exercise on gastrointestinal transit in endurance athletes. <i>Scandinavian Journal of Gastroenterology</i> , 2011 , 46, 673-7	2.4	36
223	Hypervigilance in irritable bowel syndrome compared with organic gastrointestinal disease. <i>Journal of Psychosomatic Research</i> , 2009 , 66, 399-405	4.1	36
222	Predictors of subjective fatigue in chronic gastrointestinal disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2008 , 28, 638-47	6.1	36
221	Gastric electrical stimulation for intractable vomiting in patients with chronic intestinal pseudoobstruction. <i>Neurogastroenterology and Motility</i> , 2006 , 18, 823-30	4	36
220	Abnormal levels of neuropeptide Y and peptide YY in the colon in irritable bowel syndrome. <i>European Journal of Gastroenterology and Hepatology</i> , 2003 , 15, 55-62	2.2	36
219	Economic burden of moderate to severe irritable bowel syndrome with constipation in six European countries. <i>BMC Gastroenterology</i> , 2019 , 19, 69	3	35
218	Lactulose Challenge Determines Visceral Sensitivity and Severity of Symptoms in Patients With Irritable Bowel Syndrome. <i>Clinical Gastroenterology and Hepatology</i> , 2016 , 14, 226-33.e1-3	6.9	35
217	Long-term effects of hypnotherapy in patients with refractory irritable bowel syndrome. <i>Scandinavian Journal of Gastroenterology</i> , 2012 , 47, 414-20	2.4	35
216	Peripheral factors in the pathophysiology of irritable bowel syndrome. <i>Digestive and Liver Disease</i> , 2009 , 41, 788-93	3.3	35
215	Acid infusion enhances duodenal mechanosensitivity in healthy subjects. <i>American Journal of Physiology - Renal Physiology</i> , 2003 , 285, G309-15	5.1	35
214	Interaction between preprandial and postprandial rectal sensory and motor abnormalities in IBS. <i>Gut</i> , 2014 , 63, 1441-9	19.2	34
213	Hot topics in gut microbiota. <i>United European Gastroenterology Journal</i> , 2013 , 1, 311-8	5.3	34
212	miR-16 and miR-103 impact 5-HT receptor signalling and correlate with symptom profile in irritable bowel syndrome. <i>Scientific Reports</i> , 2017 , 7, 14680	4.9	33
211	Elevated motility-related transmucosal potential difference in the upper small intestine in the irritable bowel syndrome. <i>Neurogastroenterology and Motility</i> , 2007 , 19, 812-20	4	33

(2013-2019)

210	Anxiety and depression in irritable bowel syndrome: Exploring the interaction with other symptoms and pathophysiology using multivariate analyses. <i>Neurogastroenterology and Motility</i> , 2019 , 31, e13619	4	32
209	Percutaneous implantation of gastric electrodes - a novel technique applied in animals and in patients. <i>Neurogastroenterology and Motility</i> , 2007 , 19, 103-9	4	32
208	Understanding the Gut Microbiota in Inflammatory and Functional Gastrointestinal Diseases. <i>Psychosomatic Medicine</i> , 2017 , 79, 857-867	3.7	31
207	Female-Specific Association Between Variants on Chromosome 9 and Self-Reported Diagnosis of Irritable Bowel Syndrome. <i>Gastroenterology</i> , 2018 , 155, 168-179	13.3	31
206	Revisiting concepts of visceral nociception in irritable bowel syndrome. <i>European Journal of Pain</i> , 2012 , 16, 1444-54	3.7	31
205	CD4+CD25+ regulatory T cells in irritable bowel syndrome patients. <i>Neurogastroenterology and Motility</i> , 2007 , 19, 119-25	4	31
204	Impact of sex and psychological factors on the water loading test in functional dyspepsia. <i>Scandinavian Journal of Gastroenterology</i> , 2001 , 36, 725-30	2.4	31
203	The Dietary Management of Patients with Irritable Bowel Syndrome: A Narrative Review of the Existing and Emerging Evidence. <i>Nutrients</i> , 2019 , 11,	6.7	28
202	Serum IL-17A in newly diagnosed treatment-naive patients with ulcerative colitis reflects clinical disease severity and predicts the course of disease. <i>Inflammatory Bowel Diseases</i> , 2013 , 19, 2433-9	4.5	28
201	Quality of life and illness costs in irritable bowel syndrome. <i>Digestion</i> , 2004 , 69, 254-61	3.6	28
200	High interdigestive and postprandial motilin levels in patients with the irritable bowel syndrome. <i>Neurogastroenterology and Motility</i> , 2005 , 17, 51-7	4	28
199	Small intestinal bacterial overgrowth as a cause for irritable bowel syndrome: guilty or not guilty?. <i>Current Opinion in Gastroenterology</i> , 2017 , 33, 196-202	3	27
198	Evidence of altered mucosa-associated and fecal microbiota composition in patients with Irritable Bowel Syndrome. <i>Scientific Reports</i> , 2020 , 10, 593	4.9	27
197	Association between visceral, cardiac and sensorimotor polyneuropathies in diabetes mellitus. Journal of Diabetes and Its Complications, 2014 , 28, 370-7	3.2	27
196	Psychological factors selectively upregulate rectal pain perception in hypersensitive patients with irritable bowel syndrome. <i>Neurogastroenterology and Motility</i> , 2015 , 27, 1772-82	4	27
195	Altered brain microstructure assessed by diffusion tensor imaging in patients with diabetes and gastrointestinal symptoms. <i>Diabetes Care</i> , 2013 , 36, 662-8	14.6	27
194	Measurement of gastric emptying by radiopaque markers in patients with diabetes: correlation with scintigraphy and upper gastrointestinal symptoms. <i>Neurogastroenterology and Motility</i> , 2013 , 25, e224-32	4	27
193	A combined nutrient and lactulose challenge test allows symptom-based clustering of patients with irritable bowel syndrome. <i>American Journal of Gastroenterology</i> , 2013 , 108, 786-95	0.7	26

192	Inflammation as a cause of functional bowel disorders. <i>Scandinavian Journal of Gastroenterology</i> , 2005 , 40, 1140-8	2.4	26
191	Symptom pattern following a meal challenge test in patients with irritable bowel syndrome and healthy controls. <i>United European Gastroenterology Journal</i> , 2013 , 1, 358-67	5.3	25
190	Phenotyping of subjects for large scale studies on patients with IBS. <i>Neurogastroenterology and Motility</i> , 2016 , 28, 1134-47	4	25
189	polymorphisms associated with increased risk of IBS-C and IBS-M. <i>Gut</i> , 2017 , 66, 1725-1727	19.2	24
188	Clinical and Cost Effectiveness of Online Cognitive Behavioral Therapy in Children With Functional Abdominal Pain Disorders. <i>Clinical Gastroenterology and Hepatology</i> , 2019 , 17, 2236-2244.e11	6.9	24
187	Use of antibiotics in infancy and childhood and risk of recurrent abdominal paina Swedish birth cohort study. <i>Neurogastroenterology and Motility</i> , 2014 , 26, 841-50	4	24
186	Prevalence of gastrointestinal symptoms in patients with chronic obstructive pulmonary disease. European Journal of Gastroenterology and Hepatology, 2008 , 20, 335-41	2.2	24
185	Fifteen years' experience of intestinal and multivisceral transplantation in the Nordic countries. <i>Scandinavian Journal of Gastroenterology</i> , 2015 , 50, 278-90	2.4	23
184	Macrostructural brain changes in patients with longstanding type 1 diabetes mellitus - a cortical thickness analysis study. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2013 , 121, 354-60	2.3	23
183	Factors affecting satisfaction with treatment in European women with chronic constipation: An internet survey. <i>United European Gastroenterology Journal</i> , 2013 , 1, 375-84	5.3	23
182	Infliximab inhibits activation and effector functions of peripheral blood T cells in vitro from patients with clinically active ulcerative colitis. <i>Scandinavian Journal of Immunology</i> , 2013 , 78, 275-84	3.4	23
181	Effects of the long-term storage of human fecal microbiota samples collected in RNAlater. <i>Scientific Reports</i> , 2019 , 9, 601	4.9	22
180	Development of an educational intervention for patients with Irritable Bowel Syndrome (IBS): a pilot study. <i>BMC Gastroenterology</i> , 2009 , 9, 10	3	22
179	A comparison of a short nurse-based and a long multidisciplinary version of structured patient education in irritable bowel syndrome. <i>European Journal of Gastroenterology and Hepatology</i> , 2012 , 24, 950-7	2.2	22
178	Effects of duodenal lipids on gastric sensitivity and relaxation in patients with ulcer-like and dysmotility-like dyspepsia. <i>Digestion</i> , 2003 , 67, 209-17	3.6	22
177	Evidence-based and mechanistic insights into exclusion diets for IBS. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2020 , 17, 406-413	24.2	21
176	The role of diet in irritable bowel syndrome: implications for dietary advice. <i>Journal of Internal Medicine</i> , 2019 , 286, 490-502	10.8	21
175	How patients with long-term experience of living with irritable bowel syndrome manage illness in daily life: a qualitative study. <i>European Journal of Gastroenterology and Hepatology</i> , 2013 , 25, 1478-83	2.2	21

174	Temporary percutaneous gastric electrical stimulation: a novel technique tested in patients with non-established indications for gastric electrical stimulation. <i>Digestion</i> , 2011 , 83, 3-12	3.6	21
173	Lipid-induced colonic hypersensitivity in irritable bowel syndrome: the role of 5-HT3 receptors. <i>Alimentary Pharmacology and Therapeutics</i> , 2003 , 17, 279-87	6.1	21
172	Mixture model analysis identifies irritable bowel syndrome subgroups characterised by specific profiles of gastrointestinal, extraintestinal somatic and psychological symptoms. <i>Alimentary Pharmacology and Therapeutics</i> , 2017 , 46, 529-539	6.1	20
171	A pilot study of colonic B cell pattern in irritable bowel syndrome. <i>Scandinavian Journal of Gastroenterology</i> , 2008 , 43, 1461-6	2.4	20
170	Role of gastric sensorimotor dysfunction in gastrointestinal symptoms and energy intake in liver cirrhosis. <i>Scandinavian Journal of Gastroenterology</i> , 2007 , 42, 237-46	2.4	20
169	A Pilot Study of the Effect of Aloe barbadensis Mill. Extract (AVH2001) in Patients with Irritable Bowel Syndrome: a Randomized, Double-Blind, Placebo-Controlled Study. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2015 , 24, 275-80	1.4	20
168	The overlap between irritable bowel syndrome and organic gastrointestinal diseases. <i>The Lancet Gastroenterology and Hepatology</i> , 2021 , 6, 139-148	18.8	20
167	Coping Skills Are Associated With Gastrointestinal Symptom Severity and Somatization in Patients With Irritable Bowel Syndrome. <i>Clinical Gastroenterology and Hepatology</i> , 2017 , 15, 1565-1571.e3	6.9	19
166	Are the definitions for chronic diarrhoea adequate? Evaluation of two different definitions in patients with chronic diarrhoea. <i>United European Gastroenterology Journal</i> , 2015 , 3, 381-6	5.3	19
165	Internet-delivered cognitive behavior therapy for adolescents with functional gastrointestinal disorders [An open trial. <i>Internet Interventions</i> , 2014 , 1, 141-148	4.4	19
164	Fatigue: a distressing symptom for patients with irritable bowel syndrome. <i>Neurogastroenterology and Motility</i> , 2017 , 29, e12898	4	19
163	Allergy-related diseases and recurrent abdominal pain during childhood - a birth cohort study. <i>Alimentary Pharmacology and Therapeutics</i> , 2014 , 40, 1349-58	6.1	19
162	Impact of dialysis on gastroesophageal reflux, dyspepsia, and proton pump inhibitor treatment in patients with chronic renal failure. <i>European Journal of Gastroenterology and Hepatology</i> , 2009 , 21, 137	-42 ²	19
161	A Perspective on Brain-Gut Communication: The American Gastroenterology Association and American Psychosomatic Society Joint Symposium on Brain-Gut Interactions and the Intestinal Microenvironment. <i>Psychosomatic Medicine</i> , 2017 , 79, 847-856	3.7	18
160	Patient satisfaction after gut-directed hypnotherapy in irritable bowel syndrome. Neurogastroenterology and Motility, 2013 , 25, 169-e86	4	18
159	The gendered impact of Irritable Bowel Syndrome: a qualitative study of patients' experiences. Journal of Advanced Nursing, 2014 , 70, 1334-43	3.1	18
158	Meditation over medication for irritable bowel syndrome? On exercise and alternative treatments for irritable bowel syndrome. <i>Current Gastroenterology Reports</i> , 2012 , 14, 283-9	5	18
157	Oxytocin reduces satiety scores without affecting the volume of nutrient intake or gastric emptying rate in healthy subjects. <i>Neurogastroenterology and Motility</i> , 2011 , 23, 56-61, e5	4	18

156	Hypnosis for irritable bowel syndrome: the quest for the mechanism of action. <i>International Journal of Clinical and Experimental Hypnosis</i> , 2006 , 54, 65-84	1.8	18
155	More similarities than differences between men and women with irritable bowel syndrome. <i>Neurogastroenterology and Motility</i> , 2015 , 27, 796-804	4	17
154	IBS with intestinal microbial dysbiosis: a new and clinically relevant subgroup?. <i>Gut</i> , 2014 , 63, 1685-6	19.2	17
153	Methods to assess gastric motility and sensation. <i>Scandinavian Journal of Gastroenterology</i> , 2008 , 43, 1285-95	2.4	17
152	Normal values and regional differences in oesophageal impedance-pH metrics: a consensus analysis of impedance-pH studies from around the world. <i>Gut</i> , 2020 ,	19.2	17
151	Subgroups of IBS patients are characterized by specific, reproducible profiles of GI and non-GI symptoms and report differences in healthcare utilization: A population-based study. <i>Neurogastroenterology and Motility</i> , 2019 , 31, e13483	4	17
150	Heart rate variability characteristics of patients with irritable bowel syndrome and associations with symptoms. <i>Neurogastroenterology and Motility</i> , 2018 , 30, e13320	4	16
149	Functional Dyspepsia and Severity of Psychologic Symptoms Associate With Postprandial Symptoms in Patients With Irritable Bowel Syndrome. <i>Clinical Gastroenterology and Hepatology</i> , 2018 , 16, 1745-1753.e1	6.9	16
148	The Rome II and Rome III criteria identify the same subtype-populations in irritable bowel syndrome: agreement depends on the method used for symptom report. <i>Neurogastroenterology and Motility</i> , 2012 , 24, 604-11, e266	4	16
147	Esophageal distension parameters as potential biomarkers of impaired gastrointestinal function in diabetes patients. <i>Neurogastroenterology and Motility</i> , 2012 , 24, 1016-e544	4	16
146	Brain networks encoding rectal sensation in type 1 diabetes. <i>Neuroscience</i> , 2013 , 237, 96-105	3.9	16
145	Probiotics in irritable bowel syndrome: underachievers or underpowered? authors[reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2010 , 31, 923-924	6.1	16
144	Fecal chromogranins and secretogranins are increased in patients with ulcerative colitis but are not associated with disease activity. <i>Journal of Crohnps and Colitis</i> , 2013 , 7, e615-22	1.5	15
143	Survival of patients evaluated for intestinal and multivisceral transplantation - the Scandinavian experience. <i>Scandinavian Journal of Gastroenterology</i> , 2013 , 48, 702-11	2.4	15
142	A GCMS-based metabonomic investigation of blood serum from irritable bowel syndrome patients undergoing intervention with acidified milk products. <i>European Food Research and Technology</i> , 2011 , 233, 1013-1021	3.4	15
141	The serum metabolite response to diet intervention with probiotic acidified milk in irritable bowel syndrome patients is indistinguishable from that of non-probiotic acidified milk by 1H NMR-based metabonomic analysis. <i>Nutrients</i> , 2010 , 2, 1141-55	6.7	15
140	Increased TLR2 expression on blood monocytes in irritable bowel syndrome patients. <i>European Journal of Gastroenterology and Hepatology</i> , 2012 , 24, 398-405	2.2	15
139	Autonomic nervous system function predicts the inflammatory response over three years in newly diagnosed ulcerative colitis patients. <i>Neurogastroenterology and Motility</i> , 2016 , 28, 1655-1662	4	15

(2017-2018)

138	Development, content validity, and cross-cultural adaptation of a patient-reported outcome measure for real-time symptom assessment in irritable bowel syndrome. <i>Neurogastroenterology and Motility</i> , 2018 , 30, e13244	4	15	
137	Plausibility criteria for putative pathophysiological mechanisms in functional gastrointestinal disorders: a consensus of experts. <i>Gut</i> , 2018 , 67, 1425-1433	19.2	15	
136	The esophageal multimodal pain model: normal values and degree of sensitization in healthy young male volunteers. <i>Digestive Diseases and Sciences</i> , 2011 , 56, 1967-75	4	14	
135	Efficient diagnosis of suspected functional bowel disorders. <i>Nature Reviews Gastroenterology & Hepatology</i> , 2008 , 5, 498-507		14	
134	Functional dyspepsia: evaluation and treatment. <i>Gastroenterology Clinics of North America</i> , 2003 , 32, 577-99	4.4	14	
133	Treating Fecal Incontinence: An Unmet Need in Primary Care Medicine. <i>North Carolina Medical Journal</i> , 2016 , 77, 211-5	0.6	14	
132	Human milk oligosaccharide supplementation in irritable bowel syndrome patients: A parallel, randomized, double-blind, placebo-controlled study. <i>Neurogastroenterology and Motility</i> , 2020 , 32, e139	9 2 0	13	
131	Psychological distress, iron deficiency, active disease and female gender are independent risk factors for fatigue in patients with ulcerative colitis. <i>United European Gastroenterology Journal</i> , 2018 , 6, 148-158	5.3	13	
130	Rectal sensitivity in diabetes patients with symptoms of gastroparesis. <i>Journal of Diabetes Research</i> , 2014 , 2014, 784841	3.9	13	
129	Fecal Incontinence Diagnosed by the Rome IV Criteria in the United States, Canada, and the United Kingdom. <i>Clinical Gastroenterology and Hepatology</i> , 2020 , 18, 385-391	6.9	13	
128	Relations between food intake, psychological distress, and gastrointestinal symptoms: A diary study. <i>United European Gastroenterology Journal</i> , 2019 , 7, 965-973	5.3	12	
127	Development of Irritable Bowel Syndrome Features Over a 5-year Period. <i>Clinical Gastroenterology and Hepatology</i> , 2018 , 16, 1244-1251.e1	6.9	12	
126	Relationships between psychological state, abuse, somatization and visceral pain sensitivity in irritable bowel syndrome. <i>United European Gastroenterology Journal</i> , 2018 , 6, 300-309	5.3	12	
125	Patients' experiences of healthcare encounters in severe irritable bowel syndrome: an analysis based on narrative and feminist theory. <i>Journal of Clinical Nursing</i> , 2016 , 25, 2967-78	3.2	12	
124	Fecal incontinence in irritable bowel syndrome: Prevalence and associated factors in Swedish and American patients. <i>Neurogastroenterology and Motility</i> , 2017 , 29, e12919	4	12	
123	Indirect evidence for increased mechanosensitivity of jejunal secretomotor neurones in patients with idiopathic bile acid malabsorption. <i>Acta Physiologica</i> , 2009 , 197, 129-37	5.6	12	
122	Integrity of central nervous function in diabetes mellitus assessed by resting state EEG frequency analysis and source localization. <i>Journal of Diabetes and Its Complications</i> , 2017 , 31, 400-406	3.2	11	
121	The Mucosal Antibacterial Response Profile and Fecal Microbiota Composition Are Linked to the Disease Course in Patients with Newly Diagnosed Ulcerative Colitis. <i>Inflammatory Bowel Diseases</i> , 2017 , 23, 956-966	4.5	11	

120	Nurse-Administered, Gut-Directed Hypnotherapy in IBS: Efficacy and Factors Predicting a Positive Response. <i>American Journal of Clinical Hypnosis</i> , 2015 , 58, 100-14	0.6	11
119	Factor Analysis Defines Distinct Upper and Lower Gastrointestinal Symptom Groups Compatible With Rome IV Criteria in a Population-based Study. <i>Clinical Gastroenterology and Hepatology</i> , 2018 , 16, 1252-1259.e5	6.9	11
118	Bloating and abdominal distention: not so poorly understood anymore!. <i>Gastroenterology</i> , 2009 , 136, 1487-90	13.3	11
117	What do patients with irritable bowel syndrome know about their disorder and how do they use their knowledge?. <i>Gastroenterology Nursing</i> , 2009 , 32, 284-92	1	11
116	Greater Overlap of Rome IV Disorders of Gut-Brain Interactions Leads to Increased Disease Severity and Poorer Quality of Life. <i>Clinical Gastroenterology and Hepatology</i> , 2021 ,	6.9	11
115	Association between and irritable bowel syndrome with diarrhoea. <i>Gut</i> , 2021 , 70, 1117-1129	19.2	11
114	Neither self-reported atopy nor IgE-mediated allergy are linked to gastrointestinal symptoms in patients with irritable bowel syndrome. <i>Neurogastroenterology and Motility</i> , 2018 , 30, e13379	4	10
113	The importance of a person-centered approach in diagnostic workups of patients with irritable bowel syndrome: a qualitative study. <i>Gastroenterology Nursing</i> , 2013 , 36, 443-51	1	10
112	Abdominal tenderness in ascites patients indicates spontaneous bacterial peritonitis. <i>European Journal of Internal Medicine</i> , 2007 , 18, 44-7	3.9	10
111	Cumulative Effect of Psychological Alterations on Gastrointestinal Symptom Severity in Irritable Bowel Syndrome. <i>American Journal of Gastroenterology</i> , 2021 , 116, 769-779	0.7	10
110	Biomarkers to distinguish functional constipation from irritable bowel syndrome with constipation. <i>Neurogastroenterology and Motility</i> , 2016 , 28, 783-92	4	10
109	Rome IV Functional Gastrointestinal Disorders and Health Impairment in Subjects With Hypermobility Spectrum Disorders or Hypermobile Ehlers-Danlos Syndrome. <i>Clinical Gastroenterology and Hepatology</i> , 2021 , 19, 277-287.e3	6.9	10
108	The endoscopic surveillance of the transplanted small intestine: a single center experience and a proposal for a grading score. <i>Scandinavian Journal of Gastroenterology</i> , 2018 , 53, 134-139	2.4	10
107	Systemic cytokines are elevated in a subset of patients with irritable bowel syndrome but largely unrelated to symptom characteristics. <i>Neurogastroenterology and Motility</i> , 2018 , 30, e13378	4	10
106	Mucosal and Systemic Immune Profiles Differ During Early and Late Phases of the Disease in Patients With Active Ulcerative Colitis. <i>Journal of Crohnps and Colitis</i> , 2019 , 13, 1450-1458	1.5	9
105	Pre- and perinatal stress and irritable bowel syndrome in young adults - A nationwide register-based cohort study. <i>Neurogastroenterology and Motility</i> , 2018 , 30, e13436	4	9
104	The severity of inflammation at onset of ulcerative colitis is not associated with IBS-like symptoms during clinical remission. <i>Journal of Crohnps and Colitis</i> , 2015 , 9, 776-83	1.5	9
103	Moderate hyperkalemia in hospitalized patients with cirrhotic ascites indicates a poor prognosis. <i>Scandinavian Journal of Gastroenterology</i> , 2013 , 48, 358-65	2.4	9

(2021-2013)

102	Exploration of the effects of gender and mild esophagitis on esophageal pain thresholds in the normal and sensitized state of asymptomatic young volunteers. <i>Neurogastroenterology and Motility</i> , 2013 , 25, 766-e580	4	9
101	Effects on gastrointestinal transit and antroduodenojejunal manometry after gut-directed hypnotherapy in irritable bowel syndrome (IBS). <i>Scandinavian Journal of Gastroenterology</i> , 2012 , 47, 148	3 6:4	9
100	Nutritional aspects in patients with functional gastrointestinal disorders and motor dysfunction in the gut. Working team report of the Swedish Motility Group (SMoG). <i>Digestive and Liver Disease</i> , 2007 , 39, 495-504	3.3	9
99	Systemic Inflammatory Protein Profiles Distinguish Irritable Bowel Syndrome (IBS) and Ulcerative Colitis, Irrespective of Inflammation or IBS-Like Symptoms. <i>Inflammatory Bowel Diseases</i> , 2020 , 26, 874-	8 8 4	9
98	Colonic mast cell numbers, symptom profile, and mucosal expression of elements of the epithelial barrier in irritable bowel syndrome. <i>Neurogastroenterology and Motility</i> , 2019 , 31, e13701	4	8
97	CD25 and TNF receptor II reflect early primary response to infliximab therapy in patients with ulcerative colitis. <i>United European Gastroenterology Journal</i> , 2013 , 1, 467-76	5.3	8
96	Adherence to diet low in fermentable carbohydrates and traditional diet for irritable bowel syndrome. <i>Nutrition</i> , 2020 , 73, 110719	4.8	8
95	Development of a real-time patient-reported outcome measure for symptom assessment in patients with functional dyspepsia using the experience sampling method. <i>Neurogastroenterology and Motility</i> , 2019 , 31, e13496	4	8
94	Altered intestinal antibacterial gene expression response profile in irritable bowel syndrome is linked to bacterial composition and immune activation. <i>Neurogastroenterology and Motility</i> , 2018 , 30, e13468	4	8
93	Patient preferences for endpoints in fecal incontinence treatment studies. <i>Neurogastroenterology and Motility</i> , 2017 , 29, e13032	4	7
92	Symptoms compatible with functional bowel disorders are common in patients with quiescent ulcerative colitis and influence the quality of life but not the course of the disease. <i>Therapeutic Advances in Gastroenterology</i> , 2019 , 12, 1756284819827689	4.7	7
91	Fasting breath H2 and gut microbiota metabolic potential are associated with the response to a fermented milk product in irritable bowel syndrome. <i>PLoS ONE</i> , 2019 , 14, e0214273	3.7	7
90	Person-centred inpatient care - A quasi-experimental study in an internal medicine context. <i>Journal of Advanced Nursing</i> , 2019 , 75, 1678-1689	3.1	7
89	A survey on the impact of the COVID-19 pandemic on motility and functional investigations in Europe and considerations for recommencing activities in the early recovery phase. Neurogastroenterology and Motility, 2020, 32, e13926	4	7
88	Associations among neurophysiology measures in irritable bowel syndrome (IBS) and their relevance for IBS symptoms. <i>Scientific Reports</i> , 2020 , 10, 9794	4.9	7
87	Health problems associated with irritable bowel syndrome: analysis of a primary care registry. <i>Alimentary Pharmacology and Therapeutics</i> , 2018 , 47, 1349-1357	6.1	7
86	Functional gastrointestinal disorders are increased in joint hypermobility-related disorders with concomitant postural orthostatic tachycardia syndrome. <i>Neurogastroenterology and Motility</i> , 2020 , 32, e13975	4	7
85	Central sensitization and severity of gastrointestinal symptoms in irritable bowel syndrome, chronic pain syndromes, and inflammatory bowel disease. <i>Neurogastroenterology and Motility</i> , 2021 , 33, e14156	4	7

84	The placebo response rate in pharmacological trials in patients with irritable bowel syndrome: a systematic review and meta-analysis. <i>The Lancet Gastroenterology and Hepatology</i> , 2021 , 6, 459-473	18.8	7
83	Fecal chromogranins and secretogranins are linked to the fecal and mucosal intestinal bacterial composition of IBS patients and healthy subjects. <i>Scientific Reports</i> , 2018 , 8, 16821	4.9	7
82	Practical management of irritable bowel syndrome: a clinical review. <i>Minerva Gastroenterologica E Dietologica</i> , 2016 , 62, 30-48	1.6	7
81	An expert consensus definition of failure of a treatment to provide adequate relief (F-PAR) for chronic constipation - an international Delphi survey. <i>Alimentary Pharmacology and Therapeutics</i> , 2017 , 45, 434-442	6.1	6
80	Fecal microbiota composition is linked to the postoperative disease course in patients with Crohn's disease. <i>BMC Gastroenterology</i> , 2020 , 20, 130	3	6
79	Breath Testing Consensus Guidelines for SIBO: RES IPSA LOCQUITOR. <i>American Journal of Gastroenterology</i> , 2017 , 112, 1888-1889	0.7	6
78	The Short Health Scale: A Simple, Valid, Reliable, and Responsive Way of Measuring Subjective Health in Patients With Irritable Bowel Syndrome. <i>Journal of Clinical Gastroenterology</i> , 2015 , 49, 565-70	3	6
77	Health care utilization of individuals with Rome IV irritable bowel syndrome in the general population. <i>United European Gastroenterology Journal</i> , 2021 ,	5.3	6
76	Diet and gut microbiome interactions of relevance for symptoms in irritable bowel syndrome. <i>Microbiome</i> , 2021 , 9, 74	16.6	6
75	A Distinct Faecal Microbiota and Metabolite Profile Linked to Bowel Habits in Patients with Irritable Bowel Syndrome. <i>Cells</i> , 2021 , 10,	7.9	6
74	Validation of Fatigue Impact Scale with various item sets - a Rasch analysis. <i>Disability and Rehabilitation</i> , 2019 , 41, 840-846	2.4	6
73	Oesophageal symptoms are common and associated with other functional gastrointestinal disorders (FGIDs) in an English-speaking Western population. <i>United European Gastroenterology Journal</i> , 2018 , 6, 1461-1469	5.3	6
72	Food Avoidance and Restriction in Irritable Bowel Syndrome: Relevance for Symptoms, Quality of Life and Nutrient Intake. <i>Clinical Gastroenterology and Hepatology</i> , 2021 ,	6.9	6
71	Effects of conventional and a novel colonic-release bile acid sequestrant, A3384, on fibroblast growth factor 19 and bile acid metabolism in healthy volunteers and patients with bile acid diarrhoea. <i>United European Gastroenterology Journal</i> , 2017 , 5, 380-388	5.3	5
70	Resting state functional connectivity of the pain matrix and default mode network in irritable bowel syndrome: a graph theoretical analysis. <i>Scientific Reports</i> , 2020 , 10, 11015	4.9	5
69	Funding for gastrointestinal disease research in the European Union. <i>The Lancet Gastroenterology and Hepatology</i> , 2018 , 3, 593-595	18.8	5
68	Postprandial plasma glucose response and gastrointestinal symptom severity in patients with diabetic gastroparesis. <i>Journal of Diabetes Science and Technology</i> , 2014 , 8, 881-8	4.1	5
67	A slow caloric satiety drinking test in patients with temporary and permanent gastric electrical stimulation. <i>European Journal of Gastroenterology and Hepatology</i> , 2010 , 22, 926-32	2.2	5

66	Quality of life in irritable bowel syndrome: measurement techniques and relevance of current knowledge. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2003 , 3, 75-88	2.2	5
65	Undergoing repeated colonoscopies - experiences from patients with inflammatory bowel disease. <i>Scandinavian Journal of Gastroenterology</i> , 2019 , 54, 1467-1472	2.4	5
64	Prevalence and Progression of Recurrent Abdominal Pain, From Early Childhood to Adolescence. <i>Clinical Gastroenterology and Hepatology</i> , 2021 , 19, 930-938.e8	6.9	5
63	Prevalence of Gastrointestinal Symptoms in Severe Acute Respiratory Syndrome Coronavirus 2 Infection: Results of the Prospective Controlled Multinational GI-COVID-19 Study. <i>American Journal of Gastroenterology</i> , 2021 , 117,	0.7	4
62	Patient-Specific Stress-Abdominal Pain Interaction in Irritable Bowel Syndrome: An Exploratory Experience Sampling Method Study. <i>Clinical and Translational Gastroenterology</i> , 2020 , 11, e00209	4.2	4
61	Psychometric evaluation of an experience sampling method-based patient-reported outcome measure in functional dyspepsia. <i>Neurogastroenterology and Motility</i> , 2021 , 33, e14136	4	4
60	Evidence of increased fecal granins in children with irritable bowel syndrome and correlates with symptoms. <i>Neurogastroenterology and Motility</i> , 2019 , 31, e13486	4	4
59	Visceral sensitivity remains stable over time in patients with irritable bowel syndrome, but with individual fluctuations. <i>Neurogastroenterology and Motility</i> , 2019 , 31, e13603	4	3
58	Gastrointestinal motility and neurogastroenterology. <i>Scandinavian Journal of Gastroenterology</i> , 2015 , 50, 685-97	2.4	3
57	Randomized clinical trial: Effects of Aloe barbadensis Mill. extract on symptoms, fecal microbiota and fecal metabolite profiles in patients with irritable bowel syndrome. <i>Neurogastroenterology and Motility</i> , 2020 , 32, e13860	4	3
56	Mindfulness-based stress reduction in patients with irritable bowel syndrome. <i>Alimentary Pharmacology and Therapeutics</i> , 2011 , 34, 578-9; author reply 579-80	6.1	3
55	Human Milk Oligosaccharides Support Normal Bowel Function and Improve Symptoms of Irritable Bowel Syndrome: A Multicenter, Open-Label Trial. <i>Clinical and Translational Gastroenterology</i> , 2020 , 11, e00276	4.2	3
54	Habitual FODMAP Intake in Relation to Symptom Severity and Pattern in Patients with Irritable Bowel Syndrome. <i>Nutrients</i> , 2020 , 13,	6.7	3
53	Mill. extract improves symptoms in IBS patients with diarrhoea: post hoc analysis of two randomized double-blind controlled studies. <i>Therapeutic Advances in Gastroenterology</i> , 2021 , 14, 1756	28 4 821	1048133
52	Within- and Between-Subject Variation in Dietary Intake of Fermentable Oligo-, Di-, Monosaccharides, and Polyols Among Patients with Irritable Bowel Syndrome. <i>Current Developments in Nutrition</i> , 2019 , 3, nzy101	0.4	3
51	Chronic constipation in adults: Contemporary perspectives and clinical challenges. 1: Epidemiology, diagnosis, clinical associations, pathophysiology and investigation. <i>Neurogastroenterology and Motility</i> , 2021 , 33, e14050	4	3
50	In search for a disease-modifying treatment in irritable bowel syndrome. <i>Gut</i> , 2016 , 65, 2-3	19.2	2
49	Muscle performance and fatigue in compensated chronic liver disease. <i>Scandinavian Journal of Gastroenterology</i> , 2019 , 54, 925-933	2.4	2

48	Tu1437 Autonomic Nervous Function Assessed by Two Complementary Methods -Baroreceptor Sensitivity and Heart Rate Variability - in Patients With Irritable Bowel Syndrome (IBS). Gastroenterology, 2012 , 142, S-832	13.3	2
47	Predictors of Symptom-Specific Treatment Response to Dietary Interventions in Irritable Bowel Syndrome <i>Nutrients</i> , 2022 , 14,	6.7	2
46	Patient safety before and after implementing person-centred inpatient care - A quasi-experimental study. <i>Journal of Clinical Nursing</i> , 2020 , 29, 602-612	3.2	2
45	A novel stepwise integrative analysis pipeline reveals distinct microbiota-host interactions and link to symptoms in irritable bowel syndrome. <i>Scientific Reports</i> , 2021 , 11, 5521	4.9	2
44	Online Education Is Non-Inferior to Group Education for Irritable Bowel Syndrome: A Randomized Trial and Patient Preference Trial. <i>Clinical Gastroenterology and Hepatology</i> , 2021 , 19, 743-751.e1	6.9	2
43	Association between pain sensitivity and gray matter properties in the sensorimotor network in women with irritable bowel syndrome. <i>Neurogastroenterology and Motility</i> , 2021 , 33, e14027	4	2
42	Chronic constipation in adults: Contemporary perspectives and clinical challenges. 2: Conservative, behavioural, medical and surgical treatment. <i>Neurogastroenterology and Motility</i> , 2021 , 33, e14070	4	2
41	GWAS of stool frequency provides insights into gastrointestinal motility and irritable bowel syndrome <i>Cell Genomics</i> , 2021 , 1, None		2
40	Diagnostic Evaluation of Gastric Motor and Sensory Disorders <i>American Journal of Gastroenterology</i> , 2021 , 116, 2345-2356	0.7	2
39	Positive Effect of Bimodal Release Ondansetron in Irritable Bowel Syndrome With Diarrhea: Relevance of Low-Grade Inflammation?. <i>American Journal of Gastroenterology</i> , 2020 , 115, 1976-1978	0.7	1
38	Major Trends in Gastroenterology and Hepatology Between 2010 and 2019: An Overview of Advances From the Past Decade Selected by the Editorial Board of The American Journal of Gastroenterology, 2020 , 115, 1007-1018	0.7	1
37	Authors' response: bile acids are important in the pathophysiology of IBS. <i>Gut</i> , 2015 , 64, 851-2	19.2	1
36	Letter in response to Black et al. (2020) Neurogastroenterology and Motility, 2022, e14329	4	1
35	Gut microbiome, diet and symptom interactions in irritable bowel syndrome		1
34	Changes in serum and urinary metabolomic profile after a dietary intervention in patients with irritable bowel syndrome. <i>PLoS ONE</i> , 2021 , 16, e0257331	3.7	1
33	GWAS of stool frequency reveals genes, pathways, and cell types relevant to human gastrointestinal motility and irritable bowel syndrome		1
32	The diagnostic value of a change in bowel habit for colorectal cancer within different age groups. <i>United European Gastroenterology Journal</i> , 2020 , 8, 211-219	5.3	1
31	Fecal microbiota dynamics during disease activity and remission in newly diagnosed and established ulcerative colitis. <i>Scientific Reports</i> , 2021 , 11, 8641	4.9	1

30	The alternative serotonin transporter promoter P2 impacts gene function in females with irritable bowel syndrome. <i>Journal of Cellular and Molecular Medicine</i> , 2021 , 25, 8047-8061	5.6	1
29	Functional Gastrointestinal Disorders and Associated Health Impairment in Individuals with Celiac Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2021 ,	6.9	1
28	An Intervention for Person-Centered Support in Irritable Bowel Syndrome: Development and Pilot Study. <i>Gastroenterology Nursing</i> , 2019 , 42, 332-341	1	1
27	Food-symptom diaries can generate personalized lifestyle advice for managing gastrointestinal symptoms: A pilot study. <i>Neurogastroenterology and Motility</i> , 2020 , 32, e13820	4	O
26	Responses to the Letter to the Editor by Brusciano et al. <i>Neurogastroenterology and Motility</i> , 2020 , 32, e13981	4	О
25	Visceral hypersensitivity is together with psychological distress and female gender associated with severity of IBS-like symptoms in quiescent ulcerative colitis. <i>Neurogastroenterology and Motility</i> , 2021 , 33, e13998	4	O
24	A randomized double-blind placebo-controlled crossover pilot study: Acute effects of the enzyme Balactosidase on gastrointestinal symptoms in irritable bowel syndrome patients. Neurogastroenterology and Motility, 2021 , 33, e14094	4	0
23	Allergy-related diseases in childhood and risk for abdominal pain-related functional gastrointestinal disorders at 16 years-a birth cohort study. <i>BMC Medicine</i> , 2021 , 19, 214	11.4	O
22	Gluten and fructan intake and their associations with gastrointestinal symptoms in irritable bowel syndrome: A food diary study. <i>Clinical Nutrition</i> , 2021 , 40, 5365-5372	5.9	0
21	Global prevalence and burden of meal-related abdominal pain BMC Medicine, 2022, 20, 71	11.4	O
20	Maintaining work life under threat of symptoms: a grounded theory study of work life experiences in persons with Irritable Bowel Syndrome <i>BMC Gastroenterology</i> , 2022 , 22, 73	3	0
19	Fecal luminal factors from patients with irritable bowel syndrome induce distinct gene expression of colonoids <i>Neurogastroenterology and Motility</i> , 2022 , e14390	4	0
18	Reply. <i>Gastroenterology</i> , 2016 , 150, 1047-8	13.3	
17	How to get your work published: Tricks and pearls. <i>United European Gastroenterology Journal</i> , 2017 , 5, 300-301	5.3	
16	UEG Week in Vienna 2016-advancing science, linking people. <i>United European Gastroenterology Journal</i> , 2015 , 3, 484	5.3	
15	Reflecting on a memorable UEG Week 2015 <i>United European Gastroenterology Journal</i> , 2015 , 3, 572	5.3	
14	Modality specific alterations of esophageal sensitivity caused by longstanding diabetes mellitus. <i>Scandinavian Journal of Pain</i> , 2012 , 3, 181-182	1.9	
13	Commentary: short-term stability of subtypes in the irritable bowel syndromes lauthors leply. <i>Alimentary Pharmacology and Therapeutics</i> , 2012 , 35, 850-851	6.1	

12	UEG Week Vienna 2014: New horizons, fresh ideas. <i>United European Gastroenterology Journal</i> , 2013 , 1, 403-4	5.3
11	General management of irritable bowel syndrome 2013 , 194-200	
10	Altering the gastrointestinal flora in patients with functional bowel disorders: a way ahead?. <i>Therapeutic Advances in Gastroenterology</i> , 2009 , 2, 5-8	4.7
9	The Role of Carbohydrates in Irritable Bowel Syndrome: Protocol for a Randomized Controlled Trial Comparing Three Different Treatment Options <i>JMIR Research Protocols</i> , 2022 , 11, e31413	2
8	Health-related quality of life in patients with long-standing ulcerative colitis in remission <i>Therapeutic Advances in Gastroenterology</i> , 2022 , 15, 17562848211062406	4.7
7	Small Intestinal Bacterial Overgrowth 2020 , 454-458	
6	Sequencing the Treatments277-299	
5	Reply: The key to success: Targeting enzymes to their dietary counterpart. <i>Neurogastroenterology and Motility</i> , 2021 , 33, e14203	4
4	Reply. Clinical Gastroenterology and Hepatology, 2016 , 14, 1222-3	6.9
3	Reply. Clinical Gastroenterology and Hepatology, 2019 , 17, 1002-1004	6.9
2	Bacterial overgrowth 2022 , 1155-1167	
1	Serotonin type 3 receptor subunit gene polymorphisms associated with psychosomatic symptoms in irritable bowel syndrome: A multicenter retrospective study. <i>World Journal of Gastroenterology</i> ,	5.6