

Magnus Simrn

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2947943/magnus-simren-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

335
papers

17,416
citations

68
h-index

122
g-index

360
ext. papers

21,362
ext. citations

5.8
avg, IF

6.95
L-index

#	Paper	IF	Citations
335	Predictors of Symptom-Specific Treatment Response to Dietary Interventions in Irritable Bowel Syndrome.. <i>Nutrients</i> , 2022 , 14,	6.7	2
334	The Role of Carbohydrates in Irritable Bowel Syndrome: Protocol for a Randomized Controlled Trial Comparing Three Different Treatment Options.. <i>JMIR Research Protocols</i> , 2022 , 11, e31413	2	
333	Letter in response to Black et al. (2020).. <i>Neurogastroenterology and Motility</i> , 2022 , e14329	4	1
332	Health-related quality of life in patients with long-standing ulcerative colitis in remission.. <i>Therapeutic Advances in Gastroenterology</i> , 2022 , 15, 17562848211062406	4.7	
331	Global prevalence and burden of meal-related abdominal pain.. <i>BMC Medicine</i> , 2022 , 20, 71	11.4	0
330	Maintaining work life under threat of symptoms: a grounded theory study of work life experiences in persons with Irritable Bowel Syndrome.. <i>BMC Gastroenterology</i> , 2022 , 22, 73	3	0
329	Bacterial overgrowth 2022 , 1155-1167		
328	Fecal luminal factors from patients with irritable bowel syndrome induce distinct gene expression of colonoids.. <i>Neurogastroenterology and Motility</i> , 2022 , e14390	4	0
327	Serotonin type 3 receptor subunit gene polymorphisms associated with psychosomatic symptoms in irritable bowel syndrome: A multicenter retrospective study. <i>World Journal of Gastroenterology</i> , 2022 , 28, 2334-2349	5.6	
326	Cumulative Effect of Psychological Alterations on Gastrointestinal Symptom Severity in Irritable Bowel Syndrome. <i>American Journal of Gastroenterology</i> , 2021 , 116, 769-779	0.7	10
325	Prevalence of Gastrointestinal Symptoms in Severe Acute Respiratory Syndrome Coronavirus 2 Infection: Results of the Prospective Controlled Multinational GI-COVID-19 Study. <i>American Journal of Gastroenterology</i> , 2021 , 117,	0.7	4
324	Mill. extract improves symptoms in IBS patients with diarrhoea: post hoc analysis of two randomized double-blind controlled studies. <i>Therapeutic Advances in Gastroenterology</i> , 2021 , 14, 17562848211048133	4.7	3
323	Health care utilization of individuals with Rome IV irritable bowel syndrome in the general population. <i>United European Gastroenterology Journal</i> , 2021 ,	5.3	6
322	Changes in serum and urinary metabolomic profile after a dietary intervention in patients with irritable bowel syndrome. <i>PLoS ONE</i> , 2021 , 16, e0257331	3.7	1
321	A novel stepwise integrative analysis pipeline reveals distinct microbiota-host interactions and link to symptoms in irritable bowel syndrome. <i>Scientific Reports</i> , 2021 , 11, 5521	4.9	2
320	Diet and gut microbiome interactions of relevance for symptoms in irritable bowel syndrome. <i>Microbiome</i> , 2021 , 9, 74	16.6	6
319	Fecal microbiota dynamics during disease activity and remission in newly diagnosed and established ulcerative colitis. <i>Scientific Reports</i> , 2021 , 11, 8641	4.9	1

318	Central sensitization and severity of gastrointestinal symptoms in irritable bowel syndrome, chronic pain syndromes, and inflammatory bowel disease. <i>Neurogastroenterology and Motility</i> , 2021 , 33, e14156	4	7
317	Psychometric evaluation of an experience sampling method-based patient-reported outcome measure in functional dyspepsia. <i>Neurogastroenterology and Motility</i> , 2021 , 33, e14136	4	4
316	Greater Overlap of Rome IV Disorders of Gut-Brain Interactions Leads to Increased Disease Severity and Poorer Quality of Life. <i>Clinical Gastroenterology and Hepatology</i> , 2021 ,	6.9	11
315	A Distinct Faecal Microbiota and Metabolite Profile Linked to Bowel Habits in Patients with Irritable Bowel Syndrome. <i>Cells</i> , 2021 , 10,	7.9	6
314	Reply: The key to success: Targeting enzymes to their dietary counterpart. <i>Neurogastroenterology and Motility</i> , 2021 , 33, e14203	4	
313	The placebo response rate in pharmacological trials in patients with irritable bowel syndrome: a systematic review and meta-analysis. <i>The Lancet Gastroenterology and Hepatology</i> , 2021 , 6, 459-473	18.8	7
312	The alternative serotonin transporter promoter P2 impacts gene function in females with irritable bowel syndrome. <i>Journal of Cellular and Molecular Medicine</i> , 2021 , 25, 8047-8061	5.6	1
311	Functional Gastrointestinal Disorders and Associated Health Impairment in Individuals with Celiac Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2021 ,	6.9	1
310	Worldwide Prevalence and Burden of Functional Gastrointestinal Disorders, Results of Rome Foundation Global Study. <i>Gastroenterology</i> , 2021 , 160, 99-114.e3	13.3	285
309	Prevalence and Progression of Recurrent Abdominal Pain, From Early Childhood to Adolescence. <i>Clinical Gastroenterology and Hepatology</i> , 2021 , 19, 930-938.e8	6.9	5
308	Rome IV Functional Gastrointestinal Disorders and Health Impairment in Subjects With Hypermobility Spectrum Disorders or Hypermobility Ehlers-Danlos Syndrome. <i>Clinical Gastroenterology and Hepatology</i> , 2021 , 19, 277-287.e3	6.9	10
307	Online Education Is Non-Inferior to Group Education for Irritable Bowel Syndrome: A Randomized Trial and Patient Preference Trial. <i>Clinical Gastroenterology and Hepatology</i> , 2021 , 19, 743-751.e1	6.9	2
306	Visceral hypersensitivity is together with psychological distress and female gender associated with severity of IBS-like symptoms in quiescent ulcerative colitis. <i>Neurogastroenterology and Motility</i> , 2021 , 33, e13998	4	0
305	The overlap between irritable bowel syndrome and organic gastrointestinal diseases. <i>The Lancet Gastroenterology and Hepatology</i> , 2021 , 6, 139-148	18.8	20
304	Chronic constipation in adults: Contemporary perspectives and clinical challenges. 1: Epidemiology, diagnosis, clinical associations, pathophysiology and investigation. <i>Neurogastroenterology and Motility</i> , 2021 , 33, e14050	4	3
303	Association between pain sensitivity and gray matter properties in the sensorimotor network in women with irritable bowel syndrome. <i>Neurogastroenterology and Motility</i> , 2021 , 33, e14027	4	2
302	Association between and irritable bowel syndrome with diarrhoea. <i>Gut</i> , 2021 , 70, 1117-1129	19.2	11
301	Chronic constipation in adults: Contemporary perspectives and clinical challenges. 2: Conservative, behavioural, medical and surgical treatment. <i>Neurogastroenterology and Motility</i> , 2021 , 33, e14070	4	2

300	A randomized double-blind placebo-controlled crossover pilot study: Acute effects of the enzyme Galactosidase on gastrointestinal symptoms in irritable bowel syndrome patients. <i>Neurogastroenterology and Motility</i> , 2021 , 33, e14094	4	0
299	Food Avoidance and Restriction in Irritable Bowel Syndrome: Relevance for Symptoms, Quality of Life and Nutrient Intake. <i>Clinical Gastroenterology and Hepatology</i> , 2021 ,	6.9	6
298	Allergy-related diseases in childhood and risk for abdominal pain-related functional gastrointestinal disorders at 16 years-a birth cohort study. <i>BMC Medicine</i> , 2021 , 19, 214	11.4	0
297	Gluten and fructan intake and their associations with gastrointestinal symptoms in irritable bowel syndrome: A food diary study. <i>Clinical Nutrition</i> , 2021 , 40, 5365-5372	5.9	0
296	GWAS of stool frequency provides insights into gastrointestinal motility and irritable bowel syndrome.. <i>Cell Genomics</i> , 2021 , 1, None		2
295	Diagnostic Evaluation of Gastric Motor and Sensory Disorders.. <i>American Journal of Gastroenterology</i> , 2021 , 116, 2345-2356	0.7	2
294	Positive Effect of Bimodal Release Ondansetron in Irritable Bowel Syndrome With Diarrhea: Relevance of Low-Grade Inflammation?. <i>American Journal of Gastroenterology</i> , 2020 , 115, 1976-1978	0.7	1
293	Fecal microbiota composition is linked to the postoperative disease course in patients with Crohn's disease. <i>BMC Gastroenterology</i> , 2020 , 20, 130	3	6
292	Human milk oligosaccharide supplementation in irritable bowel syndrome patients: A parallel, randomized, double-blind, placebo-controlled study. <i>Neurogastroenterology and Motility</i> , 2020 , 32, e13920	4	13
291	A survey on the impact of the COVID-19 pandemic on motility and functional investigations in Europe and considerations for recommencing activities in the early recovery phase. <i>Neurogastroenterology and Motility</i> , 2020 , 32, e13926	4	7
290	Associations among neurophysiology measures in irritable bowel syndrome (IBS) and their relevance for IBS symptoms. <i>Scientific Reports</i> , 2020 , 10, 9794	4.9	7
289	Major Trends in Gastroenterology and Hepatology Between 2010 and 2019: An Overview of Advances From the Past Decade Selected by the Editorial Board of The American Journal of Gastroenterology. <i>American Journal of Gastroenterology</i> , 2020 , 115, 1007-1018	0.7	1
288	Resting state functional connectivity of the pain matrix and default mode network in irritable bowel syndrome: a graph theoretical analysis. <i>Scientific Reports</i> , 2020 , 10, 11015	4.9	5
287	Food-symptom diaries can generate personalized lifestyle advice for managing gastrointestinal symptoms: A pilot study. <i>Neurogastroenterology and Motility</i> , 2020 , 32, e13820	4	0
286	Evidence-based and mechanistic insights into exclusion diets for IBS. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2020 , 17, 406-413	24.2	21
285	Evidence of altered mucosa-associated and fecal microbiota composition in patients with Irritable Bowel Syndrome. <i>Scientific Reports</i> , 2020 , 10, 593	4.9	27
284	Randomized clinical trial: Effects of Aloe barbadensis Mill. extract on symptoms, fecal microbiota and fecal metabolite profiles in patients with irritable bowel syndrome. <i>Neurogastroenterology and Motility</i> , 2020 , 32, e13860	4	3
283	Human Milk Oligosaccharides Support Normal Bowel Function and Improve Symptoms of Irritable Bowel Syndrome: A Multicenter, Open-Label Trial. <i>Clinical and Translational Gastroenterology</i> , 2020 , 11, e00276	4.2	3

282 Small Intestinal Bacterial Overgrowth **2020**, 454-458

281 Habitual FODMAP Intake in Relation to Symptom Severity and Pattern in Patients with Irritable Bowel Syndrome. *Nutrients*, **2020**, 13, 6.7 3

280 Prevalence of Rome IV Functional Bowel Disorders Among Adults in the United States, Canada, and the United Kingdom. *Gastroenterology*, **2020**, 158, 1262-1273.e3 13.3 112

279 Systemic Inflammatory Protein Profiles Distinguish Irritable Bowel Syndrome (IBS) and Ulcerative Colitis, Irrespective of Inflammation or IBS-Like Symptoms. *Inflammatory Bowel Diseases*, **2020**, 26, 874-884 4.5 9

278 Adherence to diet low in fermentable carbohydrates and traditional diet for irritable bowel syndrome. *Nutrition*, **2020**, 73, 110719 4.8 8

277 An approach to the diagnosis and management of Rome IV functional disorders of chronic constipation. *Expert Review of Gastroenterology and Hepatology*, **2020**, 14, 39-46 4.2 43

276 Patient safety before and after implementing person-centred inpatient care - A quasi-experimental study. *Journal of Clinical Nursing*, **2020**, 29, 602-612 3.2 2

275 European society of neurogastroenterology and motility guidelines on functional constipation in adults. *Neurogastroenterology and Motility*, **2020**, 32, e13762 4 46

274 The diagnostic value of a change in bowel habit for colorectal cancer within different age groups. *United European Gastroenterology Journal*, **2020**, 8, 211-219 5.3 1

273 Normal values and regional differences in oesophageal impedance-pH metrics: a consensus analysis of impedance-pH studies from around the world. *Gut*, **2020**, 19.2 17

272 Functional gastrointestinal disorders are increased in joint hypermobility-related disorders with concomitant postural orthostatic tachycardia syndrome. *Neurogastroenterology and Motility*, **2020**, 32, e13975 4 7

271 Responses to the Letter to the Editor by Bruscianno et al. *Neurogastroenterology and Motility*, **2020**, 32, e13981 4 0

270 Patient-Specific Stress-Abdominal Pain Interaction in Irritable Bowel Syndrome: An Exploratory Experience Sampling Method Study. *Clinical and Translational Gastroenterology*, **2020**, 11, e00209 4.2 4

269 Fecal Incontinence Diagnosed by the Rome IV Criteria in the United States, Canada, and the United Kingdom. *Clinical Gastroenterology and Hepatology*, **2020**, 18, 385-391 6.9 13

268 Colonic mast cell numbers, symptom profile, and mucosal expression of elements of the epithelial barrier in irritable bowel syndrome. *Neurogastroenterology and Motility*, **2019**, 31, e13701 4 8

267 The Dietary Management of Patients with Irritable Bowel Syndrome: A Narrative Review of the Existing and Emerging Evidence. *Nutrients*, **2019**, 11, 6.7 28

266 Effects of the long-term storage of human fecal microbiota samples collected in RNAlater. *Scientific Reports*, **2019**, 9, 601 4.9 22

265 Economic burden of moderate to severe irritable bowel syndrome with constipation in six European countries. *BMC Gastroenterology*, **2019**, 19, 69 3 35

264	Anxiety and depression in irritable bowel syndrome: Exploring the interaction with other symptoms and pathophysiology using multivariate analyses. <i>Neurogastroenterology and Motility</i> , 2019 , 31, e13619	4	32
263	Relations between food intake, psychological distress, and gastrointestinal symptoms: A diary study. <i>United European Gastroenterology Journal</i> , 2019 , 7, 965-973	5.3	12
262	Visceral sensitivity remains stable over time in patients with irritable bowel syndrome, but with individual fluctuations. <i>Neurogastroenterology and Motility</i> , 2019 , 31, e13603	4	3
261	Evidence for an association of gut microbial Clostridia with brain functional connectivity and gastrointestinal sensorimotor function in patients with irritable bowel syndrome, based on tripartite network analysis. <i>Microbiome</i> , 2019 , 7, 45	16.6	57
260	Symptoms compatible with functional bowel disorders are common in patients with quiescent ulcerative colitis and influence the quality of life but not the course of the disease. <i>Therapeutic Advances in Gastroenterology</i> , 2019 , 12, 1756284819827689	4.7	7
259	Mucosal and Systemic Immune Profiles Differ During Early and Late Phases of the Disease in Patients With Active Ulcerative Colitis. <i>Journal of Crohn's and Colitis</i> , 2019 , 13, 1450-1458	1.5	9
258	Fasting breath H ₂ and gut microbiota metabolic potential are associated with the response to a fermented milk product in irritable bowel syndrome. <i>PLoS ONE</i> , 2019 , 14, e0214273	3.7	7
257	Person-centred inpatient care - A quasi-experimental study in an internal medicine context. <i>Journal of Advanced Nursing</i> , 2019 , 75, 1678-1689	3.1	7
256	Clinical and Cost Effectiveness of Online Cognitive Behavioral Therapy in Children With Functional Abdominal Pain Disorders. <i>Clinical Gastroenterology and Hepatology</i> , 2019 , 17, 2236-2244.e11	6.9	24
255	Epidemiology, Clinical Characteristics, and Associations for Rome IV Functional Nausea and Vomiting Disorders in Adults. <i>Clinical Gastroenterology and Hepatology</i> , 2019 , 17, 878-886	6.9	47
254	Muscle performance and fatigue in compensated chronic liver disease. <i>Scandinavian Journal of Gastroenterology</i> , 2019 , 54, 925-933	2.4	2
253	Cumulative Effects of Psychologic Distress, Visceral Hypersensitivity, and Abnormal Transit on Patient-reported Outcomes in Irritable Bowel Syndrome. <i>Gastroenterology</i> , 2019 , 157, 391-402.e2	13.3	50
252	The role of diet in irritable bowel syndrome: implications for dietary advice. <i>Journal of Internal Medicine</i> , 2019 , 286, 490-502	10.8	21
251	Within- and Between-Subject Variation in Dietary Intake of Fermentable Oligo-, Di-, Monosaccharides, and Polyols Among Patients with Irritable Bowel Syndrome. <i>Current Developments in Nutrition</i> , 2019 , 3, nzy101	0.4	3
250	Undergoing repeated colonoscopies - experiences from patients with inflammatory bowel disease. <i>Scandinavian Journal of Gastroenterology</i> , 2019 , 54, 1467-1472	2.4	5
249	An Intervention for Person-Centered Support in Irritable Bowel Syndrome: Development and Pilot Study. <i>Gastroenterology Nursing</i> , 2019 , 42, 332-341	1	1
248	Subgroups of IBS patients are characterized by specific, reproducible profiles of GI and non-GI symptoms and report differences in healthcare utilization: A population-based study. <i>Neurogastroenterology and Motility</i> , 2019 , 31, e13483	4	17
247	Development of a real-time patient-reported outcome measure for symptom assessment in patients with functional dyspepsia using the experience sampling method. <i>Neurogastroenterology and Motility</i> , 2019 , 31, e13496	4	8

246	Reply. <i>Clinical Gastroenterology and Hepatology</i> , 2019 , 17, 1002-1004	6.9	
245	Evidence of increased fecal granins in children with irritable bowel syndrome and correlates with symptoms. <i>Neurogastroenterology and Motility</i> , 2019 , 31, e13486	4	4
244	Validation of Fatigue Impact Scale with various item sets - a Rasch analysis. <i>Disability and Rehabilitation</i> , 2019 , 41, 840-846	2.4	6
243	Increased Prevalence of Rare Sucrase-isomaltase Pathogenic Variants in Irritable Bowel Syndrome Patients. <i>Clinical Gastroenterology and Hepatology</i> , 2018 , 16, 1673-1676	6.9	37
242	Development of Irritable Bowel Syndrome Features Over a 5-year Period. <i>Clinical Gastroenterology and Hepatology</i> , 2018 , 16, 1244-1251.e1	6.9	12
241	Health problems associated with irritable bowel syndrome: analysis of a primary care registry. <i>Alimentary Pharmacology and Therapeutics</i> , 2018 , 47, 1349-1357	6.1	7
240	Heart rate variability characteristics of patients with irritable bowel syndrome and associations with symptoms. <i>Neurogastroenterology and Motility</i> , 2018 , 30, e13320	4	16
239	Epidemiology, clinical characteristics, and associations for symptom-based Rome IV functional dyspepsia in adults in the USA, Canada, and the UK: a cross-sectional population-based study. <i>The Lancet Gastroenterology and Hepatology</i> , 2018 , 3, 252-262	18.8	112
238	Psychological distress, iron deficiency, active disease and female gender are independent risk factors for fatigue in patients with ulcerative colitis. <i>United European Gastroenterology Journal</i> , 2018 , 6, 148-158	5.3	13
237	Functional Dyspepsia and Severity of Psychologic Symptoms Associate With Postprandial Symptoms in Patients With Irritable Bowel Syndrome. <i>Clinical Gastroenterology and Hepatology</i> , 2018 , 16, 1745-1753.e1	6.9	16
236	Female-Specific Association Between Variants on Chromosome 9 and Self-Reported Diagnosis of Irritable Bowel Syndrome. <i>Gastroenterology</i> , 2018 , 155, 168-179	13.3	31
235	Factor Analysis Defines Distinct Upper and Lower Gastrointestinal Symptom Groups Compatible With Rome IV Criteria in a Population-based Study. <i>Clinical Gastroenterology and Hepatology</i> , 2018 , 16, 1252-1259.e5	6.9	11
234	Multivariate modelling of faecal bacterial profiles of patients with IBS predicts responsiveness to a diet low in FODMAPs. <i>Gut</i> , 2018 , 67, 872-881	19.2	112
233	Functional variants in the sucrase-isomaltase gene associate with increased risk of irritable bowel syndrome. <i>Gut</i> , 2018 , 67, 263-270	19.2	79
232	Visceral hypersensitivity is associated with GI symptom severity in functional GI disorders: consistent findings from five different patient cohorts. <i>Gut</i> , 2018 , 67, 255-262	19.2	115
231	Relationships between psychological state, abuse, somatization and visceral pain sensitivity in irritable bowel syndrome. <i>United European Gastroenterology Journal</i> , 2018 , 6, 300-309	5.3	12
230	Colonic immune cells in irritable bowel syndrome: A systematic review and meta-analysis. <i>Neurogastroenterology and Motility</i> , 2018 , 30, e13192	4	73
229	New treatments and therapeutic targets for IBS and other functional bowel disorders. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2018 , 15, 589-605	24.2	68

228	Pre- and perinatal stress and irritable bowel syndrome in young adults - A nationwide register-based cohort study. <i>Neurogastroenterology and Motility</i> , 2018 , 30, e13436	4	9
227	Funding for gastrointestinal disease research in the European Union. <i>The Lancet Gastroenterology and Hepatology</i> , 2018 , 3, 593-595	18.8	5
226	Neither self-reported atopy nor IgE-mediated allergy are linked to gastrointestinal symptoms in patients with irritable bowel syndrome. <i>Neurogastroenterology and Motility</i> , 2018 , 30, e13379	4	10
225	How the Change in IBS Criteria From Rome III to Rome IV Impacts on Clinical Characteristics and Key Pathophysiological Factors. <i>American Journal of Gastroenterology</i> , 2018 , 113, 1017-1025	0.7	49
224	The endoscopic surveillance of the transplanted small intestine: a single center experience and a proposal for a grading score. <i>Scandinavian Journal of Gastroenterology</i> , 2018 , 53, 134-139	2.4	10
223	Development, content validity, and cross-cultural adaptation of a patient-reported outcome measure for real-time symptom assessment in irritable bowel syndrome. <i>Neurogastroenterology and Motility</i> , 2018 , 30, e13244	4	15
222	The Prevalence and Impact of Overlapping Rome IV-Diagnosed Functional Gastrointestinal Disorders on Somatization, Quality of Life, and Healthcare Utilization: A Cross-Sectional General Population Study in Three Countries. <i>American Journal of Gastroenterology</i> , 2018 , 113, 86-96	0.7	80
221	Plausibility criteria for putative pathophysiological mechanisms in functional gastrointestinal disorders: a consensus of experts. <i>Gut</i> , 2018 , 67, 1425-1433	19.2	15
220	Oesophageal symptoms are common and associated with other functional gastrointestinal disorders (FGIDs) in an English-speaking Western population. <i>United European Gastroenterology Journal</i> , 2018 , 6, 1461-1469	5.3	6
219	Fecal chromogranins and secretogranins are linked to the fecal and mucosal intestinal bacterial composition of IBS patients and healthy subjects. <i>Scientific Reports</i> , 2018 , 8, 16821	4.9	7
218	Work Productivity and Activity Impairment in Irritable Bowel Syndrome (IBS): A Multifaceted Problem. <i>American Journal of Gastroenterology</i> , 2018 , 113, 1540-1549	0.7	54
217	Altered intestinal antibacterial gene expression response profile in irritable bowel syndrome is linked to bacterial composition and immune activation. <i>Neurogastroenterology and Motility</i> , 2018 , 30, e13468	4	8
216	Systemic cytokines are elevated in a subset of patients with irritable bowel syndrome but largely unrelated to symptom characteristics. <i>Neurogastroenterology and Motility</i> , 2018 , 30, e13378	4	10
215	Integrity of central nervous function in diabetes mellitus assessed by resting state EEG frequency analysis and source localization. <i>Journal of Diabetes and Its Complications</i> , 2017 , 31, 400-406	3.2	11
214	Management of the multiple symptoms of irritable bowel syndrome. <i>The Lancet Gastroenterology and Hepatology</i> , 2017 , 2, 112-122	18.8	38
213	polymorphisms associated with increased risk of IBS-C and IBS-M. <i>Gut</i> , 2017 , 66, 1725-1727	19.2	24
212	European consensus conference on faecal microbiota transplantation in clinical practice. <i>Gut</i> , 2017 , 66, 569-580	19.2	520
211	Understanding the Gut Microbiota in Inflammatory and Functional Gastrointestinal Diseases. <i>Psychosomatic Medicine</i> , 2017 , 79, 857-867	3.7	31

210	Small intestinal bacterial overgrowth as a cause for irritable bowel syndrome: guilty or not guilty?. <i>Current Opinion in Gastroenterology</i> , 2017 , 33, 196-202	3	27
209	An expert consensus definition of failure of a treatment to provide adequate relief (F-PAR) for chronic constipation - an international Delphi survey. <i>Alimentary Pharmacology and Therapeutics</i> , 2017 , 45, 434-442	6.1	6
208	Effects of conventional and a novel colonic-release bile acid sequestrant, A3384, on fibroblast growth factor 19 and bile acid metabolism in healthy volunteers and patients with bile acid diarrhoea. <i>United European Gastroenterology Journal</i> , 2017 , 5, 380-388	5.3	5
207	The Mucosal Antibacterial Response Profile and Fecal Microbiota Composition Are Linked to the Disease Course in Patients with Newly Diagnosed Ulcerative Colitis. <i>Inflammatory Bowel Diseases</i> , 2017 , 23, 956-966	4.5	11
206	Update on Rome IV Criteria for Colorectal Disorders: Implications for Clinical Practice. <i>Current Gastroenterology Reports</i> , 2017 , 19, 15	5	116
205	A Perspective on Brain-Gut Communication: The American Gastroenterology Association and American Psychosomatic Society Joint Symposium on Brain-Gut Interactions and the Intestinal Microenvironment. <i>Psychosomatic Medicine</i> , 2017 , 79, 847-856	3.7	18
204	Coping Skills Are Associated With Gastrointestinal Symptom Severity and Somatization in Patients With Irritable Bowel Syndrome. <i>Clinical Gastroenterology and Hepatology</i> , 2017 , 15, 1565-1571.e3	6.9	19
203	Patient preferences for endpoints in fecal incontinence treatment studies. <i>Neurogastroenterology and Motility</i> , 2017 , 29, e13032	4	7
202	miR-16 and miR-103 impact 5-HT receptor signalling and correlate with symptom profile in irritable bowel syndrome. <i>Scientific Reports</i> , 2017 , 7, 14680	4.9	33
201	Mixture model analysis identifies irritable bowel syndrome subgroups characterised by specific profiles of gastrointestinal, extraintestinal somatic and psychological symptoms. <i>Alimentary Pharmacology and Therapeutics</i> , 2017 , 46, 529-539	6.1	20
200	Chronic constipation. <i>Nature Reviews Disease Primers</i> , 2017 , 3, 17095	51.1	106
199	Breath Testing Consensus Guidelines for SIBO: RES IPSA LOCQUITUR. <i>American Journal of Gastroenterology</i> , 2017 , 112, 1888-1889	0.7	6
198	How to get your work published: Tricks and pearls. <i>United European Gastroenterology Journal</i> , 2017 , 5, 300-301	5.3	
197	Fecal incontinence in irritable bowel syndrome: Prevalence and associated factors in Swedish and American patients. <i>Neurogastroenterology and Motility</i> , 2017 , 29, e12919	4	12
196	Identification of an Intestinal Microbiota Signature Associated With Severity of Irritable Bowel Syndrome. <i>Gastroenterology</i> , 2017 , 152, 111-123.e8	13.3	303
195	Fatigue: a distressing symptom for patients with irritable bowel syndrome. <i>Neurogastroenterology and Motility</i> , 2017 , 29, e12898	4	19
194	Internet-Delivered Cognitive Behavior Therapy for Adolescents With Irritable Bowel Syndrome: A Randomized Controlled Trial. <i>American Journal of Gastroenterology</i> , 2017 , 112, 152-162	0.7	68
193	In search for a disease-modifying treatment in irritable bowel syndrome. <i>Gut</i> , 2016 , 65, 2-3	19.2	2

192	Irritable bowel syndrome. <i>Nature Reviews Disease Primers</i> , 2016 , 2, 16014	51.1	429
191	Global Cytokine Profiles and Association With Clinical Characteristics in Patients With Irritable Bowel Syndrome. <i>American Journal of Gastroenterology</i> , 2016 , 111, 1165-76	0.7	54
190	Patients' experiences of healthcare encounters in severe irritable bowel syndrome: an analysis based on narrative and feminist theory. <i>Journal of Clinical Nursing</i> , 2016 , 25, 2967-78	3.2	12
189	Review article: bile acid diarrhoea - pathogenesis, diagnosis and management. <i>Alimentary Pharmacology and Therapeutics</i> , 2016 , 43, 884-898	6.1	70
188	Reply. <i>Gastroenterology</i> , 2016 , 150, 1047-8	13.3	
187	Lactulose Challenge Determines Visceral Sensitivity and Severity of Symptoms in Patients With Irritable Bowel Syndrome. <i>Clinical Gastroenterology and Hepatology</i> , 2016 , 14, 226-33.e1-3	6.9	35
186	Depression and Somatization Are Associated With Increased Postprandial Symptoms in Patients With Irritable Bowel Syndrome. <i>Gastroenterology</i> , 2016 , 150, 866-74	13.3	56
185	Autonomic nervous system function predicts the inflammatory response over three years in newly diagnosed ulcerative colitis patients. <i>Neurogastroenterology and Motility</i> , 2016 , 28, 1655-1662	4	15
184	Biomarkers to distinguish functional constipation from irritable bowel syndrome with constipation. <i>Neurogastroenterology and Motility</i> , 2016 , 28, 783-92	4	10
183	Phenotyping of subjects for large scale studies on patients with IBS. <i>Neurogastroenterology and Motility</i> , 2016 , 28, 1134-47	4	25
182	Treating Fecal Incontinence: An Unmet Need in Primary Care Medicine. <i>North Carolina Medical Journal</i> , 2016 , 77, 211-5	0.6	14
181	IBS-like Symptoms in Patients with Ulcerative Colitis in Deep Remission Are Associated with Increased Levels of Serum Cytokines and Poor Psychological Well-being. <i>Inflammatory Bowel Diseases</i> , 2016 , 22, 2630-2640	4.5	58
180	Reply. <i>Clinical Gastroenterology and Hepatology</i> , 2016 , 14, 1222-3	6.9	
179	Definition, diagnosis and treatment strategies for opioid-induced bowel dysfunction-Recommendations of the Nordic Working Group. <i>Scandinavian Journal of Pain</i> , 2016 , 11, 111-122	1.9	57
178	Bowel Disorders. <i>Gastroenterology</i> , 2016 ,	13.3	1260
177	Centrally Mediated Disorders of Gastrointestinal Pain. <i>Gastroenterology</i> , 2016 ,	13.3	81
176	Altered expression of Butyrophilin () and BTN-like () genes in intestinal inflammation and colon cancer. <i>Immunity, Inflammation and Disease</i> , 2016 , 4, 191-200	2.4	43
175	Practical management of irritable bowel syndrome: a clinical review. <i>Minerva Gastroenterologica E Dietologica</i> , 2016 , 62, 30-48	1.6	7

174	Nurse-Administered, Gut-Directed Hypnotherapy in IBS: Efficacy and Factors Predicting a Positive Response. <i>American Journal of Clinical Hypnosis</i> , 2015 , 58, 100-14	0.6	11
173	Fifteen years' experience of intestinal and multivisceral transplantation in the Nordic countries. <i>Scandinavian Journal of Gastroenterology</i> , 2015 , 50, 278-90	2.4	23
172	Are the definitions for chronic diarrhoea adequate? Evaluation of two different definitions in patients with chronic diarrhoea. <i>United European Gastroenterology Journal</i> , 2015 , 3, 381-6	5.3	19
171	Gastrointestinal motility and neurogastroenterology. <i>Scandinavian Journal of Gastroenterology</i> , 2015 , 50, 685-97	2.4	3
170	Diet low in FODMAPs reduces symptoms of irritable bowel syndrome as well as traditional dietary advice: a randomized controlled trial. <i>Gastroenterology</i> , 2015 , 149, 1399-1407.e2	13.3	337
169	Deviations in human gut microbiota: a novel diagnostic test for determining dysbiosis in patients with IBS or IBD. <i>Alimentary Pharmacology and Therapeutics</i> , 2015 , 42, 71-83	6.1	167
168	Crosstalk at the mucosal border: importance of the gut microenvironment in IBS. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2015 , 12, 36-49	24.2	115
167	Increased colonic bile acid exposure: a relevant factor for symptoms and treatment in IBS. <i>Gut</i> , 2015 , 64, 84-92	19.2	132
166	Exploring the genetics of irritable bowel syndrome: a GWA study in the general population and replication in multinational case-control cohorts. <i>Gut</i> , 2015 , 64, 1774-82	19.2	78
165	The severity of inflammation at onset of ulcerative colitis is not associated with IBS-like symptoms during clinical remission. <i>Journal of Crohn's and Colitis</i> , 2015 , 9, 776-83	1.5	9
164	A randomized, double-blind, placebo-controlled trial to evaluate the efficacy, safety, and tolerability of long-term treatment with prucalopride. <i>Neurogastroenterology and Motility</i> , 2015 , 27, 805-15	4.5	37
163	UEG Week in Vienna 2016-advancing science, linking people. <i>United European Gastroenterology Journal</i> , 2015 , 3, 484	5.3	
162	Reflecting on a memorable UEG Week 2015. <i>United European Gastroenterology Journal</i> , 2015 , 3, 572	5.3	
161	Psychological factors selectively upregulate rectal pain perception in hypersensitive patients with irritable bowel syndrome. <i>Neurogastroenterology and Motility</i> , 2015 , 27, 1772-82	4	27
160	The Short Health Scale: A Simple, Valid, Reliable, and Responsive Way of Measuring Subjective Health in Patients With Irritable Bowel Syndrome. <i>Journal of Clinical Gastroenterology</i> , 2015 , 49, 565-70	3	6
159	More similarities than differences between men and women with irritable bowel syndrome. <i>Neurogastroenterology and Motility</i> , 2015 , 27, 796-804	4	17
158	Gut microbiota as potential orchestrators of irritable bowel syndrome. <i>Gut and Liver</i> , 2015 , 9, 318-31	4.8	86
157	Authors' response: bile acids are important in the pathophysiology of IBS. <i>Gut</i> , 2015 , 64, 851-2	19.2	1

156	A Pilot Study of the Effect of Aloe barbadensis Mill. Extract (AVH200) in Patients with Irritable Bowel Syndrome: a Randomized, Double-Blind, Placebo-Controlled Study. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2015 , 24, 275-80	1.4	20
155	Cytokine imbalance in irritable bowel syndrome: a systematic review and meta-analysis. <i>Neurogastroenterology and Motility</i> , 2014 , 26, 1036-48	4	99
154	Internet-delivered cognitive behavior therapy for adolescents with functional gastrointestinal disorders [An open trial. <i>Internet Interventions</i> , 2014 , 1, 141-148	4.4	19
153	A small particle size diet reduces upper gastrointestinal symptoms in patients with diabetic gastroparesis: a randomized controlled trial. <i>American Journal of Gastroenterology</i> , 2014 , 109, 375-85	0.7	108
152	Association between visceral, cardiac and sensorimotor polyneuropathies in diabetes mellitus. <i>Journal of Diabetes and Its Complications</i> , 2014 , 28, 370-7	3.2	27
151	Postprandial plasma glucose response and gastrointestinal symptom severity in patients with diabetic gastroparesis. <i>Journal of Diabetes Science and Technology</i> , 2014 , 8, 881-8	4.1	5
150	IBS with intestinal microbial dysbiosis: a new and clinically relevant subgroup?. <i>Gut</i> , 2014 , 63, 1685-6	19.2	17
149	Genetic variants in CDC42 and NXP1 as susceptibility factors for constipation and diarrhoea predominant irritable bowel syndrome. <i>Gut</i> , 2014 , 63, 1103-11	19.2	42
148	The gendered impact of Irritable Bowel Syndrome: a qualitative study of patients' experiences. <i>Journal of Advanced Nursing</i> , 2014 , 70, 1334-43	3.1	18
147	Use of antibiotics in infancy and childhood and risk of recurrent abdominal pain--a Swedish birth cohort study. <i>Neurogastroenterology and Motility</i> , 2014 , 26, 841-50	4	24
146	Interaction between preprandial and postprandial rectal sensory and motor abnormalities in IBS. <i>Gut</i> , 2014 , 63, 1441-9	19.2	34
145	Rectal sensitivity in diabetes patients with symptoms of gastroparesis. <i>Journal of Diabetes Research</i> , 2014 , 2014, 784841	3.9	13
144	Allergy-related diseases and recurrent abdominal pain during childhood - a birth cohort study. <i>Alimentary Pharmacology and Therapeutics</i> , 2014 , 40, 1349-58	6.1	19
143	Self-reported food-related gastrointestinal symptoms in IBS are common and associated with more severe symptoms and reduced quality of life. <i>American Journal of Gastroenterology</i> , 2013 , 108, 634-41	0.7	330
142	Randomized clinical trial: inhibition of the TRPV1 system in patients with nonerosive gastroesophageal reflux disease and a partial response to PPI treatment is not associated with analgesia to esophageal experimental pain. <i>Scandinavian Journal of Gastroenterology</i> , 2013 , 48, 274-84	2.4	49
141	Moderate hyperkalemia in hospitalized patients with cirrhotic ascites indicates a poor prognosis. <i>Scandinavian Journal of Gastroenterology</i> , 2013 , 48, 358-65	2.4	9
140	Nutrient intake in patients with irritable bowel syndrome compared with the general population. <i>Neurogastroenterology and Motility</i> , 2013 , 25, 23-30.e1	4	56
139	Brain networks encoding rectal sensation in type 1 diabetes. <i>Neuroscience</i> , 2013 , 237, 96-105	3.9	16

138	In functional dyspepsia, hypersensitivity to postprandial distention correlates with meal-related symptom severity. <i>Gastroenterology</i> , 2013 , 145, 566-73	13.3	77
137	Fecal chromogranins and secretogranins are increased in patients with ulcerative colitis but are not associated with disease activity. <i>Journal of Crohn's and Colitis</i> , 2013 , 7, e615-22	1.5	15
136	Randomised clinical trial: symptoms of the irritable bowel syndrome are improved by a psycho-education group intervention. <i>Alimentary Pharmacology and Therapeutics</i> , 2013 , 37, 304-15	6.1	41
135	Patient satisfaction after gut-directed hypnotherapy in irritable bowel syndrome. <i>Neurogastroenterology and Motility</i> , 2013 , 25, 169-e86	4	18
134	Intestinal microbiota and its role in irritable bowel syndrome (IBS). <i>Current Gastroenterology Reports</i> , 2013 , 15, 323	5	91
133	A combined nutrient and lactulose challenge test allows symptom-based clustering of patients with irritable bowel syndrome. <i>American Journal of Gastroenterology</i> , 2013 , 108, 786-95	0.7	26
132	UEG Week Vienna 2014: New horizons, fresh ideas. <i>United European Gastroenterology Journal</i> , 2013 , 1, 403-4	5.3	
131	Macrostructural brain changes in patients with longstanding type 1 diabetes mellitus - a cortical thickness analysis study. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2013 , 121, 354-60	2.3	23
130	Survival of patients evaluated for intestinal and multivisceral transplantation - the Scandinavian experience. <i>Scandinavian Journal of Gastroenterology</i> , 2013 , 48, 702-11	2.4	15
129	How patients with long-term experience of living with irritable bowel syndrome manage illness in daily life: a qualitative study. <i>European Journal of Gastroenterology and Hepatology</i> , 2013 , 25, 1478-83	2.2	21
128	Serum IL-17A in newly diagnosed treatment-naive patients with ulcerative colitis reflects clinical disease severity and predicts the course of disease. <i>Inflammatory Bowel Diseases</i> , 2013 , 19, 2433-9	4.5	28
127	The importance of a person-centered approach in diagnostic workups of patients with irritable bowel syndrome: a qualitative study. <i>Gastroenterology Nursing</i> , 2013 , 36, 443-51	1	10
126	Altered brain microstructure assessed by diffusion tensor imaging in patients with diabetes and gastrointestinal symptoms. <i>Diabetes Care</i> , 2013 , 36, 662-8	14.6	27
125	Factors affecting satisfaction with treatment in European women with chronic constipation: An internet survey. <i>United European Gastroenterology Journal</i> , 2013 , 1, 375-84	5.3	23
124	CD25 and TNF receptor II reflect early primary response to infliximab therapy in patients with ulcerative colitis. <i>United European Gastroenterology Journal</i> , 2013 , 1, 467-76	5.3	8
123	Hot topics in gut microbiota. <i>United European Gastroenterology Journal</i> , 2013 , 1, 311-8	5.3	34
122	General management of irritable bowel syndrome 2013 , 194-200		
121	Measurement of gastric emptying by radiopaque markers in patients with diabetes: correlation with scintigraphy and upper gastrointestinal symptoms. <i>Neurogastroenterology and Motility</i> , 2013 , 25, e224-32	4	27

120	Exploration of the effects of gender and mild esophagitis on esophageal pain thresholds in the normal and sensitized state of asymptomatic young volunteers. <i>Neurogastroenterology and Motility</i> , 2013 , 25, 766-e580	4	9
119	Infliximab inhibits activation and effector functions of peripheral blood T cells in vitro from patients with clinically active ulcerative colitis. <i>Scandinavian Journal of Immunology</i> , 2013 , 78, 275-84	3.4	23
118	Characterization of IBS-like symptoms in patients with ulcerative colitis in clinical remission. <i>Neurogastroenterology and Motility</i> , 2013 , 25, 756-e578	4	53
117	Intestinal microbiota in functional bowel disorders: a Rome foundation report. <i>Gut</i> , 2013 , 62, 159-76	19.2	607
116	Diabetic autonomic neuropathy affects symptom generation and brain-gut axis. <i>Diabetes Care</i> , 2013 , 36, 3698-705	14.6	38
115	Symptom pattern following a meal challenge test in patients with irritable bowel syndrome and healthy controls. <i>United European Gastroenterology Journal</i> , 2013 , 1, 358-67	5.3	25
114	Fecal calprotectin levels predict the clinical course in patients with new onset of ulcerative colitis. <i>Inflammatory Bowel Diseases</i> , 2013 , 19, 576-81	4.5	44
113	The Rome II and Rome III criteria identify the same subtype-populations in irritable bowel syndrome: agreement depends on the method used for symptom report. <i>Neurogastroenterology and Motility</i> , 2012 , 24, 604-11, e266	4	16
112	Esophageal distension parameters as potential biomarkers of impaired gastrointestinal function in diabetes patients. <i>Neurogastroenterology and Motility</i> , 2012 , 24, 1016-e544	4	16
111	An irritable bowel syndrome subtype defined by species-specific alterations in faecal microbiota. <i>Gut</i> , 2012 , 61, 997-1006	19.2	564
110	Revisiting concepts of visceral nociception in irritable bowel syndrome. <i>European Journal of Pain</i> , 2012 , 16, 1444-54	3.7	31
109	Modality specific alterations of esophageal sensitivity caused by longstanding diabetes mellitus. <i>Scandinavian Journal of Pain</i> , 2012 , 3, 181-182	1.9	
108	Tu1437 Autonomic Nervous Function Assessed by Two Complementary Methods -Baroreceptor Sensitivity and Heart Rate Variability - in Patients With Irritable Bowel Syndrome (IBS). <i>Gastroenterology</i> , 2012 , 142, S-832	13.3	2
107	Meditation over medication for irritable bowel syndrome? On exercise and alternative treatments for irritable bowel syndrome. <i>Current Gastroenterology Reports</i> , 2012 , 14, 283-9	5	18
106	Short-term stability of subtypes in the irritable bowel syndrome: prospective evaluation using the Rome III classification. <i>Alimentary Pharmacology and Therapeutics</i> , 2012 , 35, 350-9	6.1	46
105	Commentary: short-term stability of subtypes in the irritable bowel syndromes [authors]reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2012 , 35, 850-851	6.1	
104	Long-term effects of hypnotherapy in patients with refractory irritable bowel syndrome. <i>Scandinavian Journal of Gastroenterology</i> , 2012 , 47, 414-20	2.4	35
103	Effects on gastrointestinal transit and antroduodenjejunal manometry after gut-directed hypnotherapy in irritable bowel syndrome (IBS). <i>Scandinavian Journal of Gastroenterology</i> , 2012 , 47, 1480-7	2.4	9

102	The microbiota link to irritable bowel syndrome: an emerging story. <i>Gut Microbes</i> , 2012 , 3, 572-6	8.8	85
101	Altered levels of fecal chromogranins and secretogranins in IBS: relevance for pathophysiology and symptoms?. <i>American Journal of Gastroenterology</i> , 2012 , 107, 440-7	0.7	47
100	Effects of gut-directed hypnotherapy on IBS in different clinical settings-results from two randomized, controlled trials. <i>American Journal of Gastroenterology</i> , 2012 , 107, 276-85	0.7	73
99	Colonic transit time and IBS symptoms: what's the link?. <i>American Journal of Gastroenterology</i> , 2012 , 107, 754-60	0.7	116
98	Increased TLR2 expression on blood monocytes in irritable bowel syndrome patients. <i>European Journal of Gastroenterology and Hepatology</i> , 2012 , 24, 398-405	2.2	15
97	A global perspective on irritable bowel syndrome: a consensus statement of the World Gastroenterology Organisation Summit Task Force on irritable bowel syndrome. <i>Journal of Clinical Gastroenterology</i> , 2012 , 46, 356-66	3	106
96	A comparison of a short nurse-based and a long multidisciplinary version of structured patient education in irritable bowel syndrome. <i>European Journal of Gastroenterology and Hepatology</i> , 2012 , 24, 950-7	2.2	22
95	Physical activity improves symptoms in irritable bowel syndrome: a randomized controlled trial. <i>American Journal of Gastroenterology</i> , 2011 , 106, 915-22	0.7	242
94	Association of TNFSF15 polymorphism with irritable bowel syndrome. <i>Gut</i> , 2011 , 60, 1671-1677	19.2	97
93	Randomised clinical trial: The ileal bile acid transporter inhibitor A3309 vs. placebo in patients with chronic idiopathic constipation--a double-blind study. <i>Alimentary Pharmacology and Therapeutics</i> , 2011 , 34, 41-50	6.1	86
92	Oxytocin reduces satiety scores without affecting the volume of nutrient intake or gastric emptying rate in healthy subjects. <i>Neurogastroenterology and Motility</i> , 2011 , 23, 56-61, e5	4	18
91	Diagnosis and treatment of chronic constipation--a European perspective. <i>Neurogastroenterology and Motility</i> , 2011 , 23, 697-710	4	185
90	Review article: endpoints used in functional dyspepsia drug therapy trials. <i>Alimentary Pharmacology and Therapeutics</i> , 2011 , 33, 634-49	6.1	48
89	Randomised clinical trial: the efficacy of a transient receptor potential vanilloid 1 antagonist AZD1386 in human oesophageal pain. <i>Alimentary Pharmacology and Therapeutics</i> , 2011 , 33, 1113-22	6.1	110
88	Mindfulness-based stress reduction in patients with irritable bowel syndrome. <i>Alimentary Pharmacology and Therapeutics</i> , 2011 , 34, 578-9; author reply 579-80	6.1	3
87	Evaluation of gastrointestinal transit in clinical practice: position paper of the American and European Neurogastroenterology and Motility Societies. <i>Neurogastroenterology and Motility</i> , 2011 , 23, 8-23	4	259
86	The esophageal multimodal pain model: normal values and degree of sensitization in healthy young male volunteers. <i>Digestive Diseases and Sciences</i> , 2011 , 56, 1967-75	4	14
85	A GCMS-based metabolomic investigation of blood serum from irritable bowel syndrome patients undergoing intervention with acidified milk products. <i>European Food Research and Technology</i> , 2011 , 233, 1013-1021	3.4	15

84	Effect of heavy exercise on gastrointestinal transit in endurance athletes. <i>Scandinavian Journal of Gastroenterology</i> , 2011 , 46, 673-7	2.4	36
83	Temporary percutaneous gastric electrical stimulation: a novel technique tested in patients with non-established indications for gastric electrical stimulation. <i>Digestion</i> , 2011 , 83, 3-12	3.6	21
82	Probiotics in irritable bowel syndrome: underachievers or underpowered? authors reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2010 , 31, 923-924	6.1	16
81	Gastrointestinal-specific anxiety: an important factor for severity of GI symptoms and quality of life in IBS. <i>Neurogastroenterology and Motility</i> , 2010 , 22, 646-e179	4	106
80	The serum metabolite response to diet intervention with probiotic acidified milk in irritable bowel syndrome patients is indistinguishable from that of non-probiotic acidified milk by 1H NMR-based metabonomic analysis. <i>Nutrients</i> , 2010 , 2, 1141-55	6.7	15
79	Pathogenesis of IBS: role of inflammation, immunity and neuroimmune interactions. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2010 , 7, 163-73	24.2	419
78	Clinical trial: the effects of a fermented milk containing three probiotic bacteria in patients with irritable bowel syndrome - a randomized, double-blind, controlled study. <i>Alimentary Pharmacology and Therapeutics</i> , 2010 , 31, 218-27	6.1	93
77	Structured patient education is superior to written information in the management of patients with irritable bowel syndrome: a randomized controlled study. <i>European Journal of Gastroenterology and Hepatology</i> , 2010 , 22, 420-8	2.2	59
76	The relationship between symptoms, body mass index, gastrointestinal transit and stool frequency in patients with irritable bowel syndrome. <i>European Journal of Gastroenterology and Hepatology</i> , 2010 , 22, 102-8	2.2	49
75	A slow caloric satiety drinking test in patients with temporary and permanent gastric electrical stimulation. <i>European Journal of Gastroenterology and Hepatology</i> , 2010 , 22, 926-32	2.2	5
74	T-cell activation in patients with irritable bowel syndrome. <i>American Journal of Gastroenterology</i> , 2009 , 104, 1205-12	0.7	122
73	Altering the gastrointestinal flora in patients with functional bowel disorders: a way ahead?. <i>Therapeutic Advances in Gastroenterology</i> , 2009 , 2, 5-8	4.7	
72	Development of an educational intervention for patients with Irritable Bowel Syndrome (IBS): a pilot study. <i>BMC Gastroenterology</i> , 2009 , 9, 10	3	22
71	B-cell activation in patients with irritable bowel syndrome (IBS). <i>Neurogastroenterology and Motility</i> , 2009 , 21, 644-50, e27	4	60
70	Indirect evidence for increased mechanosensitivity of jejunal secretomotor neurones in patients with idiopathic bile acid malabsorption. <i>Acta Physiologica</i> , 2009 , 197, 129-37	5.6	12
69	Hypervigilance in irritable bowel syndrome compared with organic gastrointestinal disease. <i>Journal of Psychosomatic Research</i> , 2009 , 66, 399-405	4.1	36
68	Peripheral factors in the pathophysiology of irritable bowel syndrome. <i>Digestive and Liver Disease</i> , 2009 , 41, 788-93	3.3	35
67	Bloating and abdominal distention: not so poorly understood anymore!. <i>Gastroenterology</i> , 2009 , 136, 1487-90	13.3	11

66	Impact of dialysis on gastroesophageal reflux, dyspepsia, and proton pump inhibitor treatment in patients with chronic renal failure. <i>European Journal of Gastroenterology and Hepatology</i> , 2009 , 21, 137-42 ²	2.2	19
65	What do patients with irritable bowel syndrome know about their disorder and how do they use their knowledge?. <i>Gastroenterology Nursing</i> , 2009 , 32, 284-92	1	11
64	Predictors of subjective fatigue in chronic gastrointestinal disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2008 , 28, 638-47	6.1	36
63	Methods to assess gastric motility and sensation. <i>Scandinavian Journal of Gastroenterology</i> , 2008 , 43, 1285-95	2.4	17
62	A pilot study of colonic B cell pattern in irritable bowel syndrome. <i>Scandinavian Journal of Gastroenterology</i> , 2008 , 43, 1461-6	2.4	20
61	Efficient diagnosis of suspected functional bowel disorders. <i>Nature Reviews Gastroenterology & Hepatology</i> , 2008 , 5, 498-507		14
60	Altered bile acid metabolism in patients with constipation-predominant irritable bowel syndrome and functional constipation. <i>Scandinavian Journal of Gastroenterology</i> , 2008 , 43, 1483-8	2.4	47
59	Prevalence of gastrointestinal symptoms in patients with chronic obstructive pulmonary disease. <i>European Journal of Gastroenterology and Hepatology</i> , 2008 , 20, 335-41	2.2	24
58	Gastrointestinal transit abnormalities are frequently detected in patients with unexplained GI symptoms at a tertiary centre. <i>Neurogastroenterology and Motility</i> , 2008 , 20, 197-205	4	59
57	Small intestinal bacterial overgrowth in patients with irritable bowel syndrome. <i>Gut</i> , 2007 , 56, 802-8	19.2	371
56	Lipid-induced colonic hypersensitivity in the irritable bowel syndrome: the role of bowel habit, sex, and psychologic factors. <i>Clinical Gastroenterology and Hepatology</i> , 2007 , 5, 201-8	6.9	60
55	Altered rectal perception in irritable bowel syndrome is associated with symptom severity. <i>Gastroenterology</i> , 2007 , 133, 1113-23	13.3	188
54	New insights into the pathogenesis and pathophysiology of irritable bowel syndrome. <i>Digestive and Liver Disease</i> , 2007 , 39, 201-15	3.3	106
53	Nutritional aspects in patients with functional gastrointestinal disorders and motor dysfunction in the gut. Working team report of the Swedish Motility Group (SMoG). <i>Digestive and Liver Disease</i> , 2007 , 39, 495-504	3.3	9
52	Nutrient-dependent enhancement of rectal sensitivity in irritable bowel syndrome (IBS). <i>Neurogastroenterology and Motility</i> , 2007 , 19, 20-9	4	73
51	Percutaneous implantation of gastric electrodes - a novel technique applied in animals and in patients. <i>Neurogastroenterology and Motility</i> , 2007 , 19, 103-9	4	32
50	CD4+CD25+ regulatory T cells in irritable bowel syndrome patients. <i>Neurogastroenterology and Motility</i> , 2007 , 19, 119-25	4	31
49	Elevated motility-related transmucosal potential difference in the upper small intestine in the irritable bowel syndrome. <i>Neurogastroenterology and Motility</i> , 2007 , 19, 812-20	4	33

48	Subtyping the irritable bowel syndrome by predominant bowel habit: Rome II versus Rome III. <i>Alimentary Pharmacology and Therapeutics</i> , 2007 , 26, 953-61	6.1	60
47	Why do subjects with irritable bowel syndrome seek health care for their symptoms?. <i>Scandinavian Journal of Gastroenterology</i> , 2007 , 42, 1194-203	2.4	50
46	Role of gastric sensorimotor dysfunction in gastrointestinal symptoms and energy intake in liver cirrhosis. <i>Scandinavian Journal of Gastroenterology</i> , 2007 , 42, 237-46	2.4	20
45	Abdominal tenderness in ascites patients indicates spontaneous bacterial peritonitis. <i>European Journal of Internal Medicine</i> , 2007 , 18, 44-7	3.9	10
44	Use and abuse of hydrogen breath tests. <i>Gut</i> , 2006 , 55, 297-303	19.2	295
43	Hypnosis for irritable bowel syndrome: the quest for the mechanism of action. <i>International Journal of Clinical and Experimental Hypnosis</i> , 2006 , 54, 65-84	1.8	18
42	Detection of inflammatory markers in stools from patients with irritable bowel syndrome and collagenous colitis. <i>Scandinavian Journal of Gastroenterology</i> , 2006 , 41, 54-9	2.4	48
41	Gastrointestinal symptoms in patients with liver cirrhosis: associations with nutritional status and health-related quality of life. <i>Scandinavian Journal of Gastroenterology</i> , 2006 , 41, 1464-72	2.4	93
40	Health-related quality of life in patients attending a gastroenterology outpatient clinic: functional disorders versus organic diseases. <i>Clinical Gastroenterology and Hepatology</i> , 2006 , 4, 187-95	6.9	81
39	The AST/ALT ratio as an indicator of cirrhosis in patients with PBC. <i>Liver International</i> , 2006 , 26, 840-5	7.9	122
38	Discontinuation of proton pump inhibitors in patients on long-term therapy: a double-blind, placebo-controlled trial. <i>Alimentary Pharmacology and Therapeutics</i> , 2006 , 24, 945-54	6.1	120
37	Gastric electrical stimulation for intractable vomiting in patients with chronic intestinal pseudoobstruction. <i>Neurogastroenterology and Motility</i> , 2006 , 18, 823-30	4	36
36	Functional findings in irritable bowel syndrome. <i>World Journal of Gastroenterology</i> , 2006 , 12, 2830-8	5.6	52
35	A controlled study of colonic immune activity and beta7+ blood T lymphocytes in patients with irritable bowel syndrome. <i>Clinical Gastroenterology and Hepatology</i> , 2005 , 3, 980-6	6.9	76
34	Fatigue is not a specific symptom in patients with primary biliary cirrhosis. <i>European Journal of Gastroenterology and Hepatology</i> , 2005 , 17, 351-7	2.2	39
33	Effects of long-term treatment with oxytocin in chronic constipation; a double blind, placebo-controlled pilot trial. <i>Neurogastroenterology and Motility</i> , 2005 , 17, 697-704	4	67
32	High interdigestive and postprandial motilin levels in patients with the irritable bowel syndrome. <i>Neurogastroenterology and Motility</i> , 2005 , 17, 51-7	4	28
31	Intestinal permeability and bacterial growth of the small bowel in patients with primary sclerosing cholangitis. <i>Scandinavian Journal of Gastroenterology</i> , 2005 , 40, 1090-4	2.4	50

30	Inflammation as a cause of functional bowel disorders. <i>Scandinavian Journal of Gastroenterology</i> , 2005 , 40, 1140-8	2.4	26
29	Delay in gastric emptying in patients with chronic renal failure. <i>Scandinavian Journal of Gastroenterology</i> , 2004 , 39, 516-20	2.4	68
28	Altered visceral perceptual and neuroendocrine response in patients with irritable bowel syndrome during mental stress. <i>Gut</i> , 2004 , 53, 1102-8	19.2	214
27	Quality of life and illness costs in irritable bowel syndrome. <i>Digestion</i> , 2004 , 69, 254-61	3.6	28
26	Fatigue in patients with primary sclerosing cholangitis. <i>Scandinavian Journal of Gastroenterology</i> , 2004 , 39, 961-8	2.4	76
25	Oxytocin stimulates colonic motor activity in healthy women. <i>Neurogastroenterology and Motility</i> , 2004 , 16, 233-40	4	37
24	Treatment with hypnotherapy reduces the sensory and motor component of the gastrocolonic response in irritable bowel syndrome. <i>Psychosomatic Medicine</i> , 2004 , 66, 233-8	3.7	74
23	Unsuppressed postprandial phasic contractility in the proximal stomach in functional dyspepsia: relevance to symptoms. <i>American Journal of Gastroenterology</i> , 2003 , 98, 2169-75	0.7	44
22	Small intestinal motility disturbances and bacterial overgrowth in patients with liver cirrhosis and portal hypertension. <i>American Journal of Gastroenterology</i> , 2003 , 98, 1362-70	0.7	129
21	Relevance of ineffective oesophageal motility during oesophageal acid clearance. <i>Gut</i> , 2003 , 52, 784-90	19.2	195
20	Overuse of acid suppressant drugs in patients with chronic renal failure. <i>Nephrology Dialysis Transplantation</i> , 2003 , 18, 570-5	4.3	52
19	Quality of life in irritable bowel syndrome: measurement techniques and relevance of current knowledge. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2003 , 3, 75-88	2.2	5
18	Abnormal levels of neuropeptide Y and peptide YY in the colon in irritable bowel syndrome. <i>European Journal of Gastroenterology and Hepatology</i> , 2003 , 15, 55-62	2.2	36
17	Acid infusion enhances duodenal mechanosensitivity in healthy subjects. <i>American Journal of Physiology - Renal Physiology</i> , 2003 , 285, G309-15	5.1	35
16	Lipid-induced colonic hypersensitivity in irritable bowel syndrome: the role of 5-HT ₃ receptors. <i>Alimentary Pharmacology and Therapeutics</i> , 2003 , 17, 279-87	6.1	21
15	Functional dyspepsia: evaluation and treatment. <i>Gastroenterology Clinics of North America</i> , 2003 , 32, 577-99	4.4	14
14	Patients with chronic renal failure have abnormal small intestinal motility and a high prevalence of small intestinal bacterial overgrowth. <i>Digestion</i> , 2003 , 67, 129-37	3.6	77
13	Effects of duodenal lipids on gastric sensitivity and relaxation in patients with ulcer-like and dysmotility-like dyspepsia. <i>Digestion</i> , 2003 , 67, 209-17	3.6	22

12	Quality of life in inflammatory bowel disease in remission: the impact of IBS-like symptoms and associated psychological factors. <i>American Journal of Gastroenterology</i> , 2002 , 97, 389-96	0.7	366
11	On-demand treatment in patients with oesophagitis and reflux symptoms: comparison of lansoprazole and omeprazole. <i>Scandinavian Journal of Gastroenterology</i> , 2002 , 37, 642-7	2.4	43
10	The prevalence of gastrointestinal symptoms in patients with chronic renal failure is increased and associated with impaired psychological general well-being. <i>Nephrology Dialysis Transplantation</i> , 2002 , 17, 1434-9	4.3	92
9	Physical activity and the gastrointestinal tract. <i>European Journal of Gastroenterology and Hepatology</i> , 2002 , 14, 1053-6	2.2	60
8	Food-related gastrointestinal symptoms in the irritable bowel syndrome. <i>Digestion</i> , 2001 , 63, 108-15	3.6	364
7	Quality of life in patients with irritable bowel syndrome seen in referral centers versus primary care: the impact of gender and predominant bowel pattern. <i>Scandinavian Journal of Gastroenterology</i> , 2001 , 36, 545-52	2.4	134
6	Impact of sex and psychological factors on the water loading test in functional dyspepsia. <i>Scandinavian Journal of Gastroenterology</i> , 2001 , 36, 725-30	2.4	31
5	An exaggerated sensory component of the gastrocolonic response in patients with irritable bowel syndrome. <i>Gut</i> , 2001 , 48, 20-7	19.2	155
4	Abnormal propagation pattern of duodenal pressure waves in the irritable bowel syndrome (IBS) [correction of (IBD)]. <i>Digestive Diseases and Sciences</i> , 2000 , 45, 2151-61	4	68
3	Gut microbiome, diet and symptom interactions in irritable bowel syndrome		1
2	GWAS of stool frequency reveals genes, pathways, and cell types relevant to human gastrointestinal motility and irritable bowel syndrome		1
1	Sequencing the Treatments277-299		