# Cristina Martnez-Villaluenga

### List of Publications by Citations

#### Source:

https://exaly.com/author-pdf/2948191/cristina-martinez-villaluenga-publications-by-citations.pdf **Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

60 4,364 40 133 h-index g-index citations papers 5.98 5,376 5.2 144 avg, IF L-index ext. papers ext. citations

#	Paper	IF	Citations
133	The future of lupin as a protein crop in Europe. Frontiers in Plant Science, 2015, 6, 705	6.2	138
132	Immunoreactivity reduction of soybean meal by fermentation, effect on amino acid composition and antigenicity of commercial soy products. <i>Food Chemistry</i> , <b>2008</b> , 108, 571-81	8.5	137
131	Antioxidant and antihypertensive properties of liquid and solid state fermented lentils. <i>Food Chemistry</i> , <b>2013</b> , 136, 1030-7	8.5	132
130	Optimization of conditions for galactooligosaccharide synthesis during lactose hydrolysis by Egalactosidase from Kluyveromyces lactis (Lactozym 3000 L HP G). <i>Food Chemistry</i> , <b>2008</b> , 107, 258-264	8.5	125
129	Release of dipeptidyl peptidase IV, Hamylase and Hglucosidase inhibitory peptides from quinoa (Chenopodium quinoa Willd.) during in vitro simulated gastrointestinal digestion. <i>Journal of Functional Foods</i> , <b>2017</b> , 35, 531-539	5.1	116
128	Immunoreactivity and amino acid content of fermented soybean products. <i>Journal of Agricultural and Food Chemistry</i> , <b>2008</b> , 56, 99-105	5.7	113
127	Alpha-galactosides: antinutritional factors or functional ingredients?. <i>Critical Reviews in Food Science and Nutrition</i> , <b>2008</b> , 48, 301-16	11.5	107
126	Peptides derived from in vitro gastrointestinal digestion of germinated soybean proteins inhibit human colon cancer cells proliferation and inflammation. <i>Food Chemistry</i> , <b>2018</b> , 242, 75-82	8.5	99
125	Effects of germination on the nutritive value and bioactive compounds of brown rice breads. <i>Food Chemistry</i> , <b>2015</b> , 173, 298-304	8.5	97
124	High-pressure improves enzymatic proteolysis and the release of peptides with angiotensin I converting enzyme inhibitory and antioxidant activities from lentil proteins. <i>Food Chemistry</i> , <b>2015</b> , 171, 224-32	8.5	97
123	Fermentation enhances the content of bioactive compounds in kidney bean extracts. <i>Food Chemistry</i> , <b>2015</b> , 172, 343-52	8.5	95
122	Identification, functional gastrointestinal stability and molecular docking studies of lentil peptides with dual antioxidant and angiotensin I converting enzyme inhibitory activities. <i>Food Chemistry</i> , <b>2017</b> , 221, 464-472	8.5	94
121	Betalain profile, content and antioxidant capacity of red beetroot dependent on the genotype and root part. <i>Journal of Functional Foods</i> , <b>2016</b> , 27, 249-261	5.1	91
120	Functional lupin seeds (Lupinus albus L. and Lupinus luteus L.) after extraction of Egalactosides. <i>Food Chemistry</i> , <b>2006</b> , 98, 291-299	8.5	81
119	Maximising the phytochemical content and antioxidant activity of Ecuadorian brown rice sprouts through optimal germination conditions. <i>Food Chemistry</i> , <b>2014</b> , 152, 407-14	8.5	78
118	Influence of fermentation conditions on glucosinolates, ascorbigen, and ascorbic acid content in white cabbage (Brassica oleracea var. capitata cv. Taler) cultivated in different seasons. <i>Journal of Food Science</i> , <b>2009</b> , 74, C62-7	3.4	75
117	Pseudocereal grains: Nutritional value, health benefits and current applications for the development of gluten-free foods. <i>Food and Chemical Toxicology</i> , <b>2020</b> , 137, 111178	4.7	71

#### (2018-2008)

116	Enzymatic synthesis and identification of two trisaccharides produced from lactulose by transgalactosylation. <i>Journal of Agricultural and Food Chemistry</i> , <b>2008</b> , 56, 557-63	5.7	71
115	Time dependence of bioactive compounds and antioxidant capacity during germination of different cultivars of broccoli and radish seeds. <i>Food Chemistry</i> , <b>2010</b> , 120, 710-716	8.5	68
114	Health benefits of oat: current evidence and molecular mechanisms. <i>Current Opinion in Food Science</i> , <b>2017</b> , 14, 26-31	9.8	67
113	Food safety evaluation of broccoli and radish sprouts. <i>Food and Chemical Toxicology</i> , <b>2008</b> , 46, 1635-44	4.7	66
112	Phenolic composition, antioxidant and anti-inflammatory activities of extracts from Moroccan Opuntia ficus-indica flowers obtained by different extraction methods. <i>Industrial Crops and Products</i> , <b>2014</b> , 62, 412-420	5.9	64
111	Seed Protein of Lentils: Current Status, Progress, and Food Applications. <i>Foods</i> , <b>2019</b> , 8,	4.9	61
110	Effect of germination and elicitation on phenolic composition and bioactivity of kidney beans. <i>Food Research International</i> , <b>2015</b> , 70, 55-63	7	60
109	Protein hydrolysates from beta-conglycinin enriched soybean genotypes inhibit lipid accumulation and inflammation in vitro. <i>Molecular Nutrition and Food Research</i> , <b>2009</b> , 53, 1007-18	5.9	59
108	Beta-conglycinin embeds active peptides that inhibit lipid accumulation in 3T3-L1 adipocytes in vitro. <i>Journal of Agricultural and Food Chemistry</i> , <b>2008</b> , 56, 10533-43	5.7	57
107	Savinase, the most suitable enzyme for releasing peptides from lentil (Lens culinaris var. Castellana) protein concentrates with multifunctional properties. <i>Journal of Agricultural and Food Chemistry</i> , <b>2014</b> , 62, 4166-74	5.7	56
106	Bioactive Peptides from Germinated Soybean with Anti-Diabetic Potential by Inhibition of Dipeptidyl Peptidase-IV, Amylase, and Glucosidase Enzymes. <i>International Journal of Molecular Sciences</i> , <b>2018</b> , 19,	6.3	54
105	Peptides from purified soybean beta-conglycinin inhibit fatty acid synthase by interaction with the thioesterase catalytic domain. <i>FEBS Journal</i> , <b>2010</b> , 277, 1481-93	5.7	53
104	Simultaneous release of peptides and phenolics with antioxidant, ACE-inhibitory and anti-inflammatory activities from pinto bean (Phaseolus vulgaris L. var. pinto) proteins by subtilisins. <i>Journal of Functional Foods</i> , <b>2015</b> , 18, 319-332	5.1	52
103	Influence of addition of raffinose family oligosaccharides on probiotic survival in fermented milk during refrigerated storage. <i>International Dairy Journal</i> , <b>2006</b> , 16, 768-774	3.5	52
102	A Review of Colorectal Cancer in Terms of Epidemiology, Risk Factors, Development, Symptoms and Diagnosis. <i>Cancers</i> , <b>2021</b> , 13,	6.6	52
101	Raffinose family oligosaccharides and sucrose contents in 13 Spanish lupin cultivars. <i>Food Chemistry</i> , <b>2005</b> , 91, 645-649	8.5	50
100	Fermentation of soybean meal and its inclusion in diets for newly weaned pigs reduced diarrhea and measures of immunoreactivity in the plasma. <i>Animal Feed Science and Technology</i> , <b>2010</b> , 159, 41-49	3	48
99	The effects of boiling and fermentation on betalain profiles and antioxidant capacities of red beetroot products. <i>Food Chemistry</i> , <b>2018</b> , 259, 292-303	8.5	47

98	Se improves indole glucosinolate hydrolysis products content, Se-methylselenocysteine content, antioxidant capacity and potential anti-inflammatory properties of sauerkraut. <i>Food Chemistry</i> , <b>2012</b> , 132, 907-914	8.5	46
97	Bifidogenic effect and stimulation of short chain fatty acid production in human faecal slurry cultures by oligosaccharides derived from lactose and lactulose. <i>Journal of Dairy Research</i> , <b>2009</b> , 76, 317	7-25	46
96	Synthesis of oligosaccharides derived from lactulose and pectinex ultra SP-L. <i>Journal of Agricultural and Food Chemistry</i> , <b>2008</b> , 56, 3328-33	5.7	44
95	Effect of germination on the protein fraction composition of different lupin seeds. <i>Food Chemistry</i> , <b>2008</b> , 107, 830-844	8.5	43
94	Peptides and isoflavones in gastrointestinal digests contribute to the anti-inflammatory potential of cooked or germinated desi and kabuli chickpea (Cicer arietinum L.). <i>Food Chemistry</i> , <b>2018</b> , 268, 66-76	8.5	43
93	Multifunctional properties of soy milk fermented by Enterococcus faecium strains isolated from raw soy milk. <i>Journal of Agricultural and Food Chemistry</i> , <b>2012</b> , 60, 10235-44	5.7	40
92	High-Pressure-Assisted Enzymatic Release of Peptides and Phenolics Increases Angiotensin Converting Enzyme I Inhibitory and Antioxidant Activities of Pinto Bean Hydrolysates. <i>Journal of Agricultural and Food Chemistry</i> , <b>2016</b> , 64, 1730-40	5.7	39
91	Antioxidant capacity and polyphenolic content of high-protein lupin products. <i>Food Chemistry</i> , <b>2009</b> , 112, 84-88	8.5	38
90	Kinetics of free protein amino acids, free non-protein amino acids and trigonelline in soybean (Glycine max L.) and lupin (Lupinus angustifolius L.) sprouts. <i>European Food Research and Technology</i> , <b>2006</b> , 224, 177-186	3.4	38
89	Raffinose family of oligosaccharides from lupin seeds as prebiotics: application in dairy products. Journal of Food Protection, <b>2005</b> , 68, 1246-52	2.5	38
88	Optimization of germination time and temperature to maximize the content of bioactive compounds and the antioxidant activity of purple corn (Zea mays L.) by response surface methodology. <i>LWT - Food Science and Technology</i> , <b>2017</b> , 76, 236-244	5.4	36
87	White cabbage fermentation improves ascorbigen content, antioxidant and nitric oxide production inhibitory activity in LPS-induced macrophages. <i>LWT - Food Science and Technology</i> , <b>2012</b> , 46, 77-83	5.4	34
86	Non-Nutritive Compounds in Fabaceae Family Seeds and the Improvement of Their Nutritional Quality by Traditional Processing & Review. <i>Polish Journal of Food and Nutrition Sciences</i> , <b>2014</b> , 64, 75-8	93.1	33
85	Effect of flour extraction rate and baking on thiamine and riboflavin content and antioxidant capacity of traditional rye bread. <i>Journal of Food Science</i> , <b>2009</b> , 74, C49-55	3.4	33
84	Role of elicitation on the health-promoting properties of kidney bean sprouts. <i>LWT - Food Science and Technology</i> , <b>2014</b> , 56, 328-334	5.4	32
83	Characterization of bifidobacteria as starters in fermented milk containing raffinose family of oligosaccharides from lupin as prebiotic. <i>International Dairy Journal</i> , <b>2007</b> , 17, 116-122	3.5	32
82	Bioactive compounds, myrosinase activity, and antioxidant capacity of white cabbages grown in different locations of Spain. <i>Journal of Agricultural and Food Chemistry</i> , <b>2011</b> , 59, 3772-9	5.7	30
81	Semolina supplementation with processed lupin and pigeon pea flours improve protein quality of pasta. <i>LWT - Food Science and Technology</i> , <b>2010</b> , 43, 617-622	5.4	30

#### (2018-2009)

80	Gas chromatographichass spectrometric analysis of galactosyl derivatives obtained by the action of two different galactosidases. <i>Food Chemistry</i> , <b>2009</b> , 114, 1099-1105	8.5	30
79	Sprouted Barley Flour as a Nutritious and Functional Ingredient. <i>Foods</i> , <b>2020</b> , 9,	4.9	29
78	Enhancement of biologically active compounds in germinated brown rice and the effect of sun-drying. <i>Journal of Cereal Science</i> , <b>2017</b> , 73, 1-9	3.8	29
77	Study of galactooligosaccharide composition in commercial fermented milks. <i>Journal of Food Composition and Analysis</i> , <b>2008</b> , 21, 540-544	4.1	27
76	Updating the research on the chemopreventive and therapeutic role of the peptide lunasin. <i>Journal of the Science of Food and Agriculture</i> , <b>2018</b> , 98, 2070-2079	4.3	25
75	Release of multifunctional peptides from kiwicha (Amaranthus caudatus) protein under in vitro gastrointestinal digestion. <i>Journal of the Science of Food and Agriculture</i> , <b>2019</b> , 99, 1225-1232	4.3	24
74	Assessment of protein fractions of three cultivars of Pisum sativum L.: effect of germination. <i>European Food Research and Technology</i> , <b>2008</b> , 226, 1465-1478	3.4	24
73	Development of a multifunctional yogurt-like product from germinated brown rice. <i>LWT - Food Science and Technology</i> , <b>2019</b> , 99, 306-312	5.4	24
72	Response surface optimisation of germination conditions to improve the accumulation of bioactive compounds and the antioxidant activity in quinoa. <i>International Journal of Food Science and Technology</i> , <b>2018</b> , 53, 516-524	3.8	24
71	A multistrategic approach in the development of sourdough bread targeted towards blood pressure reduction. <i>Plant Foods for Human Nutrition</i> , <b>2015</b> , 70, 97-103	3.9	23
70	Purification, thermal stability, and antigenicity of the immunodominant soybean allergen P34 in soy cultivars, ingredients, and products. <i>Journal of Food Science</i> , <b>2008</b> , 73, T106-14	3.4	23
69	Fatty acid synthase and in vitro adipogenic response of human adipocytes inhibited by hand a subunits of soybean Econglycinin hydrolysates. <i>Food Chemistry</i> , <b>2010</b> , 119, 1571-1577	8.5	22
68	Impact of Elicitation on Antioxidant and Potential Antihypertensive Properties of Lentil Sprouts. <i>Plant Foods for Human Nutrition</i> , <b>2015</b> , 70, 401-7	3.9	20
67	pH-controlled fermentation in mild alkaline conditions enhances bioactive compounds and functional features of lentil to ameliorate metabolic disturbances. <i>Food Chemistry</i> , <b>2018</b> , 248, 262-271	8.5	20
66	The effect of processing and in vitro digestion on the betalain profile and ACE inhibition activity of red beetroot products. <i>Journal of Functional Foods</i> , <b>2019</b> , 55, 229-237	5.1	19
65	Effect of Dry Heat Puffing on Nutritional Composition, Fatty Acid, Amino Acid and Phenolic Profiles of Pseudocereals Grains. <i>Polish Journal of Food and Nutrition Sciences</i> , <b>2018</b> , 68, 289-297	3.1	19
64	Effect of reaction conditions on lactulose-derived trisaccharides obtained by transgalactosylation with Egalactosidase of Kluyveromyces lactis. <i>European Food Research and Technology</i> , <b>2011</b> , 233, 89-94	3.4	19
63	Individual contributions of Savinase and Lactobacillus plantarum to lentil functionalization during alkaline pH-controlled fermentation. <i>Food Chemistry</i> , <b>2018</b> , 257, 341-349	8.5	17

62	Influence of germination with different selenium solutions on nutritional value and cytotoxicity of lupin seeds. <i>Journal of Agricultural and Food Chemistry</i> , <b>2009</b> , 57, 1319-25	5.7	17
61	Biogenic amines and HL60 citotoxicity of alfalfa and fenugreek sprouts. <i>Food Chemistry</i> , <b>2007</b> , 105, 959	)- <b>9</b> 67	17
60	Using the SPE and Micro-HPLC-MS/MS Method for the Analysis of Betalains in Rat Plasma after Red Beet Administration. <i>Molecules</i> , <b>2017</b> , 22,	4.8	16
59	Sauerkraut <b>2017</b> , 557-576		16
58	Quantification of human IgE immunoreactive soybean proteins in commercial soy ingredients and products. <i>Journal of Food Science</i> , <b>2008</b> , 73, T90-9	3.4	16
57	Improved method to obtain pure alpha-galactosides from lupin seeds. <i>Journal of Agricultural and Food Chemistry</i> , <b>2004</b> , 52, 6920-2	5.7	16
56	Products and Biopreparations from Alkaloid-rich Lupin in Animal Nutrition and Ecological Agriculture. <i>Folia Biologica</i> , <b>2005</b> , 53, 59-66	0.7	16
55	Optimizing germination conditions to enhance the accumulation of bioactive compounds and the antioxidant activity of kiwicha (Amaranthus caudatus) using response surface methodology. <i>LWT</i> - Food Science and Technology, <b>2017</b> , 76, 245-252	5.4	15
54	Soluble Phenolic Composition Tailored by Germination Conditions Accompany Antioxidant and Anti-inflammatory Properties of Wheat. <i>Antioxidants</i> , <b>2020</b> , 9,	7.1	14
53	Changes in nutritional value and cytotoxicity of garden cress germinated with different selenium solutions. <i>Journal of Agricultural and Food Chemistry</i> , <b>2010</b> , 58, 2331-6	5.7	14
52	Bioactive Peptides in Fermented Foods: Production and Evidence for Health Effects <b>2017</b> , 23-47		13
51	Improvement in food intake and nutritive utilization of protein from Lupinus albus var. multolupa protein isolates supplemented with ascorbic acid. <i>Food Chemistry</i> , <b>2007</b> , 103, 944-951	8.5	13
50	Effects of oligosaccharide removing procedure on the protein profiles of lupin seeds. <i>European Food Research and Technology</i> , <b>2006</b> , 223, 691-696	3.4	13
49	Sprouted oat as a potential gluten-free ingredient with enhanced nutritional and bioactive properties. <i>Food Chemistry</i> , <b>2021</b> , 338, 127972	8.5	13
48	Carob by-products and seaweeds for the development of functional bread. <i>Journal of Food Processing and Preservation</i> , <b>2018</b> , 42, e13700	2.1	13
47	Characterization and in vitro evaluation of seaweed species as potential functional ingredients to ameliorate metabolic syndrome. <i>Journal of Functional Foods</i> , <b>2018</b> , 46, 185-194	5.1	13
46	approach for evaluation of carob by-products as source bioactive ingredients with potential to attenuate metabolic syndrome (MetS). <i>Heliyon</i> , <b>2019</b> , 5, e01175	3.6	12
45	Assessment on proximate composition, dietary fiber, phytic acid and protein hydrolysis of germinated Ecuatorian brown rice. <i>Plant Foods for Human Nutrition</i> , <b>2014</b> , 69, 261-7	3.9	12

## (2021-2020)

44	Enzyme Selection and Hydrolysis under Optimal Conditions Improved Phenolic Acid Solubility, and Antioxidant and Anti-Inflammatory Activities of Wheat Bran. <i>Antioxidants</i> , <b>2020</b> , 9,	7.1	12
43	Fermented Pulses in Nutrition and Health Promotion <b>2017</b> , 385-416		11
42	Wheat and Oat Brans as Sources of Polyphenol Compounds for Development of Antioxidant Nutraceutical Ingredients. <i>Foods</i> , <b>2021</b> , 10,	4.9	11
41	Combination of pH-controlled fermentation in mild acidic conditions and enzymatic hydrolysis by Savinase to improve metabolic health-promoting properties of lentil. <i>Journal of Functional Foods</i> , <b>2018</b> , 48, 9-18	5.1	10
40	Study of influential factors on oligosaccharide formation by fructosyltransferase activity during stachyose hydrolysis by Pectinex ultra SP-L. <i>Journal of Agricultural and Food Chemistry</i> , <b>2011</b> , 59, 10705-	151 <sup>7</sup>	10
39	Effect of flour extraction rate and baking process on vitamin B1 and B2 contents and antioxidant activity of ginger-based products. <i>European Food Research and Technology</i> , <b>2009</b> , 230, 119-124	3.4	9
38	Fermented soyabean products as hypoallergenic food. <i>Proceedings of the Nutrition Society</i> , <b>2008</b> , 67,	2.9	9
37	Characterisation of the total phenolic, vitamins C and E content and antioxidant properties of the beebread and honey from the tame batch. Czech Journal of Food Sciences, 2020, 38, 158-163	1.3	9
36	A Novel Strategy to Produce a Soluble and Bioactive Wheat Bran Ingredient Rich in Ferulic Acid. <i>Antioxidants</i> , <b>2021</b> , 10,	7.1	9
35	Pilot-scale produced fermented lentil protects against t-BHP-triggered oxidative stress by activation of Nrf2 dependent on SAPK/JNK phosphorylation. <i>Food Chemistry</i> , <b>2019</b> , 274, 750-759	8.5	9
34	Evaluation of refrigerated storage in nitrogen-enriched atmospheres on the microbial quality, content of bioactive compounds and antioxidant activity of sauerkrauts. <i>LWT - Food Science and Technology</i> , <b>2015</b> , 61, 463-470	5.4	8
33	Influence of lupin (Lupinus luteus L. cv. 4492 and Lupinus angustifolius L. var. zapaton) and fenugreek (Trigonella foenum-graecum L.) germination on microbial population and biogenic amines. <i>Journal of Agricultural and Food Chemistry</i> , <b>2006</b> , 54, 7391-8	5.7	8
32	The Profile of Polyphenolic Compounds, Contents of Total Phenolics and Flavonoids, and Antioxidant and Antimicrobial Properties of Bee Products <i>Molecules</i> , <b>2022</b> , 27,	4.8	8
31	Application of Autoclave Treatment for Development of a Natural Wheat Bran Antioxidant Ingredient. <i>Foods</i> , <b>2020</b> , 9,	4.9	7
30	Changes in protein profile, bioactive potential and enzymatic activities of gluten-free flours obtained from hulled and dehulled oat varieties as affected by germination conditions. <i>LWT - Food Science and Technology</i> , <b>2020</b> , 134, 109955	5.4	7
29	The Impact of the Method Extraction and Different Carrot Variety on the Carotenoid Profile, Total Phenolic Content and Antioxidant Properties of Juices. <i>Plants</i> , <b>2020</b> , 9,	4.5	7
28	Synthesis of [(77)Se]-methylselenocysteine when preparing sauerkraut in the presence of [(77)Se]-selenite. Metabolic transformation of [(77)Se]-methylselenocysteine in Wistar rats determined by LC-IDA-ICP-MS. <i>Analytical and Bioanalytical Chemistry</i> , <b>2014</b> , 406, 7949-58	4.4	6
27	Production and Characterization of a Novel Gluten-Free Fermented Beverage Based on Sprouted Oat Flour. <i>Foods</i> , <b>2021</b> , 10,	4.9	6

26	Potential Usefulness of a Wakame/Carob Functional Snack for the Treatment of Several Aspects of Metabolic Syndrome: From In Vitro to In Vivo Studies. <i>Marine Drugs</i> , <b>2018</b> , 16,	6	6
25	Bioprocessed Wheat Ingredients: Characterization, Bioaccessibility of Phenolic Compounds, and Bioactivity During Digestion <i>Frontiers in Plant Science</i> , <b>2021</b> , 12, 790898	6.2	6
24	Characterizing the Volatile and Sensory Profiles, and Sugar Content of Beeswax, Beebread, Bee Pollen, and Honey. <i>Molecules</i> , <b>2021</b> , 26,	4.8	5
23	Production and Bioactivity of Oligosaccharides in Plant Foods <b>2014</b> , 35-54		4
22	Protein Quality of Traditional Rye Breads and Ginger Cakes as Affected by the Incorporation of Flour with Different Extraction Rates. <i>Polish Journal of Food and Nutrition Sciences</i> , <b>2013</b> , 63, 5-10	3.1	4
21	Potential of Germination in Selected Conditions to Improve the Nutritional and Bioactive Properties of Moringa (L.). <i>Foods</i> , <b>2020</b> , 9,	4.9	4
20	The Application of Lindl. Promotes Aroma Compounds Formation, Sensory Properties, and Antioxidant Activity of Oat and Buckwheat-Based Cookies. <i>Molecules</i> , <b>2020</b> , 25,	4.8	4
19	Pasta products enriched with moringa sprout powder as nutritive dense foods with bioactive potential. <i>Food Chemistry</i> , <b>2021</b> , 360, 130032	8.5	4
18	Characterization of the phenolic acid profile and in vitro bioactive properties of white beetroot products. <i>International Journal of Food Science and Technology</i> , <b>2021</b> , 56, 629-638	3.8	3
17	Association Between Mycotoxin Exposure and Dietary Habits in Colorectal Cancer Development Among a Polish Population: A Study Protocol. <i>International Journal of Environmental Research and Public Health</i> , <b>2020</b> , 17,	4.6	2
16	Raffinose family oligosaccharides of lupin (Lupinus albus L. cv multolupa) as a potential prebiotic. <i>Proceedings of the Nutrition Society</i> , <b>2008</b> , 67,	2.9	2
15	Lentil and Fava Bean With Contrasting Germination Kinetics: A Focus on Digestion of Proteins and Bioactivity of Resistant Peptides. <i>Frontiers in Plant Science</i> , <b>2021</b> , 12, 754287	6.2	2
14	Synthesis of galactooligosaccharides with prebiotic potential during hydrolysis of lactose by Lactozym 3000 L HP G. <i>Proceedings of the Nutrition Society</i> , <b>2008</b> , 67,	2.9	1
13	The Effect of Low Doses of Zearalenone (ZEN) on the Bone Marrow Microenvironment and Haematological Parameters of Blood Plasma in Pre-Pubertal Gilts <i>Toxins</i> , <b>2022</b> , 14,	4.9	1
12	Effects of a snack enriched with carob and Undaria pinnatifida (wakame) on metabolic parameters in a double blind, randomized clinical trial in obese patients. <i>Nutricion Hospitalaria</i> , <b>2020</b> , 34, 465-473	1	1
11	Improving Nutritional and Health Benefits of Biscuits by Optimizing Formulations Based on Sprouted Pseudocereal Grains. <i>Foods</i> , <b>2022</b> , 11, 1533	4.9	1
10	A comparative study on the phenolic bioaccessibility, antioxidant and inhibitory effects on carbohydrate-digesting enzymes of maca and mashua powders. <i>LWT - Food Science and Technology</i> , <b>2020</b> , 131, 109798	5.4	0
9	Manufacture of healthy snack bars supplemented with moringa sprout powder. <i>LWT - Food Science and Technology</i> , <b>2022</b> , 154, 112828	5.4	O

#### LIST OF PUBLICATIONS

8	Current evidence on the modulatory effects of food proteins and peptides in inflammation and gut microbiota <b>2022</b> , 517-534		O
7	Low glycinin soymilk ameliorates body fat accumulation and improves serum antioxidant status in overweight men. <i>FASEB Journal</i> , <b>2010</b> , 24, 721.3	0.9	O
6	Reformulating Bread Using Sprouted Pseudo-cereal Grains to Enhance Its Nutritional Value and Sensorial Attributes. <i>Foods</i> , <b>2022</b> , 11, 1541	4.9	O
5	Soy Peptides and Weight Management <b>2009</b> , 135-157		
	Effect of Time and Legume Type on Germination-Induced Proteolysis of Lentils and Faba Beans.		
4	Proceedings (mdpi), <b>2021</b> , 70, 4	0.3	
3		0.3	
	Proceedings (mdpi), 2021, 70, 4  Development of Sliced Bread with Better Nutritional Quality: Optimization of Wheat Flour Replacement with Germinated Pseudocereals for Doughs with Better Rheological Properties.		