

Tamer A Gheita

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2948345/tamer-a-gheita-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

100
papers

1,628
citations

24
h-index

36
g-index

105
ext. papers

2,037
ext. citations

2.8
avg. IF

4.95
L-index

#	Paper	IF	Citations
100	Bone mineral density, vitamin D receptor (VDR) gene polymorphisms, fracture risk assessment (FRAX), and trabecular bone score (TBS) in rheumatoid arthritis patients: connecting pieces of the puzzle.. <i>Clinical Rheumatology</i> , 2022 , 1	3.9	2
99	COVID-19 vaccine perceptions and uptake: results from the COVID-19 Global Rheumatology Alliance Vaccine Survey.. <i>Lancet Rheumatology</i> , 2022 ,	14.2	4
98	HOTAIR and THRIL Long Non Coding RNAs and Their Target Genes in Rheumatoid Arthritis patients.. <i>Reports of Biochemistry and Molecular Biology</i> , 2022 , 10, 614-621	1.3	0
97	Vaccine hesitancy in patients with autoimmune diseases: Data from the coronavirus disease-2019 vaccination in autoimmune diseases study. <i>Indian Journal of Rheumatology</i> , 2022 ,	0.5	1
96	The Emerging Era of Interventional Imaging in Rheumatology: An Overview During the Coronavirus Disease-2019 (COVID-19) Pandemic.. <i>Open Access Rheumatology: Research and Reviews</i> , 2022 , 14, 43-56	2.4	
95	Rheumatologists' knowledge and perception of COVID-19 and related vaccines: the vaXurvey2 online survey.. <i>Rheumatology International</i> , 2022 , 1	3.6	0
94	Diagnostic value of salivary gland ultrasonography for secondary Sjögren syndrome in patients with systemic lupus erythematosus.. <i>Lupus</i> , 2022 , 9612033221100154	2.6	
93	Clinical Impact of the ABO Blood Type in Patients with Rheumatic Diseases: Is there a Link to the ABO and Rhesus?. <i>Mediterranean Journal of Rheumatology</i> , 2021 , 32, 237-242	1.4	1
92	COVID-19 vaccination in autoimmune disease (COVAD) survey protocol. <i>Rheumatology International</i> , 2021 , 1	3.6	7
91	Computed tomography pulmonary angiography (CTPA) in Behçet's disease patients: a remarkable gender gap and time to refine the treatment strategy. <i>Clinical Rheumatology</i> , 2021 , 41, 195	3.9	0
90	Therapeutic potential of mesenchymal stem cells for scleroderma induced in mouse model. <i>Tissue and Cell</i> , 2021 , 73, 101671	2.7	0
89	Atherogenic Index of Plasma in Women with Rheumatoid Arthritis and Systemic Lupus Erythematosus: A 10-Year Potential Predictor of Cardiovascular Disease. <i>Current Rheumatology Reviews</i> , 2021 , 17, 122-130	1.6	2
88	Adult systemic lupus erythematosus in Egypt: The nation-wide spectrum of 3661 patients and world-wide standpoint. <i>Lupus</i> , 2021 , 30, 1526-1535	2.6	16
87	Vasculitis damage index in Behçet's disease. <i>Advances in Rheumatology</i> , 2021 , 61, 33	3	0
86	Development of an Arabic version of the Behçet's Disease Current Activity Form (Ar-BDCAF): cross-cultural adaptation and validation initiative in Egypt. <i>Clinical Rheumatology</i> , 2021 , 40, 4609-4618	3.9	1
85	Rheumatology university faculty opinion on coronavirus disease-19 (COVID-19) vaccines: the vaXurvey study from Egypt. <i>Rheumatology International</i> , 2021 , 41, 1607-1616	3.6	10
84	Impact of COVID-19 pandemic on rheumatoid arthritis from a Multi-Centre patient-reported questionnaire survey: influence of gender, rural-urban gap and north-south gradient. <i>Rheumatology International</i> , 2021 , 41, 345-353	3.6	18

83	Development and validation of a Behçet's Disease Damage Index for adults with BD: An Explicit, Composite and Rated (ECR) tool. <i>International Journal of Rheumatic Diseases</i> , 2021 , 24, 1071-1079	2.3	1
82	Systemic lupus erythematosus children in Egypt: Homeland spectrum amid the global situation. <i>Lupus</i> , 2021 , 30, 2135-2143	2.6	0
81	Early experience of COVID-19 vaccination in adults with systemic rheumatic diseases: results from the COVID-19 Global Rheumatology Alliance Vaccine Survey. <i>RMD Open</i> , 2021 , 7,	5.9	36
80	Influence of the age at diagnosis in the disease expression of primary Sjögren syndrome. Analysis of 12,753 patients from the Sjögren Big Data Consortium. <i>Clinical and Experimental Rheumatology</i> , 2021 , 39, 166-174	2.2	0
79	Influence of the age at diagnosis in the disease expression of primary Sjögren syndrome. Analysis of 12,753 patients from the Sjögren Big Data Consortium.. <i>Clinical and Experimental Rheumatology</i> , 2021 , 39 Suppl 133, 166-174	2.2	
78	Serum 14-3-3 λ protein is associated with clinical and serologic features of Sjögren's syndrome in patients with systemic lupus erythematosus: a cross-sectional analysis. <i>Clinical Rheumatology</i> , 2020 , 39, 2603-2610	3.9	1
77	Egypt's groundwork blessing during the COVID-19 pandemic curse: Rheumatologic experience. <i>European Journal of Rheumatology</i> , 2020 , 7, S134-S136	1.7	8
76	The potential role of B5: A stitch in time and switch in cytokine. <i>Phytotherapy Research</i> , 2020 , 34, 306-314.	4.7	11
75	Epidemiological profile and north-south gradient driving baseline systemic involvement of primary Sjögren's syndrome. <i>Rheumatology</i> , 2020 , 59, 2350-2359	3.9	24
74	Rheumatologists' practice during the Coronavirus disease 2019 (COVID-19) pandemic: a survey in Egypt. <i>Rheumatology International</i> , 2020 , 40, 1599-1611	3.6	19
73	Systemic phenotype related to primary Sjögren's syndrome in 279 patients carrying isolated anti-La/SSB antibodies. <i>Clinical and Experimental Rheumatology</i> , 2020 , 38 Suppl 126, 85-94	2.2	1
72	Behçet's disease in Egypt: a multicenter nationwide study on 1526 adult patients and review of the literature. <i>Clinical Rheumatology</i> , 2019 , 38, 2565-2575	3.9	22
71	Cardiac Manifestations in Systemic Lupus Erythematosus: Clinical Correlates of Subclinical Echocardiographic Features. <i>BioMed Research International</i> , 2019 , 2019, 2437105	3	14
70	Relationship of ocular presentation in granulomatosis with polyangiitis to autoantibodies and disease activity. <i>Zeitschrift Fur Rheumatologie</i> , 2019 , 78, 281-286	1.9	6
69	Clinical Significance of Neutrophil/lymphocyte Ratio in Patients With Granulomatosis With Polyangiitis. <i>Reumatologia Clínica (English Edition)</i> , 2019 , 15, 363-367	0.1	1
68	Rheumatology in Egypt: back to the future. <i>Rheumatology International</i> , 2019 , 39, 1-12	3.6	44
67	Clinical Significance of Neutrophil/lymphocyte Ratio in Patients With Granulomatosis With Polyangiitis. <i>Reumatologia Clínica</i> , 2019 , 15, 363-367	0.9	8
66	Systemic manifestations of primary Sjögren's syndrome out of the ESSDAI classification: prevalence and clinical relevance in a large international, multi-ethnic cohort of patients. <i>Clinical and Experimental Rheumatology</i> , 2019 , 37 Suppl 118, 97-106	2.2	4

65	Possible use of miRNAs-146a and -499 expression and their polymorphisms as diagnostic markers for rheumatoid arthritis. <i>Molecular and Cellular Biochemistry</i> , 2018 , 449, 145-156	4.2	35
64	Clinical significance of fibromyalgia syndrome in different rheumatic diseases: Relation to disease activity and quality of life. <i>Reumatologia Clínica</i> , 2018 , 14, 285-289	0.9	22
63	Nanomedicine in rheumatology: A new field in the diagnosis and therapy of rheumatic diseases. <i>International Journal of Clinical Rheumatology</i> , 2018 , 13,	1.5	2
62	Toll-like receptor 9 in systemic sclerosis patients: relation to modified Rodnan skin score, disease severity, and functional status. <i>Clinical Rheumatology</i> , 2018 , 37, 757-763	3.9	5
61	Clinical significance of fibromyalgia syndrome in different rheumatic diseases: Relation to disease activity and quality of life. <i>Reumatologia Clínica (English Edition)</i> , 2018 , 14, 285-289	0.1	
60	How immunological profile drives clinical phenotype of primary Sjögren's syndrome at diagnosis: analysis of 10,500 patients (Sjögren Big Data Project). <i>Clinical and Experimental Rheumatology</i> , 2018 , 36 Suppl 112, 102-112	2.2	34
59	Influence of geolocation and ethnicity on the phenotypic expression of primary Sjögren's syndrome at diagnosis in 8310 patients: a cross-sectional study from the Big Data Sjögren Project Consortium. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 1042-1050	2.4	73
58	Tumor necrosis factor- β 308 A/G gene polymorphism in children with juvenile idiopathic arthritis: relation to disease activity, damage, and functional status. <i>Clinical Rheumatology</i> , 2017 , 36, 1757-1763	3.9	5
57	Juvenile and juvenile-onset systemic lupus erythematosus patients: Clinical characteristics, disease activity and damage. <i>The Gazette of the Egyptian Paediatric Association</i> , 2017 , 65, 49-53	1.4	2
56	Impact of secondhand smoking on disease activity in women with rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2017 , 36, 2415-2420	3.9	11
55	Clinical Association of a Soluble Triggering Receptor Expressed on Myeloid Cells-1 (sTREM-1) in Patients with Systemic Lupus Erythematosus. <i>Immunological Investigations</i> , 2017 , 46, 38-47	2.9	13
54	Vitamin D status in rheumatoid arthritis patients: relation to clinical manifestations, disease activity, quality of life and fibromyalgia syndrome. <i>International Journal of Rheumatic Diseases</i> , 2016 , 19, 294-9	2.3	28
53	Expression of Toll-like receptors 3 and 9 in Egyptian systemic lupus erythematosus patients. <i>Zeitschrift Fur Rheumatologie</i> , 2016 , 75, 502-7	1.9	15
52	Serum and synovial cartilage oligomeric matrix protein levels in early and established rheumatoid arthritis. <i>Zeitschrift Fur Rheumatologie</i> , 2016 , 75, 917-923	1.9	25
51	The potential of genetically guided treatment in Behçet's disease. <i>Pharmacogenomics</i> , 2016 , 17, 1165-1174	4.6	8
50	Bone scintigraphy in axial seronegative spondyloarthritis patients: role in detection of subclinical peripheral arthritis and disease activity. <i>International Journal of Rheumatic Diseases</i> , 2015 , 18, 553-9	2.3	25
49	Clinical significance of serum interleukin-23 and A/G gene (rs17375018) polymorphism in Behçet's disease: Relation to neuro-Behçet, uveitis and disease activity. <i>Joint Bone Spine</i> , 2015 , 82, 213-5	2.9	21
48	Clinical significance of serum TNF α and -308 G/A promoter polymorphism in rheumatoid arthritis. <i>Egyptian Rheumatologist</i> , 2015 , 37, 49-54	1	28

47	Subclinical sacroiliitis in brucellosis. Clinical presentation and MRI findings. <i>Zeitschrift Fur Rheumatologie</i> , 2015 , 74, 240-5	1.9	6
46	Therapeutic potential of hydroxychloroquine on serum B-cell activating factor belonging to the tumor necrosis factor family (BAFF) in rheumatoid arthritis patients. <i>Bulletin of Faculty of Pharmacy, Cairo University</i> , 2014 , 52, 37-43	1	7
45	Potential effect of Sildenafil beyond pulmonary hypertension in a patient with diffuse systemic sclerosis and cryoglobulinemic vasculitis. <i>SpringerPlus</i> , 2014 , 3, 559		8
44	Subclinical reduced G6PD activity in rheumatoid arthritis and Sjögren's Syndrome patients: relation to clinical characteristics, disease activity and metabolic syndrome. <i>Modern Rheumatology</i> , 2014 , 24, 612-373		24
43	Measurement of malondialdehyde, glutathione, and glutathione peroxidase in SLE patients. <i>Methods in Molecular Biology</i> , 2014 , 1134, 193-9	1.4	20
42	Involvement of IL-23 in enteropathic arthritis patients with inflammatory bowel disease: preliminary results. <i>Clinical Rheumatology</i> , 2014 , 33, 713-7	3.9	29
41	Pattern of primary vasculitis with peripheral ischemic manifestations: report of a case series and role of vascular surgery. <i>Current Rheumatology Reviews</i> , 2014 , 10, 126-30	1.6	5
40	Elevated serum resistin in juvenile idiopathic arthritis: relation to categories and disease activity. <i>Journal of Clinical Immunology</i> , 2013 , 33, 297-301	5.7	17
39	Metabolic syndrome and insulin resistance comorbidity in systemic lupus erythematosus. Effect on carotid intima-media thickness. <i>Zeitschrift Fur Rheumatologie</i> , 2013 , 72, 172-7	1.9	41
38	Clinical significance of serum interleukin-6 and -174 G/C promoter polymorphism in Rheumatoid arthritis patients. <i>Egyptian Rheumatologist</i> , 2013 , 35, 107-113	1	27
37	Anti-annexin V antibodies in primary fibromyalgia syndrome: relation to associated Sjögren's syndrome. <i>Journal of Clinical Immunology</i> , 2013 , 33, 311-2	5.7	4
36	Serum level of APRIL/BLyS in Behçet disease patients: clinical significance in uveitis and disease activity. <i>Modern Rheumatology</i> , 2013 , 23, 542-546	3.3	18
35	TNF-β08 promoter G/A and PTPN22 (1858 C/T) genes polymorphisms in Egyptian patients with systemic lupus erythematosus. <i>Comparative Clinical Pathology</i> , 2013 , 22, 947-954	0.9	7
34	Serum level of APRIL/BLyS in Behçet's disease patients: clinical significance in uveitis and disease activity. <i>Modern Rheumatology</i> , 2013 , 23, 542-6	3.3	6
33	Cartilage Oligomeric Matrix Protein (COMP) in systemic sclerosis (SSc): role in disease severity and subclinical rheumatoid arthritis overlap. <i>Joint Bone Spine</i> , 2012 , 79, 51-6	2.9	22
32	Elevated BAFF (BLyS) and APRIL in Juvenile idiopathic arthritis patients: relation to clinical manifestations and disease activity. <i>Joint Bone Spine</i> , 2012 , 79, 285-90	2.9	25
31	Rituximab restored the muscle power and rescued from a refractory fatal respiratory failure in a patient with elderly-onset polymyositis. <i>Joint Bone Spine</i> , 2012 , 79, 101-2	2.9	7
30	Subclinical renal involvement in essential cryoglobulinemic vasculitis and classic polyarteritis nodosa. <i>Joint Bone Spine</i> , 2012 , 79, 274-80	2.9	2

29	Asymptomatic celiac sprue in juvenile rheumatic diseases children. <i>International Journal of Rheumatic Diseases</i> , 2012 , 15, 220-6	2.3	11
28	The impact of obesity in systemic lupus erythematosus on disease parameters, quality of life, functional capacity and the risk of atherosclerosis. <i>International Journal of Rheumatic Diseases</i> , 2012 , 15, 261-7	2.3	71
27	Anti-annexin V antibodies in neuro-Behçt patients: clinical significance and relation to disease activity. <i>International Journal of Rheumatic Diseases</i> , 2012 , 15, e124-6	2.3	17
26	Omega-3 fatty acids in juvenile idiopathic arthritis: effect on cytokines (IL-1 and TNF- α) disease activity and response criteria. <i>Clinical Rheumatology</i> , 2012 , 31, 363-6	3.9	26
25	Le rituximab a restauré la force musculaire d'une patiente atteinte de polymyosite à début tardif et à survie d'une insuffisance respiratoire fatale réfractaire. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2012 , 79, 175-176	0.1	
24	Implication réelle subclinique dans la vascularite cryoglobulinémique essentielle et la périartérite noueuse classique. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2012 , 79, 215-221	0.1	
23	Insulin resistance and metabolic syndrome in primary gout: relation to punched-out erosions. <i>International Journal of Rheumatic Diseases</i> , 2012 , 15, 521-5	2.3	18
22	Clinical significance of serum TNF α and -308 G/A promoter polymorphism and serum IL-6 and -174 G/C promoter polymorphism in systemic lupus erythematosus patients. <i>Egyptian Rheumatologist</i> , 2012 , 34, 119-125	1	27
21	High-sensitivity C-reactive protein (hs-CRP) in systemic lupus erythematosus patients without cardiac involvement; relation to disease activity, damage and intima-media thickness. <i>Egyptian Rheumatologist</i> , 2012 , 34, 147-152	1	10
20	Shrinking lung syndrome in systemic lupus erythematosus patients with dyspnea. <i>Egyptian Rheumatologist</i> , 2012 , 34, 179-183	1	1
19	Plasma concentrations of growth arrest specific protein 6 and the soluble form of its tyrosine kinase receptor Axl in patients with systemic lupus erythematosus and Behçt's disease. <i>Journal of Clinical Immunology</i> , 2012 , 32, 1279-86	5.7	53
18	Using Clinical and Multislice Computer Tomographic Features to Assess Temporomandibular Joint Osseous Involvement in Rheumatoid Arthritis: A Preliminary Study. <i>Turkish Journal of Rheumatology</i> , 2012 , 27, 47-55		4
17	Effectiveness of Nigella sativa oil in the management of rheumatoid arthritis patients: a placebo controlled study. <i>Phytotherapy Research</i> , 2012 , 26, 1246-8	6.7	67
16	Knee enthesitis and synovitis on magnetic resonance imaging in patients with psoriasis without arthritic symptoms. <i>Journal of Rheumatology</i> , 2012 , 39, 1979-86	4.1	43
15	Serum BAFF level and its correlations with various disease parameters in patients with systemic sclerosis and systemic lupus erythematosus. <i>Egyptian Rheumatologist</i> , 2011 , 33, 45-51	1	13
14	Juvenile and adult onset systemic lupus erythematosus outcome in Egyptian patients. <i>Egyptian Rheumatologist</i> , 2011 , 33, 99-105	1	34
13	Sjögren syndrome and fibromyalgia after radioiodine therapy in cancer thyroid patients. <i>Egyptian Rheumatologist</i> , 2011 , 33, 107-112	1	4
12	Uterine-umbilical artery Doppler velocimetry and pregnancy outcome in SLE patients: Relation to disease manifestations and activity. <i>Egyptian Rheumatologist</i> , 2011 , 33, 187-193	1	11

11	Oxidative stress in systemic lupus erythematosus and rheumatoid arthritis patients: relationship to disease manifestations and activity. <i>International Journal of Rheumatic Diseases</i> , 2011 , 14, 325-31	2.3	110
10	Transferring evidence from recent clinical rheumatology studies to those on the front lines. <i>International Journal of Clinical Practice</i> , 2011 , 65, 1016	2.9	1
9	Clinical significance of serum levels of sCD36 in patients with systemic sclerosis: preliminary data. <i>Rheumatology</i> , 2011 , 50, 2108-12	3.9	17
8	Shrinking lung syndrome in systemic lupus erythematosus patients; clinical characteristics, disease activity and damage. <i>International Journal of Rheumatic Diseases</i> , 2011 , 14, 361-8	2.3	21
7	Musculoskeletal manifestations in patients with malignant disease. <i>Clinical Rheumatology</i> , 2010 , 29, 1813-9	3.9	18
6	Oxidant/Antioxidant Status in Patients with Behçet Disease. <i>Macedonian Journal of Medical Sciences</i> , 2010 , 3, 37-42		5
5	Differentiation of osteoporotic and neoplastic vertebral fractures by chemical shift {in-phase and out-of phase} MR imaging. <i>European Journal of Radiology</i> , 2009 , 72, 125-33	4.7	72
4	Clinical utility of magnetic resonance angiography (MRA) in the diagnosis and treatment of Takayasu's arteritis. <i>Clinical Rheumatology</i> , 2007 , 26, 1393-5	3.9	5
3	Hughes-Stovin syndrome: is it incomplete Behçet's? Report of two cases and review of the literature. <i>Clinical Rheumatology</i> , 2007 , 26, 1993-6	3.9	44
2	Successful treatment of extensive muscle calcification in a patient with primary idiopathic polymyositis with diltiazem. <i>APLAR Journal of Rheumatology</i> , 2006 , 9, 305-306		
1	Coronary angiographic findings in asymptomatic systemic sclerosis. <i>Clinical Rheumatology</i> , 2006 , 25, 487-90	3.9	35