

# Ling Xu

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/2948887/ling-xu-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

70  
papers

2,884  
citations

23  
h-index

53  
g-index

73  
ext. papers

3,559  
ext. citations

6.6  
avg, IF

5.39  
L-index

#	Paper	IF	Citations
70	Enhanced melt-recrystallization process of propylene-ethylene copolymer during the uniaxial stretching with the aid of isotactic polypropylene. <i>Polymer</i> , <b>2022</b> , 239, 124443	3.9	0
69	Polyaniline-decorated carbon fibers for enhanced mechanical and electromagnetic interference shielding performances of epoxy composites. <i>Materials and Design</i> , <b>2022</b> , 217, 110658	8.1	2
68	Superhydrophobic, Self-Cleaning, and Robust Properties of Oriented Polylactide Imparted by Surface Structuring. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2021</b> , 9, 6296-6304	8.3	5
67	Multifunctional Membrane for Thermal Management Applications. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2021</b> , 13, 19301-19311	9.5	10
66	Highly Thermally Conductive Graphene-Based Thermal Interface Materials with a Bilayer Structure for Central Processing Unit Cooling. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2021</b> , 13, 25325-25333	9.5	14
65	Ultrathin, flexible and sandwich-structured PHBV/silver nanowire films for high-efficiency electromagnetic interference shielding. <i>Journal of Materials Chemistry C</i> , <b>2021</b> , 9, 3307-3315	7.1	10
64	Green Production of Covalently Functionalized Boron Nitride Nanosheets via Saccharide-Assisted Mechanochemical Exfoliation. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2021</b> , 9, 11155-11162	8.3	5
63	Coupling Effect of Mechanical and Thermal Rejuvenation for Polystyrene: Toward High Performance of Stiffness, Ductility, and Transparency. <i>Macromolecules</i> , <b>2021</b> , 54, 8875-8885	5.5	2
62	Constructing robust chain entanglement network, well-defined nanosized crystals and highly aligned graphene oxide nanosheets: Towards strong, ductile and high barrier Poly(lactic acid) nanocomposite films for green packaging. <i>Composites Part B: Engineering</i> , <b>2021</b> , 222, 109048	10	4
61	Carbonized cotton textile with hierarchical structure for superhydrophobicity and efficient electromagnetic interference shielding. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2021</b> , 149, 106555	8.4	7
60	Short implants versus longer implants in the posterior alveolar region after an observation period of at least five years: A systematic review and meta-analysis. <i>Journal of Dentistry</i> , <b>2020</b> , 100, 103386	4.8	4
59	Structure and Properties of All-Cellulose Composites Prepared by Controlling the Dissolution Temperature of a NaOH/Urea Solvent. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2020</b> , 59, 10428-10435	3.9	6
58	Highly Efficient Three-Dimensional Gas Barrier Network for Biodegradable Nanocomposite Films at Extremely Low Loading Levels of Graphene Oxide Nanosheets. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2020</b> , 59, 5818-5827	3.9	9
57	Facile Construction of a Superhydrophobic Surface on a Textile with Excellent Electrical Conductivity and Stretchability. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2020</b> , 59, 7546-7553	3.9	11
56	Poly(lactide) porous biocomposites with high heat resistance by utilizing cellulose template-directed construction. <i>Cellulose</i> , <b>2020</b> , 27, 3805-3819	5.5	5
55	Humidity sensitive cellulose composite aerogels with enhanced mechanical performance. <i>Cellulose</i> , <b>2020</b> , 27, 6287-6297	5.5	7
54	Robust, transparent films of propylene-ethylene copolymer through isotropic-orientation transition at low temperature accelerated by adjustment of ethylene contents. <i>Polymer</i> , <b>2020</b> , 187, 122099	3.9	3

53	Stretchable Liquid Metal-Based Conductive Textile for Electromagnetic Interference Shielding. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 53230-53238	9.5	33
52	Robust propylene-ethylene copolymer/polypropylene films: Extensional stress-induced orientation realized at low temperature processing. <i>Polymer</i> , <b>2020</b> , 206, 122848	3.9	3
51	Highly Stretchable and Sensitive Strain Sensor with Porous Segregated Conductive Network. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 37094-37102	9.5	62
50	Unique Banded Cylindrites of Polyoxymethylene/Poly(butylene succinate) Blends Induced by Interfacial Shear. <i>ACS Applied Polymer Materials</i> , <b>2019</b> , 1, 2741-2750	4.3	1
49	Robust cellulose nanocomposite films based on covalently cross-linked network with effective resistance to water permeability. <i>Carbohydrate Polymers</i> , <b>2019</b> , 211, 237-248	10.3	10
48	Interconnected Microdomain Structure of a Cross-Linked Cellulose Nanocomposite Revealed by Micro-Raman Imaging and Its Influence on Water Permeability of a Film. <i>Biomacromolecules</i> , <b>2019</b> , 20, 2754-2762	6.9	4
47	Highly conductive and stretchable carbon nanotube/thermoplastic polyurethane composite for wearable heater. <i>Composites Science and Technology</i> , <b>2019</b> , 181, 107695	8.6	53
46	Nacre-like composite films with high thermal conductivity, flexibility, and solvent stability for thermal management applications. <i>Journal of Materials Chemistry C</i> , <b>2019</b> , 7, 9018-9024	7.1	48
45	Evolution of Polymorphic Structure in $\beta$ -Nucleated Isotactic Polypropylene under a Certain Pressure: Effects of Temperature and Flow. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2019</b> , 58, 5677-5685	3.9	2
44	Nanotopographical polymeric surface with mussel-inspired decoration to enhance osteoblast differentiation. <i>Applied Surface Science</i> , <b>2019</b> , 481, 987-993	6.7	9
43	Robust hydrogel of regenerated cellulose by chemical crosslinking coupled with polyacrylamide network. <i>Journal of Applied Polymer Science</i> , <b>2019</b> , 136, 47811	2.9	10
42	Extensional Stress-Induced Orientation and Crystallization can Regulate the Balance of Toughness and Stiffness of Polylactide Films: Interplay of Oriented Amorphous Chains and Crystallites. <i>Macromolecules</i> , <b>2019</b> , 52, 5278-5288	5.5	33
41	Nanotopography on titanium promotes osteogenesis via autophagy-mediated signaling between YAP and $\beta$ -catenin. <i>Acta Biomaterialia</i> , <b>2019</b> , 96, 674-685	10.8	32
40	Surface Epitaxial Crystallization-Directed Nanotopography for Accelerating Preosteoblast Proliferation and Osteogenic Differentiation. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 42956-42963	9.5	6
39	Enhanced Mechanical Performance of Segregated Carbon Nanotube/Poly(lactic acid) Composite for Efficient Electromagnetic Interference Shielding. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2019</b> , 58, 4454-4461	3.9	23
38	Role of pressure in flow-induced shish-kabab in binary blend of long- and short-chain Polyethylenes. <i>Polymer Crystallization</i> , <b>2019</b> , 2, e10059	0.9	1
37	Hydrophobic Graphene Oxide as a Promising Barrier of Water Vapor for Regenerated Cellulose Nanocomposite Films. <i>ACS Omega</i> , <b>2019</b> , 4, 509-517	3.9	19
36	Promoting osteoblast proliferation on polymer bone substitutes with bone-like structure by combining hydroxyapatite and bioactive glass. <i>Materials Science and Engineering C</i> , <b>2019</b> , 96, 1-9	8.3	10

35	Stretchable and durable conductive fabric for ultrahigh performance electromagnetic interference shielding. <i>Carbon</i> , <b>2019</b> , 144, 101-108	10.4	129
34	Robustly Superhydrophobic Conductive Textile for Efficient Electromagnetic Interference Shielding. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 1680-1688	9.5	90
33	Rapid preparation and continuous processing of polylactide stereocomplex crystallite below its melting point. <i>Polymer Bulletin</i> , <b>2019</b> , 76, 3371-3385	2.4	7
32	Efficient electromagnetic interference shielding of lightweight carbon nanotube/polyethylene composites compression molding plus salt-leaching.. <i>RSC Advances</i> , <b>2018</b> , 8, 8849-8855	3.7	24
31	The Role of Melt Memory and Template Effect in Complete Stereocomplex Crystallization and Phase Morphology of Polylactides. <i>Crystal Growth and Design</i> , <b>2018</b> , 18, 1613-1621	3.5	17
30	Constructing highly oriented segregated structure towards high-strength carbon nanotube/ultrahigh-molecular-weight polyethylene composites for electromagnetic interference shielding. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2018</b> , 110, 237-245	8.4	66
29	Ultra-high mechanical properties of porous composites based on regenerated cellulose and cross-linked poly(ethylene glycol). <i>Carbohydrate Polymers</i> , <b>2018</b> , 179, 244-251	10.3	13
28	Simultaneously improving stiffness, toughness, and heat deflection resistance of polylactide using the strategy of orientation crystallization amplified by interfacial interactions. <i>Polymer Crystallization</i> , <b>2018</b> , 1, e10004	0.9	6
27	Flow-Induced Precursor Formation of Poly(l-lactic acid) under Pressure. <i>ACS Omega</i> , <b>2018</b> , 3, 15471-15481	3.9	4
26	Ultralight Cellulose Porous Composites with Manipulated Porous Structure and Carbon Nanotube Distribution for Promising Electromagnetic Interference Shielding. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2018</b> , 10, 40156-40167	9.5	73
25	Wearable Polyethylene/Polyamide Composite Fabric for Passive Human Body Cooling. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2018</b> , 10, 41637-41644	9.5	45
24	Influences of interfacial adhesion on gas barrier property of functionalized graphene oxide/ultra-high-molecular-weight polyethylene composites with segregated structure. <i>Composite Interfaces</i> , <b>2017</b> , 24, 729-741	2.3	6
23	Ultrahigh gas barrier poly (vinyl alcohol) nanocomposite film filled with congregated and oriented Fe <sub>3</sub> O <sub>4</sub> @GO sheets induced by magnetic-field. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2017</b> , 97, 1-9	8.4	37
22	A nacre-mimetic superstructure of poly(butylene succinate) structured by using an intense shear flow and ramie fiber as a promising strategy for simultaneous reinforcement and toughening. <i>Journal of Materials Chemistry A</i> , <b>2017</b> , 5, 22697-22707	13	14
21	Gradient Structure of Crystalline Morphology in Injection-Molded Polylactide Parts Tuned by Oscillation Shear Flow and Its Influence on Thermomechanical Performance. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2017</b> , 56, 6295-6306	3.9	18
20	Confined crystallization of poly(butylene succinate) intercalated into organoclays: role of surfactant polarity. <i>RSC Advances</i> , <b>2016</b> , 6, 68072-68080	3.7	5
19	In Situ Nanofibrillar Networks Composed of Densely Oriented Polylactide Crystals as Efficient Reinforcement and Promising Barrier Wall for Fully Biodegradable Poly(butylene succinate) Composite Films. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2016</b> , 4, 2887-2897	8.3	30
18	Inducing Stereocomplex Crystals by Template Effect of Residual Stereocomplex Crystals during Thermal Annealing of Injection-Molded Polylactide. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2016</b> , 55, 10896-10905	3.9	20

17	Structured Reduced Graphene Oxide/Polymer Composites for Ultra-Efficient Electromagnetic Interference Shielding. <i>Advanced Functional Materials</i> , <b>2015</b> , 25, 559-566	15.6	802
16	Temperature dependence of molecular conformation in uniaxially deformed isotactic polypropylene investigated by combination of polarized FTIR spectroscopy and 2D correlation analysis. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , <b>2015</b> , 53, 673-684	2.6	9
15	Effects of dodecyl amine functionalized graphene oxide on the crystallization behavior of isotactic polypropylene. <i>Journal of Applied Polymer Science</i> , <b>2014</b> , 131, n/a-n/a	2.9	7
14	Non-isothermal crystallization kinetics of alkyl-functionalized graphene oxide/high-density polyethylene nanocomposites. <i>Composite Interfaces</i> , <b>2014</b> , 21, 203-215	2.3	11
13	Improved performance balance of polyethylene by simultaneously forming oriented crystals and blending ultrahigh-molecular-weight polyethylene. <i>RSC Advances</i> , <b>2014</b> , 4, 1512-1520	3.7	31
12	Conductive polymer composites with segregated structures. <i>Progress in Polymer Science</i> , <b>2014</b> , 39, 1908-1933	4.7	470
11	Enhanced toughness and strength of conductive cellulose-poly(butylene succinate) films filled with multiwalled carbon nanotubes. <i>Cellulose</i> , <b>2014</b> , 21, 1803-1812	5.5	8
10	Improved barrier properties of poly(lactic acid) with randomly dispersed graphene oxide nanosheets. <i>Journal of Membrane Science</i> , <b>2014</b> , 464, 110-118	9.6	141
9	Mechanical properties and biocompatibility of melt processed, self-reinforced ultrahigh molecular weight polyethylene. <i>Biomaterials</i> , <b>2014</b> , 35, 6687-97	15.6	53
8	Tunable liquid sensing performance of conducting carbon nanotube/polyethylene composites with a porous segregated structure. <i>RSC Advances</i> , <b>2013</b> , 3, 19802	3.7	13
7	Influence of surface polarity of carbon nanotubes on electric field induced aligned conductive network formation in a polymer melt. <i>RSC Advances</i> , <b>2013</b> , 3, 24185	3.7	10
6	Double-segregated carbon nanotube/polymer conductive composites as candidates for liquid sensing materials. <i>Journal of Materials Chemistry A</i> , <b>2013</b> , 1, 4177	13	70
5	Preparation and properties of carbon black/polymer composites with segregated and double-percolated network structures. <i>Journal of Materials Science</i> , <b>2013</b> , 48, 4892-4898	4.3	23
4	Tuning the superstructure of ultrahigh-molecular-weight polyethylene/low-molecular-weight polyethylene blend for artificial joint application. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2012</b> , 4, 1521-9.5	9.5	56
3	Enhanced mechanical and thermal properties of rigid polyurethane foam composites containing graphene nanosheets and carbon nanotubes. <i>Polymer International</i> , <b>2012</b> , 61, 1107-1114	3.3	103
2	Crystallization behavior and morphology of one-step reaction compatibilized microfibrillar reinforced isotactic polypropylene/poly(ethylene terephthalate) (iPP/PET) blends. <i>Chinese Journal of Polymer Science (English Edition)</i> , <b>2011</b> , 29, 540-551	3.5	10
1	Quantitative Investigation on Structural Evolution of Co-continuous Phase under Shear Flow. <i>Chinese Journal of Polymer Science (English Edition)</i> , 1	3.5	0