

# Kazuki Nanko

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2949285/publications.pdf>

Version: 2024-02-01

59  
papers

2,199  
citations

236925

25  
h-index

233421

45  
g-index

66  
all docs

66  
docs citations

66  
times ranked

1586  
citing authors

#	ARTICLE	IF	CITATIONS
1	Stemflow infiltration areas into forest soils around American beech ( <i>Fagus</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Jf 50 742	2.4	8
2	National-scale 3D mapping of soil organic carbon in a Japanese forest considering microtopography and tephra deposition. <i>Geoderma</i> , 2022, 406, 115534.	5.1	10
3	Vertical distribution and transport of radiocesium via branchflow and stemflow through the canopy of cedar and oak stands in the aftermath of the Fukushima Dai-ichi Nuclear Power Plant accident. <i>Science of the Total Environment</i> , 2022, 818, 151698.	8.0	9
4	Tree dynamic response and survival in a category-5 tropical cyclone: The case of super typhoon Trami. <i>Science Advances</i> , 2022, 8, eabm7891.	10.3	14
5	Port construction alters dune topography and coastal forest growth: A study on forest decline due to coastal erosion. <i>Ecological Engineering</i> , 2022, 180, 106640.	3.6	3
6	Throughfall drop sizes suggest canopy flowpaths vary by phenophase. <i>Journal of Hydrology</i> , 2022, 612, 128144.	5.4	10
7	Modeling impacts of broad-scale plantation forestry on ecosystem services in the past 60 years and for the future. <i>Ecosystem Services</i> , 2021, 49, 101271.	5.4	12
8	Canopy structure metrics governing stemflow funnelling differ between leafed and leafless states: Insights from a large-scale rainfall simulator. <i>Hydrological Processes</i> , 2021, 35, e14294.	2.6	5
9	Reductions in water, soil and nutrient losses and pesticide pollution in agroforestry practices: a review of evidence and processes. <i>Plant and Soil</i> , 2020, 453, 45-86.	3.7	70
10	Peak grain forecasts for the US High Plains amid withering waters. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 26145-26150.	7.1	12
11	Homogenization of the terrestrial water cycle. <i>Nature Geoscience</i> , 2020, 13, 656-658.	12.9	242
12	Geographic Factors Explain the Variability of Atmospheric Deposition of Sulfur and Nitrogen onto Coniferous Forests Within and Beyond the Tokyo Metropolis. <i>Water, Air, and Soil Pollution</i> , 2020, 231, 1.	2.4	3
13	A network model for stemflow solute transport. <i>Applied Mathematical Modelling</i> , 2020, 88, 266-282.	4.2	12
14	The variability of stemflow generation in a natural beech stand ( <i>Fagus orientalis</i> Lipsky) in relation to rainfall and tree traits. <i>Ecohydrology</i> , 2020, 13, e2198.	2.4	10
15	Advancing ecohydrology in the 21st century: A convergence of opportunities. <i>Ecohydrology</i> , 2020, 13, e2208.	2.4	34
16	Throughfall Erosivity in Relation to Drop Size and Crown Position: A Case Study from a Teak Plantation in Thailand. <i>Ecological Studies</i> , 2020, , 279-298.	1.2	10
17	Commentary: What We Know About Stemflow's Infiltration Area. <i>Frontiers in Forests and Global Change</i> , 2020, 3, .	2.3	12
18	Throughfall isotopic composition in relation to drop size at the intra-event scale in a Mediterranean Scots pine stand. <i>Hydrology and Earth System Sciences</i> , 2020, 24, 4675-4690.	4.9	9

#	ARTICLE	IF	CITATIONS
19	APPLICABILITY OF A COMPACT DOPPLER SENSOR FOR VEHICLE PRECIPITATION MEASUREMENTS. <i>Journal of Japan Society of Civil Engineers Ser B1 (Hydraulic Engineering)</i> , 2020, 76, 1_211-1_216.	0.1	0
20	Portable rainfall simulator for plot-scale investigation of rainfall-runoff, and transport of sediment and pollutants. <i>International Journal of Sediment Research</i> , 2019, 34, 38-47.	3.5	26
21	Characterization of differential throughfall drop size distributions beneath European beech and Norway spruce. <i>Hydrological Processes</i> , 2019, 33, 3391-3406.	2.6	11
22	Throughfall partitioning by trees. <i>Hydrological Processes</i> , 2019, 33, 1698-1708.	2.6	53
23	Mechanical properties of Japanese black pine ( <i>Pinus thunbergii</i> Parl.) planted on coastal sand dunes: resistance to uprooting and stem breakage by tsunamis. <i>Wood Science and Technology</i> , 2019, 53, 469-489.	3.2	8
24	Characteristics of soil erosion in a moso-bamboo forest of western Japan: Comparison with a broadleaved forest and a coniferous forest. <i>Catena</i> , 2019, 172, 451-460.	5.0	32
25	Correction of Canopy Interception Loss Measurements in Temperate Forests: A Comparison of Necessary Adjustments among Three Different Rain Gauges Based on a Dynamic Calibration Procedure. <i>Journal of Hydrometeorology</i> , 2018, 19, 547-553.	1.9	17
26	Expressing stemflow commensurate with its ecohydrological importance. <i>Advances in Water Resources</i> , 2018, 121, 472-479.	3.8	71
27	Factors influencing the erosivity indices of raindrops in Japanese cypress plantations. <i>Catena</i> , 2018, 171, 54-61.	5.0	16
28	Throughfall drop size distributions: a review and prospectus for future research. <i>Wiley Interdisciplinary Reviews: Water</i> , 2017, 4, e1225.	6.5	94
29	Stemflow-induced spatial heterogeneity of radiocesium concentrations and stocks in the soil of a broadleaved deciduous forest. <i>Science of the Total Environment</i> , 2017, 599-600, 1013-1021.	8.0	22
30	Assessment of soil group, site and climatic effects on soil organic carbon stocks of topsoil in Japanese forests. <i>European Journal of Soil Science</i> , 2017, 68, 547-558.	3.9	14
31	What factors are most influential in governing stemflow production from plantation-grown teak trees?. <i>Journal of Hydrology</i> , 2017, 544, 10-20.	5.4	31
32	Data-mining analysis of the global distribution of soil carbon in observational databases and Earth system models. <i>Geoscientific Model Development</i> , 2017, 10, 1321-1337.	3.6	16
33	A phenomenological model for throughfall rendering in real-time. <i>Computer Graphics Forum</i> , 2016, 35, 13-23.	3.0	2
34	Immediate change in throughfall spatial distribution and canopy water balance after heavy thinning in a dense mature Japanese cypress plantation. <i>Ecohydrology</i> , 2016, 9, 300-314.	2.4	36
35	Rainfall erosivity-intensity relationships for normal rainfall events and a tropical cyclone on the US southeast coast. <i>Journal of Hydrology</i> , 2016, 534, 440-450.	5.4	34
36	Effects of plant roots on the soil erosion rate under simulated rainfall with high kinetic energy. <i>Hydrological Sciences Journal</i> , 2016, 61, 2435-2442.	2.6	34

#	ARTICLE	IF	CITATIONS
37	Differences in throughfall drop size distributions in the presence and absence of foliage. <i>Hydrological Sciences Journal</i> , 2016, 61, 620-627.	2.6	50
38	Erosion Potential under <i>Miconia calvescens</i> Stands on the Island of Hawaii. <i>Land Degradation and Development</i> , 2015, 26, 218-226.	3.9	50
39	Export of radioactive cesium from agricultural fields under simulated rainfall in Fukushima. <i>Environmental Sciences: Processes and Impacts</i> , 2015, 17, 1157-1163.	3.5	9
40	Throughfall under a teak plantation in Thailand: a multifactorial analysis on the effects of canopy phenology and meteorological conditions. <i>International Journal of Biometeorology</i> , 2015, 59, 1145-1156.	3.0	26
41	A pedotransfer function for estimating bulk density of forest soil in Japan affected by volcanic ash. <i>Geoderma</i> , 2014, 213, 36-45.	5.1	54
42	Effect of canopy interception on spatial variability and isotopic composition of throughfall in Japanese cypress plantations. <i>Journal of Hydrology</i> , 2013, 504, 1-11.	5.4	49
43	Physical interpretation of the difference in drop size distributions of leaf drips among tree species. <i>Agricultural and Forest Meteorology</i> , 2013, 169, 74-84.	4.8	73
44	Predicted spatio-temporal dynamics of radiocesium deposited onto forests following the Fukushima nuclear accident. <i>Scientific Reports</i> , 2013, 3, 2564.	3.3	95
45	Relationship between Throughfall Kinetic Energy and Tree Height, Crown Bottom Height, and Crown Length for Japanese Cypress Plantation. <i>Journal of the Japanese Forest Society</i> , 2013, 95, 234-239.	0.2	4
46	The total amounts of radioactively contaminated materials in forests in Fukushima, Japan. <i>Scientific Reports</i> , 2012, 2, 416.	3.3	188
47	Rainfall Tendency in Winter Sugadairakogen Highlands, Nagano Prefecture. <i>Suimon Mizu Shigen Gakkaishi</i> , 2012, 25, 271-289.	0.1	6
48	Spatial variability of throughfall under a single tree: Experimental study of rainfall amount, raindrops, and kinetic energy. <i>Agricultural and Forest Meteorology</i> , 2011, 151, 1173-1182.	4.8	81
49	Estimation of temporal variation in splash detachment in two Japanese cypress plantations of contrasting age. <i>Earth Surface Processes and Landforms</i> , 2010, 35, 993-1005.	2.5	20
50	Variability of surface runoff generation and infiltration rate under a tree canopy: indoor rainfall experiment using Japanese cypress ( <i>Chamaecyparis obtusa</i> ). <i>Hydrological Processes</i> , 2010, 24, 567-575.	2.6	25
51	The effect of slope angle on splash detachment in an unmanaged Japanese cypress plantation forest. <i>Hydrological Processes</i> , 2010, 24, 576-587.	2.6	38
52	Estimating the Economic Effect of Heavy Thinning on the Water Resource Storage Function of Dense Japanese Cypress Plantations. <i>Suimon Mizu Shigen Gakkaishi</i> , 2010, 23, 437-443.	0.1	2
53	Effects of Understory Vegetation on Infiltration Capacity in Japanese Cypress Plantation.. <i>Journal of the Japanese Forest Society</i> , 2010, 92, 145-150.	0.2	18
54	Effect of canopy thickness and canopy saturation on the amount and kinetic energy of throughfall: An experimental approach. <i>Geophysical Research Letters</i> , 2008, 35, .	4.0	56

#	ARTICLE	IF	CITATIONS
55	Estimation of soil splash detachment rates on the forest floor of an unmanaged Japanese cypress plantation based on field measurements of throughfall drop sizes and velocities. <i>Catena</i> , 2008, 72, 348-361.	5.0	104
56	Experimental Study on Spatial Distribution of Throughfall Under a Japanese Cypress Tree. <i>Suimon Mizu Shigen Gakkaishi</i> , 2008, 21, 273-284.	0.1	9
57	Field Measurement of Infiltration Rate Using an Oscillating Nozzle Rainfall Simulator in Devastated Hinoki Plantation. <i>Suimon Mizu Shigen Gakkaishi</i> , 2008, 21, 439-448.	0.1	16
58	Evaluating the influence of canopy species and meteorological factors on throughfall drop size distribution. <i>Journal of Hydrology</i> , 2006, 329, 422-431.	5.4	149
59	Assessing raindrop impact energy at the forest floor in a mature Japanese cypress plantation using continuous raindrop-sizing instruments. <i>Journal of Forest Research</i> , 2004, 9, 157-164.	1.4	74