

# Young-Hoon Joo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2949369/publications.pdf>

Version: 2024-02-01

75  
papers

1,083  
citations

430874

18  
h-index

526287

27  
g-index

76  
all docs

76  
docs citations

76  
times ranked

1618  
citing authors

#	ARTICLE	IF	CITATIONS
1	Association of Hearing Loss and Tinnitus with Health-Related Quality of Life: The Korea National Health and Nutrition Examination Survey. PLoS ONE, 2015, 10, e0131247.	2.5	53
2	Risk factors of free flap compromise in 247 cases of microvascular head and neck reconstruction: a single surgeon's experience. European Archives of Oto-Rhino-Laryngology, 2010, 267, 1629-1633.	1.6	46
3	Relationship between vascular endothelial growth factor and Notch1 expression and lymphatic metastasis in tongue cancer. Otolaryngology - Head and Neck Surgery, 2009, 140, 512-518.	1.9	44
4	Guidelines for the Surgical Management of Oral Cancer: Korean Society of Thyroid-Head and Neck Surgery. Clinical and Experimental Otorhinolaryngology, 2019, 12, 107-144.	2.1	44
5	The impact of paratracheal lymph node metastasis in squamous cell carcinoma of the hypopharynx. European Archives of Oto-Rhino-Laryngology, 2010, 267, 945-950.	1.6	41
6	High-risk human papillomavirus and cervical lymph node metastasis in patients with oropharyngeal cancer. Head and Neck, 2012, 34, 10-14.	2.0	40
7	Convolutional Neural Network Classifies Pathological Voice Change in Laryngeal Cancer with High Accuracy. Journal of Clinical Medicine, 2020, 9, 3415.	2.4	39
8	Preoperative <sup>18</sup> F-FDG PET/CT and high-risk HPV in patients with oropharyngeal squamous cell carcinoma. Head and Neck, 2014, 36, 323-327.	2.0	34
9	Factors That Predict Postoperative Pulmonary Complications After Supracricoid Partial Laryngectomy. JAMA Otolaryngology, 2009, 135, 1154.	1.2	33
10	Characteristics and Prognostic Implications of High-Risk HPV-Associated Hypopharyngeal Cancers. PLoS ONE, 2013, 8, e78718.	2.5	33
11	Role of larynx-preserving partial hypopharyngectomy with and without postoperative radiotherapy for squamous cell carcinoma of the hypopharynx. Oral Oncology, 2012, 48, 168-172.	1.5	28
12	Hypertension is associated with oral, laryngeal, and esophageal cancer: a nationwide population-based study. Scientific Reports, 2020, 10, 10291.	3.3	28
13	Assessment of volume changes of radial forearm free flaps in head and neck cancer: Long-term results. Oral Oncology, 2011, 47, 72-75.	1.5	27
14	Sex Differences in the Prevalence of Head and Neck Cancers: A 10-Year Follow-Up Study of 10 Million Healthy People. Cancers, 2022, 14, 2521.	3.7	27
15	Functional outcome after partial glossectomy with reconstruction using radial forearm free flap. Auris Nasus Larynx, 2013, 40, 303-307.	1.2	25
16	Clinicopathological factors influencing the outcomes of surgical treatment in patients with T4a hypopharyngeal cancer. BMC Cancer, 2017, 17, 904.	2.6	23
17	Prognostic Significance of Lymph Node Density in Patients with Hypopharyngeal Squamous Cell Carcinoma. Annals of Surgical Oncology, 2015, 22, 1014-1019.	1.5	22
18	Efficacy and Safety of Adjunctive Steroid Injection After Microsurgical Removal of Benign Vocal Fold Lesions. Journal of Voice, 2017, 31, 615-620.	1.5	21

#	ARTICLE	IF	CITATIONS
19	Metabolic Syndrome and Incidence of Laryngeal Cancer: A Nationwide Cohort Study. <i>Scientific Reports</i> , 2019, 9, 667.	3.3	20
20	Factors predicting fistula following radial forearm free flap reconstruction for head and neck cancer. <i>Oral Oncology</i> , 2010, 46, 684-687.	1.5	18
21	Usefulness of the anterolateral thigh flap with vascularized fascia lata for reconstruction of orbital floor and nasal surface after total maxillectomy. <i>Laryngoscope</i> , 2013, 123, 2125-2130.	2.0	18
22	Relationship between Olfactory Dysfunction and Suicidal Ideation: The Korea National Health and Nutrition Examination Survey. <i>American Journal of Rhinology and Allergy</i> , 2015, 29, 268-272.	2.0	18
23	Prognostic impact of lymph node micrometastasis in oral and oropharyngeal squamous cell carcinomas. <i>Head and Neck</i> , 2016, 38, E1777-82.	2.0	18
24	The Long-Term Prognosis of Voice Pitch Change in Female Patients After Thyroid Surgery. <i>World Journal of Surgery</i> , 2016, 40, 2382-2390.	1.6	17
25	Association between Chronic Laryngitis and Particulate Matter Based on the Korea National Health and Nutrition Examination Survey 2008-2012. <i>PLoS ONE</i> , 2015, 10, e0133180.	2.5	17
26	The value of preoperative 18F-FDG PET/CT for the assessing contralateral neck in head and neck cancer patients with unilateral node metastasis (N1-3). <i>Clinical Otolaryngology</i> , 2014, 39, 338-344.	1.2	16
27	Surgical morbidity and mortality in patients after microvascular reconstruction for head and neck cancer. <i>Clinical Otolaryngology</i> , 2018, 43, 502-508.	1.2	16
28	Prevalence of high-risk human papillomavirus and its genotype distribution in head and neck squamous cell carcinomas. <i>Journal of Pathology and Translational Medicine</i> , 2020, 54, 411-418.	1.1	16
29	Age-related changes of the larynx and trachea assessed by three-dimensional computed tomography in children: Application to endotracheal intubation and bronchoscopy. <i>Clinical Anatomy</i> , 2014, 27, 360-364.	2.7	14
30	Standardized Uptake Value and Resection Margin Involvement Predict Outcomes in pN0 Head and Neck Cancer. <i>Otolaryngology - Head and Neck Surgery</i> , 2013, 149, 721-726.	1.9	13
31	Extracapsular spread in hypopharyngeal squamous cell carcinoma: Diagnostic value of FDG PET/CT. <i>Head and Neck</i> , 2013, 35, 1771-1776.	2.0	13
32	Efficacy of 18F-fluorodeoxyglucose positron emission tomography/CT imaging for extracapsular spread of laryngeal squamous cell carcinoma. <i>Head and Neck</i> , 2016, 38, 290-293.	2.0	13
33	Can the transoral approach secure a cancer-free deep margin in tonsil cancer?. <i>Oral Oncology</i> , 2012, 48, 658-661.	1.5	12
34	Long-Lasting Voice-Related Symptoms in Patients Without Vocal Cord Palsy After Thyroidectomy. <i>World Journal of Surgery</i> , 2018, 42, 2109-2116.	1.6	12
35	Gender Difference in the Epidemiological Association between Metabolic Syndrome and Olfactory Dysfunction: The Korea National Health and Nutrition Examination Survey. <i>PLoS ONE</i> , 2016, 11, e0148813.	2.5	12
36	Clinical Significance of Contralateral Reactive Lesion in Vocal Fold Polyp and Cyst. <i>Journal of Voice</i> , 2018, 32, 109-115.	1.5	11

#	ARTICLE	IF	CITATIONS
37	Fasciocutaneous free flap reconstruction for squamous cell carcinoma of the hypopharynx. <i>European Archives of Oto-Rhino-Laryngology</i> , 2011, 268, 289-294.	1.6	10
38	Relationship between paraglottic space invasion and cervical lymph node metastasis in patients undergoing supracricoid partial laryngectomy. <i>Head and Neck</i> , 2012, 34, 1119-1122.	2.0	10
39	Factors influencing the outcomes of primary surgery with postoperative radiotherapy for pN2 oropharyngeal squamous cell carcinoma. <i>Oral Oncology</i> , 2012, 48, 90-94.	1.5	10
40	Evolving Strategy for Surgical Management of Oral Cancer: Present and Future. <i>Clinical and Experimental Otorhinolaryngology</i> , 2019, 12, 101-102.	2.1	10
41	Recurrent loss of the <i>FHIT</i> gene and its impact on lymphatic metastasis in early oral squamous cell carcinoma. <i>Acta Oto-Laryngologica</i> , 2013, 133, 992-999.	0.9	9
42	Factors Predicting the Recovery of Unilateral Vocal Fold Paralysis After Thyroidectomy. <i>World Journal of Surgery</i> , 2018, 42, 2117-2122.	1.6	9
43	Synchronous laryngeal squamous cell carcinoma and Hodgkin lymphoma of the head and neck region. <i>Auris Nasus Larynx</i> , 2009, 36, 501-504.	1.2	8
44	High-risk human papillomavirus and lymph node size in patients with single node metastasis of oral and oropharyngeal cancer. <i>Acta Oto-Laryngologica</i> , 2014, 134, 395-400.	0.9	8
45	Prognostic value of preoperative 18F-FDG PET/CT for primary head and neck squamous cell carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2014, 271, 1685-1691.	1.6	8
46	Association of perceived tinnitus with duration of hormone replacement therapy in Korean postmenopausal women: a cross-sectional study. <i>BMJ Open</i> , 2017, 7, e013736.	1.9	8
47	Association between low bone mineral density and hearing impairment in postmenopausal women: the Korean National Health and Nutrition Examination Survey. <i>BMJ Open</i> , 2018, 8, e018763.	1.9	8
48	Effects of Voice Therapy Using the Lip Trill Technique in Patients With Glottal Gap. <i>Journal of Voice</i> , 2019, 33, 949.e11-949.e19.	1.5	8
49	Changes in metabolic syndrome status and risk of laryngeal cancer: A nationwide cohort study. <i>PLoS ONE</i> , 2021, 16, e0252872.	2.5	8
50	Association between Obesity and Chronic Laryngitis in Women - Data from the Korea National Health and Nutrition Examination Survey. <i>Obesity Facts</i> , 2015, 8, 252-260.	3.4	6
51	Role of primary closure after transoral robotic surgery for tonsillar cancer. <i>Auris Nasus Larynx</i> , 2015, 42, 43-48.	1.2	6
52	Swallowing function in patients with vertical hemipharyngolaryngectomy for hypopharyngeal squamous cell carcinoma. <i>Head and Neck</i> , 2016, 38, 191-195.	2.0	6
53	Impact of pre-operative body mass index in head and neck cancer patients undergoing microvascular reconstruction. <i>Journal of Laryngology and Otology</i> , 2017, 131, 972-976.	0.8	6
54	Lateral neck dissection affects the voice in thyroid cancer patients. <i>Journal of Laryngology and Otology</i> , 2017, 131, 853-859.	0.8	6

#	ARTICLE	IF	CITATIONS
55	Characterization of FaDu-R, a radioresistant head and neck cancer cell line, and cancer stem cells. <i>Auris Nasus Larynx</i> , 2018, 45, 566-573.	1.2	6
56	Close Surgical Margins in Oral and Oropharyngeal Cancer: Do They Impact Prognosis?. <i>Cancers</i> , 2022, 14, 2990.	3.7	6
57	Prognostic impact of perineural invasion in hypopharyngeal squamous cell carcinoma. <i>Acta Oto-Laryngologica</i> , 2016, 136, 1069-1073.	0.9	5
58	Treatment assessment based on computerized lymph node volume and ratio of necrotic area in tuberculous cervical lymphadenitis. <i>Auris Nasus Larynx</i> , 2012, 39, 402-406.	1.2	4
59	Multivariate Analysis of Risk Factors in the Development of a Lower-Pitched Voice After Thyroidectomy. <i>Annals of Otology, Rhinology and Laryngology</i> , 2017, 126, 117-123.	1.1	4
60	A possible association between dysphonia and sleep duration: A cross-sectional study based on the Korean National Health and nutrition examination surveys from 2010 to 2012. <i>PLoS ONE</i> , 2017, 12, e0182286.	2.5	4
61	Effects of an antiadhesive agent on functional recovery of the greater auricular nerve after parotidectomy: a double-blind randomized controlled trial. <i>European Archives of Oto-Rhino-Laryngology</i> , 2019, 276, 3185-3193.	1.6	4
62	Prognostic impact of resection margin involvement in surgically managed HPV-positive tonsil cancer. <i>Oral Oncology</i> , 2020, 108, 104806.	1.5	4
63	The Association between Sleep Duration and Dizziness in Korean Women: The Korea National Health and Nutrition Examination Survey. <i>Journal of Korean Medical Science</i> , 2019, 34, e226.	2.5	4
64	Female sex, central lymph node metastasis and dissection are causes of globus symptom after thyroidectomy. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016, 273, 1607-1613.	1.6	3
65	Association between Hearing Loss and Cognitive Disorder: A Nationwide Population-Based Study. <i>Yonsei Medical Journal</i> , 2021, 62, 446.	2.2	3
66	Recent Treatment Patterns of Oropharyngeal Cancer in Korea Based on the Expert Questionnaire Survey of the Korean Society for Head and Neck Oncology (KSHNO). <i>Cancer Research and Treatment</i> , 2021, 53, 1004-1014.	3.0	3
67	Establishment of a novel human papillomavirus-negative and radiosensitive head and neck squamous cell carcinoma cell line. <i>Head and Neck</i> , 2016, 38, E542-51.	2.0	2
68	The usefulness of the transcricothyroid injection laryngoplasty via contralateral paramedian approach. <i>Auris Nasus Larynx</i> , 2017, 44, 93-97.	1.2	2
69	Insulin Resistance is Associated with Chronic Laryngitis in Korean Women. <i>Journal of Nutrition, Health and Aging</i> , 2018, 22, 471-475.	3.3	2
70	Chromosomal aberrations and prognosis in patients with concomitant chemoradiotherapy for resected head and neck cancer. <i>Oncology Reports</i> , 2016, 35, 2207-2215.	2.6	1
71	Patterns and Clinical Significance of Nodal Metastasis in Squamous Cell Carcinoma of Hypopharynx. <i>Korean Journal of Otorhinolaryngology-Head and Neck Surgery</i> , 2009, 52, 756.	0.2	0
72	The Correlation between Benign Laryngeal Mucosal Disease and Metabolic Syndrome. <i>Journal of the Korean Society of Laryngology Phoniatrics and Logopedics</i> , 2019, 30, 34-38.	0.1	0

#	ARTICLE	IF	CITATIONS
73	Impact of the Preoperative Neutrophil to Lymphocyte Ratio on Patients with Head and Neck Cancer. Korean Journal of Otorhinolaryngology-Head and Neck Surgery, 2020, 63, 26-30.	0.2	0
74	The risk of laryngitis with herpes zoster infection: A nested case-control study using data from the Korean National Sample Cohort. PLoS ONE, 2021, 16, e0261366.	2.5	0
75	Prophylactic contralateral neck dissection has no advantage in patients with early stage HPV-positive tonsil cancer. Acta Oto-Laryngologica, 2022, , 1-5.	0.9	0