

Young-Hoon Joo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2949369/publications.pdf>

Version: 2024-02-01

75
papers

1,083
citations

430874

18
h-index

526287

27
g-index

76
all docs

76
docs citations

76
times ranked

1618
citing authors

#	ARTICLE	IF	CITATIONS
1	Prophylactic contralateral neck dissection has no advantage in patients with early stage HPV-positive tonsil cancer. <i>Acta Oto-Laryngologica</i> , 2022, , 1-5.	0.9	0
2	Sex Differences in the Prevalence of Head and Neck Cancers: A 10-Year Follow-Up Study of 10 Million Healthy People. <i>Cancers</i> , 2022, 14, 2521.	3.7	27
3	Close Surgical Margins in Oral and Oropharyngeal Cancer: Do They Impact Prognosis?. <i>Cancers</i> , 2022, 14, 2990.	3.7	6
4	Association between Hearing Loss and Cognitive Disorder: A Nationwide Population-Based Study. <i>Yonsei Medical Journal</i> , 2021, 62, 446.	2.2	3
5	Recent Treatment Patterns of Oropharyngeal Cancer in Korea Based on the Expert Questionnaire Survey of the Korean Society for Head and Neck Oncology (KSHNO). <i>Cancer Research and Treatment</i> , 2021, 53, 1004-1014.	3.0	3
6	Changes in metabolic syndrome status and risk of laryngeal cancer: A nationwide cohort study. <i>PLoS ONE</i> , 2021, 16, e0252872.	2.5	8
7	The risk of laryngitis with herpes zoster infection: A nested case-control study using data from the Korean National Sample Cohort. <i>PLoS ONE</i> , 2021, 16, e0261366.	2.5	0
8	Convolutional Neural Network Classifies Pathological Voice Change in Laryngeal Cancer with High Accuracy. <i>Journal of Clinical Medicine</i> , 2020, 9, 3415.	2.4	39
9	Hypertension is associated with oral, laryngeal, and esophageal cancer: a nationwide population-based study. <i>Scientific Reports</i> , 2020, 10, 10291.	3.3	28
10	Prognostic impact of resection margin involvement in surgically managed HPV-positive tonsil cancer. <i>Oral Oncology</i> , 2020, 108, 104806.	1.5	4
11	Prevalence of high-risk human papillomavirus and its genotype distribution in head and neck squamous cell carcinomas. <i>Journal of Pathology and Translational Medicine</i> , 2020, 54, 411-418.	1.1	16
12	Impact of the Preoperative Neutrophil to Lymphocyte Ratio on Patients with Head and Neck Cancer. <i>Korean Journal of Otorhinolaryngology-Head and Neck Surgery</i> , 2020, 63, 26-30.	0.2	0
13	Effects of Voice Therapy Using the Lip Trill Technique in Patients With Glottal Gap. <i>Journal of Voice</i> , 2019, 33, 949.e11-949.e19.	1.5	8
14	Effects of an antiadhesive agent on functional recovery of the greater auricular nerve after parotidectomy: a double-blind randomized controlled trial. <i>European Archives of Oto-Rhino-Laryngology</i> , 2019, 276, 3185-3193.	1.6	4
15	Metabolic Syndrome and Incidence of Laryngeal Cancer: A Nationwide Cohort Study. <i>Scientific Reports</i> , 2019, 9, 667.	3.3	20
16	Guidelines for the Surgical Management of Oral Cancer: Korean Society of Thyroid-Head and Neck Surgery. <i>Clinical and Experimental Otorhinolaryngology</i> , 2019, 12, 107-144.	2.1	44
17	Evolving Strategy for Surgical Management of Oral Cancer: Present and Future. <i>Clinical and Experimental Otorhinolaryngology</i> , 2019, 12, 101-102.	2.1	10
18	The Association between Sleep Duration and Dizziness in Korean Women: The Korea National Health and Nutrition Examination Survey. <i>Journal of Korean Medical Science</i> , 2019, 34, e226.	2.5	4

#	ARTICLE	IF	CITATIONS
19	The Correlation between Benign Laryngeal Mucosal Disease and Metabolic Syndrome. <i>Journal of the Korean Society of Laryngology Phoniatrics and Logopedics</i> , 2019, 30, 34-38.	0.1	0
20	Factors Predicting the Recovery of Unilateral Vocal Fold Paralysis After Thyroidectomy. <i>World Journal of Surgery</i> , 2018, 42, 2117-2122.	1.6	9
21	Long-Lasting Voice-Related Symptoms in Patients Without Vocal Cord Palsy After Thyroidectomy. <i>World Journal of Surgery</i> , 2018, 42, 2109-2116.	1.6	12
22	Association between low bone mineral density and hearing impairment in postmenopausal women: the Korean National Health and Nutrition Examination Survey. <i>BMJ Open</i> , 2018, 8, e018763.	1.9	8
23	Insulin Resistance is Associated with Chronic Laryngitis in Korean Women. <i>Journal of Nutrition, Health and Aging</i> , 2018, 22, 471-475.	3.3	2
24	Clinical Significance of Contralateral Reactive Lesion in Vocal Fold Polyp and Cyst. <i>Journal of Voice</i> , 2018, 32, 109-115.	1.5	11
25	Surgical morbidity and mortality in patients after microvascular reconstruction for head and neck cancer. <i>Clinical Otolaryngology</i> , 2018, 43, 502-508.	1.2	16
26	Characterization of FaDu-R, a radioresistant head and neck cancer cell line, and cancer stem cells. <i>Auris Nasus Larynx</i> , 2018, 45, 566-573.	1.2	6
27	Efficacy and Safety of Adjunctive Steroid Injection After Microsurgical Removal of Benign Vocal Fold Lesions. <i>Journal of Voice</i> , 2017, 31, 615-620.	1.5	21
28	Impact of pre-operative body mass index in head and neck cancer patients undergoing microvascular reconstruction. <i>Journal of Laryngology and Otolaryngology</i> , 2017, 131, 972-976.	0.8	6
29	Lateral neck dissection affects the voice in thyroid cancer patients. <i>Journal of Laryngology and Otolaryngology</i> , 2017, 131, 853-859.	0.8	6
30	Multivariate Analysis of Risk Factors in the Development of a Lower-Pitched Voice After Thyroidectomy. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , 2017, 126, 117-123.	1.1	4
31	The usefulness of the transcricothyroid injection laryngoplasty via contralateral paramedian approach. <i>Auris Nasus Larynx</i> , 2017, 44, 93-97.	1.2	2
32	Association of perceived tinnitus with duration of hormone replacement therapy in Korean postmenopausal women: a cross-sectional study. <i>BMJ Open</i> , 2017, 7, e013736.	1.9	8
33	A possible association between dysphonia and sleep duration: A cross-sectional study based on the Korean National Health and nutrition examination surveys from 2010 to 2012. <i>PLoS ONE</i> , 2017, 12, e0182286.	2.5	4
34	Clinicopathological factors influencing the outcomes of surgical treatment in patients with T4a hypopharyngeal cancer. <i>BMC Cancer</i> , 2017, 17, 904.	2.6	23
35	Establishment of a novel human papillomavirus-negative and radiosensitive head and neck squamous cell carcinoma cell line. <i>Head and Neck</i> , 2016, 38, E542-51.	2.0	2
36	Swallowing function in patients with vertical hemipharyngolaryngectomy for hypopharyngeal squamous cell carcinoma. <i>Head and Neck</i> , 2016, 38, 191-195.	2.0	6

#	ARTICLE	IF	CITATIONS
37	The Long-Term Prognosis of Voice Pitch Change in Female Patients After Thyroid Surgery. <i>World Journal of Surgery</i> , 2016, 40, 2382-2390.	1.6	17
38	Prognostic impact of perineural invasion in hypopharyngeal squamous cell carcinoma. <i>Acta Oto-Laryngologica</i> , 2016, 136, 1069-1073.	0.9	5
39	Prognostic impact of lymph node micrometastasis in oral and oropharyngeal squamous cell carcinomas. <i>Head and Neck</i> , 2016, 38, E1777-82.	2.0	18
40	Efficacy of 18F-fluorodeoxyglucose positron emission tomography/CT imaging for extracapsular spread of laryngeal squamous cell carcinoma. <i>Head and Neck</i> , 2016, 38, 290-293.	2.0	13
41	Female sex, central lymph node metastasis and dissection are causes of globus symptom after thyroidectomy. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016, 273, 1607-1613.	1.6	3
42	Gender Difference in the Epidemiological Association between Metabolic Syndrome and Olfactory Dysfunction: The Korea National Health and Nutrition Examination Survey. <i>PLoS ONE</i> , 2016, 11, e0148813.	2.5	12
43	Chromosomal aberrations and prognosis in patients with concomitant chemoradiotherapy for resected head and neck cancer. <i>Oncology Reports</i> , 2016, 35, 2207-2215.	2.6	1
44	Relationship between Olfactory Dysfunction and Suicidal Ideation: The Korea National Health and Nutrition Examination Survey. <i>American Journal of Rhinology and Allergy</i> , 2015, 29, 268-272.	2.0	18
45	Association between Obesity and Chronic Laryngitis in Women - Data from the Korea National Health and Nutrition Examination Survey. <i>Obesity Facts</i> , 2015, 8, 252-260.	3.4	6
46	Role of primary closure after transoral robotic surgery for tonsillar cancer. <i>Auris Nasus Larynx</i> , 2015, 42, 43-48.	1.2	6
47	Prognostic Significance of Lymph Node Density in Patients with Hypopharyngeal Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2015, 22, 1014-1019.	1.5	22
48	Association of Hearing Loss and Tinnitus with Health-Related Quality of Life: The Korea National Health and Nutrition Examination Survey. <i>PLoS ONE</i> , 2015, 10, e0131247.	2.5	53
49	Association between Chronic Laryngitis and Particulate Matter Based on the Korea National Health and Nutrition Examination Survey 2008-2012. <i>PLoS ONE</i> , 2015, 10, e0133180.	2.5	17
50	High-risk human papillomavirus and lymph node size in patients with single node metastasis of oral and oropharyngeal cancer. <i>Acta Oto-Laryngologica</i> , 2014, 134, 395-400.	0.9	8
51	The value of preoperative 18F-FDG PET/CT for the assessing contralateral neck in head and neck cancer patients with unilateral node metastasis (N1-3). <i>Clinical Otolaryngology</i> , 2014, 39, 338-344.	1.2	16
52	Prognostic value of preoperative 18F-FDG PET/CT for primary head and neck squamous cell carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2014, 271, 1685-1691.	1.6	8
53	Age-related changes of the larynx and trachea assessed by three-dimensional computed tomography in children: Application to endotracheal intubation and bronchoscopy. <i>Clinical Anatomy</i> , 2014, 27, 360-364.	2.7	14
54	Preoperative ¹⁸ F-FDG PET/CT and high-risk HPV in patients with oropharyngeal squamous cell carcinoma. <i>Head and Neck</i> , 2014, 36, 323-327.	2.0	34

#	ARTICLE	IF	CITATIONS
55	Recurrent loss of the <i>FHIT</i> gene and its impact on lymphatic metastasis in early oral squamous cell carcinoma. <i>Acta Oto-Laryngologica</i> , 2013, 133, 992-999.	0.9	9
56	Functional outcome after partial glossectomy with reconstruction using radial forearm free flap. <i>Auris Nasus Larynx</i> , 2013, 40, 303-307.	1.2	25
57	Standardized Uptake Value and Resection Margin Involvement Predict Outcomes in pN0 Head and Neck Cancer. <i>Otolaryngology - Head and Neck Surgery</i> , 2013, 149, 721-726.	1.9	13
58	Extracapsular spread in hypopharyngeal squamous cell carcinoma: Diagnostic value of FDG PET/CT. <i>Head and Neck</i> , 2013, 35, 1771-1776.	2.0	13
59	Usefulness of the anterolateral thigh flap with vascularized fascia lata for reconstruction of orbital floor and nasal surface after total maxillectomy. <i>Laryngoscope</i> , 2013, 123, 2125-2130.	2.0	18
60	Characteristics and Prognostic Implications of High-Risk HPV-Associated Hypopharyngeal Cancers. <i>PLoS ONE</i> , 2013, 8, e78718.	2.5	33
61	Role of larynx-preserving partial hypopharyngectomy with and without postoperative radiotherapy for squamous cell carcinoma of the hypopharynx. <i>Oral Oncology</i> , 2012, 48, 168-172.	1.5	28
62	Treatment assessment based on computerized lymph node volume and ratio of necrotic area in tuberculous cervical lymphadenitis. <i>Auris Nasus Larynx</i> , 2012, 39, 402-406.	1.2	4
63	Relationship between paraglottic space invasion and cervical lymph node metastasis in patients undergoing supracricoid partial laryngectomy. <i>Head and Neck</i> , 2012, 34, 1119-1122.	2.0	10
64	Factors influencing the outcomes of primary surgery with postoperative radiotherapy for pN2 oropharyngeal squamous cell carcinoma. <i>Oral Oncology</i> , 2012, 48, 90-94.	1.5	10
65	Can the transoral approach secure a cancer-free deep margin in tonsil cancer?. <i>Oral Oncology</i> , 2012, 48, 658-661.	1.5	12
66	High-risk human papillomavirus and cervical lymph node metastasis in patients with oropharyngeal cancer. <i>Head and Neck</i> , 2012, 34, 10-14.	2.0	40
67	Assessment of volume changes of radial forearm free flaps in head and neck cancer: Long-term results. <i>Oral Oncology</i> , 2011, 47, 72-75.	1.5	27
68	Fasciocutaneous free flap reconstruction for squamous cell carcinoma of the hypopharynx. <i>European Archives of Oto-Rhino-Laryngology</i> , 2011, 268, 289-294.	1.6	10
69	The impact of paratracheal lymph node metastasis in squamous cell carcinoma of the hypopharynx. <i>European Archives of Oto-Rhino-Laryngology</i> , 2010, 267, 945-950.	1.6	41
70	Risk factors of free flap compromise in 247 cases of microvascular head and neck reconstruction: a single surgeon's experience. <i>European Archives of Oto-Rhino-Laryngology</i> , 2010, 267, 1629-1633.	1.6	46
71	Factors predicting fistula following radial forearm free flap reconstruction for head and neck cancer. <i>Oral Oncology</i> , 2010, 46, 684-687.	1.5	18
72	Relationship between vascular endothelial growth factor and Notch1 expression and lymphatic metastasis in tongue cancer. <i>Otolaryngology - Head and Neck Surgery</i> , 2009, 140, 512-518.	1.9	44

#	ARTICLE	IF	CITATIONS
73	Synchronous laryngeal squamous cell carcinoma and Hodgkin lymphoma of the head and neck region. <i>Auris Nasus Larynx</i> , 2009, 36, 501-504.	1.2	8
74	Factors That Predict Postoperative Pulmonary Complications After Supracricoid Partial Laryngectomy. <i>JAMA Otolaryngology</i> , 2009, 135, 1154.	1.2	33
75	Patterns and Clinical Significance of Nodal Metastasis in Squamous Cell Carcinoma of Hypopharynx. <i>Korean Journal of Otorhinolaryngology-Head and Neck Surgery</i> , 2009, 52, 756.	0.2	0