

Alisha N Wade

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2949446/alisha-n-wade-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

55
papers

10,581
citations

23
h-index

57
g-index

57
ext. papers

13,456
ext. citations

7.7
avg, IF

7.17
L-index

#	Paper	IF	Citations
55	Short- and long-read metagenomics of urban and rural South African gut microbiomes reveal a transitional composition and undescribed taxa. <i>Nature Communications</i> , 2022 , 13, 926	17.4	1
54	Echocardiographic and Electrocardiographic Abnormalities Among Elderly Adults With Cardiovascular Disease in Rural South Africa. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2021 , 14, e007847	5.8	0
53	Osteoporosis, Rather Than Sarcopenia, Is the Predominant Musculoskeletal Disease in a Rural South African Community Where Human Immunodeficiency Virus Prevalence Is High: A Cross-Sectional Study. <i>Journal of Bone and Mineral Research</i> , 2021 ,	6.3	3
52	Adiposity Phenotypes and Subclinical Atherosclerosis in Adults from Sub-Saharan Africa: An H3Africa AWI-Gen Study. <i>Global Heart</i> , 2021 , 16, 19	2.9	2
51	Developing and evaluating a frailty index for older South Africans-findings from the HAALSI study. <i>Age and Ageing</i> , 2021 , 50, 2167-2173	3	0
50	Concordance between fasting plasma glucose and HbA in the diagnosis of diabetes in black South African adults: a cross-sectional study. <i>BMJ Open</i> , 2021 , 11, e046060	3	1
49	Anthropometric cut-offs to identify hyperglycemia in an Afro-Caribbean population: a cross-sectional population-based study from Barbados. <i>BMJ Open Diabetes Research and Care</i> , 2021 , 9,	4.5	2
48	Multimorbidity and mortality in an older, rural black South African population cohort with high prevalence of HIV findings from the HAALSI Study. <i>BMJ Open</i> , 2021 , 11, e047777	3	1
47	How to estimate glomerular filtration rate in sub-Saharan Africa: design and methods of the African Research into Kidney Diseases (ARK) study. <i>BMC Nephrology</i> , 2020 , 21, 20	2.7	11
46	SUN-616 Poor Diagnostic Concordance Between Fasting Plasma Glucose and Glycosylated Hemoglobin in a Black South African Population. <i>Journal of the Endocrine Society</i> , 2020 , 4,	0.4	1
45	Does peer-navigated linkage to care work? A cross-sectional study of active linkage to care within an integrated non-communicable disease-HIV testing centre for adults in Soweto, South Africa. <i>PLoS ONE</i> , 2020 , 15, e0241014	3.7	1
44	Self-Reported Physical Activity in Middle-Aged and Older Adults in Rural South Africa: Levels and Correlates. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	3
43	Multimorbidity and care for hypertension, diabetes and HIV among older adults in rural South Africa. <i>Bulletin of the World Health Organization</i> , 2019 , 97, 10-23	8.2	29
42	Hypertension and diabetes control along the HIV care cascade in rural South Africa. <i>Journal of the International AIDS Society</i> , 2019 , 22, e25213	5.4	20
41	Classical Cardiovascular Risk Factors and HIV are Associated With Carotid Intima-Media Thickness in Adults From Sub-Saharan Africa: Findings From H3Africa AWI-Gen Study. <i>Journal of the American Heart Association</i> , 2019 , 8, e011506	6	13
40	Methods and reporting of kidney function: a systematic review of studies from sub-Saharan Africa. <i>CKJ: Clinical Kidney Journal</i> , 2019 , 12, 778-787	4.5	11
39	Kidney damage and associated risk factors in rural and urban sub-Saharan Africa (AWI-Gen): a cross-sectional population study. <i>The Lancet Global Health</i> , 2019 , 7, e1632-e1643	13.6	27

38	Chronic multimorbidity among older adults in rural South Africa. <i>BMJ Global Health</i> , 2019 , 4, e001386	6.6	27
37	Ability of verbal autopsy data to detect deaths due to uncontrolled hyperglycaemia: testing existing methods and development and validation of a novel weighted score. <i>BMJ Open</i> , 2019 , 9, e026331		1
36	Cognitive function and cardiometabolic disease risk factors in rural South Africa: baseline evidence from the HAALSI study. <i>BMC Public Health</i> , 2019 , 19, 1579	4.1	4
35	Cross-sectional relationship between haemoglobin concentration and measures of physical and cognitive function in an older rural South African population. <i>Journal of Epidemiology and Community Health</i> , 2018 , 72, 796-802	5.1	14
34	Cohort Profile: Health and Ageing in Africa: A Longitudinal Study of an INDEPTH Community in South Africa (HAALSI). <i>International Journal of Epidemiology</i> , 2018 , 47, 689-690j	7.8	66
33	Regional and sex-specific variation in BMI distribution in four sub-Saharan African countries: The H3Africa AWI-Gen study. <i>Global Health Action</i> , 2018 , 11, 1556561	3	17
32	Sociodemographic, socioeconomic, clinical and behavioural predictors of body mass index vary by sex in rural South African adults-findings from the AWI-Gen study. <i>Global Health Action</i> , 2018 , 11, 1549436		9
31	Genomic and environmental risk factors for cardiometabolic diseases in Africa: methods used for Phase 1 of the AWI-Gen population cross-sectional study. <i>Global Health Action</i> , 2018 , 11, 1507133	3	37
30	Cardiometabolic risk in a population of older adults with multiple co-morbidities in rural south africa: the HAALSI (Health and Aging in Africa: longitudinal studies of INDEPTH communities) study. <i>BMC Public Health</i> , 2017 , 17, 206	4.1	50
29	Hypertension management in a population of older adults in rural South Africa. <i>Journal of Hypertension</i> , 2017 , 35, 1283-1289	1.9	23
28	Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128.9 million children, adolescents, and adults. <i>Lancet, The</i> , 2017 , 390, 2627-2642	40	2980
27	Awareness, treatment, and control of dyslipidemia in rural South Africa: The HAALSI (Health and Aging in Africa: A Longitudinal Study of an INDEPTH Community in South Africa) study. <i>PLoS ONE</i> , 2017 , 12, e0187347	3.7	21
26	Prevalence and correlates of frailty in an older rural African population: findings from the HAALSI cohort study. <i>BMC Geriatrics</i> , 2017 , 17, 293	4.1	27
25	Disparities in Management of Cardiovascular Disease in Rural South Africa: Data From the HAALSI Study (Health and Aging in Africa: Longitudinal Studies of International Network for the Demographic Evaluation of Populations and Their Health Communities). <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2017 , 18,	5.8	2
24	The ART Advantage: Health Care Utilization for Diabetes and Hypertension in Rural South Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2017 , 75, 561-567	3.1	40
23	Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with 19.1 million participants. <i>Lancet, The</i> , 2017 , 389, 37-55	40	1100
22	Trends in obesity and diabetes across Africa from 1980 to 2014: an analysis of pooled population-based studies. <i>International Journal of Epidemiology</i> , 2017 , 46, 1421-1432	7.8	127
21	Leveraging the ART Advantage: diabetes and hypertension along the HIV care cascade in rural South Africa. <i>Open Forum Infectious Diseases</i> , 2017 , 4, S58-S58	1	2

20	Regional and Sex Differences in the Prevalence and Awareness of Hypertension: An H3Africa AWI-Gen Study Across 6 Sites in Sub-Saharan Africa. <i>Global Heart</i> , 2017 , 12, 81-90	2.9	71
19	Human Immunodeficiency Virus (HIV) Infection, Antiretroviral Therapy (ART) Use and Access to Care for Diabetes and Hypertension in Agincourt, South Africa. <i>Open Forum Infectious Diseases</i> , 2016 , 3,	1	1
18	Worldwide trends in diabetes since 1980: a pooled analysis of 751 population-based studies with 4.4 million participants. <i>Lancet, The</i> , 2016 , 387, 1513-1530	40	2039
17	Trends in adult body-mass index in 200 countries from 1975 to 2014: a pooled analysis of 1698 population-based measurement studies with 192 million participants. <i>Lancet, The</i> , 2016 , 387, 1377-1396 ⁴⁰	40	2787
16	Effects of diabetes definition on global surveillance of diabetes prevalence and diagnosis: a pooled analysis of 96 population-based studies with 331,288 participants. <i>Lancet Diabetes and Endocrinology, the</i> , 2015 , 3, 624-37	18.1	109
15	Importance of evaluating cell cholesterol influx with efflux in determining the impact of human serum on cholesterol metabolism and atherosclerosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014 , 34, 17-25	9.4	32
14	Research capacity. Enabling the genomic revolution in Africa. <i>Science</i> , 2014 , 344, 1346-8	33.3	256
13	Applying a private sector capitation model to the management of type 2 diabetes in the South African public sector: a cost-effectiveness analysis. <i>BMC Health Services Research</i> , 2014 , 14, 444	2.9	8
12	Predicting self-care behaviours of patients with type 2 diabetes: the importance of beliefs about behaviour, not just beliefs about illness. <i>Journal of Psychosomatic Research</i> , 2013 , 74, 327-33	4.1	36
11	Type 2 diabetes does not attenuate racial differences in coronary calcification. <i>Diabetes Research and Clinical Practice</i> , 2011 , 91, 101-7	7.4	8
10	Amelioration of hypoglycemia with octreotide therapy in metastatic insulinoma with positive octreotide scan. <i>Pancreas</i> , 2011 , 40, 173-5	2.6	4
9	Experience of hypoglycaemia is associated with changes in beliefs about diabetes in patients with type 2 diabetes. <i>Diabetic Medicine</i> , 2011 , 28, 1395-400	3.5	2
8	Clinically silent somatotroph adenomas are common. <i>European Journal of Endocrinology</i> , 2011 , 165, 39-44.5	4.5	41
7	Fatal malnutrition 6 years after gastric bypass surgery. <i>Archives of Internal Medicine</i> , 2010 , 170, 993-5		7
6	Effect of a low-carbohydrate diet versus a low-fat, calorie-restricted diet on adipokine levels in obese, diabetic participants. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2010 , 3, 357-61	3.4	4
5	Coronary calcification in chronic kidney disease: morphology, mechanisms and mortality. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2009 , 4, 1883-5	6.9	7
4	Self-monitoring of blood glucose changed non-insulin-treated Type 2 diabetes patients' beliefs about diabetes and self-monitoring in a randomized trial. <i>Diabetic Medicine</i> , 2008 , 25, 1218-28	3.5	33
3	Cost effectiveness of self monitoring of blood glucose in patients with non-insulin treated type 2 diabetes: economic evaluation of data from the DiGEM trial. <i>BMJ, The</i> , 2008 , 336, 1177-80	5.9	141

2	Impact of self monitoring of blood glucose in the management of patients with non-insulin treated diabetes: open parallel group randomised trial. <i>BMJ, The</i> , 2007 , 335, 132	5.9	291
1	The DiGEM trial protocol--a randomised controlled trial to determine the effect on glycaemic control of different strategies of blood glucose self-monitoring in people with type 2 diabetes [ISRCTN47464659]. <i>BMC Family Practice</i> , 2005 , 6, 25	2.6	28