

Albert Juhasz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2952355/publications.pdf>

Version: 2024-02-01

161
papers

7,049
citations

66250

44
h-index

84171

75
g-index

162
all docs

162
docs citations

162
times ranked

6225
citing authors

#	ARTICLE	IF	CITATIONS
1	Cadmium oral bioavailability is affected by calcium and phytate contents in food: Evidence from leafy vegetables in mice. <i>Journal of Hazardous Materials</i> , 2022, 424, 127373.	6.5	8
2	Application of native plants in constructed floating wetlands as a passive remediation approach for PFAS-impacted surface water. <i>Journal of Hazardous Materials</i> , 2022, 429, 128326.	6.5	31
3	Influence of Dietary Lipid Type on the Bioavailability of DDT and Its Metabolites in Soil: Mechanisms and Health Implications. <i>Environmental Science & Technology</i> , 2022, 56, 5102-5110.	4.6	5
4	Health-related toxicity of emerging per- and polyfluoroalkyl substances: Comparison to legacy PFOS and PFOA. <i>Environmental Research</i> , 2022, 212, 113431.	3.7	30
5	Application of soil amendments for reducing PFAS leachability and bioavailability. <i>Environmental Pollution</i> , 2022, 307, 119498.	3.7	10
6	Modelling polycyclic aromatic hydrocarbon bioavailability in historically contaminated soils with six in-vitro chemical extractions and three earthworm ecotypes. <i>Science of the Total Environment</i> , 2022, 845, 157265.	3.9	3
7	A Comparison of In-vitro PAH Bioaccessibility in Historically Contaminated Soils: Implications for Risk Management. <i>Soil and Sediment Contamination</i> , 2021, 30, 901-923.	1.1	3
8	Insights into the fate of antimony (Sb) in contaminated soils: Ageing influence on Sb mobility, bioavailability, bioaccessibility and speciation. <i>Science of the Total Environment</i> , 2021, 770, 145354.	3.9	45
9	An interlaboratory evaluation of the variability in arsenic and lead relative bioavailability when assessed using a mouse bioassay. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2021, 84, 593-607.	1.1	6
10	Advancing prediction of polycyclic aromatic hydrocarbon bioaccumulation in plants for historically contaminated soils using <i>Lolium multiflorum</i> and simple chemical in-vitro methodologies. <i>Science of the Total Environment</i> , 2021, 772, 144783.	3.9	7
11	Antibiotic exposure decreases soil arsenic oral bioavailability in mice by disrupting ileal microbiota and metabolic profile. <i>Environment International</i> , 2021, 151, 106444.	4.8	26
12	Plumbojarosite formation in contaminated soil to mitigate childhood exposure to lead, arsenic and antimony. <i>Journal of Hazardous Materials</i> , 2021, 418, 126312.	6.5	18
13	A Review of Immobilisation-Based Remediation of Per- and Poly-Fluoroalkyl Substances (PFAS) in Soils. <i>Current Pollution Reports</i> , 2021, 7, 524-539.	3.1	14
14	Oxidative stress and DNA damage induced by trifloxystrobin on earthworms (<i>Eisenia fetida</i>) in two soils. <i>Science of the Total Environment</i> , 2021, 797, 149004.	3.9	16
15	Leaching and <i>In Vivo</i> Bioavailability of Antimony in PET Bottled Beverages. <i>Environmental Science & Technology</i> , 2021, 55, 15227-15235.	4.6	10
16	Plumbojarosite Remediation of Soil Affects Lead Speciation and Elemental Interactions in Soil and in Mice Tissues. <i>Environmental Science & Technology</i> , 2021, 55, 15950-15960.	4.6	13
17	Bioaccessibility and human health risk assessment of metal(loid)s in soil from an e-waste open burning site in Agbogboshie, Accra, Ghana. <i>Chemosphere</i> , 2020, 240, 124909.	4.2	46
18	Toxicity Evaluation of Three Imidazolium-based ionic liquids ([C6mim]R) on <i>Vicia faba</i> Seedlings Using an integrated biomarker response (IBR) index. <i>Chemosphere</i> , 2020, 240, 124919.	4.2	41

#	ARTICLE	IF	CITATIONS
19	Arsanilic acid contributes more to total arsenic than roxarsone in chicken meat from Chinese markets. <i>Journal of Hazardous Materials</i> , 2020, 383, 121178.	6.5	28
20	Arsenic, lead, and cadmium bioaccessibility in contaminated soils: Measurements and validations. <i>Critical Reviews in Environmental Science and Technology</i> , 2020, 50, 1303-1338.	6.6	82
21	Modified clays alter diversity and respiration profile of microorganisms in long-term hydrocarbon and metal contaminated soil. <i>Microbial Biotechnology</i> , 2020, 13, 522-534.	2.0	11
22	Applying fungicide on earthworms: Biochemical effects of <i>Eisenia fetida</i> exposed to fluoxastrobin in three natural soils. <i>Environmental Pollution</i> , 2020, 258, 113666.	3.7	29
23	Acute toxicity, oxidative stress and DNA damage of chlorpyrifos to earthworms (<i>Eisenia fetida</i>): The difference between artificial and natural soils. <i>Chemosphere</i> , 2020, 255, 126982.	4.2	33
24	Geogenic nickel exposure from food consumption and soil ingestion: A bioavailability based assessment. <i>Environmental Pollution</i> , 2020, 265, 114873.	3.7	11
25	Influence of household smoking habits on inhalation bioaccessibility of trace elements and light rare earth elements in Canadian house dust. <i>Environmental Pollution</i> , 2020, 262, 114132.	3.7	10
26	The Influence of Food on the <i>In Vivo</i> Bioavailability of DDT and Its Metabolites in Soil. <i>Environmental Science & Technology</i> , 2020, 54, 5003-5010.	4.6	20
27	Correlation between lead speciation and inhalation bioaccessibility using two different simulated lung fluids. <i>Environmental Pollution</i> , 2020, 263, 114609.	3.7	11
28	Intra- and Interlaboratory Evaluation of an Assay of Soil Arsenic Relative Bioavailability in Mice. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 2615-2622.	2.4	7
29	<i>In Vitro</i> , <i>In Vivo</i> , and Spectroscopic Assessment of Lead Exposure Reduction via Ingestion and Inhalation Pathways Using Phosphate and Iron Amendments. <i>Environmental Science & Technology</i> , 2019, 53, 10329-10341.	4.6	38
30	Evaluation of the toxicity of 1-butyl-3-methyl imidazolium tetrafluoroborate using earthworms (<i>Eisenia fetida</i>) in two soils. <i>Science of the Total Environment</i> , 2019, 686, 946-958.	3.9	32
31	Relationship between Pb relative bioavailability and bioaccessibility in phosphate amended soil: Uncertainty associated with predicting Pb immobilization efficacy using in vitro assays. <i>Environment International</i> , 2019, 131, 104967.	4.8	29
32	Response of soil microbes after direct contact with pyraclostrobin in fluvo-aquic soil. <i>Environmental Pollution</i> , 2019, 255, 113164.	3.7	41
33	Dynamics of Lead Bioavailability and Speciation in Indoor Dust and X-ray Spectroscopic Investigation of the Link between Ingestion and Inhalation Pathways. <i>Environmental Science & Technology</i> , 2019, 53, 11486-11495.	4.6	29
34	Oral Bioavailability of As, Pb, and Cd in Contaminated Soils, Dust, and Foods based on Animal Bioassays: A Review. <i>Environmental Science & Technology</i> , 2019, 53, 10545-10559.	4.6	67
35	Bioaccessibility of Arsenic and Lead in Polluted Soils Using Three In-vitro Gastrointestinal Simulation Models. <i>IOP Conference Series: Earth and Environmental Science</i> , 2019, 265, 012012.	0.2	1
36	Oxidative stress and genotoxic effects in earthworms induced by five imidazolium bromide ionic liquids with different alkyl chains. <i>Chemosphere</i> , 2019, 227, 570-579.	4.2	31

#	ARTICLE	IF	CITATIONS
37	Antagonistic Interactions between Arsenic, Lead, and Cadmium in the Mouse Gastrointestinal Tract and Their Influences on Metal Relative Bioavailability in Contaminated Soils. <i>Environmental Science & Technology</i> , 2019, 53, 14264-14272.	4.6	18
38	Inhalation bioaccessibility of PAHs in PM2.5: Implications for risk assessment and toxicity prediction. <i>Science of the Total Environment</i> , 2019, 650, 56-64.	3.9	58
39	Response of the fungal community to chronic petrogenic contamination in surface and subsurface soils. <i>Geoderma</i> , 2019, 338, 206-215.	2.3	10
40	Arsenic Concentrations, Speciation, and Localization in 141 Cultivated Market Mushrooms: Implications for Arsenic Exposure to Humans. <i>Environmental Science & Technology</i> , 2019, 53, 503-511.	4.6	30
41	Arsenic relative bioavailability in contaminated soils: comparison of animal models, dosing schemes, and biological endpoints. , 2019, , 171-172.		1
42	An inhalation-ingestion bioaccessibility assay (IIBA) for the assessment of exposure to metal(loid)s in PM10. <i>Science of the Total Environment</i> , 2018, 631-632, 92-104.	3.9	48
43	Relating soil geochemical properties to arsenic bioaccessibility through hierarchical modeling. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2018, 81, 160-172.	1.1	5
44	In vivo and in vitro methods for evaluating soil arsenic bioavailability: relevant to human health risk assessment. <i>Journal of Toxicology and Environmental Health - Part B: Critical Reviews</i> , 2018, 21, 83-114.	2.9	45
45	Comparison of mouse and swine bioassays for determination of soil arsenic relative bioavailability. <i>Applied Geochemistry</i> , 2018, 88, 221-225.	1.4	10
46	Microbial Degradation of Phenanthrene in Pristine and Contaminated Sandy Soils. <i>Microbial Ecology</i> , 2018, 75, 888-902.	1.4	24
47	Can in vitro assays account for interactions between inorganic co-contaminants observed during in vivo relative bioavailability assessment?. <i>Environmental Pollution</i> , 2018, 233, 348-355.	3.7	12
48	Coupling bioavailability and stable isotope ratio to discern dietary and non-dietary contribution of metal exposure to residents in mining-impacted areas. <i>Environment International</i> , 2018, 120, 563-571.	4.8	40
49	Metals in paints on chopsticks: Solubilization in simulated saliva, gastric, and food solutions and implication for human health. <i>Environmental Research</i> , 2018, 167, 299-306.	3.7	8
50	Food influence on lead relative bioavailability in contaminated soils: Mechanisms and health implications. <i>Journal of Hazardous Materials</i> , 2018, 358, 427-433.	6.5	23
51	Methodological factors influencing inhalation bioaccessibility of metal(loid)s in PM2.5 using simulated lung fluid. <i>Environmental Pollution</i> , 2018, 241, 930-937.	3.7	51
52	Influence of sample matrix on the bioavailability of arsenic, cadmium and lead during co-contaminant exposure. <i>Science of the Total Environment</i> , 2017, 595, 660-665.	3.9	21
53	Applying Cadmium Relative Bioavailability to Assess Dietary Intake from Rice to Predict Cadmium Urinary Excretion in Nonsmokers. <i>Environmental Science & Technology</i> , 2017, 51, 6756-6764.	4.6	60
54	Arsenic Relative Bioavailability in Rice Using a Mouse Arsenic Urinary Excretion Bioassay and Its Application to Assess Human Health Risk. <i>Environmental Science & Technology</i> , 2017, 51, 4689-4696.	4.6	56

#	ARTICLE	IF	CITATIONS
55	Lead relative bioavailability in soils based on different endpoints of a mouse model. <i>Journal of Hazardous Materials</i> , 2017, 326, 94-100.	6.5	23
56	Mineral Dietary Supplement To Decrease Cadmium Relative Bioavailability in Rice Based on a Mouse Bioassay. <i>Environmental Science & Technology</i> , 2017, 51, 12123-12130.	4.6	39
57	Influence of co-contaminant exposure on the absorption of arsenic, cadmium and lead. <i>Chemosphere</i> , 2017, 168, 658-666.	4.2	29
58	A critical review of approaches and limitations of inhalation bioavailability and bioaccessibility of metal(loid)s from ambient particulate matter or dust. <i>Science of the Total Environment</i> , 2017, 574, 1054-1074.	3.9	171
59	Biochar increases arsenic release from an anaerobic paddy soil due to enhanced microbial reduction of iron and arsenic. <i>Environmental Pollution</i> , 2017, 220, 514-522.	3.7	143
60	Assessment of arsenic speciation and bioaccessibility in mine-impacted materials. <i>Journal of Hazardous Materials</i> , 2016, 313, 130-137.	6.5	30
61	Lead Relative Bioavailability in Lip Products and Their Potential Health Risk to Women. <i>Environmental Science & Technology</i> , 2016, 50, 6036-6043.	4.6	27
62	Advances in in vitro methods to evaluate oral bioaccessibility of PAHs and PBDEs in environmental matrices. <i>Chemosphere</i> , 2016, 150, 378-389.	4.2	56
63	Predicting oral relative bioavailability of arsenic in soil from in vitro bioaccessibility. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2016, 79, 165-173.	1.1	36
64	Using the SBRC Assay to Predict Lead Relative Bioavailability in Urban Soils: Contaminant Source and Correlation Model. <i>Environmental Science & Technology</i> , 2016, 50, 4989-4996.	4.6	34
65	Predictive Capabilities of in Vitro Assays for Estimating Pb Relative Bioavailability in Phosphate Amended Soils. <i>Environmental Science & Technology</i> , 2016, 50, 13086-13094.	4.6	31
66	Oral relative bioavailability of Dichlorodiphenyltrichloroethane (DDT) in contaminated soil and its prediction using in vitro strategies for exposure refinement. <i>Environmental Research</i> , 2016, 150, 482-488.	3.7	17
67	Using in vitro bioaccessibility to refine estimates of human exposure to PAHs via incidental soil ingestion. <i>Environmental Research</i> , 2016, 145, 145-153.	3.7	36
68	Predicting the Relative Bioavailability of DDT and Its Metabolites in Historically Contaminated Soils Using a Tenax-Improved Physiologically Based Extraction Test (TI-PBET). <i>Environmental Science & Technology</i> , 2016, 50, 1118-1125.	4.6	46
69	Arsenic Relative Bioavailability in Contaminated Soils: Comparison of Animal Models, Dosing Schemes, and Biological End Points. <i>Environmental Science & Technology</i> , 2016, 50, 453-461.	4.6	55
70	Independent Data Validation of an in Vitro Method for the Prediction of the Relative Bioavailability of Arsenic in Contaminated Soils. <i>Environmental Science & Technology</i> , 2015, 49, 6312-6318.	4.6	43
71	Characterising the exchangeability of phenanthrene associated with naturally occurring soil colloids using an isotopic dilution technique. <i>Environmental Pollution</i> , 2015, 199, 244-252.	3.7	5
72	In Vivo Bioavailability and In Vitro Bioaccessibility of Perfluorooctanoic Acid (PFOA) in Food Matrices: Correlation Analysis and Method Development. <i>Environmental Science & Technology</i> , 2015, 49, 150-158.	4.6	55

#	ARTICLE	IF	CITATIONS
73	Ecotoxicity of neutral red (dye) and its environmental applications. <i>Ecotoxicology and Environmental Safety</i> , 2015, 122, 186-192.	2.9	18
74	Comparison of arsenic bioaccessibility in housedust and contaminated soils based on four in vitro assays. <i>Science of the Total Environment</i> , 2015, 532, 803-811.	3.9	36
75	Childhood Lead Exposure in an Industrial Town in China: Coupling Stable Isotope Ratios with Bioaccessible Lead. <i>Environmental Science & Technology</i> , 2015, 49, 5080-5087.	4.6	40
76	<i>In Situ</i> Fixation of Metal(loid)s in Contaminated Soils: A Comparison of Conventional, Opportunistic, and Engineered Soil Amendments. <i>Environmental Science & Technology</i> , 2015, 49, 13501-13509.	4.6	35
77	Predicting Arsenic Relative Bioavailability Using Multiple in Vitro Assays: Validation of in Vivo <i>in Vitro</i> Correlations. <i>Environmental Science & Technology</i> , 2015, 49, 11167-11175.	4.6	39
78	Assessing the bioavailability and bioaccessibility of metals and metalloids. <i>Environmental Science and Pollution Research</i> , 2015, 22, 8802-8825.	2.7	104
79	Bioavailability and biodegradation of polycyclic aromatic hydrocarbons. <i>Microbiology Australia</i> , 2014, 35, 199.	0.1	2
80	Potential impact of soil microbial heterogeneity on the persistence of hydrocarbons in contaminated subsurface soils. <i>Journal of Environmental Management</i> , 2014, 136, 27-36.	3.8	16
81	In vivo measurement, in vitro estimation and fugacity prediction of PAH bioavailability in post-remediated creosote-contaminated soil. <i>Science of the Total Environment</i> , 2014, 473-474, 147-154.	3.9	58
82	Validation of the Predictive Capabilities of the Sbrc-G in Vitro Assay for Estimating Arsenic Relative Bioavailability in Contaminated Soils. <i>Environmental Science & Technology</i> , 2014, 48, 12962-12969.	4.6	56
83	Correlation of in Vivo Relative Bioavailability to in Vitro Bioaccessibility for Arsenic in Household Dust from China and Its Implication for Human Exposure Assessment. <i>Environmental Science & Technology</i> , 2014, 48, 13652-13659.	4.6	41
84	In Situ Formation of Pyromorphite Is Not Required for the Reduction of in Vivo Pb Relative Bioavailability in Contaminated Soils. <i>Environmental Science & Technology</i> , 2014, 48, 7002-7009.	4.6	56
85	Variability Associated with As in Vivo <i>in Vitro</i> Correlations When Using Different Bioaccessibility Methodologies. <i>Environmental Science & Technology</i> , 2014, 48, 11646-11653.	4.6	69
86	Using In Vivo Bioavailability and/or In Vitro Gastrointestinal Bioaccessibility Testing to Adjust Human Exposure to Arsenic from Soil Ingestion. <i>Reviews in Mineralogy and Geochemistry</i> , 2014, 79, 451-472.	2.2	36
87	Predicting PAH bioremediation efficacy using bioaccessibility assessment tools: Validation of PAH biodegradation <i>in vitro</i> bioaccessibility correlations. <i>International Biodeterioration and Biodegradation</i> , 2014, 95, 320-329.	1.9	24
88	Assessment of <i>In Vitro</i> Lead Bioaccessibility in House Dust and Its Relationship to <i>In Vivo</i> Lead Relative Bioavailability. <i>Environmental Science & Technology</i> , 2014, 48, 8548-8555.	4.6	97
89	Influence of in vitro assay pH and extractant composition on As bioaccessibility in contaminated soils. <i>Science of the Total Environment</i> , 2014, 473-474, 171-177.	3.9	50
90	The application of a carrier-based bioremediation strategy for marine oil spills. <i>Marine Pollution Bulletin</i> , 2014, 84, 339-346.	2.3	10

#	ARTICLE	IF	CITATIONS
91	9. Using In Vivo Bioavailability and/or In Vitro Gastrointestinal Bioaccessibility Testing to Adjust Human Exposure to Arsenic from Soil Ingestion. , 2014, , 451-472.		2
92	Bioaccessibility-based predictions for estimating PAH biodegradation efficacy “ Comparison of model predictions and measured endpoints. International Biodeterioration and Biodegradation, 2013, 85, 323-330.	1.9	14
93	Remediation of Site Contamination. Water, Air, and Soil Pollution, 2013, 224, 1.	1.1	0
94	Assessing Limitations for PAH Biodegradation in Long-Term Contaminated Soils Using Bioaccessibility Assays. Water, Air, and Soil Pollution, 2013, 224, 1.	1.1	27
95	Chemical Bioavailability in the Terrestrial Environment “ recent advances. Journal of Hazardous Materials, 2013, 261, 685-686.	6.5	6
96	A polyphasic approach for assessing the suitability of bioremediation for the treatment of hydrocarbon-impacted soil. Science of the Total Environment, 2013, 450-451, 51-58.	3.9	20
97	What is required for the validation of in vitro assays for predicting contaminant relative bioavailability? Considerations and criteria. Environmental Pollution, 2013, 180, 372-375.	3.7	26
98	Assessing impediments to hydrocarbon biodegradation in weathered contaminated soils. Journal of Hazardous Materials, 2013, 261, 847-853.	6.5	10
99	Carrier mounted bacterial consortium facilitates oil remediation in the marine environment. Bioresource Technology, 2013, 134, 107-116.	4.8	25
100	Predicting lead relative bioavailability in peri-urban contaminated soils using in vitro bioaccessibility assays. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2013, 48, 604-611.	0.9	33
101	A radio-isotopic dilution technique for functional characterisation of the associations between inorganic contaminants and water-dispersible naturally occurring soil colloids. Environmental Chemistry, 2013, 10, 341.	0.7	9
102	Comparison of indigenous and exogenous microbial populations during slurry phase biodegradation of long-term hydrocarbon-contaminated soil. Biodegradation, 2012, 23, 813-822.	1.5	41
103	Environmental metabolites of fluoroquinolones: synthesis, fractionation and toxicological assessment of some biologically active metabolites of ciprofloxacin. Environmental Science and Pollution Research, 2012, 19, 2697-2707.	2.7	10
104	Detection of antibacterial-like activity on a silica surface: fluoroquinolones and their environmental metabolites. Environmental Science and Pollution Research, 2012, 19, 2795-2801.	2.7	7
105	Assessment of DDT Relative Bioavailability and Bioaccessibility in Historically Contaminated Soils Using an in Vivo Mouse Model and Fed and Unfed Batch in Vitro Assays. Environmental Science & Technology, 2012, 46, 2928-2934.	4.6	39
106	Impact of bacterial and fungal processes on ¹⁴ C-hexadecane mineralisation in weathered hydrocarbon contaminated soil. Science of the Total Environment, 2012, 414, 585-591.	3.9	41
107	Antagonistic effects of cadmium on lead accumulation in pregnant and non-pregnant mice. Journal of Hazardous Materials, 2012, 199-200, 453-456.	6.5	28
108	Predicting Arsenic Relative Bioavailability in Contaminated Soils Using Meta Analysis and Relative Bioavailability “ Bioaccessibility Regression Models. Environmental Science & Technology, 2011, 45, 10676-10683.	4.6	17

#	ARTICLE	IF	CITATIONS
109	Assessment of Persistent Organic Pollutant (POP) Bioavailability and Bioaccessibility for Human Health Exposure Assessment: A Critical Review. <i>Critical Reviews in Environmental Science and Technology</i> , 2011, 41, 623-656.	6.6	84
110	In Vivo“in Vitro and XANES Spectroscopy Assessments of Lead Bioavailability in Contaminated Periurban Soils. <i>Environmental Science & Technology</i> , 2011, 45, 6145-6152.	4.6	104
111	Isolation and Identification of Pyrene Mineralizing <i>Mycobacterium</i> spp. from Contaminated and Uncontaminated Sources. <i>Applied and Environmental Soil Science</i> , 2011, 2011, 1-11.	0.8	7
112	Influence of saliva, gastric and intestinal phases on the prediction of As relative bioavailability using the Unified Bioaccessibility Research Group of Europe Method (UBM). <i>Journal of Hazardous Materials</i> , 2011, 197, 161-168.	6.5	40
113	Assessment of lead bioaccessibility in peri-urban contaminated soils. <i>Journal of Hazardous Materials</i> , 2011, 186, 300-305.	6.5	49
114	Impact of soil particle size and bioaccessibility on children and adult lead exposure in peri-urban contaminated soils. <i>Journal of Hazardous Materials</i> , 2011, 186, 1870-1879.	6.5	82
115	Soils contaminated with explosives: Environmental fate and evaluation of state-of-the-art remediation processes (IUPAC Technical Report). <i>Pure and Applied Chemistry</i> , 2011, 83, 1407-1484.	0.9	143
116	Bioavailability of residual polycyclic aromatic hydrocarbons following enhanced natural attenuation of creosote-contaminated soil. <i>Environmental Pollution</i> , 2010, 158, 585-591.	3.7	36
117	Assessment of five bioaccessibility assays for predicting the efficacy of petroleum hydrocarbon biodegradation in aged contaminated soils. <i>Chemosphere</i> , 2010, 81, 1061-1068.	4.2	52
118	Determination of Cadmium Relative Bioavailability in Contaminated Soils and Its Prediction Using in Vitro Methodologies. <i>Environmental Science & Technology</i> , 2010, 44, 5240-5247.	4.6	99
119	Principles and application of an in vivo swine assay for the determination of arsenic bioavailability in contaminated matrices. <i>Environmental Geochemistry and Health</i> , 2009, 31, 167-177.	1.8	45
120	Arsenic uptake and speciation in vegetables grown under greenhouse conditions. <i>Environmental Geochemistry and Health</i> , 2009, 31, 125-132.	1.8	53
121	Arsenic distribution and bioaccessibility across particle fractions in historically contaminated soils. <i>Environmental Geochemistry and Health</i> , 2009, 31, 85-92.	1.8	38
122	Evaluation of SBRC-Gastric and SBRC-Intestinal Methods for the Prediction of In Vivo Relative Lead Bioavailability in Contaminated Soils. <i>Environmental Science & Technology</i> , 2009, 43, 4503-4509.	4.6	113
123	Assessment of Four Commonly Employed in Vitro Arsenic Bioaccessibility Assays for Predicting in Vivo Relative Arsenic Bioavailability in Contaminated Soils. <i>Environmental Science & Technology</i> , 2009, 43, 9487-9494.	4.6	157
124	Localization and speciation of arsenic and trace elements in rice tissues. <i>Chemosphere</i> , 2009, 76, 529-535.	4.2	57
125	Arsenic uptake and speciation in rice plants grown under greenhouse conditions with arsenic contaminated irrigation water. <i>Science of the Total Environment</i> , 2008, 392, 277-283.	3.9	83
126	Chapter 3 Bioavailability: Definition, assessment and implications for risk assessment. <i>Developments in Soil Science</i> , 2008, , 39-51.	0.5	32

#	ARTICLE	IF	CITATIONS
127	The impact of sequestration on the bioaccessibility of arsenic in long-term contaminated soils. <i>Chemosphere</i> , 2008, 71, 773-780.	4.2	59
128	Application of an in vivo swine model for the determination of arsenic bioavailability in contaminated vegetables. <i>Chemosphere</i> , 2008, 71, 1963-1969.	4.2	43
129	Effect of soil ageing on in vivo arsenic bioavailability in two dissimilar soils. <i>Chemosphere</i> , 2008, 71, 2180-2186.	4.2	59
130	Chapter 23 Can bioavailability assays predict the efficacy of PAH bioremediation?. <i>Developments in Soil Science</i> , 2008, 32, 569-587.	0.5	2
131	Chapter 1 Chemical bioavailability in terrestrial environments. <i>Developments in Soil Science</i> , 2008, 32, 1-6.	0.5	21
132	In vitro assessment of arsenic bioaccessibility in contaminated (anthropogenic and geogenic) soils. <i>Chemosphere</i> , 2007, 69, 69-78.	4.2	117
133	Comparison of in vivo and in vitro methodologies for the assessment of arsenic bioavailability in contaminated soils. <i>Chemosphere</i> , 2007, 69, 961-966.	4.2	136
134	Brominated flame retardantsâ€”safety at what cost?. <i>Lancet, The</i> , 2007, 370, 1813-1814.	6.3	6
135	Explosives: Fate, Dynamics, and Ecological Impact in Terrestrial and Marine Environments. <i>Reviews of Environmental Contamination and Toxicology</i> , 2007, 191, 163-215.	0.7	55
136	In Vivo Assessment of Arsenic Bioavailability in Rice and Its Significance for Human Health Risk Assessment. <i>Environmental Health Perspectives</i> , 2006, 114, 1826-1831.	2.8	226
137	Predicting the Efficacy of Polycyclic Aromatic Hydrocarbon Bioremediation in Creosote-Contaminated Soil Using Bioavailability Assays. <i>Bioremediation Journal</i> , 2005, 9, 99-114.	1.0	27
138	Pilot Scale Bioremediation of Creosote-Contaminated Soilâ€”Efficacy of Enhanced Natural Attenuation and Bioaugmentation Strategies. <i>Bioremediation Journal</i> , 2005, 9, 139-154.	1.0	16
139	Desorption of DDT from a Contaminated Soil using Cosolvent and Surfactant Washing in Batch Experiments. <i>Water, Air, and Soil Pollution</i> , 2004, 151, 71-86.	1.1	40
140	Title is missing!. <i>Water, Air, and Soil Pollution</i> , 2003, 146, 111-126.	1.1	7
141	Title is missing!. <i>Water, Air and Soil Pollution</i> , 2003, 3, 233-242.	0.8	4
142	Title is missing!. <i>Water, Air, and Soil Pollution</i> , 2003, 147, 263-274.	1.1	13
143	Toxicity Issues Associated with Geogenic Arsenic in the Groundwater?Soil?Plant?Human Continuum. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2003, 71, 1100-7.	1.3	22
144	Microbial activity and phospholipid fatty acid pattern in long-term tannery waste-contaminated soil. <i>Ecotoxicology and Environmental Safety</i> , 2003, 56, 302-310.	2.9	31

#	ARTICLE	IF	CITATIONS
145	Chromium-Microorganism Interactions in Soils: Remediation Implications. Reviews of Environmental Contamination and Toxicology, 2003, 178, 93-164.	0.7	106
146	Metabolite repression inhibits degradation of benzo[a]pyrene and dibenz[a,h]anthracene by <i>Stenotrophomonas maltophilia</i> VUN 10,003. Journal of Industrial Microbiology and Biotechnology, 2002, 28, 88-96.	1.4	38
147	Biosorption of organochlorine pesticides using fungal biomass. Journal of Industrial Microbiology and Biotechnology, 2002, 29, 163-169.	1.4	0
148	Degradative Potential of Microorganisms from DDT-Contaminated Soils. , 2001, , 105-115.		1
149	Microbial degradation and detoxification of high molecular weight polycyclic aromatic hydrocarbons by <i>Stenotrophomonas maltophilia</i> strain VUN 10,003. Letters in Applied Microbiology, 2000, 30, 396-401.	1.0	139
150	Enrichment and isolation of non-specific aromatic degraders from unique uncontaminated (plant and) Tj ETQq0 0 0 rgBT /Overlock 10 Tt	1.4	23
151	Bioremediation of high molecular weight polycyclic aromatic hydrocarbons: a review of the microbial degradation of benzo[a]pyrene. International Biodeterioration and Biodegradation, 2000, 45, 57-88.	1.9	877
152	Evaluation of a creosote-based medium for the growth and preparation of a PAH-degrading bacterial community for bioaugmentation. Journal of Industrial Microbiology and Biotechnology, 2000, 24, 277-284.	1.4	13
153	Extraction and recovery of organochlorine pesticides from fungal mycelia. Journal of Microbiological Methods, 2000, 39, 149-158.	0.7	10
154	Degradation of High Molecular Weight PAHs in Contaminated Soil by a Bacterial Consortium: Effects on Microtox and Mutagenicity Bioassays. Bioremediation Journal, 2000, 4, 271-283.	1.0	30
155	Apparent degradation of 1,1,1-trichloro-2,2-bis(p-chlorophenyl)ethane (DDT) by a <i>Cladosporium</i> sp.. Biotechnology Letters, 1999, 21, 991-995.	1.1	11
156	Degradation of benzo[]pyrene, dibenz[]anthracene and coronene by. Water Science and Technology, 1997, 36, 45.	1.2	25
157	Degradation of fluoranthene, pyrene, benz[a]anthracene and dibenz[a , h]anthracene by <i>Burkholderia cepacia</i> . Journal of Applied Microbiology, 1997, 83, 189-198.	1.4	148
158	Degradation of benzo[a]pyrene, dibenz[a,h]anthracene and coronene by <i>burkholderia cepacia</i> . Water Science and Technology, 1997, 36, 45-51.	1.2	19
159	Evaluation of high molecular weight PAH degradation by a pyrene-enriched microbial community in inoculated soils. , 1997, , 475-487.		1
160	Degradation of high molecular weight polycyclic aromatic hydrocarbons by <i>Pseudomonas cepacia</i> . Biotechnology Letters, 1996, 18, 577-582.	1.1	55
161	Analysis of microbial hydrocarbon degradation using TLC-FID. Journal of Microbiological Methods, 1995, 22, 119-130.	0.7	15