

Sharon Cameron

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2954177/publications.pdf>

Version: 2024-02-01

125
papers

2,965
citations

185998

28
h-index

197535

49
g-index

129
all docs

129
docs citations

129
times ranked

1517
citing authors

#	ARTICLE	IF	CITATIONS
1	Self-reported contraceptive use and satisfaction among women accessing telemedicine medical abortion at the onset of the COVID-19 pandemic at 3â€“6-month follow-up. <i>BMJ Sexual and Reproductive Health</i> , 2023, 49, 21-26.	0.9	1
2	Adherence to treatment and prevalence of side effects when medical abortion is delivered via telemedicine: a prospective observational cohort study during COVID-19. <i>BMJ Sexual and Reproductive Health</i> , 2022, 48, 185-192.	0.9	8
3	Acceptability of different mechanisms of action of contraception in women: a questionnaire survey. <i>BMJ Sexual and Reproductive Health</i> , 2022, 48, 117-122.	0.9	1
4	A qualitative study of abortion care providersâ€™ perspectives on telemedicine medical abortion provision in the context of COVID-19. <i>BMJ Sexual and Reproductive Health</i> , 2022, 48, 199-204.	0.9	10
5	Improving access to sexual and reproductive health care. <i>Lancet Public Health</i> , The, 2022, 7, e4-e5.	4.7	4
6	Improving effective contraception uptake through provision of bridging contraception within community pharmacies: findings from the Bridge-it Study process evaluation. <i>BMJ Open</i> , 2022, 12, e057348.	0.8	4
7	Mifepristone at home. <i>BMJ</i> , The, 2022, 376, o819.	3.0	1
8	Should COVID-specific arrangements for abortion continue? The views of women experiencing abortion in Britain during the pandemic. <i>BMJ Sexual and Reproductive Health</i> , 2022, 48, 288-294.	0.9	7
9	Views of clinicians towards providing contraceptive advice and contraception to women following early pregnancy loss: a qualitative study. <i>BMJ Sexual and Reproductive Health</i> , 2022, 48, 281-287.	0.9	2
10	Pain management for medical abortion before 14 weeksâ€™ gestation. <i>The Cochrane Library</i> , 2022, 5, CD013525.	1.5	8
11	Uptake of long-acting reversible contraception after telemedicine delivered abortion during Covid-19. <i>European Journal of Contraception and Reproductive Health Care</i> , 2022, 27, 284-288.	0.6	4
12	Abortion regulation in Europe in the era of COVID-19: a spectrum of policy responses. <i>BMJ Sexual and Reproductive Health</i> , 2021, 47, e14-e14.	0.9	55
13	Influence of culture, religion and experience on the decision of Pakistani women in Lothian, Scotland to use postnatal contraception: a qualitative study. <i>BMJ Sexual and Reproductive Health</i> , 2021, 47, 43-48.	0.9	2
14	Expulsion at home for early medical abortion: A systematic review with metaâ€“analyses. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021, 100, 727-735.	1.3	8
15	Womenâ€™s experiences of self-administration of misoprostol at home as part of early medical abortion: a qualitative evaluation. <i>BMJ Sexual and Reproductive Health</i> , 2021, 47, 144-149.	0.9	15
16	Womenâ€™s experiences of self-referral to an abortion service: qualitative study. <i>BMJ Sexual and Reproductive Health</i> , 2021, 47, 37-42.	0.9	7
17	Emergency contraception from the pharmacy 20 years on: a mystery shopper study. <i>BMJ Sexual and Reproductive Health</i> , 2021, 47, 55-60.	0.9	10
18	Telemedicine medical abortion at home under 12 weeksâ€™ gestation: a prospective observational cohort study during the COVID-19 pandemic. <i>BMJ Sexual and Reproductive Health</i> , 2021, 47, 246-251.	0.9	56

#	ARTICLE	IF	CITATIONS
19	Provision of the progestogen-only pill by community pharmacies as bridging contraception for women receiving emergency contraception: the Bridge-it RCT. <i>Health Technology Assessment</i> , 2021, 25, 1-92.	1.3	2
20	UTAH: Using Telemedicine to improve early medical Abortion at Home: a protocol for a randomised controlled trial comparing face-to-face with telephone consultations for women seeking early medical abortion. <i>BMJ Open</i> , 2021, 11, e046628.	0.8	1
21	Perspectives of obstetricians and midwives on the provision of immediate postpartum intrauterine devices: a qualitative service evaluation. <i>BMJ Sexual and Reproductive Health</i> , 2021, , bmjsrh-2021-201170.	0.9	2
22	Women's experiences of a telemedicine abortion service (up to 12 weeks) implemented during the coronavirus (COVID-19) pandemic: a qualitative evaluation. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021, 128, 1752-1761.	1.1	24
23	Bone mineral density in progestogen-only implant and pill users with amenorrhoea: a pilot study. <i>BMJ Sexual and Reproductive Health</i> , 2021, , bmjsrh-2021-201184.	0.9	1
24	Contraception after childbirth in the UK: beyond the COVID-19 pandemic. <i>BMJ Sexual and Reproductive Health</i> , 2021, , bmjsrh-2021-201310.	0.9	0
25	Prevention of Unintended Pregnancy. , 2021, , 449-456.		0
26	Management of Unintended Pregnancy. , 2021, , 175-181.		0
27	Emergency contraception and impact on abortion rates. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2020, 63, 111-119.	1.4	7
28	Management of pain associated with up-to-9-weeks medical termination of pregnancy (MToP) using mifepristone-misoprostol regimens: expert consensus based on a systematic literature review. <i>Journal of Obstetrics and Gynaecology</i> , 2020, 40, 591-601.	0.4	6
29	Follow-up strategies to confirm the success of medical abortion of pregnancies up to 10 weeks gestation: a systematic review with meta-analyses. <i>American Journal of Obstetrics and Gynecology</i> , 2020, 222, 551-563.e13.	0.7	27
30	Provision of immediate postpartum intrauterine contraception after vaginal birth within a public maternity setting: Health services research evaluation. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2020, 99, 598-607.	1.3	21
31	Initiation of abortion before there is definitive ultrasound evidence of intrauterine pregnancy: A systematic review with meta-analyses. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2020, 99, 451-458.	1.3	8
32	Women's experiences of accessing postpartum intrauterine contraception in a public maternity setting: a qualitative service evaluation. <i>European Journal of Contraception and Reproductive Health Care</i> , 2020, 25, 465-473.	0.6	6
33	Use of effective contraception following provision of the progestogen-only pill for women presenting to community pharmacies for emergency contraception (Bridge-It): a pragmatic cluster-randomised crossover trial. <i>Lancet, The</i> , 2020, 396, 1585-1594.	6.3	24
34	Post pregnancy contraception. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2020, 66, 41-54.	1.4	18
35	Information on early medical abortion for women using an audiovisual animation vs face-to-face consultation: A consortium randomized and quasi-randomized trial. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2020, 99, 1611-1617.	1.3	12
36	Utility of a routine ultrasound for detection of ectopic pregnancies among women requesting abortion: a retrospective review. <i>BMJ Sexual and Reproductive Health</i> , 2020, , bmjsrh-2020-200888.	0.9	2

#	ARTICLE	IF	CITATIONS
37	Editor-in-Chief welcome. <i>BMJ Sexual and Reproductive Health</i> , 2020, 46, 1-1.	0.9	0
38	Follow up after early medical abortion: less is more. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019, 126, 1545-1545.	1.1	0
39	EBCOG position statement "Public health role of sexual health and relationships education. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2019, 234, 223-224.	0.5	6
40	Self-assessment of success of early medical abortion using a self-performed urine pregnancy test. <i>European Journal of Contraception and Reproductive Health Care</i> , 2019, 24, 319-321.	0.6	1
41	Current barriers, facilitators and future improvements to advance quality of abortion care: views of women. <i>BMJ Sexual and Reproductive Health</i> , 2019, 45, 207-212.	0.9	9
42	Pragmatic cluster randomised cohort cross-over trial to determine the effectiveness of bridging from emergency to regular contraception: the Bridge-It study protocol. <i>BMJ Open</i> , 2019, 9, e029978.	0.8	8
43	Sexual and reproductive healthcare providers' opinions on expansion of pharmacy-led provision of contraception. <i>BMJ Sexual and Reproductive Health</i> , 2019, 45, 183-189.	0.9	9
44	Antenatal contraception counselling and provision of contraception after delivery for first-time young mothers enrolled with a Family Nurse Partnership programme. <i>BMJ Sexual and Reproductive Health</i> , 2019, 45, 243-248.	0.9	6
45	Developing the role of midwives as "contraceptive champions" to support early access to effective postnatal contraception for women. <i>BMJ Sexual and Reproductive Health</i> , 2019, 45, 309-312.	0.9	3
46	Impact of self-administration of misoprostol for early medical abortion: a prospective observational cohort study. <i>BMJ Sexual and Reproductive Health</i> , 2019, 45, 296-301.	0.9	12
47	Community sexual health providers' views on immediate postpartum provision of intrauterine contraception. <i>BMJ Sexual and Reproductive Health</i> , 2018, 44, 97-102.	0.9	14
48	Increasing access to contraceptive implants in the postnatal period via a home insertion service by community midwives. <i>BMJ Sexual and Reproductive Health</i> , 2018, 44, 61-64.	0.9	9
49	Outcome of first trimester medical termination of pregnancy: definitions and management. <i>European Journal of Contraception and Reproductive Health Care</i> , 2018, 23, 451-457.	0.6	6
50	Successful implementation of immediate postpartum intrauterine contraception services in Edinburgh and framework for wider dissemination. <i>International Journal of Gynecology and Obstetrics</i> , 2018, 143, 56-61.	1.0	19
51	Postpartum contraception. <i>The Obstetrician and Gynaecologist</i> , 2018, 20, 159-166.	0.2	30
52	Initiating intramuscular depot medroxyprogesterone acetate 24-48 hours after mifepristone administration does not affect success of early medical abortion. <i>BMJ Sexual and Reproductive Health</i> , 2018, 44, 242-247.	0.9	4
53	Contraception after pregnancy: Making the right choices. <i>NursePrescribing</i> , 2018, 16, 274-279.	0.1	0
54	Recent advances in improving the effectiveness and reducing the complications of abortion. <i>F1000Research</i> , 2018, 7, 1881.	0.8	19

#	ARTICLE	IF	CITATIONS
55	Comparison of uptake of long-acting reversible contraception after abortion from a hospital or a community sexual and reproductive healthcare setting: an observational study. <i>Journal of Family Planning and Reproductive Health Care</i> , 2017, 43, 31-36.	0.9	4
56	The changing body work of abortion: a qualitative study of the experiences of health professionals. <i>Sociology of Health and Illness</i> , 2017, 39, 78-94.	1.1	27
57	Self-management of first trimester medical termination of pregnancy: a qualitative study of women's experiences. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2017, 124, 2001-2008.	1.1	24
58	Routine provision of intrauterine contraception at elective cesarean section in a national public health service: a service evaluation. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2017, 96, 1144-1151.	1.3	27
59	Feasibility and acceptability of introducing routine antenatal contraceptive counselling and provision of contraception after delivery: the <scp>APPLES</scp> pilot evaluation. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2017, 124, 2009-2015.	1.1	39
60	A survey regarding acceptability of oral emergency contraception according to the posited mechanism of action. <i>Contraception</i> , 2017, 96, 81-88.	0.8	13
61	Induced abortion. <i>Human Reproduction</i> , 2017, 32, 1160-1169.	0.4	35
62	Women's experiences of more than one termination of pregnancy within two years: a mixed-methods study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2017, 124, 1983-1992.	1.1	9
63	Current controversies with oral emergency contraception. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2017, 124, 1948-1956.	1.1	23
64	Quick starting hormonal contraception after using oral emergency contraception: a systematic review. <i>Journal of Family Planning and Reproductive Health Care</i> , 2017, 43, 319-326.	0.9	2
65	Barriers to accessing termination of pregnancy in a remote and rural setting: a qualitative study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016, 123, 1684-1691.	1.1	29
66	Shifting abortion care from a hospital to a community sexual and reproductive health care setting. <i>Journal of Family Planning and Reproductive Health Care</i> , 2016, 42, 127-132.	0.9	7
67	Contraceptive care at the time of medical abortion: experiences of women and health professionals in a hospital or community sexual and reproductive health context. <i>Contraception</i> , 2016, 93, 170-177.	0.8	33
68	Provision of contraception after emergency contraception from the pharmacy: evaluating the acceptability of pharmacy for providing sexual and reproductive health services. <i>Public Health</i> , 2016, 135, 97-103.	1.4	16
69	Routine misoprostol before all surgical abortions. <i>Contraception</i> , 2016, 94, 575-576.	0.8	1
70	Immediate versus delayed insertion of an etonogestrel releasing implant at medical abortion—a randomized controlled equivalence trial. <i>Human Reproduction</i> , 2016, 31, 2484-2490.	0.4	35
71	Initiatives to close the gap in inequalities in abortion provision in a remote and rural UK setting. <i>Journal of Family Planning and Reproductive Health Care</i> , 2016, 42, 68-70.	0.9	7
72	Evaluating the attractiveness of the availability of injectable progestogen contraceptives at the community pharmacy setting in the United Kingdom. <i>International Journal of Pharmacy Practice</i> , 2016, 24, 247-252.	0.3	2

#	ARTICLE	IF	CITATIONS
73	Postpartum contraception: a missed opportunity to prevent unintended pregnancy and short inter-pregnancy intervals. <i>Journal of Family Planning and Reproductive Health Care</i> , 2016, 42, 93-98.	0.9	73
74	Characteristics of women who present for abortion towards the end of the mid-trimester in Scotland: national audit 2013-2014. <i>European Journal of Contraception and Reproductive Health Care</i> , 2016, 21, 183-188.	0.6	10
75	Views of general practitioners on providing contraceptive advice and long-acting reversible contraception at the 6-week postnatal visit: a qualitative study: Table A1. <i>Journal of Family Planning and Reproductive Health Care</i> , 2016, 42, 99-106.	0.9	23
76	Termination of pregnancy at very early gestation without visible yolk sac on ultrasound. <i>Journal of Family Planning and Reproductive Health Care</i> , 2015, 41, 90-95.	0.9	15
77	Emergency contraception. Widely available and effective but disappointing as a public health intervention: a review. <i>Human Reproduction</i> , 2015, 30, 751-760.	0.4	43
78	Do women seeking termination of pregnancy need pre-abortion counselling?. <i>Journal of Family Planning and Reproductive Health Care</i> , 2015, 41, 181-185.	0.9	16
79	Can women determine the success of early medical termination of pregnancy themselves?. <i>Contraception</i> , 2015, 91, 6-11.	0.8	39
80	Follow-up. , 2014, , 106-113.		1
81	Midwives's experiences and views of giving postpartum contraceptive advice and providing long-acting reversible contraception: a qualitative study: Table A1. <i>Journal of Family Planning and Reproductive Health Care</i> , 2014, 40, 177-183.	0.9	30
82	Contraceptive use among women presenting to pharmacies for emergency contraception: an opportunity for intervention. <i>Journal of Family Planning and Reproductive Health Care</i> , 2014, 40, 190-195.	0.9	10
83	Access to and Experience of Later Abortion: Accounts from Women in Scotland. <i>Perspectives on Sexual and Reproductive Health</i> , 2014, 46, 101-108.	0.9	32
84	Myths and misconceptions about intrauterine contraception among women seeking termination of pregnancy. <i>Journal of Family Planning and Reproductive Health Care</i> , 2014, 40, 36-40.	0.9	28
85	Simplified follow-up after early medical abortion: 12-month experience of a telephone call and self-performed low-sensitivity urine pregnancy test. <i>Contraception</i> , 2014, 89, 440-445.	0.8	41
86	Pharmacy-based interventions for initiating effective contraception following the use of emergency contraception: a pilot study. <i>Contraception</i> , 2014, 90, 447-453.	0.8	32
87	Pain during medical abortion, the impact of the regimen: A neglected issue? A review. <i>European Journal of Contraception and Reproductive Health Care</i> , 2014, 19, 404-419.	0.6	29
88	Postabortal and postpartum contraception. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2014, 28, 871-880.	1.4	32
89	Identifying women in need of further discussion about the decision to have an abortion and eventual outcome. <i>Contraception</i> , 2013, 88, 128-132.	0.8	31
90	Can we reduce costs and prevent more unintended pregnancies? A cost of illness and cost-effectiveness study comparing two methods of EHC. <i>BMJ Open</i> , 2013, 3, e003815.	0.8	15

#	ARTICLE	IF	CITATIONS
91	Abortion care services delivered from a community sexual and reproductive health setting: views of health care professionals. <i>Journal of Family Planning and Reproductive Health Care</i> , 2013, 39, 270-275.	0.9	4
92	Subcutaneous depo-medroxyprogesterone acetate. <i>Journal of Family Planning and Reproductive Health Care</i> , 2013, 39, 75-77.	0.9	2
93	Does a full bladder assist insertion of intrauterine contraception? A randomised trial. <i>Journal of Family Planning and Reproductive Health Care</i> , 2013, 39, 207-210.	0.9	9
94	Attitudes of Scottish abortion care providers towards provision of abortion after 16 weeksâ€™ gestation within Scotland. <i>European Journal of Contraception and Reproductive Health Care</i> , 2013, 18, 215-220.	0.6	5
95	Assessment of a 'fast-track' referral service for intrauterine contraception following early medical abortion: Table 1. <i>Journal of Family Planning and Reproductive Health Care</i> , 2012, 38, 175-178.	0.9	18
96	Comparison of unscheduled re-attendance and contraception at discharge, among women having the final stage of early medical abortion at home and those remaining in hospital. <i>Journal of Family Planning and Reproductive Health Care</i> , 2012, 38, 35-40.	0.9	13
97	Effect of contraception provided at termination of pregnancy and incidence of subsequent termination of pregnancy. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2012, 119, 1074-1080.	1.1	92
98	Pilot study of home self-administration of subcutaneous depo-medroxyprogesterone acetate for contraception. <i>Contraception</i> , 2012, 85, 458-464.	0.8	40
99	Telephone follow-up and self-performed urine pregnancy testing after early medical abortion: a service evaluation. <i>Contraception</i> , 2012, 86, 67-73.	0.8	67
100	The effect on use of making emergency contraception available free of charge. <i>Contraception</i> , 2012, 86, 366-369.	0.8	23
101	Can we identify women at risk of pregnancy despite using emergency contraception? Data from randomized trials of ulipristal acetate and levonorgestrel. <i>Contraception</i> , 2011, 84, 363-367.	0.8	271
102	Ongoing contraception after use of emergency contraception from a specialist contraceptive service. <i>Contraception</i> , 2011, 84, 368-371.	0.8	20
103	Induced abortion and psychological sequelae. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2010, 24, 657-665.	1.4	33
104	Expedited partner therapy for <i>Chlamydia trachomatis</i> at the community pharmacy. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2010, 117, 1074-1079.	1.1	24
105	Women's experiences of the final stage of early medical abortion at home: results of a pilot survey. <i>Journal of Family Planning and Reproductive Health Care</i> , 2010, 36, 213-216.	0.9	29
106	Benefits of using a digital video disk for providing information about abortion to women requesting termination of pregnancy. <i>Contraception</i> , 2010, 81, 537-541.	0.8	20
107	Ulipristal acetate versus levonorgestrel for emergency contraception: a randomised non-inferiority trial and meta-analysis. <i>Lancet, The</i> , 2010, 375, 555-562.	6.3	462
108	Women's preferences for method of abortion and management of miscarriage. <i>Journal of Family Planning and Reproductive Health Care</i> , 2009, 35, 233-235.	0.9	14

#	ARTICLE	IF	CITATIONS
109	Novel interventions to reduce re-infection in women with chlamydia: a randomized controlled trial. <i>Human Reproduction</i> , 2009, 24, 888-895.	0.4	40
110	Contraception and gynaecological care. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2009, 23, 211-220.	1.4	4
111	Patient-delivered partner therapy for chlamydia—a realistic public health measure in the UK. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2009, 116, 345-346.	1.1	6
112	Preferred strategies of men and women for managing chlamydial infection. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2009, 116, 357-365.	1.1	8
113	pH-balanced tampons: do they effectively control vaginal pH?. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2008, 115, 639-645.	1.1	5
114	Willingness of gynaecologists, doctors in family planning, GPs, practice nurses and pharmacists to adopt novel interventions for treating sexual partners of women with chlamydia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2007, 114, 1516-1521.	1.1	21
115	Comparison of a transdermal continuous combined and an interrupted progestogen HRT. <i>Maturitas</i> , 2006, 53, 19-26.	1.0	1
116	Low-Dose Mifepristone Inhibits Endometrial Proliferation and Up-Regulates Androgen Receptor. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004, 89, 2491-2497.	1.8	63
117	Effects of onapristone on postmenopausal endometrium. <i>Steroids</i> , 2003, 68, 1053-1059.	0.8	10
118	A single dose of mifepristone (200 mg) in the immediate preovulatory phase offers contraceptive potential without cycle disruption. <i>Contraception</i> , 2003, 68, 203-209.	0.8	9
119	Universal prophylaxis compared with screen-and-treat for <i>Chlamydia trachomatis</i> prior to termination of pregnancy. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2002, 109, 606-609.	1.1	19
120	Comparison of transvaginal ultrasound, saline infusion sonography and hysteroscopy to investigate postmenopausal bleeding and unscheduled bleeding on HRT. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2001, 41, 291-294.	0.4	19
121	Progesterone Antagonists Increase Androgen Receptor Expression in the Rhesus Macaque and Human Endometrium. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 2668-2679.	1.8	107
122	Effect of two antiprogestins (mifepristone and onapristone) on endometrial factors of potential importance for implantation. <i>Fertility and Sterility</i> , 1997, 67, 1046-1053.	0.5	74
123	Impact of the introduction of new medical methods on therapeutic abortions at the Royal Infirmary of Edinburgh. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1996, 103, 1222-1229.	1.1	50
124	Effect of daily low dose mifepristone on the ovarian cycle and on dynamics of follicle growth. <i>Clinical Endocrinology</i> , 1995, 43, 407-414.	1.2	28
125	Contraception and Sterilization. , 0, , 939-953.		1