

Andrew I Webb

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/29554/andrew-i-webb-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

83
papers

4,189
citations

33
h-index

64
g-index

94
ext. papers

5,325
ext. citations

11.5
avg, IF

4.79
L-index

#	Paper	IF	Citations
83	K-29 linked ubiquitination of Arrdc4 regulates its function in extracellular vesicle biogenesis.. <i>Journal of Extracellular Vesicles</i> , 2022 , 11, e12188	16.4	1
82	Tankyrase-mediated ADP-ribosylation is a regulator of TNF-induced death.. <i>Science Advances</i> , 2022 , 8, eabh2332	14.3	1
81	Oligomerization-driven MLKL ubiquitylation antagonizes necroptosis. <i>EMBO Journal</i> , 2021 , 40, e103718	13	11
80	Mass Dynamics 1.0: A Streamlined, Web-Based Environment for Analyzing, Sharing, and Integrating Label-Free Data. <i>Journal of Proteome Research</i> , 2021 , 20, 5180-5188	5.6	0
79	Cp1/cathepsin L is required for autolysosomal clearance in. <i>Autophagy</i> , 2021 , 17, 2734-2749	10.2	2
78	Conformational interconversion of MLKL and disengagement from RIPK3 precede cell death by necroptosis. <i>Nature Communications</i> , 2021 , 12, 2211	17.4	19
77	The ubiquitylation of IL-1 β limits its cleavage by caspase-1 and targets it for proteasomal degradation. <i>Nature Communications</i> , 2021 , 12, 2713	17.4	12
76	Targeting histone acetylation dynamics and oncogenic transcription by catalytic P300/CBP inhibition. <i>Molecular Cell</i> , 2021 , 81, 2183-2200.e13	17.6	12
75	Arrdc4-dependent extracellular vesicle biogenesis is required for sperm maturation. <i>Journal of Extracellular Vesicles</i> , 2021 , 10, e12113	16.4	6
74	Phosphorylation by Aurora B kinase regulates caspase-2 activity and function. <i>Cell Death and Differentiation</i> , 2021 , 28, 349-366	12.7	9
73	The search for RNA-binding proteins: a technical and interdisciplinary challenge. <i>Biochemical Society Transactions</i> , 2021 , 49, 393-403	5.1	3
72	Granulovirus PK-1 kinase activity relies on a side-to-side dimerization mode centered on the regulatory α helix. <i>Nature Communications</i> , 2021 , 12, 1002	17.4	4
71	Sperm proteins and cancer-testis antigens are released by the seminiferous tubules in mice and men. <i>FASEB Journal</i> , 2021 , 35, e21397	0.9	4
70	Multimodal regulation of encystation in <i>Giardia duodenalis</i> revealed by deep proteomics. <i>International Journal for Parasitology</i> , 2021 , 51, 809-824	4.3	2
69	Dynamic reconfiguration of pro-apoptotic BAK on membranes. <i>EMBO Journal</i> , 2021 , 40, e107237	13	6
68	Crystal structure of the hinge domain of Smchd1 reveals its dimerization mode and nucleic acid-binding residues. <i>Science Signaling</i> , 2020 , 13,	8.8	8
67	Identification of MLKL membrane translocation as a checkpoint in necroptotic cell death using Monobodies. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 8468-8475	11.5	34

66	How IGF-II Binds to the Human Type 1 Insulin-like Growth Factor Receptor. <i>Structure</i> , 2020 , 28, 786-798.e62	6.2	10
65	ROCK-mediated selective activation of PERK signalling causes fibroblast reprogramming and tumour progression through a CRELD2-dependent mechanism. <i>Nature Cell Biology</i> , 2020 , 22, 882-895	23.4	23
64	A regulatory region on RIPK2 is required for XIAP binding and NOD signaling activity. <i>EMBO Reports</i> , 2020 , 21, e50400	6.5	3
63	Proteomic analysis of extracellular vesicles reveals an immunogenic cargo in rheumatoid arthritis synovial fluid. <i>Clinical and Translational Immunology</i> , 2020 , 9, e1185	6.8	6
62	Clinical MDR1 inhibitors enhance Smac-mimetic bioavailability to kill murine LSCs and improve survival in AML models. <i>Blood Advances</i> , 2020 , 4, 5062-5077	7.8	3
61	Person-Specific Biomolecular Coronas Modulate Nanoparticle Interactions with Immune Cells in Human Blood. <i>ACS Nano</i> , 2020 , 14, 15723-15737	16.7	20
60	Serum microRNA is a biomarker for post-operative monitoring in glioma. <i>Journal of Neuro-Oncology</i> , 2020 , 149, 391-400	4.8	13
59	BAK core dimers bind lipids and can be bridged by them. <i>Nature Structural and Molecular Biology</i> , 2020 , 27, 1024-1031	17.6	23
58	Loss of Bcl-G, a Bcl-2 family member, augments the development of inflammation-associated colorectal cancer. <i>Cell Death and Differentiation</i> , 2020 , 27, 742-757	12.7	4
57	Therapeutic blockade of activin-A improves NK cell function and antitumor immunity. <i>Science Signaling</i> , 2019 , 12,	8.8	33
56	Viral MLKL Homologs Subvert Necroptotic Cell Death by Sequestering Cellular RIPK3. <i>Cell Reports</i> , 2019 , 28, 3309-3319.e5	10.6	48
55	A small molecule interacts with VDAC2 to block mouse BAK-driven apoptosis. <i>Nature Chemical Biology</i> , 2019 , 15, 1057-1066	11.7	16
54	Universal Solid-Phase Protein Preparation (USP) for Bottom-up and Top-down Proteomics. <i>Journal of Proteome Research</i> , 2019 , 18, 2915-2924	5.6	23
53	BAX Activation: Mutations Near Its Proposed Non-canonical BH3 Binding Site Reveal Allosteric Changes Controlling Mitochondrial Association. <i>Cell Reports</i> , 2019 , 27, 359-373.e6	10.6	17
52	Menstrual fluid factors facilitate tissue repair: identification and functional action in endometrial and skin repair. <i>FASEB Journal</i> , 2019 , 33, 584-605	0.9	13
51	Generation of novel Id2 and E2-2, E2A and HEB antibodies reveals novel Id2 binding partners and species-specific expression of E-proteins in NK cells. <i>Molecular Immunology</i> , 2019 , 115, 56-63	4.3	1
50	RIPLET, and not TRIM25, is required for endogenous RIG-I-dependent antiviral responses. <i>Immunology and Cell Biology</i> , 2019 , 97, 840-852	5	45
49	A class of T cell receptors recognize the underside of the antigen-presenting molecule MR1. <i>Science</i> , 2019 , 366, 1522-1527	33.3	53

48	Structure of Plasmodium falciparum Rh5-CyRPA-Ripr invasion complex. <i>Nature</i> , 2019 , 565, 118-121	50.4	39
47	Targeting of RNA Polymerase II by a nuclear Legionella pneumophila Dot/Icm effector SnpL. <i>Cellular Microbiology</i> , 2018 , 20, e12852	3.9	11
46	Discovery and Validation of Novel Protein Biomarkers in Ovarian Cancer Patient Urine. <i>Proteomics - Clinical Applications</i> , 2018 , 12, e1700135	3.1	24
45	Idiopathic infertility in women is associated with distinct changes in proliferative phase uterine fluid proteins. <i>Biology of Reproduction</i> , 2018 , 98, 752-764	3.9	13
44	Enrichment of extracellular vesicles from human synovial fluid using size exclusion chromatography. <i>Journal of Extracellular Vesicles</i> , 2018 , 7, 1490145	16.4	46
43	Ensemble Properties of Bax Determine Its Function. <i>Structure</i> , 2018 , 26, 1346-1359.e5	5.2	22
42	Plasmeprin V cleaves malaria effector proteins in a distinct endoplasmic reticulum translocation interactome for export to the erythrocyte. <i>Nature Microbiology</i> , 2018 , 3, 1010-1022	26.6	36
41	Conformational switching of the pseudokinase domain promotes human MLKL tetramerization and cell death by necroptosis. <i>Nature Communications</i> , 2018 , 9, 2422	17.4	85
40	Necroptotic signaling is primed in Mycobacterium tuberculosis-infected macrophages, but its pathophysiological consequence in disease is restricted. <i>Cell Death and Differentiation</i> , 2018 , 25, 951-965	12.7	35
39	Role of salt bridges in the dimer interface of 14-3-3 η dimer dynamics, N-terminal helical order, and molecular chaperone activity. <i>Journal of Biological Chemistry</i> , 2018 , 293, 89-99	5.4	12
38	Plasma membrane profiling during enterohemorrhagic infection reveals that the metalloprotease StcE cleaves CD55 from host epithelial surfaces. <i>Journal of Biological Chemistry</i> , 2018 , 293, 17188-17199	5.4	4
37	Protein kinase A negatively regulates Ca ²⁺ signalling in Toxoplasma gondii. <i>PLoS Biology</i> , 2018 , 16, e2005642	5.4	36
36	EspL is a bacterial cysteine protease effector that cleaves RHIM proteins to block necroptosis and inflammation. <i>Nature Microbiology</i> , 2017 , 2, 16258	26.6	100
35	Quantitative proteomic analysis of EZH2 inhibition in acute myeloid leukemia reveals the targets and pathways that precede the induction of cell death. <i>Proteomics - Clinical Applications</i> , 2017 , 11, 1700013	3.1	4
34	Pathogenic species have a functional type I secretion system and contact-dependent inhibition systems. <i>Journal of Biological Chemistry</i> , 2017 , 292, 9075-9087	5.4	36
33	The bacterial arginine glycosyltransferase effector NleB preferentially modifies Fas-associated death domain protein (FADD). <i>Journal of Biological Chemistry</i> , 2017 , 292, 17337-17350	5.4	36
32	Holographic Interface for three-dimensional Visualization of MRI on HoloLens: A Prototype Platform for MRI Guided Neurosurgeries 2017 ,		7
31	Suppressor of cytokine signaling (SOCS)5 ameliorates influenza infection via inhibition of EGFR signaling. <i>ELife</i> , 2017 , 6,	8.9	45

30	SPATA2 - Keeping the TNF signal short and sweet. <i>EMBO Journal</i> , 2016 , 35, 1848-50	13	3
29	Familial autoinflammation with neutrophilic dermatosis reveals a regulatory mechanism of pyrin activation. <i>Science Translational Medicine</i> , 2016 , 8, 332ra45	17.5	182
28	Budget Management 2016 , 339-357		
27	CIS is a potent checkpoint in NK cell-mediated tumor immunity. <i>Nature Immunology</i> , 2016 , 17, 816-24	19.1	185
26	Proteomic Profiling of Cell Death: Stable Isotope Labeling and Mass Spectrometry Analysis. <i>Methods in Molecular Biology</i> , 2016 , 1419, 277-86	1.4	
25	A RIPK2 inhibitor delays NOD signalling events yet prevents inflammatory cytokine production. <i>Nature Communications</i> , 2015 , 6, 6442	17.4	74
24	Regulation of Starch Stores by a Ca(2+)-Dependent Protein Kinase Is Essential for Viable Cyst Development in <i>Toxoplasma gondii</i> . <i>Cell Host and Microbe</i> , 2015 , 18, 670-81	23.4	49
23	Necroptosis signalling is tuned by phosphorylation of MLKL residues outside the pseudokinase domain activation loop. <i>Biochemical Journal</i> , 2015 , 471, 255-65	3.8	76
22	Proprotein convertase 5/6 cleaves platelet-derived growth factor A in the human endometrium in preparation for embryo implantation. <i>Molecular Human Reproduction</i> , 2015 , 21, 262-70	4.4	8
21	Activation of the pseudokinase MLKL unleashes the four-helix bundle domain to induce membrane localization and necroptotic cell death. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 15072-7	11.5	357
20	The cellular redox environment alters antigen presentation. <i>Journal of Biological Chemistry</i> , 2014 , 289, 27979-91	5.4	33
19	A mechanism for actin filament severing by malaria parasite actin depolymerizing factor 1 via a low affinity binding interface. <i>Journal of Biological Chemistry</i> , 2014 , 289, 4043-54	5.4	21
18	The pseudokinase MLKL mediates necroptosis via a molecular switch mechanism. <i>Immunity</i> , 2013 , 39, 443-53	32.3	717
17	A type III effector antagonizes death receptor signalling during bacterial gut infection. <i>Nature</i> , 2013 , 501, 247-51	50.4	200
16	Synthesis of biotinylated episilvestrol: highly selective targeting of the translation factors eIF4A1/II. <i>Organic Letters</i> , 2013 , 15, 1406-9	6.2	44
15	Progranulin does not inhibit TNF and lymphotoxin- β signalling through TNF receptor 1. <i>Immunology and Cell Biology</i> , 2013 , 91, 661-4	5	26
14	High yield production of a soluble human interleukin-3 variant from <i>E. coli</i> with wild-type bioactivity and improved radiolabeling properties. <i>PLoS ONE</i> , 2013 , 8, e74376	3.7	11
13	Suppressor of Cytokine Signaling (SOCS) 5 utilises distinct domains for regulation of JAK1 and interaction with the adaptor protein Shc-1. <i>PLoS ONE</i> , 2013 , 8, e70536	3.7	33

12	Linear ubiquitination prevents inflammation and regulates immune signalling. <i>Nature</i> , 2011 , 471, 591-6	50.4	654
11	Lectin switching during dengue virus infection. <i>Journal of Infectious Diseases</i> , 2011 , 203, 1775-83	7	47
10	Constraints within major histocompatibility complex class I restricted peptides: presentation and consequences for T-cell recognition. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 5534-9	11.5	55
9	Structural and biological basis of CTL escape in coronavirus-infected mice. <i>Journal of Immunology</i> , 2008 , 180, 3926-37	5.3	18
8	Prevention of cytotoxic T cell escape using a heteroclitic subdominant viral T cell determinant. <i>PLoS Pathogens</i> , 2008 , 4, e1000186	7.6	10
7	Epitope-specific TCRbeta repertoire diversity imparts no functional advantage on the CD8+ T cell response to cognate viral peptides. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 2034-9	11.5	45
6	Lack of prominent peptide-major histocompatibility complex features limits repertoire diversity in virus-specific CD8+ T cell populations. <i>Nature Immunology</i> , 2005 , 6, 382-9	19.1	123
5	T cell determinants incorporating beta-amino acid residues are protease resistant and remain immunogenic in vivo. <i>Journal of Immunology</i> , 2005 , 175, 3810-8	5.3	54
4	Functional and structural characteristics of NY-ESO-1-related HLA A2-restricted epitopes and the design of a novel immunogenic analogue. <i>Journal of Biological Chemistry</i> , 2004 , 279, 23438-46	5.4	55
3	The structure of H-2K(b) and K(bm8) complexed to a herpes simplex virus determinant: evidence for a conformational switch that governs T cell repertoire selection and viral resistance. <i>Journal of Immunology</i> , 2004 , 173, 402-9	5.3	27
2	Optimisation of peptide-based cytotoxic T-cell determinants using. <i>International Journal of Peptide Research and Therapeutics</i> , 2003 , 10, 561-569		0
1	MSCypher: an integrated database searching and machine learning workflow for multiplexed proteomics		1