Serena Vettori

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/295600/publications.pdf

Version: 2024-02-01

all docs

52 2,576 25 50 papers citations h-index g-index

52 52 52 52 53

times ranked

citing authors

docs citations

| # | Article | IF | CITATIONS |
|----|--|------------------|-------------|
| 1 | Mapping and predicting mortality from systemic sclerosis. Annals of the Rheumatic Diseases, 2017, 76, 1897-1905. | 0.5 | 410 |
| 2 | Association of circulating miR-223 and miR-16 with disease activity in patients with early rheumatoid arthritis. Annals of the Rheumatic Diseases, 2014, 73, 1898-1904. | 0.5 | 165 |
| 3 | Incidences and Risk Factors of Organ Manifestations in the Early Course of Systemic Sclerosis: A Longitudinal EUSTAR Study. PLoS ONE, 2016, 11, e0163894. | 1.1 | 158 |
| 4 | Role of MicroRNAs in Fibrosis. Open Rheumatology Journal, 2012, 6, 130-139. | 0.1 | 144 |
| 5 | Outcomes of patients with systemic sclerosis treated with rituximab in contemporary practice: a prospective cohort study. Annals of the Rheumatic Diseases, 2019, 78, 979-987. | 0.5 | 142 |
| 6 | The European Scleroderma Trials and Research group (EUSTAR) task force for the development of revised activity criteria for systemic sclerosis: derivation and validation of a preliminarily revised EUSTAR activity index. Annals of the Rheumatic Diseases, 2017, 76, 270-276. | 0.5 | 132 |
| 7 | International consensus: What else can we do to improve diagnosis and therapeutic strategies in patients affected by autoimmune rheumatic diseases (rheumatoid arthritis, spondyloarthritides,) Tj ETQq1 1 0.784 | 4314 rgBT 2.5 | Overlock 11 |
| 8 | Guidelines for biomarkers in autoimmune rheumatic diseases - evidence based analysis. Autoimmunity Reviews, 2019, 18, 93-106. | 2.5 | 101 |
| 9 | Prediction of worsening of skin fibrosis in patients with diffuse cutaneous systemic sclerosis using the EUSTAR database. Annals of the Rheumatic Diseases, 2015, 74, 1124-1131. | 0.5 | 96 |
| 10 | A gender gap in primary and secondary heart dysfunctions in systemic sclerosis: a EUSTAR prospective study. Annals of the Rheumatic Diseases, 2016, 75, 163-169. | 0.5 | 82 |
| 11 | Early systemic sclerosis: assessment of clinical and pre-clinical organ involvement in patients with different disease features. Rheumatology, 2011, 50, 317-323. | 0.9 | 61 |
| 12 | Early Systemic Sclerosis: Serum Profiling of Factors Involved in Endothelial, T-cell, and Fibroblast Interplay is Marked by Elevated Interleukin-33 Levels. Journal of Clinical Immunology, 2014, 34, 663-668. | 2.0 | 61 |
| 13 | Functional disability and its predictors in systemic sclerosis: a study from the DeSScipher project within the EUSTAR group. Rheumatology, 2018, 57, 441-450. | 0.9 | 60 |
| 14 | Incidence and predictors of cutaneous manifestations during the early course of systemic sclerosis: a 10-year longitudinal study from the EUSTAR database. Annals of the Rheumatic Diseases, 2016, 75, 1285-1292. | 0.5 | 56 |
| 15 | Low-dose pulse cyclophosphamide in interstitial lung disease associated with systemic sclerosis (SSc-ILD): Efficacy of maintenance immunosuppression in responders and non-responders. Seminars in Arthritis and Rheumatism, 2015, 44, 437-444. | 1.6 | 51 |
| 16 | Early Systemic Sclerosis: Analysis of the Disease Course in Patients With Marker Autoantibody and/or Capillaroscopic Positivity. Arthritis Care and Research, 2014, 66, 1520-1527. | 1.5 | 48 |
| 17 | IL-22 capacitates dermal fibroblast responses to TNF in scleroderma. Annals of the Rheumatic Diseases, 2016, 75, 1697-1705. | 0.5 | 48 |
| 18 | Downregulation of miR-193b in systemic sclerosis regulates the proliferative vasculopathy by urokinase-type plasminogen activator expression. Annals of the Rheumatic Diseases, 2016, 75, 303-310. | 0.5 | 45 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Outcomes of limited cutaneous systemic sclerosis patients: Results on more than 12,000 patients from the EUSTAR database. Autoimmunity Reviews, 2020, 19, 102452. | 2.5 | 43 |
| 20 | High IL-17E and Low IL-17C Dermal Expression Identifies a Fibrosis-Specific Motif Common to Morphea and Systemic Sclerosis. PLoS ONE, 2014, 9, e105008. | 1.1 | 39 |
| 21 | Early systemic sclerosis: marker autoantibodies and videocapillaroscopy patterns are each associated with distinct clinical, functional and cellular activation markers. Arthritis Research and Therapy, 2013, 15, R63. | 1.6 | 38 |
| 22 | Clinical and subclinical atherosclerosis in systemic sclerosis: consequences of previous corticosteroid treatment. Scandinavian Journal of Rheumatology, 2010, 39, 485-489. | 0.6 | 31 |
| 23 | Early systemic sclerosis: short-term disease evolution and factors predicting the development of new manifestations of organ involvement. Arthritis Research and Therapy, 2012, 14, R188. | 1.6 | 31 |
| 24 | EUSTAR biobanking: recommendations for the collection, storage and distribution of biospecimens in scleroderma research. Annals of the Rheumatic Diseases, 2011, 70, 1178-1182. | 0.5 | 30 |
| 25 | Association between a stromal cell-derived factor 1 (<i>SDF-1/CXCL12</i>) gene polymorphism and microvascular disease in systemic sclerosis. Annals of the Rheumatic Diseases, 2009, 68, 408-411. | 0.5 | 29 |
| 26 | The Concept of Early Systemic Sclerosis Following 2013 ACREULAR Criteria for the Classification of Systemic Sclerosis. Current Rheumatology Reviews, 2014, 10, 38-44. | 0.4 | 26 |
| 27 | Performance of a new quantitative computed tomography index for interstitial lung disease assessment in systemic sclerosis. Scientific Reports, 2019, 9, 9468. | 1.6 | 26 |
| 28 | Polymorphism of immunoglobulin enhancer element HS1,2A: allele *2 associates with systemic sclerosis. Comparison with HLA-DR and DQ allele frequency. Annals of the Rheumatic Diseases, 2007, 66, 1210-1215. | 0.5 | 25 |
| 29 | Quality of life as measured by the short-form 36 (SF-36) questionnaire in patients with early systemic sclerosis and undifferentiated connective tissue disease. Health and Quality of Life Outcomes, 2013, 11 , 23 . | 1.0 | 22 |
| 30 | Right atrial morphology and function in patients with systemic sclerosis compared to healthy controls: a two-dimensional strain study. Clinical Rheumatology, 2016, 35, 1733-1742. | 1.0 | 22 |
| 31 | Tissue Doppler imaging in systemic sclerosis: A 3-year longitudinal study. Seminars in Arthritis and Rheumatism, 2014, 43, 673-680. | 1.6 | 21 |
| 32 | The cumulative number of micro-haemorrhages and micro-thromboses in nailfold videocapillaroscopy is a good indicator of disease activity in systemic sclerosis: a validation study of the NEMO score. Arthritis Research and Therapy, 2017, 19, 133. | 1.6 | 21 |
| 33 | Esophageal high-resolution impedance manometry alterations in asymptomatic patients with systemic sclerosis: prevalence, associations with disease features, and prognostic value. Clinical Rheumatology, 2018, 37, 1239-1247. | 1.0 | 21 |
| 34 | Translational engagement of lysophosphatidic acid receptor 1 in skin fibrosis: from dermal fibroblasts of patients with scleroderma to tight skin 1 mouse. British Journal of Pharmacology, 2020, 177, 4296-4309. | 2.7 | 19 |
| 35 | Peripheral T cells from patients with early systemic sclerosis kill autologous fibroblasts in co-culture: is T-cell response aimed to play a protective role?. Rheumatology, 2010, 49, 1257-1266. | 0.9 | 16 |
| 36 | N-terminal pro-brain natriuretic peptide is a strong predictor of mortality in systemic sclerosis. International Journal of Cardiology, 2016, 223, 385-389. | 0.8 | 16 |

3

| # | Article | IF | CITATIONS |
|----|--|------------|----------------|
| 37 | Non-Hodgkin's lymphoma in systemic sclerosis: case and literature review. Clinical Rheumatology, 2010, 29, 1-6. | 1.0 | 14 |
| 38 | Incidence and risk factors for gangrene in patients with systemic sclerosis from the EUSTAR cohort. Rheumatology, 2020, 59, 2016-2023. | 0.9 | 14 |
| 39 | Clinical correlates of human leucocyte antigen (HLA)-G in systemic sclerosis. Clinical and Experimental Immunology, 2015, 181, 100-109. | 1.1 | 13 |
| 40 | Subspecificities of anticentromeric protein A antibodies identify systemic sclerosis patients at higher risk of pulmonary vascular disease. Medicine (United States), 2016, 95, e3931. | 0.4 | 13 |
| 41 | Elevated serum levels of sonic hedgehog are associated with fibrotic and vascular manifestations in systemic sclerosis. Annals of the Rheumatic Diseases, 2018, 77, 626-628. | 0.5 | 12 |
| 42 | Longitudinal analysis of quality of life in patients with undifferentiated connective tissue diseases. Patient Related Outcome Measures, 2017, Volume 8, 7-13. | 0.7 | 11 |
| 43 | Hemodynamic changes after acute fluid loading in patients with systemic sclerosis without pulmonary hypertension. Pulmonary Circulation, 2019, 9, 1-6. | 0.8 | 11 |
| 44 | CXCL4 in undifferentiated connective tissue disease at risk for systemic sclerosis (SSc) (previously) Tj ETQq0 0 (| O rgBT /Ov | erlock 10 Tf 5 |
| 45 | T-Cell Proapoptotic and Antifibrotic Activity Against Autologous Skin Fibroblasts in vitro Is Associated With IL-17A Axis Upregulation in Systemic Sclerosis. Frontiers in Immunology, 2020, 11, 220. | 2.2 | 10 |
| 46 | Prediction of organ involvement and survival in systemic sclerosis patients in the first 5 years from diagnosis. Journal of Scleroderma and Related Disorders, 2020, 5, 57-65. | 1.0 | 8 |
| 47 | Serum CXCL4 increase in primary Sjögren's syndrome characterizes patients with microvascular involvement and reduced salivary gland infiltration and lymph node involvement. Clinical Rheumatology, 2016, 35, 2591-2596. | 1.0 | 6 |
| 48 | Anti-carbamylated protein antibodies and skin involvement in patients with systemic sclerosis: An intriguing association. PLoS ONE, 2018, 13, e0210023. | 1.1 | 5 |
| 49 | Outcome of a glucocorticoid discontinuation regimen in patients with inactive systemic sclerosis. Clinical Rheumatology, 2016, 35, 1985-1991. | 1.0 | 4 |
| 50 | MiRs in RA: possible biomarkers and therapeutic targets. Arthritis Research and Therapy, 2012, 14, . | 1.6 | 1 |
| 51 | Decline in forced vital capacity in subjects with systemic sclerosis-associated interstitial lung disease in the SENSCIS trial compared with healthy reference subjects. Respiratory Research, 2022, 23, . | 1.4 | 1 |
| 52 | A7.3â€Association of Circulating miR-223 and miR-16 with Disease Activity in Patients with Early Rheumatoid Arthritis. Annals of the Rheumatic Diseases, 2013, 72, A48.3-A49. | 0.5 | 0 |