Jens M Baron

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2957372/publications.pdf

Version: 2024-02-01

87888 106344 5,085 136 38 65 h-index citations g-index papers 165 165 165 6154 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Establishment of an Intradermal Ear Injection Model of IL-17A and IL-36 \hat{l}^3 as a Tool to Investigate the Psoriatic Cytokine Network. Life, 2021, 11, 846.	2.4	1
2	Adaptation of Staphylococcus aureus to the Human Skin Environment Identified Using an ex vivo Tissue Model. Frontiers in Microbiology, 2021, 12, 728989.	3.5	11
3	Dynamic flow enables longâ€ŧerm maintenance of 3â€D vascularized human skin models. Applied Materials Today, 2021, 25, 101213.	4.3	10
4	The methylisothiazolinone epidemic goes along with changing patients' characteristics $\hat{a} \in \text{``After cosmetics, industrial applications are the focus. Contact Dermatitis, 2020, 82, 87-93.}$	1.4	30
5	Falseâ€positive test results in diagnosing allergy to glatiramer acetate: Case report and a systematic literature review. Immunity, Inflammation and Disease, 2020, 8, 847-853.	2.7	2
6	Dexpanthenol in Wound Healing after Medical and Cosmetic Interventions (Postprocedure Wound) Tj ETQq0 0 0	O rgBT /Ov	verlggk 10 Tf 5
7	Long-Term and Clinically Relevant Full-Thickness Human Skin Equivalent for Psoriasis. ACS Applied Bio Materials, 2020, 3, 6639-6647.	4.6	9
8	Optimal Support of Wound Healing: New Insights. Dermatology, 2020, 236, 593-600.	2.1	72
9	"New―inhalant plant allergens. Allergologie Select, 2020, 4, 1-10.	3.1	7
10	Biological Effects of Hyaluronic Acid-Based Dermal Fillers and Laser Therapy on Human Skin Models. Journal of Drugs in Dermatology, 2020, 19, 897-899.	0.8	4
11	Novel Human Full-Thickness Three-Dimensional Nonkeratinized Mucous Membrane Model for Pharmacological Studies in Wound Healing. Skin Pharmacology and Physiology, 2019, 32, 265-274.	2.5	8
12	Bifonazole Exerts Anti-Inflammatory Effects in Human Three-Dimensional Skin Equivalents after UVB or Histamine Challenge. Skin Pharmacology and Physiology, 2019, 32, 337-343.	2.5	4
13	Altered Gene Expression in Dioxin-Like and Non-Dioxin-Like PCB Exposed Peripheral Blood Mononuclear Cells. International Journal of Environmental Research and Public Health, 2019, 16, 2090.	2.6	12
14	Accelerated wound healing with a dexpanthenol-containing ointment after fractional ablative CO ₂ laser resurfacing of photo-damaged skin in a randomized prospective clinical trial. Cutaneous and Ocular Toxicology, 2019, 38, 274-278.	1.3	15
15	Macrophages significantly enhance wound healing in a vascularized skin model. Journal of Biomedical Materials Research - Part A, 2019, 107, 1340-1350.	4.0	29
16	The CD63 basophil activation test as a diagnostic tool for assessing autoimmunity in patients with chronic spontaneous urticaria. European Journal of Dermatology, 2019, 29, 614-618.	0.6	8
17	JAK1/3 inhibition preserves epidermal morphology in fullâ€thickness 3D skin models of atopic dermatitis and psoriasis. Journal of the European Academy of Dermatology and Venereology, 2019, 33, 367-375.	2.4	39
18	Contact dermatitis and sensitization in professional musicians. Contact Dermatitis, 2019, 80, 273-278.	1.4	10

#	Article	IF	CITATIONS
19	"Neue" inhalative Pflanzenallergene. Allergologie, 2019, 42, 60-70.	0.1	O
20	Individual risk assessment in the diagnosis of immediate type drug hypersensitivity reactions to betalactam and non-betalactam antibiotics using basophil activation test: a single center experience. Cutaneous and Ocular Toxicology, 2018, 37, 309-318.	1.3	5
21	<i><scp>CYLD</scp></i> mutations differentially affect splicing and <scp>mRNA</scp> decay in Brookeâ€"Spiegler syndrome. Journal of the European Academy of Dermatology and Venereology, 2018, 32, e331-e333.	2.4	1
22	Hyperpigmentation and higher incidence of cutaneous malignancies in moderate-high PCB- and dioxin exposed individuals. Environmental Research, 2018, 164, 221-228.	7.5	17
23	Direct biological effects of fractional ultrapulsed CO2 laser irradiation on keratinocytes and fibroblasts in human organotypic full-thickness 3D skin models. Lasers in Medical Science, 2018, 33, 765-772.	2.1	35
24	Comprehensive molecular characterization of microneedling therapy in a human threeâ€dimensional skin model. PLoS ONE, 2018, 13, e0204318.	2.5	39
25	Expression of CYP1A1, CYP1B1 and IL- $1\hat{l}^2$ in PBMCs and skin samples of PCB exposed individuals. Science of the Total Environment, 2018, 642, 1429-1438.	8.0	17
26	Balance of Go1 \hat{l}_{\pm} and Go2 \hat{l}_{\pm} expression regulates motor function via the striatal dopaminergic system. Journal of Neurochemistry, 2018, 146, 374-389.	3.9	1
27	Surgical Site Infections After Dermatologic Surgery in Immunocompromised Patients: A Single-Center Experience. Dermatologic Surgery, 2018, 44, 1525-1536.	0.8	22
28	Effects of a ceramideâ€containing waterâ€inâ€oil ointment on skin barrier function and allergen penetration in an <scp>IL</scp> â€31 treated 3D model of the disrupted skin barrier. Experimental Dermatology, 2018, 27, 1009-1014.	2.9	30
29	Effectiveness and Safety of Surgical Excision in the Treatment of Digital Mucoid Cysts. Dermatologic Surgery, 2017, 43, 928-933.	0.8	9
30	Molecular effects of fractional ablative erbium: YAG laser treatment with multiple stacked pulses on standardized human three-dimensional organotypic skin models. Lasers in Medical Science, 2017, 32, 805-814.	2.1	31
31	Cathepsin S is the major activator of the psoriasis-associated proinflammatory cytokine IL-36γ. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, E2748-E2757.	7.1	119
32	The psoriasis-associated IL-17A induces and cooperates with IL-36 cytokines to control keratinocyte differentiation and function. Scientific Reports, 2017, 7, 15631.	3.3	94
33	Macrophage migration inhibitory factor protects from nonmelanoma epidermal tumors by regulating the number of antigenâ€presenting cells in skin. FASEB Journal, 2017, 31, 526-543.	0.5	21
34	Bird-egg syndrome: aÂvariant of secondary food allergies. Allergo Journal International, 2017, 26, 285-286.	2.0	1
35	RIS-1/psoriasin expression in epithelial skin cells indicates their selective role in innate immunity and in inflammatory skin diseases including acne. Dermato-Endocrinology, 2017, 9, e1338993.	1.8	4
36	Interferon Alpha Signalling and Its Relevance for the Upregulatory Effect of Transporter Proteins Associated with Antigen Processing (TAP) in Patients with Malignant Melanoma. PLoS ONE, 2016, 11, e0146325.	2.5	18

#	Article	IF	Citations
37	Ablative nonâ€sequential fractional ultrapulsed <scp>CO</scp> ₂ laser pretreatment improves conventional photodynamic therapy with methyl aminolevulinate in a novel human <i>in vitro</i>) 3D actinic keratosis skin model. Experimental Dermatology, 2016, 25, 997-999.	2.9	18
38	Synthesis of a Sulfonimidamide-Based Analog of Tasisulam and Its Biological Evaluation in the Melanoma Cell Lines SKMel23 and A375. Skin Pharmacology and Physiology, 2016, 29, 281-290.	2.5	29
39	Potential health risk of allergenic pollen with climate change associated spreading capacity: Ragweed and olive sensitization in two German federal states. International Journal of Hygiene and Environmental Health, 2016, 219, 252-260.	4.3	16
40	Successful omalizumab treatment in chronic spontaneous urticaria is associated with lowering of serum <scp>IL</scp> â€31 levels. Journal of the European Academy of Dermatology and Venereology, 2016, 30, 454-455.	2.4	41
41	Effects of non-ablative fractional erbium glass laser treatment on gene regulation in human three-dimensional skin models. Lasers in Medical Science, 2016, 31, 397-404.	2.1	26
42	Control of the Physical and Antimicrobial Skin Barrier by an IL-31–IL-1 Signaling Network. Journal of Immunology, 2016, 196, 3233-3244.	0.8	59
43	Myeloid human cell lines lack functional regulation of aryl hydrocarbon receptor-dependent phase I genes. ALTEX: Alternatives To Animal Experimentation, 2016, 33, 37-46.	1.5	0
44	Interâ€ <i>α</i> â€trypsin inhibitor heavy chain 5 (<scp>ITIH</scp> 5) is overexpressed in inflammatory skin diseases and affects epidermal morphology in constitutive knockout mice and murine 3D skin models. Experimental Dermatology, 2015, 24, 663-668.	2.9	20
45	Characterization of a novel standardized human threeâ€dimensional skin wound healing model using nonâ€sequential fractional ultrapulsed CO ⟨sub⟩2⟨ sub⟩ laser treatments. Lasers in Surgery and Medicine, 2015, 47, 257-265.	2.1	53
46	Retinoid treatment of skin diseases. European Journal of Dermatology, 2015, 25, 384-391.	0.6	60
47	LRAT Overexpression Diminishes Intracellular Levels of Biologically Active Retinoids and Reduces Retinoid Antitumor Efficacy in the Murine Melanoma B16F10 Cell Line. Skin Pharmacology and Physiology, 2015, 28, 205-212.	2.5	9
48	The Effects of Constant Flow Bioreactor Cultivation and Keratinocyte Seeding Densities on Prevascularized Organotypic Skin Grafts Based on a Fibrin Scaffold. Tissue Engineering - Part A, 2015, 21, 343-352.	3.1	27
49	Molecular microarray analysis reveals allergen―and exotoxinâ€specific IgE repertoires in children with atopic dermatitis. Journal of the European Academy of Dermatology and Venereology, 2014, 28, 100-107.	2.4	12
50	Knockdown of lecithin retinol acyltransferase increases allâ€∢i>trans⟨i> retinoic acid levels and restores retinoid sensitivity in malignant melanoma cells. Experimental Dermatology, 2014, 23, 832-837.	2.9	8
51	Downregulation of STRA6 Expression in Epidermal Keratinocytes Leads to Hyperproliferation-Associated Differentiation in Both In Vitro and In Vivo Skin Models. Journal of Investigative Dermatology, 2014, 134, 1579-1588.	0.7	24
52	<i>N</i> â€Cyano Sulfoximines: COX Inhibition, Anticancer Activity, Cellular Toxicity, and Mutagenicity. ChemMedChem, 2013, 8, 217-220.	3.2	91
53	Cytokines and the Skin Barrier. International Journal of Molecular Sciences, 2013, 14, 6720-6745.	4.1	250
54	The αâ€subunit of the trimeric <scp>GTP</scp> ase Go2 regulates axonal growth. Journal of Neurochemistry, 2013, 124, 782-794.	3.9	3

#	Article	IF	CITATIONS
55	Characterization of SLCO5A1/OATP5A1, a Solute Carrier Transport Protein with Non-Classical Function. PLoS ONE, 2013, 8, e83257.	2.5	34
56	IL-31 Expression by Inflammatory Cells is Preferentially Elevated in Atopic Dermatitis. Acta Dermato-Venereologica, 2012, 92, 5-6.	1.3	5
57	Surveillance Program for Former PCB-Exposed Workers of a Transformer and Capacitor Recycling Company, Family Members, Employees of Surrounding Companies, and Area Residents—Executive Summary. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2012, 75, 1241-1247.	2.3	34
58	Evaluation of the sensitizing potential of antibiotics in vitro using the human cell lines THP-1 and MUTZ-LC and primary monocyteâ€derived dendritic cells. Toxicology and Applied Pharmacology, 2012, 262, 283-292.	2.8	13
59	Dexpanthenol Modulates Gene Expression in Skin Wound Healing in vivo. Skin Pharmacology and Physiology, 2012, 25, 241-248.	2.5	67
60	IL-31 regulates differentiation and filaggrin expression in human organotypic skin models. Journal of Allergy and Clinical Immunology, 2012, 129, 426-433.e8.	2.9	229
61	Epidermal Expression of Neuropilin 1 Protects Murine keratinocytes from UVB-induced apoptosis. PLoS ONE, 2012, 7, e50944.	2.5	25
62	Signaling by IL-31 and functional consequences. European Journal of Cell Biology, 2012, 91, 552-566.	3.6	171
63	Expression and Function of Macrophage Migration Inhibitory Factor in the Pathogenesis of UVâ€Induced Cutaneous Nonmelanoma Skin Cancer ^{â€} . Photochemistry and Photobiology, 2012, 88, 1157-1164.	2.5	13
64	Active transport of contact allergens in human monocyte-derived dendritic cells is mediated by multidrug resistance related proteins. Archives of Biochemistry and Biophysics, 2011, 508, 212-216.	3.0	16
65	Ultraviolet B radiation and reactive oxygen species modulate interleukin-31 expression in T lymphocytes, monocytes and dendritic cells. British Journal of Dermatology, 2011, 165, 966-975.	1.5	60
66	P-Glycoprotein (ABCB1) expression in human skin is mainly restricted to dermal components. Experimental Dermatology, 2011, 20, 450-452.	2.9	33
67	Basophil Activation Test for the Diagnosis of Hymenoptera Venom Allergy in Childhood: a Pilot Study. Klinische Padiatrie, 2011, 223, 27-32.	0.6	9
68	Digenic Inheritance of Mutations in the Coproporphyrinogen Oxidase and Protoporphyrinogen Oxidase Genes in a Unique Type of Porphyria. Journal of Investigative Dermatology, 2011, 131, 2249-2254.	0.7	5
69	Research in practice: the second barrier of the human skin. JDDG - Journal of the German Society of Dermatology, 2010, 8, 155-158.	0.8	0
70	Allergen microarrays: aÂnovel tool forÂhigh-resolution IgE profiling inÂadults withÂatopic dermatitis. European Journal of Dermatology, 2010, 20, 054-061.	0.6	38
71	Soluble immune receptor serum levels are associated with age, but not with clinical phenotype or disease severity in childhood atopic dermatitis. Journal of the European Academy of Dermatology and Venereology, 2010, 24, 395-402.	2.4	20
72	Active Transport of Contact Allergens and Steroid Hormones in Epidermal Keratinocytes is Mediated by Multidrug Resistance Related Proteins. Journal of Investigative Dermatology, 2010, 130, 305-308.	0.7	14

#	Article	IF	Citations
73	<i>In vitro</i> detection and characterization of drug hypersensitivity using flow cytometry. Allergy: European Journal of Allergy and Clinical Immunology, 2010, 65, 32-39.	5.7	45
74	Tacrolimus Modulates Dendritic Cell Activation in the Sensitization Phase of Allergic Contact Dermatitis. Skin Pharmacology and Physiology, 2010, 23, 53-59.	2.5	8
75	High-Resolution Transcriptional Profiling of Chemical-Stimulated Dendritic Cells Identifies Immunogenic Contact Allergens, but Not Prohaptens. Skin Pharmacology and Physiology, 2010, 23, 213-224.	2.5	16
76	Expression and Induction of Cytochrome P450 Isoenzymes in Human Skin Equivalents. Skin Pharmacology and Physiology, 2010, 23, 29-39.	2.5	47
77	Retinoid Pharmacology. , 2010, , 77-85.		1
78	Saving the red baby: Successful allogeneic cord blood transplantation in Omenn syndrome. Clinical Immunology, 2009, 130, 259-263.	3.2	6
79	Yâ€box proteinâ€1 is actively secreted through a nonâ€classical pathway and acts as an extracellular mitogen. EMBO Reports, 2009, 10, 783-789.	4.5	119
80	IL-31 Receptor Alpha Expression in Epidermal Keratinocytes Is Modulated by Cell Differentiation and Interferon Gamma. Journal of Investigative Dermatology, 2009, 129, 240-243.	0.7	37
81	Calcium pantothenate modulates gene expression in proliferating human dermal fibroblasts. Experimental Dermatology, 2009, 18, 969-978.	2.9	38
82	Effects of Photodynamic Therapy Evaluated in a Novel Threeâ€dimensional Squamous Cell Carcinoma Organ Construct of the Skin. Photochemistry and Photobiology, 2009, 85, 272-278.	2.5	20
83	Successful Topical Treatment of Sorafenibâ€Induced Hand–Foot Skin Reaction in a Child with Hepatocellular Carcinoma. Pediatric Dermatology, 2009, 26, 349-350.	0.9	6
84	Cutaneous Metabolic Activation of Carvoxime, a Self-Activating, Skin-Sensitizing Prohapten. Chemical Research in Toxicology, 2009, 22, 399-405.	3.3	36
85	Total Serum IgE as a Parameter to Differentiate Between Intrinsic and Extrinsic Atopic Dermatitis in Children. Acta Dermato-Venereologica, 2009, 89, 257-261.	1.3	59
86	Transcriptional profiling identifies an interferonâ€associated host immune response in invasive squamous cell carcinoma of the skin. International Journal of Cancer, 2008, 123, 2605-2615.	5.1	27
87	Frontiers in sebaceous gland biology and pathology. Experimental Dermatology, 2008, 17, 542-551.	2.9	171
88	Differential expression of influx and efflux transport proteins in human antigen presenting cells. Experimental Dermatology, 2008, 17, 739-747.	2.9	40
89	Neonatal and infantile erythrodermas. JDDG - Journal of the German Society of Dermatology, 2008, 6, 1070-1086.	0.8	14
90	Gene Expression Profiling of Lichen Planus Reflects CXCL9+-Mediated Inflammation and Distinguishes this Disease from Atopic Dermatitis and Psoriasis. Journal of Investigative Dermatology, 2008, 128, 67-78.	0.7	68

#	Article	IF	CITATIONS
91	Glove-Derived Foreign Proteins Induce Allergen-Specific IgE in a Mouse Model. Journal of Investigative Dermatology, 2008, 128, 890-896.	0.7	4
92	Clinical usefulness of microarrayâ€based IgE detection in children with suspected food allergy. Allergy: European Journal of Allergy and Clinical Immunology, 2008, 63, 1521-1528.	5.7	131
93	Cytochrome P450-mediated activation of the fragrance compound geraniol forms potent contact allergens. Toxicology and Applied Pharmacology, 2008, 233, 308-313.	2.8	69
94	Deletion of Go2α abolishes cocaineâ€induced behavioral sensitization by disturbing the striatal dopamine system. FASEB Journal, 2008, 22, 3736-3746.	0.5	16
95	Chapter 4 Allergic Contact Dermatitis — A Common Skin Disease Caused by Allergic Reactions to Chemicals in Our Environment. Advances in Molecular Toxicology, 2008, , 87-121.	0.4	2
96	Expression and Function of Cytochrome P450-Dependent Enzymes in Human Skin Cells. Current Medicinal Chemistry, 2008, 15, 2258-2264.	2.4	49
97	Staphylococcal Scalded Skin Syndrome as a Harbinger of Late-onset Staphylococcal Septicaemia in a Premature Infant of Very Low Birth Weight. Acta Dermato-Venereologica, 2008, 88, 416-417.	1.3	6
98	Macrophage migration inhibitory factor (MIF) promotes fibroblast migration in scratchâ€wounded monolayers in vitro. FEBS Letters, 2007, 581, 4734-4742.	2.8	54
99	A Skin-Like Cytochrome P450 Cocktail Activates Prohaptens to Contact Allergenic Metabolites. Journal of Investigative Dermatology, 2007, 127, 1145-1153.	0.7	87
100	Skin: Major target organ of allergic reactions to small molecular weight compounds. Toxicology and Applied Pharmacology, 2007, 224, 313-317.	2.8	36
101	Enhanced expression levels of IL-31 correlate with IL-4 and IL-13 in atopic and allergic contact dermatitis. Journal of Allergy and Clinical Immunology, 2006, 118, 930-937.	2.9	335
102	Microarray-based IgE detection in capillary blood samples of patients with atopy. Allergy: European Journal of Allergy and Clinical Immunology, 2006, 61, 1146-1147.	5.7	22
103	Concepts in molecular dermatotoxicology. Experimental Dermatology, 2006, 15, 692-704.	2.9	16
104	Skin Retinoid Concentrations Are Modulated by CYP26AI Expression Restricted to Basal Keratinocytes in Normal Human Skin and Differentiated 3D Skin Models. Journal of Investigative Dermatology, 2006, 126, 2473-2480.	0.7	61
105	Cyclosporine A (CsA) affects the pharmacodynamics and pharmacokinetics of the atypical antipsychotic amisulpride probably via inhibition of P-glycoprotein (P-gp). Journal of Neural Transmission, 2006, 113, 787-801.	2.8	51
106	Interleukin-6-Type Cytokines Upregulate Expression of Multidrug Resistance-Associated Proteins in NHEK and Dermal Fibroblasts. Journal of Investigative Dermatology, 2005, 124, 28-37.	0.7	66
107	Retinoic Acid and its 4-Oxo Metabolites are Functionally Active in Human Skin Cells In Vitro. Journal of Investigative Dermatology, 2005, 125, 143-153.	0.7	61
108	Anaphylaxis Induced by Glucocorticoids. Journal of the American Board of Family Medicine, 2005, 18, 143-146.	1.5	24

#	Article	IF	CITATIONS
109	Molecular pathways in dermatotoxicology. Toxicology and Applied Pharmacology, 2004, 195, 267-277.	2.8	30
110	Adjuvant interferon alfa treatment for patients with malignant melanoma stimulates transporter proteins associated with antigen processing and proteasome activator 28. Lancet Oncology, The, 2004, 5, 250.	10.7	10
111	Evidence-based staging system for malignant melanoma: is new necessarily better?. Lancet, The, 2004, 364, 395-396.	13.7	3
112	Active Influx Transport is Mediated by Members of the Organic Anion Transporting Polypeptide Family in Human Epidermal Keratinocytes. Journal of Investigative Dermatology, 2003, 120, 285-291.	0.7	71
113	Current and Future Directions in the Treatment of Metastatic Malignant Melanoma. Anti-Cancer Agents in Medicinal Chemistry, 2003, 3, 393-398.	7.0	5
114	Differential regulation of the expression of transporters associated with antigen processing, TAP1 and TAP2, by cytokines and lipopolysaccharide in primary human macrophages. Inflammation Research, 2002, 51, 403-408.	4.0	22
115	Determination of interleukin-5 secretion from drug-specific activated ex vivo peripheral blood mononuclear cells as a test system for the in vitro detection of drug sensitization. Clinical and Experimental Allergy, 2002, 32, 736-744.	2.9	62
116	Delayed Hypersensitivity Reactions. Allergy and Clinical Immunology International, 2002, 14, 194-198.	0.3	3
117	Detection of a TH1-like cytokine expression pattern in lesional skin of a patient with cutaneous tuberculosis. Archives of Dermatological Research, 2001, 293, 373-376.	1.9	3
118	Expression of Multiple Cytochrome P450 Enzymes and Multidrug Resistance-Associated Transport Proteins in Human Skin Keratinocytes. Journal of Investigative Dermatology, 2001, 116, 541-548.	0.7	194
119	Comparison of the Expression of Histidine Decarboxylase and Tryptase in Human Skin Mast Cells, Monocytes and Macrophages. International Archives of Allergy and Immunology, 2001, 124, 158-159.	2.1	0
120	The Skin: Target Organ in Immunotoxicology of Small-Molecular-Weight Compounds. Skin Pharmacology and Physiology, 2001, 14, 419-430.	2.5	6
121	Drug metabolism in the skin. Current Opinion in Allergy and Clinical Immunology, 2001, 1, 287-291.	2.3	44
122	Drug metabolism in the skin. Current Opinion in Allergy and Clinical Immunology, 2001, 1, 287-291.	2.3	3
123	Analysis of Tumor Cell Evolution in a Melanoma: Evidence of Mutational and Selective Pressure for Loss of p16ink4 and for Microsatellite Instability. Journal of Investigative Dermatology, 2000, 114, 14-20.	0.7	24
124	Multiple Cytochrome P450–Isoenzymes mRNA Are Expressed in Dendritic Cells. International Archives of Allergy and Immunology, 1999, 118, 358-361.	2.1	30
125	Histidine Decarboxylase Expression in Human Monocytes, Macrophages and Macrophage Subsets. International Archives of Allergy and Immunology, 1999, 118, 353-354.	2.1	5
126	HPV 18-induced pigmented bowenoid papulosis of the neck. Journal of the American Academy of Dermatology, 1999, 40, 633-634.	1.2	21

#	Article	IF	Citations
127	Cytochrome P450 1B1: a major P450 isoenzyme in human blood monocytes and macrophage subsets. Biochemical Pharmacology, 1998, 56, 1105-1110.	4.4	127
128	Generation and subcellular distribution of histamine in human blood monocytes and monocyte subsets. Inflammation Research, 1998, 47, 434-439.	4.0	32
129	EXPRESSION OF CYTOCHROME P-450 2E1 MESSENGER RIBONUCLEIC ACID IN ADENOCARCINOMA AT URETEROSIGMOIDOSTOMY SITE AFTER BLADDER EXSTROPHY. Journal of Urology, 1998, 159, 979-980.	0.4	6
130	The concept of tumor cell population heterogeneity in malignant melanoma. Journal of Dermatological Science, 1998, 16, S52.	1.9	0
131	Lymphocyte Activation in Allergic Reactions Elicited by Small-Molecular-Weight Compounds. International Archives of Allergy and Immunology, 1997, 113, 173-176.	2.1	39
132	Routine detection of herpes simplex virus and varicella zoster virus by polymerase chain reaction reveals that initial herpes zoster is frequently misdiagnosed as herpes simplex. British Journal of Dermatology, 1997, 137, 259-261.	1.5	72
133	Prevalence of human papillomavirus type 16-related DNA in cutaneous Bowen's disease and squamous cell cancer. International Journal of Oncology, 1996, 9, 609.	3.3	3
134	Demonstration of human papillomavirus type 16-related DNA and absence of detectable p53 gene mutations in widespread cutaneous squamous cell carcinomas after oral psoralen with UV-A treatment. Archives of Dermatology, 1996, 132, 1257-1259.	1.4	11
135	Evaluation of non-radioactive temperature gradient SSCP analysis and of temperature gradient gel electrophoresis for the detection of HPV 6-variants in condylomata acuminata and Buschke-Loewenstein tumours. European Journal of Epidemiology, 1995, 11, 501-506.	5.7	6
136	Dermatologische Forschung: EinsatzmĶglichkeiten von 3-D-Hautmodellen. , 0, , .		0