

# Jianxin Zhang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2958162/publications.pdf>

Version: 2024-02-01

31  
papers

438  
citations

687363

13  
h-index

752698

20  
g-index

31  
all docs

31  
docs citations

31  
times ranked

325  
citing authors

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Heterostructures assembled from graphitic carbon nitride and Ti <sub>3</sub> C <sub>2</sub> T MXene as high-capacity cathode for aluminum batteries. <i>Journal of Alloys and Compounds</i> , 2022, 896, 162901.           | 5.5  | 10        |
| 2  | Boron-doping-induced defect engineering enables high performance of a graphene cathode for aluminum batteries. <i>Inorganic Chemistry Frontiers</i> , 2022, 9, 925-934.  | 6.0  | 16        |
| 3  | Atomistic mechanism of phase transformation between topologically close-packed complex intermetallics. <i>Nature Communications</i> , 2022, 13, 2487.  | 12.8 | 15        |
| 4  | The effects of solutes on precipitated phase/matrix interface stability and their distribution tendencies between the two phases in Co-based superalloys. <i>Computational Materials Science</i> , 2022, 211, 111547.      | 3.0  | 3         |
| 5  | Laser-radiated tellurium vacancies enable high-performance telluride molybdenum anode for aqueous zinc-ion batteries. <i>Energy Storage Materials</i> , 2022, 51, 29-37.   | 18.0 | 22        |
| 6  | Constructing NiCo <sub>2</sub> Se <sub>4</sub> /NiCoS <sub>4</sub> heterostructures for high-performance rechargeable aluminum battery cathodes. <i>Inorganic Chemistry Frontiers</i> , 2022, 9, 4041-4048.                | 6.0  | 3         |
| 7  | Effects of Pressure on the Structural, Mechanical, and Electronic Properties and Debye Temperature of Pd-Based Alloy: First-Principles Calculation. <i>Physica Status Solidi (B): Basic Research</i> , 2021, 258, 2000490. | 1.5  | 0         |
| 8  | Interfacial engineering of Bi <sub>2</sub> Te <sub>3</sub> /Sb <sub>2</sub> Te <sub>3</sub> heterojunction enables high-energy cathode for aluminum batteries. <i>Energy Storage Materials</i> , 2021, 38, 231-240.        | 18.0 | 49        |
| 9  | Sulfur and nitrogen codoped Nb <sub>2</sub> C MXene for dendrite-free lithium metal battery. <i>Electrochimica Acta</i> , 2021, 390, 138812.   | 5.2  | 21        |
| 10 | Nb <sub>2</sub> CT <sub>x</sub> MXene as High-Performance Energy Storage Material with Na, K, and Liquid Na Alloy Anodes. <i>Langmuir</i> , 2021, 37, 1102-1109.   | 3.5  | 22        |
| 11 | High-performance aluminum-ion batteries based on AlCl <sub>3</sub> /caprolactam electrolytes. <i>Sustainable Energy and Fuels</i> , 2020, 4, 121-127.  | 4.9  | 18        |
| 12 | Carbon deposition-resistant Ni <sub>3</sub> Sn nanoparticles with highly stable catalytic activity for methanol decomposition. <i>Applied Catalysis A: General</i> , 2020, 608, 117872.                                    | 4.3  | 3         |
| 13 | Hierarchical Lamellar-Structured MnO <sub>2</sub> @graphene for High Performance Li, Na and K ion Batteries. <i>ChemistrySelect</i> , 2020, 5, 12481-12486.  | 1.5  | 11        |
| 14 | 3D Lithiophilic and Conductive N-CNT@Cu <sub>2</sub> O@Cu Framework for a Dendrite-Free Lithium Metal Battery. <i>Chemistry of Materials</i> , 2020, 32, 9656-9663.  | 6.7  | 13        |
| 15 | ZnMn bimetallic selenide for rechargeable aluminum batteries. <i>New Journal of Chemistry</i> , 2020, 44, 10203-10206.   | 2.8  | 5         |
| 16 | Natural Template-Derived 3D Porous Current Collector for Dendrite-free Lithium Metal Battery. <i>Nano</i> , 2020, 15, 2050033.   | 1.0  | 9         |
| 17 | First-Principles Study of a Tungsten-Free $\text{Co-Al-Mo-Nb}$ Class Cobalt-Based Superalloy and the Alloying Effect of Ti Addition. <i>Journal of the Physical Society of Japan</i> , 2020, 89, 124714.                   | 1.6  | 4         |
| 18 | Porous MnSe Microsphere Cathode Material for High-Performance Aluminum Batteries. <i>ChemElectroChem</i> , 2019, 6, 4437-4443.   | 3.4  | 20        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | First-principles theoretical and experimental studies of effects of ruthenium on precipitation behavior of $\gamma'$ phase and $\gamma'/\text{matrix}$ interface stability in Ni-based single crystal superalloys. <i>Intermetallics</i> , 2019, 113, 106556. | 3.9 | 19        |
| 20 | Novel Ni-Fe Layered Double Hydroxide Microspheres with Reduced Graphene Oxide for Rechargeable Aluminum Batteries. <i>Energy Technology</i> , 2019, 7, 1900649.   | 3.8 | 8         |
| 21 | Synthesis of polythiophene/graphite composites and their enhanced electrochemical performance for aluminum ion batteries. <i>New Journal of Chemistry</i> , 2019, 43, 15014-15022.  | 2.8 | 20        |
| 22 | A High Capacity Aluminum-Ion Battery Based on Imidazole Hydrochloride Electrolyte. <i>ChemElectroChem</i> , 2019, 6, 3350-3354.   | 3.4 | 24        |
| 23 | Characterization of Ni <sub>3</sub> Sn intermetallic nanoparticles fabricated by thermal plasma process and catalytic properties for methanol decomposition. <i>Science and Technology of Advanced Materials</i> , 2019, 20, 622-631.                         | 6.1 | 13        |
| 24 | First-principles investigations on structural stability, elastic and electronic properties of Co <sub>7</sub> M <sub>6</sub> (M= W, Mo, Nb) $\gamma'$ phases. <i>Molecular Simulation</i> , 2019, 45, 752-758.  | 2.0 | 20        |
| 25 | Rechargeable High-Capacity Aluminum-Nickel Batteries. <i>ChemistrySelect</i> , 2019, 4, 13191-13197.  | 1.5 | 8         |
| 26 | Intergrowth of P phase with Laves phase C36 in the high Mo-containing nickel-base single crystal superalloy. <i>Materials Research Express</i> , 2019, 6, 046528.   | 1.6 | 1         |
| 27 | Minimum interface misfit criterion for the precipitation morphologies of TCP phases in a Ni-based single crystal superalloy. <i>Intermetallics</i> , 2018, 94, 55-64.   | 3.9 | 31        |
| 28 | Growth twins of R phase in the high Mo-containing nickel-base single crystal superalloy. <i>Materials Research Express</i> , 2018, 5, 126517.   | 1.6 | 0         |
| 29 | Atomic arrangement and formation of planar defects in the $\gamma'$ phase of Ni-base single crystal superalloys. <i>Journal of Alloys and Compounds</i> , 2018, 766, 775-783.   | 5.5 | 13        |
| 30 | Waste eggshell as bio-template to synthesize high capacity $\gamma'$ -MnO <sub>2</sub> nanoplatelets anode for lithium ion battery. <i>Ceramics International</i> , 2018, 44, 20441-20448.  | 4.8 | 34        |
| 31 | Characterization and formation of $\gamma'/\gamma^3$ interface in Ni-based single crystal superalloys. <i>Materials Research Express</i> , 2017, 4, 116512.   | 1.6 | 3         |