## Jan Hattendorf

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2958177/publications.pdf

Version: 2024-02-01

76326 114465 5,487 173 40 63 citations h-index g-index papers 176 176 176 6006 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Clinical Manifestations of Human Brucellosis: A Systematic Review and Meta-Analysis. PLoS Neglected Tropical Diseases, 2012, 6, e1929.	3.0	337
2	Zoonotic <i>Mycobacterium bovis</i> –induced Tuberculosis in Humans. Emerging Infectious Diseases, 2013, 19, 899-908.	4.3	309
3	Transmission dynamics and economics of rabies control in dogs and humans in an African city. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 14996-15001.	7.1	234
4	Environmental and Behavioural Determinants of Leptospirosis Transmission: A Systematic Review. PLoS Neglected Tropical Diseases, 2015, 9, e0003843.	3.0	207
5	Albendazole and Mebendazole Administered Alone or in Combination with Ivermectin against <i>Trichuris trichiura</i> : A Randomized Controlled Trial. Clinical Infectious Diseases, 2010, 51, 1420-1428.	5.8	134
6	Efficacy of Single-Dose and Triple-Dose Albendazole and Mebendazole against Soil-Transmitted Helminths and Taenia spp.: A Randomized Controlled Trial. PLoS ONE, 2011, 6, e25003.	2.5	125
7	Solar Drinking Water Disinfection (SODIS) to Reduce Childhood Diarrhoea in Rural Bolivia: A Cluster-Randomized, Controlled Trial. PLoS Medicine, 2009, 6, e1000125.	8.4	104
8	Efficacy and safety of albendazole plus ivermectin, albendazole plus mebendazole, albendazole plus oxantel pamoate, and mebendazole alone against Trichuris trichiura and concomitant soil-transmitted helminth infections: a four-arm, randomised controlled trial. Lancet Infectious Diseases, The, 2015, 15, 277-284.	9.1	103
9	Climate change and One Health. FEMS Microbiology Letters, 2018, 365, .	1.8	95
10	Oxantel Pamoate–Albendazole for <i>Trichuris trichiura</i> Infection. New England Journal of Medicine, 2014, 370, 610-620.	27.0	87
11	Vaccination of dogs in an African city interrupts rabies transmission and reduces human exposure. Science Translational Medicine, 2017, 9, .	12.4	87
12	Diagnostic Accuracy of Kato-Katz and FLOTAC for Assessing Anthelmintic Drug Efficacy. PLoS Neglected Tropical Diseases, 2011, 5, e1036.	3.0	79
13	The potential effect of improved provision of rabies post-exposure prophylaxis in Gavi-eligible countries: a modelling study. Lancet Infectious Diseases, The, 2019, 19, 102-111.	9.1	72
14	Risk factors for Entamoeba histolytica infection in an agricultural community in Hanam province, Vietnam. Parasites and Vectors, 2011, 4, 102.	2.5	66
15	Efficacy and Safety of Nitazoxanide, Albendazole, and Nitazoxanide-Albendazole against Trichuris trichiura Infection: A Randomized Controlled Trial. PLoS Neglected Tropical Diseases, 2012, 6, e1685.	3.0	66
16	Ascaris lumbricoides and Trichuris trichiura infections associated with wastewater and human excreta use in agriculture in Vietnam. Parasitology International, 2013, 62, 172-180.	1.3	66
17	Rapid Re-Infection with Soil-Transmitted Helminths after Triple-Dose Albendazole Treatment of School-Aged Children in Yunnan, People's Republic of China. American Journal of Tropical Medicine and Hygiene, 2013, 89, 23-31.	1.4	65
18	Epidemiology of Brucellosis and Q Fever in Linked Human and Animal Populations in Northern Togo. PLoS ONE, 2013, 8, e71501.	2.5	65

#	Article	IF	CITATIONS
19	Operational performance and analysis of two rabies vaccination campaigns in N'Djamena, Chad. Vaccine, 2016, 34, 571-577.	3.8	64
20	Risk factors of bovine tuberculosis in cattle in rural livestock production systems of Ethiopia. Preventive Veterinary Medicine, 2009, 89, 205-211.	1.9	63
21	High Prevalence and Spatial Distribution of Strongyloides stercoralis in Rural Cambodia. PLoS Neglected Tropical Diseases, 2014, 8, e2854.	3.0	63
22	Evaluation of integrated interventions layered on mass drug administration for urogenital schistosomiasis elimination: a cluster-randomised trial. The Lancet Global Health, 2019, 7, e1118-e1129.	6.3	63
23	African fermented dairy products – Overview of predominant technologically important microorganisms focusing on African Streptococcus infantarius variants and potential future applications for enhanced food safety and security. International Journal of Food Microbiology, 2017, 250. 27-36.	4.7	62
24	Mycobacterium africanum Is Associated with Patient Ethnicity in Ghana. PLoS Neglected Tropical Diseases, 2015, 9, e3370.	3.0	61
25	Efficacy and safety of praziquantel in preschool-aged and school-aged children infected with Schistosoma mansoni: a randomised controlled, parallel-group, dose-ranging, phase 2 trial. The Lancet Global Health, 2017, 5, e688-e698.	6.3	60
26	African animal trypanosomiasis as a constraint to livestock health and production in Karamoja region: a detailed qualitative and quantitative assessment. BMC Veterinary Research, 2017, 13, 355.	1.9	60
27	Low coverage of central point vaccination against dog rabies in Bamako, Mali. Preventive Veterinary Medicine, 2015, 120, 203-209.	1.9	52
28	Reconstructing the 2003/2004 H3N2 influenza epidemic in Switzerland with a spatially explicit, individual-based model. BMC Infectious Diseases, 2011, 11, 115.	2.9	50
29	Efficacy and reinfection with soil-transmitted helminths 18-weeks post-treatment with albendazole-ivermectin, albendazole-mebendazole, albendazole-oxantel pamoate and mebendazole. Parasites and Vectors, 2016, 9, 123.	2.5	50
30	Efficacy and safety of oxantel pamoate in school-aged children infected with Trichuris trichiura on Pemba Island, Tanzania: a parallel, randomised, controlled, dose-ranging study. Lancet Infectious Diseases, The, 2016, 16, 53-60.	9.1	50
31	One Health and its practical implications for surveillance of endemic zoonotic diseases in resource limited settings. Acta Tropica, 2017, 165, 268-273.	2.0	47
32	Risk Perception of Travelers to Tropical and Subtropical Countries Visiting a Swiss Travel Health Center. Journal of Travel Medicine, 2013, 20, 3-10.	3.0	46
33	Improvements on Restricted Insecticide Application Protocol for Control of Human and Animal African Trypanosomiasis in Eastern Uganda. PLoS Neglected Tropical Diseases, 2014, 8, e3284.	3.0	46
34	Strongyloides stercoralis is associated with significant morbidity in rural Cambodia, including stunting in children. PLoS Neglected Tropical Diseases, 2017, 11, e0005685.	3.0	46
35	Differences in Primary Sites of Infection between Zoonotic and Human Tuberculosis: Results from a Worldwide Systematic Review. PLoS Neglected Tropical Diseases, 2013, 7, e2399.	3.0	45
36	Efficacy of Moxidectin Versus Ivermectin Against Strongyloides stercoralis Infections: A Randomized, Controlled Noninferiority Trial. Clinical Infectious Diseases, 2017, 65, 276-281.	5.8	44

#	Article	IF	CITATIONS
37	Urogenital schistosomiasis elimination in Zanzibar: accuracy of urine filtration and haematuria reagent strips for diagnosing light intensity Schistosoma haematobium infections. Parasites and Vectors, 2018, 11, 552.	2.5	44
38	Efficacy and safety of tribendimidine, tribendimidine plus ivermectin, tribendimidine plus oxantel pamoate, and albendazole plus oxantel pamoate against hookworm and concomitant soil-transmitted helminth infections in Tanzania and CÃ'te d'Ivoire: a randomised, controlled, single-blinded, non-inferiority trial. Lancet Infectious Diseases, The, 2017, 17, 1162-1171.	9.1	43
39	Dynamics of Schistosoma haematobium egg output and associated infection parameters following treatment with praziquantel in school-aged children. Parasites and Vectors, 2012, 5, 298.	2.5	42
40	Chimney stoves modestly improved Indoor Air Quality measurements compared with traditional open fire stoves: results from a small-scale intervention study in rural Peru. Indoor Air, 2013, 23, 342-352.	4.3	42
41	Opisthorchis felineusÂinfection, risks, and morbidity in rural Western Siberia, Russian Federation. PLoS Neglected Tropical Diseases, 2020, 14, e0008421.	3.0	42
42	A community randomised controlled trial evaluating a home-based environmental intervention package of improved stoves, solar water disinfection and kitchen sinks in rural Peru: Rationale, trial design and baseline findings. Contemporary Clinical Trials, 2011, 32, 864-873.	1.8	40
43	Effect of Schistosomiasis and Soil-Transmitted Helminth Infections on Physical Fitness of School Children in CĂ'te d'Ivoire. PLoS Neglected Tropical Diseases, 2011, 5, e1239.	3.0	39
44	Prevalence and spatial distribution of Theileria parva in cattle under crop-livestock farming systems in Tororo District, Eastern Uganda. Parasites and Vectors, 2014, 7, 91.	2.5	39
45	Efficacy and Safety of Ivermectin Against Trichuris trichiura in Preschool-aged and School-aged Children: A Randomized Controlled Dose-finding Trial. Clinical Infectious Diseases, 2018, 67, 1247-1255.	5 <b>.</b> 8	37
46	A 5-Year intervention study on elimination of urogenital schistosomiasis in Zanzibar: Parasitological results of annual cross-sectional surveys. PLoS Neglected Tropical Diseases, 2019, 13, e0007268.	3.0	36
47	Influence of nutrition on infection and re-infection with soil-transmitted helminths: a systematic review. Parasites and Vectors, 2014, 7, 229.	2.5	35
48	Molecular epidemiology of Mycobacterium africanum in Ghana. BMC Infectious Diseases, 2016, 16, 385.	2.9	35
49	Improving household air, drinking water and hygiene in rural Peru: a community-randomized–controlled trial of an integrated environmental home-based intervention package to improve child health. International Journal of Epidemiology, 2016, 45, dyw242.	1.9	35
50	Impact of a child stimulation intervention on early child development in rural Peru: a cluster randomised trial using a reciprocal control design. Journal of Epidemiology and Community Health, 2017, 71, 217-224.	3.7	35
51	Efficacy and tolerability of moxidectin alone and in co-administration with albendazole and tribendimidine versus albendazole plus oxantel pamoate against Trichuris trichiura infections: a randomised, non-inferiority, single-blind trial. Lancet Infectious Diseases, The, 2018, 18, 864-873.	9.1	35
52	Repeated crossâ€sectional skin testing for bovine tuberculosis in cattle kept in a traditional husbandry system in Ethiopia. Veterinary Record, 2010, 167, 250-256.	0.3	34
53	Efficacy and safety of ascending doses of moxidectin against Strongyloides stercoralis infections in adults: a randomised, parallel-group, single-blinded, placebo-controlled, dose-ranging, phase 2a trial. Lancet Infectious Diseases, The, 2021, 21, 1151-1160.	9.1	32
54	Diarrhoeal diseases among adult population in an agricultural community Hanam province, Vietnam, with high wastewater and excreta re-use. BMC Public Health, 2014, 14, 978.	2.9	31

#	Article	IF	CITATIONS
55	Diagnostic comparison between FECPAKG2 and the Kato-Katz method for analyzing soil-transmitted helminth eggs in stool. PLoS Neglected Tropical Diseases, 2018, 12, e0006562.	3.0	31
56	Sero-prevalence of brucellosis, Q-fever and Rift Valley fever in humans and livestock in Somali Region, Ethiopia. PLoS Neglected Tropical Diseases, 2021, 15, e0008100.	3.0	31
57	Prevalence of Bovine Tuberculosis and Risk Factor Assessment in Cattle in Rural Livestock Areas of Govuro District in the Southeast of Mozambique. PLoS ONE, 2014, 9, e91527.	2.5	31
58	Demographic and health surveillance of mobile pastoralists in Chad: integration of biometric fingerprint identification into a geographical information system. Geospatial Health, 2008, 3, 113.	0.8	30
59	A tradition and an epidemic: determinants of the campylobacteriosis winter peak in Switzerland. European Journal of Epidemiology, 2014, 29, 527-537.	5.7	29
60	The use of mobile phones for demographic surveillance of mobile pastoralists and their animals in Chad: proof of principle. Global Health Action, 2014, 7, 23209.	1.9	28
61	The burden and spatial distribution of bovine African trypanosomes in small holder crop-livestock production systems in Tororo District, south-eastern Uganda. Parasites and Vectors, 2014, 7, 603.	2.5	27
62	Prevalence of Fasciola giganticainfection in slaughtered animals in south-eastern Lake Chad area in relation to husbandry practices and seasonal water levels. BMC Veterinary Research, 2014, 10, 81.	1.9	27
63	Effect of Deworming on Physical Fitness of School-Aged Children in Yunnan, China: A Double-Blind, Randomized, Placebo-Controlled Trial. PLoS Neglected Tropical Diseases, 2014, 8, e2983.	3.0	26
64	<i>Strongyloides stercoralis</i> larvae excretion patterns before and after treatment. Parasitology, 2014, 141, 892-897.	1.5	26
65	Efficacy and safety of tribendimidine versus praziquantel against Opisthorchis viverrini in Laos: an open-label, randomised, non-inferiority, phase 2 trial. Lancet Infectious Diseases, The, 2018, 18, 155-161.	9.1	26
66	Validation of two accelerometers to determine mechanical loading of physical activities in children. Journal of Sports Sciences, 2015, 33, 1702-1709.	2.0	25
67	Efficacy and Safety of a Single Dose versus a Multiple Dose Regimen of Mebendazole against Hookworm Infections in Children: A Randomised, Double-blind Trial. EClinicalMedicine, 2018, 1, 7-13.	7.1	25
68	Efficacy and safety of ivermectin and albendazole co-administration in school-aged children and adults infected with Trichuris trichiura: study protocol for a multi-country randomized controlled double-blind trial. BMC Infectious Diseases, 2019, 19, 262.	2.9	25
69	Diagnosis of soil-transmitted helminths using the Kato-Katz technique: What is the influence of stirring, storage time and storage temperature on stool sample egg counts? PLoS Neglected Tropical Diseases, 2021, 15, e0009032.	3.0	25
70	Antibiotic-Resistant Escherichia coli in Drinking Water Samples from Rural Andean Households in Cajamarca, Peru. American Journal of Tropical Medicine and Hygiene, 2019, 100, 1363-1368.	1.4	25
71	Efficacy and safety of co-administered ivermectin and albendazole in school-aged children and adults infected with Trichuris trichiura in CA'te d'Ivoire, Laos, and Pemba Island, Tanzania: a double-blind, parallel-group, phase 3, randomised controlled trial. Lancet Infectious Diseases, The, 2022, 22, 123-135.	9.1	25
72	Subtle to severe hepatobiliary morbidity in Opisthorchis viverrini endemic settings in southern Laos. Acta Tropica, 2015, 141, 303-309.	2.0	24

#	Article	IF	CITATIONS
73	Efficacy and safety of tribendimidine against Opisthorchis viverrini: two randomised, parallel-group, single-blind, dose-ranging, phase 2 trials. Lancet Infectious Diseases, The, 2016, 16, 1145-1153.	9.1	24
74	Rabies awareness and dog ownership among rural northern and southern Chadian communities—Analysis of a community-based, cross-sectional household survey. Acta Tropica, 2017, 175, 100-111.	2.0	24
75	First study on domestic dog ecology, demographic structure and dynamics in Bamako, Mali. Preventive Veterinary Medicine, 2017, 146, 44-51.	1.9	23
76	The effect of human interaction on guinea pig behavior in animal-assisted therapy. Journal of Veterinary Behavior: Clinical Applications and Research, 2018, 25, 56-64.	1.2	23
77	Efficacy and tolerability of triple drug therapy with albendazole, pyrantel pamoate, and oxantel pamoate compared with albendazole plus oxantel pamoate, pyrantel pamoate plus oxantel pamoate, and mebendazole plus pyrantel pamoate and oxantel pamoate against hookworm infections in school-aged children in Laos; a randomised, single-blind trial. Lancet Infectious Diseases. The, 2018, 18, 729-737.	9.1	23
78	Efficacy and Safety of Moxidectin, Synriam, Synriam-Praziquantel versus Praziquantel against Schistosoma haematobium and S. mansoni Infections: A Randomized, Exploratory Phase 2 Trial. PLoS Neglected Tropical Diseases, 2016, 10, e0005008.	3.0	23
79	Contacts between poultry farms, their spatial dimension and their relevance for avian influenza preparedness. Geospatial Health, 2009, 4, 79.	0.8	22
80	A mixed methods approach to assess animal vaccination programmes: The case of rabies control in Bamako, Mali. Acta Tropica, 2017, 165, 203-215.	2.0	22
81	SCORE Operational Research on Moving toward Interruption of Schistosomiasis Transmission. American Journal of Tropical Medicine and Hygiene, 2020, 103, 58-65.	1.4	21
82	Cost Estimate of Bovine Tuberculosis to Ethiopia. Current Topics in Microbiology and Immunology, 2012, 365, 249-268.	1.1	20
83	Factors associated with dog rabies immunisation status in Bamako, Mali. Acta Tropica, 2017, 165, 194-202.	2.0	20
84	Performance of analytical methods for overdispersed counts in cluster randomized trials: Sample size, degree of clustering and imbalance. Statistics in Medicine, 2009, 28, 2989-3011.	1.6	19
85	Strongyloides stercoralis infection and re-infection in a cohort of children in Cambodia. Parasitology International, 2014, 63, 708-712.	1.3	19
86	Factors associated with compliance among users of solar water disinfection in rural Bolivia. BMC Public Health, 2011, 11, 210.	2.9	18
87	Seroprevalence of Rift Valley Fever, Q Fever, and Brucellosis in Ruminants on the Southeastern Shore of Lake Chad. Vector-Borne and Zoonotic Diseases, 2014, 14, 757-762.	1.5	17
88	Dog Ecology, Bite Incidence, and Disease Awareness: A Cross-Sectional Survey among a Rabies-Affected Community in the Democratic Republic of the Congo. Vaccines, 2019, 7, 98.	4.4	17
89	Efficacy and Safety of Ascending Dosages of Moxidectin and Moxidectin-albendazole Against Trichuris trichiura in Adolescents: A Randomized Controlled Trial. Clinical Infectious Diseases, 2020, 70, 1193-1201.	5.8	17
90	Impact of seven years of mass drug administration and recrudescence of Schistosoma haematobium infections after one year of treatment gap in Zanzibar: Repeated cross-sectional studies. PLoS Neglected Tropical Diseases, 2021, 15, e0009127.	3.0	17

#	Article	IF	CITATIONS
91	Increasing rabies data availability: The example of a One Health research project in Chad, $\tilde{CA}$ te d'Ivoire and Mali. Acta Tropica, 2021, 215, 105808.	2.0	17
92	Human and livestock trematode infections in a mobile pastoralist setting at Lake Chad: added value of a One Health approach beyond zoonotic diseases research. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2017, 111, 278-284.	1.8	16
93	Colorectal cancer-associated Streptococcus infantarius subsp. infantarius differ from a major dairy lineage providing evidence for pathogenic, pathobiont and food-grade lineages. Scientific Reports, 2018, 8, 9181.	3.3	16
94	Efficacy and safety of ascending dosages of albendazole against Trichuris trichiura in preschool-aged children, school-aged children and adults: A multi-cohort randomized controlled trial. EClinicalMedicine, 2020, 22, 100335.	7.1	16
95	Long-term outcomes of ivermectin-albendazole versus albendazole alone against soil-transmitted helminths: Results from randomized controlled trials in Lao PDR and Pemba Island, Tanzania. PLoS Neglected Tropical Diseases, 2021, 15, e0009561.	3.0	16
96	Systematic review and metaâ€analysis of integrated studies on antimicrobial resistance genes in Africaâ€"A One Health perspective. Tropical Medicine and International Health, 2021, 26, 1153-1163.	2.3	16
97	Phytophagous insects of giant hogweed Heracleum mantegazzianum (Apiaceae) in invaded areas of Europe and in its native area of the Caucasus. European Journal of Entomology, 2006, 103, 387-395.	1.2	16
98	Collateral benefits of restricted insecticide application for control of African trypanosomiasis on Theileria parva in cattle: a randomized controlled trial. Parasites and Vectors, 2014, 7, 432.	2.5	15
99	Efficacy and safety of praziquantel against light infections of <i>Opisthorchis viverrini</i> : a randomised parallel single blind dose-ranging trial. Clinical Infectious Diseases, 2017, 64, ciw785.	5.8	15
100	Investigating the association between African spontaneously fermented dairy products, faecal carriage of Streptococcus infantarius subsp. infantarius and colorectal adenocarcinoma in Kenya. Acta Tropica, 2018, 178, 10-18.	2.0	15
101	Association of riverine prawns and intermediate host snails and correlation with human schistosomiasis in two river systems in south-eastern CÃ te d'Ivoire. Parasitology, 2018, 145, 1792-1800.	1.5	15
102	Bottlenecks in the provision of antenatal care: rural settled and mobile pastoralist communities in Chad. Tropical Medicine and International Health, 2018, 23, 1033-1044.	2.3	15
103	Efficacy and safety of ascending doses of praziquantel against Schistosoma haematobium infection in preschool-aged and school-aged children: a single-blind randomised controlled trial. BMC Medicine, $2018, 16, 81.$	5.5	15
104	Prevalence and distribution of livestock schistosomiasis and fascioliasis in Côte d'lvoire: results from a cross-sectional survey. BMC Veterinary Research, 2020, 16, 446.	1.9	15
105	Demographic Model of the Swiss Cattle Population for the Years 2009-2011 Stratified by Gender, Age and Production Type. PLoS ONE, 2014, 9, e109329.	2.5	14
106	Risk factors of brucellosis seropositivity in Bactrian camels of Mongolia. BMC Veterinary Research, 2018, 14, 342.	1.9	14
107	Efficacy, safety and acceptability of a new chewable formulation versus the solid tablet of mebendazole against hookworm infections in children: An open-label, randomized controlled trial. EClinicalMedicine, 2020, 27, 100556.	7.1	14
108	Identification of risk factors for rabies exposure and access to post-exposure prophylaxis in Chad. Acta Tropica, 2020, 209, 105484.	2.0	14

#	Article	IF	CITATIONS
109	Nutritional status and intestinal parasites among young children from pastoralist communities of the Ethiopian Somali region. Maternal and Child Nutrition, 2020, 16, e12955.	3.0	13
110	Herbivore Impact Versus Host Size Preference: Endophagous Insects on <i>Heracleum mantegazzianum </i> in Its Native Range. Environmental Entomology, 2006, 35, 1013-1020.	1.4	12
111	Ecohealth Approach to Urban Waste Management: Exposure to Environmental Pollutants and Health Risks in Yamoussoukro, Cà te d'Ivoire. International Journal of Environmental Research and Public Health, 2014, 11, 10292-10309.	2.6	12
112	The impact of pastoralist mobility on tuberculosis control in Ethiopia: a systematic review and meta-synthesis. Infectious Diseases of Poverty, 2019, 8, 73.	3.7	12
113	Three-Year Rates of Reoperation and Revision Following Mobile Versus Fixed-Bearing Total Ankle Arthroplasty. Journal of Bone and Joint Surgery - Series A, 2021, 103, 2080-2088.	3.0	12
114	The association of road traffic noise with problem behaviour in adolescents: A cohort study. Environmental Research, 2022, 207, 112645.	7.5	12
115	<i>Opisthorchis Felineus</i> Infection is a Risk Factor for Cholangiocarcinoma in Western Siberia: A Hospital-based Case-control Study. Clinical Infectious Diseases, 2023, 76, e1392-e1398.	<b>5.</b> 8	12
116	Distribution of intermediate host snails of schistosomiasis and fascioliasis in relation to environmental factors during the dry season in the Tchologo region, Cà te d'Ivoire. Advances in Water Resources, 2017, 108, 386-396.	3.8	11
117	Antenatal care and skilled delivery service utilisation in Somali pastoral communities of Eastern Ethiopia. Tropical Medicine and International Health, 2020, 25, 328-337.	2.3	11
118	A factorial cluster-randomised controlled trial combining home-environmental and early child development interventions to improve child health and development: rationale, trial design and baseline findings. BMC Medical Research Methodology, 2020, 20, 73.	3.1	11
119	Compliance with recommended Varroa destructor treatment regimens improves the survival of honey bee colonies over winter. Research in Veterinary Science, 2022, 144, 1-10.	1.9	11
120	The prevalence of brucellosis and bovine tuberculosis in ruminants in Sidi Kacem Province, Morocco. PLoS ONE, 2018, 13, e0203360.	2.5	10
121	Performance of a real-time PCR approach for diagnosing Schistosoma haematobium infections of different intensity in urine samples from Zanzibar. Infectious Diseases of Poverty, 2020, 9, 128.	3.7	10
122	Integrated community based human and animal syndromic surveillance in Adadle district of the Somali region of Ethiopia. One Health, 2021, 13, 100334.	3.4	10
123	Evaluation of pet contact as a risk factor for carriage of multidrug-resistant staphylococci in nursing home residents. American Journal of Infection Control, 2012, 40, 128-133.	2.3	9
124	Patients with cystic echinococcosis in the three national referral centers of Mongolia: A model for CE management assessment. PLoS Neglected Tropical Diseases, 2018, 12, e0006686.	3.0	9
125	RABIES IMMUNOGLOBULIN: Brief history and recent experiences in Côte d'Ivoire. Acta Tropica, 2020, 211, 105629.	2.0	9
126	Estimation of dog population and dog bite risk factors in departments of San Pedro and Bouake in CÃ te d'Ivoire. Acta Tropica, 2020, 206, 105447.	2.0	9

#	Article	IF	Citations
127	One mean to rule them all? The arithmetic mean based egg reduction rate can be misleading when estimating anthelminthic drug efficacy in clinical trials. PLoS Neglected Tropical Diseases, 2020, 14, e0008185.	3.0	9
128	Survey Design to Monitor Drug Efficacy for the Control of Soil-Transmitted Helminthiasis and Schistosomiasis. Clinical Infectious Diseases, 2021, 72, S195-S202.	5.8	9
129	Ecological and behavioural risk factors of scrub typhus in central Vietnam: a case-control study. Infectious Diseases of Poverty, 2021, 10, 110.	3.7	9
130	Human and animal health surveys among pastoralists. OIE Revue Scientifique Et Technique, 2016, 35, 659-671.	1.2	9
131	Raising the Political Profile of the Neglected Zoonotic Diseases: Three Complementary European Commission-Funded Projects to Streamline Research, Build Capacity and Advocate for Control. PLoS Neglected Tropical Diseases, 2015, 9, e0003505.	3.0	8
132	Efficacy and Safety of Albendazole in Hookworm-infected Preschool-aged Children, School-aged Children, and Adults in CÃ'te d'lvoire: A Phase 2 Randomized, Controlled Dose-finding Trial. Clinical Infectious Diseases, 2021, 73, e494-e502.	5.8	8
133	Rabies surveillance-response in Mali in the past 18 years and requirements for the future. Acta Tropica, 2020, 210, 105526.	2.0	8
134	Effectiveness of school-based preventive chemotherapy strategies for sustaining the control of schistosomiasis in CÃ′te d'lvoire: Results of a 5-year cluster randomized trial. PLoS Neglected Tropical Diseases, 2021, 15, e0008845.	3.0	8
135	Mutualistic relationship beneficial for aphids and ants on giant hogweed (Heracleum) Tj ETQq1 1 0.784314 rgBT	/Oyerlock	19 Tf 50 423
136	HIV and parasitic co-infections among patients seeking care at health facilities in Tanzania. Tanzania Health Research Bulletin, 2011, 13, 75-85.	0.5	7
137	Efficacy and Safety of Ascending Dosages of Tribendimidine Against Hookworm Infections in Children: A Randomized Controlled Trial. Clinical Infectious Diseases, 2019, 69, 845-852.	5.8	7
138	The influence of human interaction on guinea pigs: Behavioral and thermographic changes during animal-assisted therapy. Physiology and Behavior, 2020, 225, 113076.	2.1	7
139	Systematic Review and Meta-Analysis of Integrated Studies on Salmonella and Campylobacter Prevalence, Serovar, and Phenotyping and Genetic of Antimicrobial Resistance in the Middle East—A One Health Perspective. Antibiotics, 2022, 11, 536.	3.7	7
140	Random demographic household surveys in highly mobile pastoral communities in Chad. Bulletin of the World Health Organization, 2011, 89, 385-389.	3.3	6
141	Seasonal dynamics of human retinol status in mobile pastoralists in Chad. Acta Tropica, 2017, 166, 280-286.	2.0	6
142	Burden of rabies in Mali. Acta Tropica, 2020, 210, 105389.	2.0	6
143	Accuracy of the sedimentation and filtration methods for the diagnosis of schistosomiasis in cattle. Parasitology Research, 2020, 119, 1707-1712.	1.6	6
144	Novel tools and strategies for breaking schistosomiasis transmission: study protocol for an intervention study. BMC Infectious Diseases, 2021, 21, 1024.	2.9	6

#	Article	IF	Citations
145	Defence systems of Heracleum mantegazzianum , 0, , 209-225.		6
146	Reporting Diarrhoea through a Vernacular Term in Quechua-speaking Settings of Rural Bolivia. Journal of Health, Population and Nutrition, 2012, 29, 552-9.	2.0	5
147	The contribution of livestock to urban resilience: the case of Bamako, Mali. Tropical Animal Health and Production, 2019, 51, 7-16.	1.4	5
148	Risk factors for the carriage of Streptococcus infantarius subspecies infantarius isolated from African fermented dairy products. PLoS ONE, 2019, 14, e0225452.	2.5	5
149	Integrated human-animal sero-surveillance of Brucellosis in the pastoral Afar and Somali regions of Ethiopia. PLoS Neglected Tropical Diseases, 2021, 15, e0009593.	3.0	5
150	Effectiveness of Four Different Interventions Against <i>Schistosoma haematobium</i> in a Seasonal Transmission Setting of Côte d'Ivoire: A Cluster Randomized Trial. Clinical Infectious Diseases, 2022, 74, 2181-2190.	5.8	5
151	Efficacy of triclabendazole and albendazole against Fasciola spp. infection in cattle in Côte d'Ivoire: a randomised blinded trial. Acta Tropica, 2021, 222, 106039.	2.0	5
152	Re-infection with Fasciola gigantica 6-month post-treatment with triclabendazole in cattle from mobile pastoralist husbandry systems at Lake Chad. Veterinary Parasitology, 2016, 230, 43-48.	1.8	4
153	Effect of Bovine Tuberculosis on Selected Productivity Parameters and Trading in Dairy Cattle Kept Under Intensive Husbandry in Central Ethiopia. Frontiers in Veterinary Science, 2021, 8, 698768.	2.2	4
154	Efficacy and safety of moxidectin and albendazole compared to ivermectin and albendazole co-administration in adolescents infected with Trichuris trichiura: a randomized controlled trial protocol. Gates Open Research, 2021, 5, 106.	1.1	4
155	Challenges in Protocol Development and Interpretation of the Schistosomiasis Consortium for Operational Research and Evaluation Intervention Studies. American Journal of Tropical Medicine and Hygiene, 2020, 103, 36-41.	1.4	4
156	Rabies burden in Côte d'Ivoire. Acta Tropica, 2022, 226, 106249.	2.0	4
157	Traditional milk transformation schemes in $\tilde{CA}$ te dâ $\in$ <sup><math>\infty</math></sup> Ivoire and their impact on the prevalence of Streptococcus bovis complex bacteria in dairy products. PLoS ONE, 2020, 15, e0233132.	2.5	3
158	Efficacy and Safety of Co-Administered Ivermectin and Albendazole in School-Aged Children and Adults Infected With <i>Trichuris trichiura</i> A Multi-Country Randomized Controlled Trial. SSRN Electronic Journal, 0, , .	0.4	3
159	Herbivorous arthropods on Heracleum mantegazzianum in its native and invaded distribution range , 0, , 170-188.		3
160	Effectiveness of a home-environmental intervention package and an early child development intervention on child health and development in high-altitude rural communities in the Peruvian Andes: a cluster-randomised controlled trial. Infectious Diseases of Poverty, 2022, 11, .	3.7	3
161	Baseline and Impact of First-Year Intervention on Schistosoma haematobium Infection in Seasonal Transmission Foci in the Northern and Central Parts of CÃ'te d'Ivoire. Tropical Medicine and Infectious Disease, 2021, 6, 7.	2.3	2
162	Cost Estimate of Bovine Tuberculosis to Ethiopia. Current Topics in Microbiology and Immunology, 2012, , 249-268.	1.1	2

#	Article	IF	CITATIONS
163	GPS-based fine-scale mapping surveys for schistosomiasis assessment: a practical introduction and documentation of field implementation. Infectious Diseases of Poverty, 2022, 11, 8.	3.7	2
164	One health study designs, 2021, , 88-101.		1
165	Assessment of fecal calprotectin and fecal occult blood as point-of-care markers for soil-transmitted helminth attributable intestinal morbidity in a case-control substudy conducted in Côte d'Ivoire, Lao PDR and Pemba Island, Tanzania. EClinicalMedicine, 2021, 32, 100724.	7.1	1
166	Animal-human transmission models, 2021, , 145-156.		O
167	Efficacy and safety of moxidectin and albendazole compared to ivermectin and albendazole co-administration in adolescents infected with Trichuris trichiura: a randomized controlled trial protocol. Gates Open Research, 2021, 5, 106.	1.1	0
168	Title is missing!. , 2020, 14, e0008185.		0
169	Title is missing!. , 2020, 14, e0008185.		0
170	Title is missing!. , 2020, 14, e0008185.		O
171	Title is missing!. , 2020, 14, e0008185.		0
172	Title is missing!. , 2020, 14, e0008185.		0
173	Title is missing!. , 2020, 14, e0008185.		O